# TLAMATINI

## Complete Architecture Atlas

*eXtended Artificial Intelligence, Humanly Tempered · "one who knows"*

Created by **Angela López Mendoza** · XAIHT

Release v1.86.0 · commit 2203b436 (2026-10-17) · atlas generated 2026-10-18 from application files tracked in git; database history is summarized

| | | | |
|---|---|---|---|
| **1,508** listed application files | **556,576** lines of text | **638** Python files | **85** workflow agent types |
| **66** Multi-Turn chat-agent tools | **180 + 3** HTTP routes + WebSocket routes | **19** Django models | **214** migrations |
| **59 / 26** first-party JS / CSS files | **29** SKILL.md packages | **5,230** test functions in 182 files | **225** Markdown documents |

### Lines of text by architectural layer



- Presentation (browser) — 102 files, 44,259 lines
- Process & transport — 34 files, 21,649 lines
- Intelligence core — 67 files, 33,752 lines
- Integration surfaces — 81 files, 22,139 lines
- Agent pool — 247 files, 113,251 lines
- Persistence & state — 5 files, 880 lines
- Platform & safety — 21 files, 6,454 lines
- Build, release & install — 57 files, 22,213 lines
- Verification — 349 files, 128,048 lines
- Knowledge & governance — 202 files, 50,201 lines
- Vendored third-party — 343 files, 113,730 lines

### File-type markers on every tile

- Python
- JavaScript
- CSS
- HTML
- Markdown
- YAML/JSON
- PS1/BAT/CMD
- Prompts/flows
- C++/Arduino
- Text/other
- Binary/media

**How to read this atlas**

- **Part A (sheets 2–11)** draws the architecture: runtime topology, request lifecycle, intelligence core, agents, integrations, frontend, data, build/release, verification and a module dependency matrix. File names in blue are links to the index.
- **Part B (sheets 12–20)** is the file atlas: every listed application file is a tile inside the cluster where it lives architecturally. Marker = file type, right number = lines (or size for binaries).
- **Part C** is the file index: every file with its ID, path, size and a description extracted from the file itself (docstring, header comment, heading or parsed structure).
- Click a tile to open its index entry; click an ID in the index to jump back to the tile. PDF bookmarks list every sheet and cluster.

### SHEET INDEX

**Part A — architecture overview**

**02** Runtime topology — processes, ports and stores
**03** Request lifecycle — from the composer to the rendered answer
**04** Intelligence core — five layers, the Multi-Turn executor and the Model Brain
**05** Agent ecosystem — 85 workflow agent types and the flow pipeline
**06** Integration surfaces — ACPX, skills, external MCPs and bridges
**07** Frontend module map — what each page loads, in order
**08** Data model and state — 19 Django models, 214 migrations, WAL-safe copies
**09** Build, release, install and self-update pipeline
**10** Verification and knowledge — how Tlamatini is tested and documented
**11** Python module dependency matrix (DSM)

**Part B — file atlas**

**12** Atlas I — Server core: process, web tier and intelligence
**13** Atlas II — Integration surfaces, platform and state
**14** Atlas IV — Presentation layer: first-party frontend
**15** Atlas V — Vendored third-party frontend and PDF.js
**16** Atlas VI — Agent pool: every workflow agent template
**17** Atlas VI — Agent pool: every workflow agent template (continued 2)
**18** Atlas VII — Verification: unit, contract, visible and release tests
**19** Atlas VIII — Build, release, install, security and repository root
**20** Atlas IX — Knowledge and governance

**Part C — file index (1508 entries)**

# Runtime topology — processes, ports and stores

One Python process serves the browser pages over HTTP and 3 WebSocket routes, starts two built-in MCP servers, and drives pool agents, ACPX children and external MCP servers.



## Chat page

- agent_page.html: composer, toolbar modes (Multi-Turn, Exec report, ACPX, Ask Execs, Step-by-Step, Compact mode, Self-modify), canvas, avatar
- Boot and state: agent_page_init.js, agent_page_state.js, agent_page_ui.js, agent_page_layout.js
- Messages: agent_page_chat.js (Copy/Drop, Create Flow, Exec Report)
- Canvas: agent_page_canvas.js, agent_page_markdown.js, agent_page_pdf.js
- Voice and avatar: chat_dictation.js, mic_settings.js, avatar.js
- Gauges: context_gauge.js, model_capacity.js, self_modify_switch.js

HTTP, WS

## Agentic Control Panel

- agentic_control_panel.html + agentic_control_panel.js
- Canvas engine: acp-canvas-core.js, acp-canvas-undo.js, acp-undo-manager.js, acp-editor-tools.js
- Flow I/O: acp-file-io.js (.flw), acp-flow-snapshot.js → /agent/compile_flow/
- Run control: acp-control-buttons.js, acp-running-state.js, acp-session.js, acp-validate.js

HTTP

## Prompt Flow Panel

- prompt_flow_panel.html: diagram editor for chains of prompts saved as .fpmt
- prompt-flow-panel-model.js (document contract) and prompt-flow-panel.js (editor, playback)
- Shared canvas mechanics: flow-canvas-interactions.js, flow_canvas.css

WS

## Entry pages, admin and PDF frame

- login.html, welcome.html + welcome_enter_default.js
- Django admin skin: base_site.html + admin_theme.css
- PDF iframe: pdf/canvas.html + pdf_canvas_viewer.js + vendored PDF.js

HTTP

## Shared shell on every page

- Dismissal policy and themed popups: dialog_policy.js, dialog_theme.css
- Theme and splitters: ui_tokens.css, ui_shell.css, ui_splitters.css, ui_splitters.js
- Smart file drop: file_drop_router.js; bulk toggle: checkbox_bulk_toggle.js

**TLAMATINI SERVER — manage.py → Django + Channels on Daphne (ASGI), port django_port (default 8000)**

## Process bootstrap

- manage.py: tees stdout/stderr into tlamatini.log, console shield, coloured console, django_port, Temp pin, post-update DB swap and migrate
- tlamatini/settings.py (SQLite WAL, WhiteNoise), tlamatini/asgi.py, tlamatini/middleware.py (per-user log tags), tlamatini/logging_filters.py
- agent/apps.py AgentConfig.ready(): rebuilds the Agent table, starts the MCP servers, boot_skills(), Tier-3 reaper, companion manifest

## HTTP surface

- tlamatini/urls.py → agent/urls.py: 180 routes
- agent/views.py (pages, agents, flows, DB, prompts, skills, external MCPs), flow_file_views.py, model_brain_views.py, pdf_context_views.py, usage_views.py, agent/admin.py

## WebSocket surface (routing.py)

- Routes declared in agent/routing.py
- ws/agent/ → agent/consumers.py AgentConsumer: chat, toggles, Drop, Compact and Self-modify switches, Ask-Execs replies
- ws/prompt-flow-panel/ → prompt_flow_panel_consumer.py (one run per connection)
- ws/chat-voice/ → chat_voice_consumer.py (direct microphone)

## RAG and answer chains

- rag/interface.py ask_rag() → rag/factory.py builds the chain; sidecars inject system and file context
- rag/chains/basic.py, rag/chains/history_aware.py, rag/chains/unified.py
- Retrieval: rag/retrieval.py, rag/loaders.py, rag/splitters.py, rag/binary_guard.py (FAISS + BM25)

## Multi-Turn agent

- mcp_agent.py: capability-aware tool-loop executor
- global_execution_planner.py, capability_registry.py, self_healing.py, exec_permission.py
- context_fitter.py, compact_mode.py, model_brain.py, model_brain_chat.py

## Tool surface

- agent/tools.py: direct tools and one chat_agent_* launcher per wrapped agent (chat_agent_registry.py: 66 specs; chat_agent_runtime.py)
- acpx/tools.py: 12 ACPX/Skill tools; external_mcp_manager.py: 10 supervisors + ext__<server>__<tool>
- agent_verdict.py: deterministic SUCCESS/FAILED from each agent's INI_SECTION

## Flow services

- services/flow_spec.py → services/flow_compiler.py with services/agent_contracts.py and services/agent_paths.py
- services/response_parser.py: answer cleanup and Exec Report tables
- services/prompt_flow_panel.py: .fpmt validator and interpreter

## Platform guards

- path_guard.py (Temp/Templates policy), orphan_reaper.py (three-tier reaper), command_watchdog.py
- log_identity.py ([a3] user tags), cancellation.py, global_state.py

read / write

WS

## System-Metrics MCP · WebSocket :8765

- mcp_system_server.py ↔ mcp_system_client.py; sidecar chain_system_lcel.py

gRPC

## Files-Search MCP · gRPC :50051

- mcp_files_search_server.py, filesearch.proto → filesearch_pb2.py, filesearch_pb2_grpc.py; sidecar chain_files_search_lcel.py, bounded by context_sidecar_timeout.py

HTTP

## LLM back-ends

- Ollama local and cloud (chat, embeddings, vision); sampling per model from model_profiles.json
- Anthropic Claude: claude_opus_client.py; images: imaging/image_interpreter.py

spawn

## Pool agent processes

- 85 templates in agent/agents/<type>/, copied to agents/pools/<session>/<type>_N (canvas) or _chat_runs_ (chat)
- Each run: <type>.py + config.yaml, PID file, reanim* state, INI_SECTION_<TYPE> output

stdio

## ACPX child CLIs

- claude, codex, gemini, cursor, qwen, kiro, kimi, copilot… spawned by acpx/runtime.py via acpx/windows_spawn.py and win_shim.py; verdict acpx/child_health.py

connect

## External MCP servers

- stdio, streamable-http, sse, websocket; at most 5 active; catalog external_mcps.json; defaults external_mcp_defaults.py; runtimes runtime_provisioner.py

socket

## Voice worker

- whisperer/chat_worker.py over an authenticated loopback socket (chat_voice_runtime.py, chat_voice_settings.py)

## Root stdio MCP server

- tlamatini_mcp_server.py + tlamatini_acpx.py expose every pool agent and ACPX to external MCP clients (Claude Code, Kimi): .mcp.json

### STORAGE AND STATE

## SQLite (WAL)

- db.sqlite3: 19 models in agent/models.py, 214 migrations; WAL-safe backup and Set-DB by sqlite_copy.py

## User state and configuration

- config.json (agent/config.json template), external_mcps.json, contacts, preserved_user_state.json

## Working directories

- <app>/Temp (all scratch) and <app>/Templates (scaffolded projects) via path_guard.py; agents/pools/ session pools

## Logs

- tlamatini.log (truncated at start, per-user tags), each pool agent's own log with INI_SECTION blocks


## Per-user machine stores

- %LOCALAPPDATA%\Tlamatini: private runtimes, memory knowledge graph, learned model profiles, setup logs

# Request lifecycle — from the composer to the rendered answer

Twelve steps of one chat message in Multi-Turn mode, by the layer that performs them. Every application file named is clickable.

SHEET 03




### Mode gates

Multi-Turn off: the legacy one-shot answer. ACPX off: `filter_acpx_tools` strips the 12 ACPX/Skill tools. Exec report and Ask Execs act only inside Multi-Turn. Step-by-Step paces one action per reply; Compact mode binds only the ticked tools.

### Never hang, never discard, never lie

Each model attempt has a watchdog; distinct recovery tactics follow; a graceful answer is built from the work already done, and a recovery preamble tells the user what happened. Only Cancel (`cancellation.py`) or an exhausted ladder stops it.

### What returns to the browser

Answer HTML; Exec Report tables (one per agent kind); `tool_calls_log` for Create Flow; context-gauge frames with Ollama's real token count; Compact and Self-modify state frames; message ids for Drop.

# Intelligence core — five layers, the Multi-Turn executor and the Model Brain

How context reaches the model, how each request is fitted to the model's real window, and how every model step is protected.

SHEET 04

## 1 · Persisted toggles

- `Mcp`, `Tool`, `Agent`, `Skill` rows (`agent/models.py`) loaded by `agent/consumers.py` into status flags; `compact_mode.py` rewrites them as one switch

## 2 · Runtime MCP services

- System-Metrics (`mcp_system_server.py`) and Files-Search (`mcp_files_search_server.py`), started by `agent/apps.py` or `startserver.py`

## 3 · Context sidecars

- `chain_system_lcel.py` and `chain_files_search_lcel.py` decide whether `system_context` or `files_context` is needed

## 4 · Answer chains

- `rag/chains/basic.py`, `rag/chains/history_aware.py`, `rag/chains/unified.py`; `rag/factory.py` patches `invoke()`; `rag/chains/base.py` callbacks

## 5 · Unified-agent tools

- `agent/tools.py` `get_mcp_tools()` + `tool_gate_table()`: direct, wrapped (`chat_agent_*`), ACPX and external-MCP tools

## Chain selection

- `basic`: prompt only, no documents (`rag/chains/basic.py`)
- `history_aware`: RAG with reranking over the loaded context (`rag/chains/history_aware.py`)
- `unified`: tool-enabled agent chains (`rag/chains/unified.py`); Multi-Turn binds the full enabled tool surface
- Sidecars fetch System-Metrics or Files-Search context only when the question needs it

## Ask-Execs allowlist

- Prompts only for tools in `_ASK_EXECS_REQUIRED_TOOLS` (`mcp_agent.py`): command and script runners; tier A data-changing (Deleter, Mover, File-Creator, Editor, De-Compresser, PDFer, LaTeXer); tier D remote/network (SCPer, Apirer, Nmapper, Discoverer, Crawler, NetSpeed-Calculator)
- Not gated on purpose: tier B messaging and tier C visible desktop/hardware agents
- Deny halts the whole chain and shows a red banner; pinned by `test_ask_execs_allowlist.py`

## Request payload

- message, history, `multi_turn_enabled`, `acpx_enabled`, `ask_execs_enabled`, `exec_report_enabled`, `step_by_step_enabled` (whitelisted when `unified.py` rebuilds the payload)

## fit_request

- `context_fitter.py` measures the prompt and tool schemas against the model's real window: FULL, COMPACT or STRICT (locked); switch state in `compact_mode.py` (`CompactState`)

## System prompt

- `agent/prompt.pmt` + self-knowledge `agent/Tlamatini.md` (only when Self-modify is on and fits) via `rag/config.py`; Temp and Templates rules

## Model step

- `self_healing.py` `SelfHealingInvoker` → `model_brain_chat.py` `BrainChatOllama` (reasoning kept inside the tool loop); stop sequences fitted by `ollama_stop.py`; text tool-calls recovered by `local_toolcall_parser.py`

## Tool call

- dedup and quota → Ask-Execs allowlist (`exec_permission.py`) → tool → Tier-1 reaper (`orphan_reaper.py`) → verdict (`agent_verdict.py`)

loop

## Result

- `output`, `tool_calls_log`, `exec_report_entries`, `exec_report_denied`, recovery preamble → `services/response_parser.py`

## Self-healing tactic ladder

- Each model attempt runs under a watchdog (`unified_agent_llm_step_timeout_seconds`, default 80 s)
- Distinct tactics: plain retry, back-off, message-tail trim, plain-LLM fallback, up to `unified_agent_llm_step_max_tactics`
- Live status lines reach the chat; the answer carries a recovery preamble; finished work is kept, so Create Flow and the Exec Report survive

## Verdict engine

- `agent_verdict.py` parses `INI_SECTION_<TYPE>` into a typed record; ordered rules decide SUCCESS or FAILED; the agent's self-report outranks the exit code
- Closed vocabulary of five disjoint status sets, pinned by `test_status_vocabulary.py`

## Model Brain

- Sources in order: overrides › `model_profiles.json` › learned profile › Ollama `/api/show` › model defaults
- `model_brain.py`, `model_brain_views.py`; Auto-tuning dialog `model_brain_tuning.js`

## Context governor

- `context_governor.py` pairs Ollama's `prompt_eval_count` with each request; `context_baseline.py` probes the next request at rest; ring in `context_gauge.js`

## Retrieval stack

- FAISS + BM25 (`rag/retrieval.py`), metadata (`rag_enhancements.py`), `rag/loaders.py`, `rag/splitters.py`, `rag/binary_guard.py`, VRAM pre-flight `embedding_memory_guard.py`, `gpu_perf.py`

## Documents and vision

- PDF context: `pdf_context.py`, `pdf_context_jobs.py`, `pdf_image_analysis.py`; `visual_error_reporting.py`; `imaging/converter.py`, `imaging/screenshot.py`

## Usage, voice and web

- `usage_provider.py` (Ollama balance), `usage_tracking.py` (`UsageDaily`); dictation `chat_voice_runtime.py`; `web_search_llm.py`, `llm_timing.py`

## Prompt Flow runtime

- `prompt_flow_panel_runtime.py`: own chain, history and embeddings per run; interpreter `services/prompt_flow_panel.py`

## Compact mode switch

- Ticking it unticks every MCP, tool, agent and skill row except System-Metrics, Files-Search and Current-Time; unticking re-ticks every row
- STRICT: a model that cannot hold everything activated locks it ON; saved rows apply at once (`after_toggles_saved`)
- Toolbar box `model_capacity.js`; per-row token prices `compact_costs.js`

## Self-modify switch

- Rendered only where self-modify is possible: a source run, or a `-self-modify` build
- ON sends `agent/Tlamatini.md` as self-knowledge when it fits; a small model shows it locked OFF (`self_modify_switch.js`)

## Ollama limits handled

- At most four stop sequences per request (`ollama_stop.py`); the real context window is learned from Ollama's `prompt_eval_count` when a request is cut

# Agent ecosystem — 85 workflow agent types and the flow pipeline

From a drawing on the canvas (or a chat answer) to running processes; every chip opens that agent's files in the atlas.

SHEET 05

**Design**
- ACP canvas (`acp-canvas-core.js`); FlowCreator AI (`flowcreator.py`, `agentic_skill.md`, `flow_catalog.json`); chat Create Flow

→

**Snapshot**
- `acp-flow-snapshot.js` builds `schemaVersion 2`; `.flw` files via `acp-file-io.js`

→

**Normalize**
- `services/flow_spec.py`: FlowNode, FlowConnection, FlowSpec

→

**Compile**
- `services/flow_compiler.py` wires slots per `services/agent_contracts.py`, redacts secrets; names from `services/agent_paths.py`

→

**Session pool**
- `agents/pools/<session>/<type>_N/config.yaml` + `interconnection-scheme.csv`; shared helpers `model_settings.py`

→

**Run**
- Starter → agents → Parametrizer (`INI_SECTION_<TYPE>`) → Ender → Cleaner; LEDs and logs polled by `acp-running-state.js`

→

**Watch**
- FlowHypervisor (`monitoring-prompt.pmt`) answers OK or ATTENTION NEEDED

## WORKFLOW AGENTS BY CATEGORY

chip = agent · MT = also a Multi-Turn chat tool · number = tracked files

### Control Agents (6)
*start, stop, schedule and clean up flows*

| | | | |
|---|---|---|---|
| Cleaner | 3 | Croner | 2 |
| Ender | 2 | Sleeper MT | 2 |
| Starter | 2 | Stopper | 2 |

### Multi-Channel Bridges (1)
*bridges between outside channels and Tlamatini*

| | |
|---|---|
| TeleTlamatini | 2 |

### Routing Agents (4)
*branch on patterns, choices and counters*

| | | | |
|---|---|---|---|
| Asker MT | 2 | Counter | 2 |
| Forker | 2 | Raiser | 2 |

### Utility Agents (3)
*parametrize, back up, design and supervise flows*

| | | | |
|---|---|---|---|
| FlowBacker | 2 | FlowCreator MT | 6 |
| Parametrizer | 2 | | |

### Anatomy of a pool agent

- Each template: `<type>.py` + `config.yaml`; flat helper siblings travel with pool copies (PDFer, PPTXer, LaTeXer, Googler, Video-Analyzer…)
- Lifecycle: PID file while running; `AGENT_REANIMATED=1` resumes after pause with `reanim*` state; Ender clears it
- Connections: `source_agents` (watch), `target_agents` (start), special slots for OR/AND, Forker/Asker, Counter, Ender
- Pool agents import nothing from `agent.*`: 0 of 124 pool Python files do (checked)

### Logic Gates (3)
*join parallel branches*

| | | | |
|---|---|---|---|
| AND | 2 | Barrier | 3 |
| OR | 2 | | |

### Cryptography Agents (3)
*post-quantum CRYSTALS-Kyber*

| | | | |
|---|---|---|---|
| Kyber-Cipher MT | 2 | Kyber-DeCipher MT | 2 |
| Kyber-KeyGen MT | 2 | | |

### Action Agents (56)
*do the work: shell, files, web, cloud, devices, media, documents*

| | | | |
|---|---|---|---|
| Analyzer | 2 | Apirer MT | 2 |
| Arduiner MT | 7 | AudioPlayer MT | 2 |
| Blenderer MT | 2 | Camcorder MT | 2 |
| Crawler MT | 2 | De-Compresser MT | 2 |
| Deleter MT | 2 | Discoverer MT | 2 |
| Dockerer MT | 2 | Editor MT | 2 |
| ESP32er MT | 8 | ESPHomer MT | 8 |
| Executer MT | 2 | File-Creator MT | 2 |
| File-Extractor MT | 2 | File-Interpreter MT | 2 |
| Gitter MT | 2 | Globber MT | 2 |
| Googler | 3 | Grepper MT | 2 |
| Image-Interpreter MT | 2 | Instant Messaging Doctor MT | 2 |
| J-Decompiler MT | 2 | Jenkinser MT | 2 |
| Kalier MT | 2 | Keyboarder MT | 3 |
| Kuberneter MT | 2 | LaTeXer MT | 6 |
| MCP Doctor MT | 2 | Mongoxer MT | 2 |
| Mouser MT | 3 | Mover MT | 2 |
| NetSpeed-Calculator MT | 2 | Nmapper MT | 2 |
| PDFer MT | 15 | Playwrighter MT | 2 |
| PPTXer MT | 15 | Prompter MT | 2 |
| Pser MT | 2 | Pythonxer MT | 2 |
| Recorder MT | 2 | Reviewer | 2 |
| Scper MT | 2 | Shoter MT | 2 |
| Sqler MT | 2 | Ssher MT | 2 |
| STM32er MT | 2 | Summarizer MT | 2 |
| Talker MT | 2 | Unrealer MT | 2 |
| Video-Analyzer MT | 5 | VideoPlayer MT | 2 |
| Whisperer MT | 4 | Windower MT | 2 |

### Notification Agents (8)
*watch, notify and message people*

| | | | |
|---|---|---|---|
| Emailer MT | 2 | FlowHypervisor | 4 |
| Monitor Netstat MT | 2 | Monitor-Log MT | 2 |
| Notifier MT | 2 | RecMailer MT | 2 |
| Telegrammer MT | 7 | Whatsapper MT | 8 |

### External Coding-Agent Driver (1)
*external coding-agent CLIs from the canvas*

| | |
|---|---|
| ACPXer | 2 |

# Integration surfaces — ACPX, skills, external MCPs and bridges

Four ways Tlamatini reaches beyond its own process: coding-agent CLIs, procedural skills, any MCP server, and the outside world.

SHEET 06

## ACPX — external coding-agent CLIs

### Registry and transports

- `acpx/agent_registry.py`: agent ids with `oneshot-prompt`, `json-acp`, `tui-repl`, `one-shot` transports; per-agent overrides from `config.json` (`acpx/config.py`)

### LLM surface

- `acpx/tools.py`: `acp_doctor`, `acp_spawn`, `acp_send`, `acp_send_and_wait`, `acp_relay`, `acp_kill`, transcripts, sessions, `list_skills`, `invoke_skill`

### Runtime

- `acpx/runtime.py`: reader thread, transport-aware idle rule, NDJSON transcripts (`acpx/session_store.py`); `acpx/permissions.py` gate

### Twins

- Canvas node `acpxer.py` and the Django-free root `tlamatini_acpx.py` share the same verdict; Windows spawning by `acpx/windows_spawn.py` + `win_shim.py`

### Delivery verdict

- `acpx/child_health.py`: PERMISSION_BLOCKED, AUTH_FAILED, NO_CREDIT, NO_OUTPUT… an exit code is one bit, so the child's output is judged

### Tests

- `acpx/tests.py`: every failure string copied from real transcripts

## Skills — SKILL.md packages

### Harness

- `skills/registry.py` discovers packages, `skills/frontmatter.py` parses, `skills/validation.py` is the one validator, `skills/harness.py` returns a planning handoff, `skills/io_contract.py`, `skills/redaction.py`

### 29 packages in agent/skills_pkg/

`acp_router`, `adding_external_mcp`, `code_review`, `create_new_agent`, `create_new_mcp`, `flow_making`, `github`, `gmail`, `hello_world`, `jira`, `kali_pentest`, `notion`, `roblox_studio`, `security_audit`, `setup_new_acpx_key`, `skill_creator`, `slack`, `summarize`, `tlamatini_allowed_hosts_tighten`, `tlamatini_csrf_exempt_audit`, `tlamatini_exec_report_row_adder`, `tlamatini_flow_from_objective`, `tlamatini_flw_doctor`, `tlamatini_new_acp_agent`, `tlamatini_planner_trace_replay`, `tlamatini_static_version_bumper`, `todoist`, `trello`, `weather`

### Boot and admin

- `acpx/service.py` `boot_skills()` mirrors packages into `Skill` rows; ACPX-Skills menu `skills_dialog.js`

### Assistant skill sets

- .claude/skills (canonical), .gemini/skills (mirror), .codex/skills; counted by `skill_inventory.py`

## External MCPs — universal MCP client

### Client

- `external_mcp_manager.py`: four transports, background connects, negative cache, supervisor; remote tools as `ext__<server>__<tool>`; 10 supervisor tools

### Runtime provisioner

- `runtime_provisioner.py`: private node, npm, npx, pnpm, uv, uvx in `%LOCALAPPDATA%`; SHA-256 verified; no admin; npx shims rewritten by `win_shim.py`

### Catalog and defaults

- `external_mcps.json` (user state, at most 5 active); `external_mcp_defaults.py` seeds `memory` and `sequential-thinking`, inactive

### UI and triage

- External › MCPs dialog `external_mcps_dialog.js`; static triage agent `mcp_doctor.py`; runbook `adding_external_mcp`

## Built-in providers and the root MCP server

### Context providers

- System-Metrics: `mcp_system_server.py` (WebSocket 8765); Files-Search: `mcp_files_search_server.py` (gRPC 50051); both started by `agent/apps.py`

### One definition of Windows spawning

- `win_shim.py` prefers a real `.exe`, rewrites npm/pnpm shims to `node.exe <script.js>` and avoids cmd.exe, which cuts a multi-line prompt at its first newline; shared by ACPX, the stdio MCP server and External MCPs

### Root MCP server

- `tlamatini_mcp_server.py` publishes every pool agent as an MCP tool for Claude Code, Kimi and other clients (`.mcp.json`, `TLAMATINI_MCP.md`)

## Messaging bridges

### TeleTlamatini

- `teletlamatini.py`: long-running Telegram bot that brings authorized users into the full Multi-Turn chat

### Emailer, RecMailer, Notifier

- SMTP send through Emailer, IMAP watch through RecMailer, and in-browser notifications through Notifier

### Telegrammer and Whatsapper

- `telegrammer.py`: send as the bot or as your own account; `whatsapper.py`: Meta Cloud API by default, WhatsApp Web on request

### Instant Messaging Doctor

- `instant_messaging_doctor.py` diagnoses tokens, contacts, templates and the 24-hour window, and is launched after a messaging failure

## Devices, engines and security bridges

### Firmware

- STM32er (PlatformIO + template MCP, ST-LINK preflight), ESP32er (`platformio.ini` template), Arduiner (arduino-cli, `sketch.yaml`), ESPHomer (YAML devices)

### Security tooling

- Kalier (MCP-Kali-Server HTTP API), Nmapper (a locally installed nmap; connect scan by default), Discoverer (ProjectDiscovery tools through a private Go toolchain); authorized targets only

### 3D engines

- Blenderer speaks to the Blender MCP add-on socket (9876); Unrealer to the Unreal MCP plugin socket (55557)

### Desktop control

- Mouser, Keyboarder, Windower and Shoter drive and observe the real desktop; Playwrighter drives a real browser

# Frontend module map — what each page loads, in order

Parsed from the templates' {% static %} tags. Numbers give the load order; a star marks a module loaded by more than one page.

SHEET 07

## Chat page · agent_page.html (84 assets)

| | | |
|---|---|---|
| 1 Tlamatini.ico ★ | 38KB | |
| 2 bootstrap.min.css ★ | 6 | |
| 3 bootstrap.bundle.min.js ★ | 7 | |
| 4 atom-one-dark.min.css ★ | 1 | |
| 5 ui_tokens.css ★ | 30 | |
| 6 agent_page.css | 2.5k | |
| 7 pdf_context_progress.css | 27 | |
| 8 tools_dialog.css | 559 | |
| 9 skills_dialog.css | 337 | |
| 10 external_mcps_dialog.css | 689 | |
| 11 contacts_dialog.css | 538 | |
| 12 access_keys_wizard.css | 371 | |
| 13 avatar.css | 180 | |
| 14 context_gauge.css | 263 | |
| 15 chat_dictation.css | 129 | |
| 16 model_capacity.css | 313 | |
| 17 model_brain_tuning.css | 327 | |
| 18 usage_dashboard.css | 101 | |
| 19 ui_shell.css ★ | 182 | |
| 20 markdown_canvas.css | 61 | |
| 21 ui_splitters.css ★ | 39 | |
| 22 dialog_theme.css ★ | 795 | |
| 23 400.css ★ | 49 | |
| 24 700.css ★ | 49 | |
| 25 jquery.min.js ★ | 2 | |
| 26 jquery-ui.min.js ★ | 6 | |
| 27 ui_splitters.js ★ | 62 | |
| 28 dialog_policy.js ★ | 780 | |
| 29 file_drop_router.js ★ | 876 | |
| 30 highlight.min.js | 1.2k | |
| 31 python.min.js | 41 | |
| 32 java.min.js | 38 | |
| 33 javascript.min.js | 80 | |
| 34 c.min.js | 40 | |
| 35 cpp.min.js | 47 | |
| 36 css.min.js | 31 | |
| 37 sql.min.js | 17 | |
| 38 xml.min.js | 29 | |
| 39 yaml.min.js | 25 | |
| 40 bash.min.js | 20 | |
| 41 typescript.min.js | 95 | |
| 42 kotlin.min.js | 46 | |
| 43 rust.min.js | 28 | |
| 44 ini.min.js | 15 | |
| 45 eo_mc.jpg | 534KB | |
| 46 ec_mc.jpg | 540KB | |
| 47 eo_mo.jpg | 537KB | |
| 48 ec_mo.jpg | 543KB | |
| 49 canvas.html | 52 | |
| 50 XAIHT-Tlamatini.mp4 | 10.8MB | |
| 51 agent_page_state.js | 494 | |
| 52 agent_page_ui.js | 518 | |
| 53 pdf_context_progress.js | 165 | |
| 54 agent_page_pdf.js | 286 | |
| 55 purify.min.js | 7 | |
| 56 agent_page_markdown.js | 262 | |
| 57 agent_page_canvas.js | 640 | |
| 58 agent_page_dialogs.js | 1.4k | |
| 59 agent_page_context.js | 185 | |
| 60 agent_page_chat.js | 2.8k | |
| 61 agent_page_layout.js | 468 | |
| 62 agent_page_init.js | 1.9k | |
| 63 tools_dialog.js | 688 | |
| 64 skills_dialog.js | 392 | |
| 65 external_mcps_dialog.js | 545 | |
| 66 contacts_dialog.js | 384 | |
| 67 access_keys_wizard.js | 406 | |
| 68 shared-runtime-dialogs.js ★ | 347 | |
| 69 chat_page_runtime_poller.js | 151 | |
| 70 chat_image_paste.js | 390 | |
| 71 context_gauge.js | 440 | |
| 72 model_capacity.js | 492 | |
| 73 model_brain_tuning.js | 348 | |
| 74 self_modify_switch.js | 282 | |
| 75 compact_costs.js | 258 | |
| 76 chat_table_contrast.js | 146 | |
| 77 checkbox_bulk_toggle.js ★ | 319 | |
| 78 release_notes_renderer.js | 312 | |
| 79 avatar_presence.js | 570 | |
| 80 avatar_size.js | 286 | |
| 81 avatar.js | 522 | |
| 82 mic_settings.js | 197 | |
| 83 chat_dictation.js | 249 | |
| 84 usage_dashboard.js | 273 | |

## Agentic Control Panel (37 assets)

| | |
|---|---|
| 1 Tlamatini.ico ★ | 38KB |
| 2 bootstrap.min.css ★ | 6 |
| 3 bootstrap.bundle.min.js ★ | 7 |
| 4 ui_tokens.css ★ | 30 |
| 5 agentic_control_panel.css ★ | 2.9k |
| 6 flow_canvas.css ★ | 58 |
| 7 ui_shell.css ★ | 182 |
| 8 ui_splitters.css ★ | 39 |
| 9 dialog_theme.css ★ | 795 |
| 10 400.css ★ | 49 |
| 11 700.css ★ | 49 |
| 12 jquery.min.js ★ | 2 |
| 13 jquery-ui.min.js ★ | 6 |
| 14 ui_splitters.js ★ | 62 |
| 15 dialog_policy.js ★ | 780 |
| 16 file_drop_router.js ★ | 876 |
| 17 spinner.svg | 18 |
| 18 canvas_item_dialog.js | 1.1k |
| 19 contextual_menus.js | 710 |
| 20 flow-canvas-interactions.js ★ | 146 |
| 21 acp-globals.js | 366 |
| 22 acp-session.js | 114 |
| 23 acp-undo-manager.js | 125 |
| 24 acp-agent-connectors.js | 1.7k |
| 25 shared-runtime-dialogs.js ★ | 347 |
| 26 acp-running-state.js | 372 |
| 27 acp-control-buttons.js | 1.4k |
| 28 acp-validate.js | 641 |
| 29 acp-canvas-core.js | 1.7k |
| 30 acp-flow-snapshot.js | 94 |
| 31 acp-canvas-undo.js | 1.2k |
| 32 acp-file-io.js | 722 |
| 33 acp-layout.js | 102 |
| 34 acp-parametrizer-dialog.js | 563 |
| 35 acp-connection-status.js | 150 |
| 36 acp-editor-tools.js | 319 |
| 37 checkbox_bulk_toggle.js ★ | 319 |

## Prompt Flow Panel (20 assets)

| | |
|---|---|
| 1 Tlamatini.ico ★ | 38KB |
| 2 bootstrap.min.css ★ | 6 |
| 3 400.css ★ | 49 |
| 4 700.css ★ | 49 |
| 5 ui_tokens.css ★ | 30 |
| 6 agentic_control_panel.css ★ | 2.9k |
| 7 prompt_flow_panel.css | 183 |
| 8 flow_canvas.css ★ | 58 |
| 9 ui_shell.css ★ | 182 |
| 10 ui_splitters.css ★ | 39 |
| 11 dialog_theme.css ★ | 795 |
| 12 jquery.min.js ★ | 2 |
| 13 jquery-ui.min.js ★ | 6 |
| 14 ui_splitters.js ★ | 62 |
| 15 dialog_policy.js ★ | 780 |
| 16 file_drop_router.js ★ | 876 |
| 17 bootstrap.bundle.min.js ★ | 7 |
| 18 flow-canvas-interactions.js ★ | 146 |
| 19 prompt-flow-panel-model.js | 173 |
| 20 prompt-flow-panel.js | 1.2k |

## Entry pages, admin, usage dialog, PDF frame (36 assets)

| | |
|---|---|
| login: Tlamatini.ico | 38KB |
| login: bootstrap.min.css | 6 |
| login: bootstrap.bundle.min.js | 7 |
| login: atom-one-dark.min.css | 1 |
| login: 400.css | 49 |
| login: 700.css | 49 |
| login: ui_tokens.css | 30 |
| login: ui_shell.css | 182 |
| login: entry_pages.css | 38 |
| login: login.css | 14 |
| login: file_drop_router.js | 876 |
| welcome: Tlamatini.ico | 38KB |
| welcome: bootstrap.min.css | 6 |
| welcome: bootstrap.bundle.min.js | 7 |
| welcome: atom-one-dark.min.css | 1 |
| welcome: 400.css | 49 |
| welcome: 700.css | 49 |
| welcome: ui_tokens.css | 30 |
| welcome: ui_shell.css | 182 |
| welcome: entry_pages.css | 38 |
| welcome: welcome.css | 13 |
| welcome: dialog_theme.css | 795 |
| welcome: dialog_policy.js | 780 |
| welcome: file_drop_router.js | 876 |
| welcome: welcome_enter_default.js | 92 |
| admin: Tlamatini.ico | 38KB |
| admin: 400.css | 49 |
| admin: 700.css | 49 |
| admin: admin_theme.css | 41 |
| admin: file_drop_router.js | 876 |
| pdf: pdf_viewer.css | 6.4k |
| pdf: ui_tokens.css | 30 |
| pdf: ui_shell.css | 182 |
| pdf: pdf_canvas.css | 19 |
| pdf: file_drop_router.js | 876 |
| pdf: pdf_canvas_viewer.js | 213 |

# Data model and state — 19 Django models, 214 migrations, WAL-safe copies

Fields parsed from agent/models.py. FK arrows are written as → Target. The history chart classifies each migration by its file name.



### AgentMessage

- `user` ForeignKey → **User**
- `conversation_user` ForeignKey → **User**
- `message` Text
- `timestamp` DateTime

### Mcp

- `idMcp` Integer
- `mcpName` Char
- `mcpDescription` Char
- `mcpContent` Text

### Asset

- `idAsset` Integer
- `assetName` Char
- `assetDescription` Char
- `assetContent` Text

### AcpSession

- `session_uuid` Char
- `agent_id` Char
- `user` ForeignKey → **User**
- `cwd` Char
- `state_path` Char
- `transcript_path` Char
- `started_at` DateTime
- `ended_at` DateTime
- `ok` Boolean
- `pid` Integer
- `label` Char

### LLMProgram

- `idProgram` Integer
- `programName` Char
- `programLanguage` Char
- `timestamp` DateTime
- `programContent` Text

### Tool

- `idTool` Integer
- `toolName` Char
- `toolDescription` Char
- `toolContent` Text

### SessionState

- `user` OneToOne → **User**
- `context_path` Char
- `context_type` Char
- `context_filename` Char
- `last_active` DateTime

### SkillInvocation

- `skill_name` Char
- `user` ForeignKey → **User**
- `started_at` DateTime
- `finished_at` DateTime
- `ok` Boolean
- `iterations` Integer
- `tokens` Integer
- `args_json` Text
- `output_json` Text
- `audit_path` Char
- `failure_reason` Char
- `acp_session` ForeignKey → **AcpSession**

### LLMSnippet

- `idSnippet` Integer
- `snippetName` Char
- `snippetLanguage` Char
- `timestamp` DateTime
- `snippetContent` Text

### Agent

- `idAgent` Integer
- `agentName` Char
- `agentDescription` Char
- `agentContent` Text

### AcpAgent

- `agent_id` Char
- `command` Char
- `description` Char
- `enabled` Boolean
- `healthy` Boolean
- `last_probe_at` DateTime
- `notes` Text

### CompactState

- `active` Boolean
- `strict` Boolean
- `model` Char
- `window_tokens` Integer
- `saved_external_active` Text
- `reason` Char
- `self_modify` Boolean
- `updated_at` DateTime

### Prompt

- `idPrompt` Integer
- `promptName` Char
- `promptContent` Text
- `category` Char
- `hidden` Boolean
- `sort_rank` Integer

### AgentProcess

- `idAgentProcess` Integer
- `agentProcessDescription` Char
- `agentProcessPid` Integer

### Skill

- `name` Char
- `description` Text
- `runtime` Char
- `acpx_agent` Char
- `enabled` Boolean
- `frontmatter_json` Text
- `body_sha256` Char
- `last_loaded_at` DateTime

### UsageDaily

- `user` ForeignKey → **User**
- `day` Date
- `model` Char
- `calls` PositiveBigInteger
- `input_tokens` PositiveBigInteger
- `output_tokens` PositiveBigInteger
- `missing_output_calls` PositiveBigInteger
- `first_seen` DateTime
- `last_seen` DateTime

### Omission

- `idOmission` Integer
- `omissionName` Char
- `omissionContent` Text


### ContextCache

- `query_hash` Char
- `context_blob` Text
- `timestamp` DateTime

### ChatAgentRun

- `runId` Char
- `toolDescription` Char
- `templateAgentDir` Char
- `runtimeDir` Char
- `logPath` Char
- `requestText` Text
- `pid` Integer
- `status` Char
- `exitCode` Integer
- `startedAt` DateTime
- `finishedAt` DateTime

**Migration history** (25 per bar, by kind)




### Backup database

- `sqlite_copy.py consistent_copy`: SQLite online backup API (reads through the WAL) → copy written in DELETE journal mode → `PRAGMA quick_check` before success

### Set DB

- `move_with_sidecars` / `remove_sidecars` keep `-wal`, `-shm`, `-journal` with their own database; fail-safe, never deletes the source

### Self-update carry-over

- `apply_update.ps1` copies the live DB to `DB/ToLoad` + a flag; on next launch `manage.py` swaps it back and runs `migrate` in a child (`ToLoad`, `Older`)

### Chat history

- `AgentMessage` rows are the only history the model reads: `chat_history_loader.py` reloads the last 8 per request, so Drop needs no reconnect

# Build, release, install and self-update pipeline

From the repository to Installer.exe, then in-app updates that keep user state; plus the guards that keep secrets out of git.

SHEET 09

## Build

### Version
- `versioning.py` writes `agent/_version.py` (gitignored) from git tags; rules in `VERSIONING.md`

### Inputs
- `build_runtime_assets.py` (fail-closed inventory), `hook-numpy`, `hook-torch`, `hook-pymupdf`, `requirements.txt`

### Freeze
- `build.py`: PyInstaller onedir of `manage.py`, `collectstatic`, carried Python, hidden imports, `verify_frozen_agent_modules()`, gates `check_agent_runtimes.py` and `check_prompt_flow_panel.py`

### Self-modify (optional)
- `-self-modify` → `copy_source_assets.py` writes `TlamatiniSourceCode/` and rebuild instructions; bundles `agent/Tlamatini.md`

### Package
- `pkg.zip` → `build_uninstaller.py` (`Uninstaller.exe`) → `build_installer.py` (`Installer.exe`); `build_all.cmd` end-to-end

### Release
- `build_complete_private_release.py` / `build_complete_public_release.py`; private data audited by `check_private_data.py`; keys toggled by `regen_secrets.py`

Installer.exe

## Install

### Setup window
- `install.py` + `setup_wizard.py` (one window for Installer and Uninstaller), transcripts by `setup_logging.py`

### Recovery
- `setup_recovery.py`: verified recovery copy and journal before any change; `setup_windows.py`: snapshot of Tlamatini's own registry keys and shortcut

### Windows integration
- `CreateShortcut.ps1`, `flow_file_associations.ps1` (.flw and .fpmt), `register_flw.ps1`, `register_fpmt.ps1`; `windows_app_registration.py` + `agent_manifest.py` (HKCU discovery)

### Uninstall
- `uninstall.py` + `uninstall_processes.py` (owned workers only); keeps `agents/` and non-empty user folders listed in `preserved_user_state.json`

## Run and update

### Launch
- `Tlamatini.ps1` or `Tlamatini.exe` → `manage.py` runserver; Explorer-opened flows handled by `flow_file_open.py`

### Check
- About › Check for updates → `self_update.py`: latest GitHub release, download and stage; the dialog is sealed while it downloads

### Swap
- `apply_update.ps1` runs outside the install: stops the tree, `agents` → `agents_backup`, keeps the preserve set, stages the DB in `DB/ToLoad`

### Migrate
- Next launch swaps the DB back and runs `migrate` in a child; daily copies by `backup_db.py`

## Security and hygiene

### Active defense
- `tlamatini_defender.ps1`, `tlamatini_whitelist_v2.ps1` (Controlled Folder Access), `enable_tlamatini_v2.bat`

### Repository guards
- `test_private_data_guard.py`, `git_deny_go.py`, `name-guard.yml`, `finding-policy.json`

### Dependencies
- `audit_dependencies.py`, `check_requirements_coverage.py`, `requirements-esphome.txt`

### Secrets
- `regen_secrets.py` toggles placeholders and keys from the gitignored `data.keys`; `uncommit-keys.bat`; `private_targets.example.json`

## What ships and what survives

### Install layout
- `Tlamatini.exe` + `_internal/` (frozen Django app and collected statics), carried `python/`, `jre/` and `git/`, the `agents/` templates, `DB/`, `Temp/`, `Templates/`

### Kept by self-update
- `config.json`, `DB`, `Temp`, `Templates`, `application(s)`, the `*_generated` and `context_files` folders and `Uninstaller.exe`; uninstall keeps what `preserved_user_state.json` lists

### Self-modify snapshot
- `TlamatiniSourceCode/` with a manifest and rebuild instructions; secrets redacted and heavy media omitted by `copy_source_assets.py`

### Inclusion sweeps
- `sweep_self_update.py` and `sweep_self_modify.py` prove both pipelines carry every new asset

# Verification and knowledge — how Tlamatini is tested and documented

182 test modules hold 5230 test functions; every automated run is visible. The documentation graph is what every assistant reads first.



## Unit and contract tests

- 160 modules in `agent/` (`test_*.py`) + `acpx/tests.py`; e.g. `test_status_vocabulary.py`, `test_agent_display_names.py`, `test_dialog_dismissal_policy.py`, `test_ask_execs_allowlist.py`, `test_console_shield.py`

## Visible end-to-end

- `tests_e2e`: headed Chrome against the real GUI, e.g. `test_self_healing_visual.py`, `test_create_flow_visual.py`, `test_db_backup_set_visible.py`

## Daily chat harness

- `run_test.py` with `preflight.py` (repairs DB, server and login before Chrome opens), `qualify.py` and Shoter photos (`shoter_shot.py`); Gemini mirror

## Visible and release checks

- `scripts/`: `*_visible.py` runners, `release_*_checks.py`, setup lifecycle cycles; JS gates `check_js_parse.mjs` + `eslint.config.mjs`; Python gate: ruff

## Policy

- Headless runs are forbidden: `TestsVisiblesAndVisibleExecutionFromClaude2Codex.md`; screenshots only by the Shoter agent; tests must establish their own environment

## Onboarding chain

- `CLAUDE.md` @-imports `architecture`, `multi-turn`, `exec-report`, `agents`, `acpx`, `mcp-tools`, `frontend`, `gotchas`; on demand `recent-fixes`

## Other assistants

- `AGENTS.md`, `GEMINI.md`, `KIMI.md`; authoring guides `create_new_agent.md`, `create_new_mcp.md`, `create_new_skill.md`

## Feature guides and records

- `docs/` feature guides (e.g. `setup-wizards`, `canvas-refresh`, `model_configuration`) and dated records in `docs/changes/` (e.g. `v1.85.0`)


## User-facing

- `README.md`, `BookOfTlamatini.md`, `agents_descriptions.md` (tooltips and canvas descriptions), `ACPX.md`, `TLAMATINI_MCP.md`


## Memory, hooks and skills

- `.claude/memory/` notes, `announce_skills.py` (SessionStart), `.claude/settings.json`; four skill locations checked by `skill_inventory.py`

### Verification assets per cluster




### Knowledge assets per cluster




### Largest test suites (test functions per file, counted with ast)







# Python module dependency matrix (DSM)

Row imports column (module-level and lazy in-function imports). 139 backend modules, 306 dependencies, parsed with ast.






## Most imported (fan-in)

```
models: 18
path_guard: 14
global_state: 14
config_loader: 14
services.agent_paths: 10
cancellation: 9
context_governor: 9
rag.utils: 6
external_mcp_manager: 6
version: 5
chat_history_loader: 5
rag.config: 5
```

## Most importing (fan-out)

```
views: 24
rag.factory: 22
mcp_agent: 21
apps: 18
consumers: 17
rag.chains.unified: 15
tools: 12
rag.interface: 10
rag.chains.history_aware: 7
compact_mode: 7
acpx.runtime: 7
prompt_flow_panel_runtime: 6
```

## Import cycles (strongly connected)

- 4 modules: compact_mode, mcp_agent, rag.config, tools

## Reading the matrix

- Diagonal = the module itself; shaded squares = groups (Django project, transport, intelligence, rag, services, integration, acpx, skills, platform, persistence, doc generation). Marks below the diagonal point back to groups listed earlier.
- Pool agents are excluded: they run as separate processes and import nothing from `agent.*`.

# Atlas I — Server core: process, web tier and intelligence

Django/Channels process, HTTP and WebSocket entry points, the RAG chains, the Multi-Turn executor and its services.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 12

## Tlamatini/ · process entry

2 files · 1,795 lines

*manage.py: log tee, console shield, colours, django_port, Temp pin, post-update DB swap*

| | | | |
|---|---|---|---|
| cat_art.py | 64 | manage.py | 1.7k |

## Tlamatini/tlamatini/ · Django project

8 files · 736 lines

*settings (SQLite WAL, WhiteNoise, temp pin), ASGI app, root URLs, per-user log-tag middleware*

| | | | |
|---|---|---|---|
| __init__.py | 10 | context_processors.py | 31 |
| middleware.py | 185 | urls.py | 18 |
| asgi.py | 34 | logging_filters.py | 31 |
| settings.py | 399 | wsgi.py | 28 |

## agent/ · transport and web endpoints

19 files · 18,685 lines

*Channels consumers, HTTP views, app boot (AgentConfig.ready), admin, fixed chat lines*

| | | | | | |
|---|---|---|---|---|---|
| __init__.py | 26 | contacts.py | 210 | urls.py | 215 |
| access_key_wizard.py | 703 | flow_file_views.py | 50 | usage_views.py | 29 |
| admin.py | 31 | model_brain_views.py | 133 | version.py | 365 |
| apps.py | 828 | native_dialogs.py | 429 | views.py | 13k |
| chat_voice_consumer.py | 121 | pdf_context_views.py | 40 | window_flash.py | 146 |
| constants.py | 156 | prompt_flow_panel_consumer.py | 93 | | |
| consumers.py | 2.5k | routing.py | 20 | | |

## agent/templates/ · server-rendered pages

7 files · 1,538 lines

*chat page, Agentic Control Panel, Prompt Flow Panel, login, welcome, usage dialog, admin skin*

| | | | |
|---|---|---|---|
| admin/base_site.html | 15 | agent/prompt_flow_panel.html | 113 |
| agent/agent_page.html | 916 | agent/usage_dialog.html | 54 |
| agent/agentic_control_panel.html | 335 | agent/welcome.html | 42 |
| agent/login.html | 63 | | |

## agent/management/ · manage.py commands

5 files · 433 lines

*startserver plus build gates (check_agent_runtimes, check_prompt_flow_panel) and acpx_lint*

| | | | |
|---|---|---|---|
| __init__.py | 10 | commands/check_prompt_flow_panel.py | 136 |
| commands/acpx_lint.py | 123 | commands/startserver.py | 56 |
| commands/check_agent_runtimes.py | 108 | | |

## agent/ · intelligence core

40 files · 24,758 lines

*Multi-Turn executor, tool surface, planner, self-healing, Model Brain, context fitting, prompts*

| | | | |
|---|---|---|---|
| agent_verdict.py | 645 | llm_timing.py | 160 |
| cancellation.py | 199 | local_toolcall_parser.py | 375 |
| capability_registry.py | 691 | mcp_agent.py | 3.8k |
| chat_agent_registry.py | 2.2k | model_brain.py | 549 |
| chat_agent_runtime.py | 612 | model_brain_chat.py | 178 |
| chat_history_loader.py | 107 | model_profiles.json | 102 |
| chat_voice_runtime.py | 242 | ollama_stop.py | 67 |
| chat_voice_settings.py | 70 | pdf_context.py | 202 |
| compact_mode.py | 684 | pdf_context_jobs.py | 113 |
| config.json | 299 | pdf_image_analysis.py | 38 |
| config_loader.py | 135 | prompt.pmt | 384 |
| context_baseline.py | 488 | prompt_flow_panel_runtime.py | 151 |
| context_fitter.py | 759 | rag_enhancements.py | 687 |
| context_governor.py | 2.0k | self_healing.py | 523 |
| embedding_memory_guard.py | 433 | Tlamatini.md | 493 |
| exec_permission.py | 259 | tools.py | 5.2k |
| global_execution_planner.py | 526 | usage_provider.py | 284 |
| global_state.py | 53 | usage_tracking.py | 92 |
| gpu_perf.py | 420 | visual_error_reporting.py | 29 |
| inet_determiner.py | 219 | web_search_llm.py | 279 |

## agent/rag/ · retrieval-augmented generation

11 files · 3,636 lines

*chain factory, ask_rag interface, FAISS + BM25 retrieval, loaders, splitters, binary guard*

| | | | | | |
|---|---|---|---|---|---|
| __init__.py | 39 | factory.py | 1.2k | loaders.py | 51 |
| splitters.py | 13 | binary_guard.py | 516 | interaction.py | 67 |
| prompts.py | 33 | utils.py | 191 | config.py | 445 |
| interface.py | 967 | retrieval.py | 114 | | |

## agent/rag/chains/ · answer chains

4 files · 2,070 lines

*prompt-only, history-aware RAG and unified tool-agent chains*

| | | | | | |
|---|---|---|---|---|---|
| base.py | 177 | basic.py | 192 | history_aware.py | 585 |
| unified.py | 1.1k | | | | |

## agent/services/ · flow compiler and contracts

9 files · 2,607 lines

*FlowSpec, flow compiler, agent contracts and paths, response parser, prompt-flow interpreter*

| | | | | | |
|---|---|---|---|---|---|
| __init__.py | 25 | filesystem.py | 141 | flow_spec.py | 174 |
| agent_contracts.py | 494 | flow_compiler.py | 441 | prompt_flow_panel.py | 335 |
| agent_paths.py | 173 | flow_knowledge.py | 146 | response_parser.py | 678 |

## agent/imaging/ · image analysis

3 files · 681 lines

*dual-backend (Claude + Qwen) interpretation, conversion, screenshots*

| | | | | | |
|---|---|---|---|---|---|
| converter.py | 25 | image_interpreter.py | 399 | screenshot.py | 257 |

## agent/opus_client/ · Claude API client

3 files · 1,396 lines

*chat, images, PDFs, streaming, tools*

| | | | | | |
|---|---|---|---|---|---|
| claude_opus_client.py | 969 | examples.py | 9 | README.md | 418 |

## agent/monitors/ · SQL monitor

1 file · 83 lines

| | |
|---|---|
| monitor_sql.py | 83 |

## agent/doc_generation/ · project dossier generator

9 files · 6,641 lines

*builds and verifies the summary PDF and the PPTX deck from source facts*

| | | | | | |
|---|---|---|---|---|---|
| complete_project_docs.py | 650 | dossier_pptx.py | 1.2k | mardown_to_pdf.py | 119 |
| dossier_content.py | 2.5k | dossier_theme.py | 385 | refresh_project_docs.py | 16 |
| dossier_pdf.py | 1.5k | dossier_verify.py | 314 | test_output.pdf | 3KB |

# Atlas II — Integration surfaces, platform and state

Built-in MCP servers, the universal external-MCP client, ACPX, the skill harness, platform guards and persistence core.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 13

## agent/ · context providers and external-MCP client

16 files · 6,939 lines

*System-Metrics (WS 8765), Files-Search (gRPC 50051), sidecars, universal MCP client, runtimes, Windows shim*

| | | | |
|---|---|---|---|
| chain_files_search_lcel.py 791 | filesearch_pb2.py 57 |
| chain_system_lcel.py 282 | filesearch_pb2_grpc.py 152 |
| command_togen_pb2.txt 32 | mcp_files_search_client.py 462 |
| context_sidecar_timeout.py 163 | mcp_files_search_server.py 240 |
| external_mcp_defaults.py 245 | mcp_system_client.py 141 |
| external_mcp_manager.py 2.7k | mcp_system_server.py 235 |
| external_mcps.json 29 | runtime_provisioner.py 1.2k |
| filesearch.proto 33 | win_shim.py 189 |

## agent/acpx/ · ACPX runtime

11 files · 5,610 lines

*external coding-agent CLIs as children: registry, transports, delivery verdict, 12 tools*

| | | | |
|---|---|---|---|
| __init__.py 135 | config.py 549 | service.py 112 | tools.py 716 |
| agent_registry.py 393 | permissions.py 108 | session_store.py 145 | windows_spawn.py 180 |
| child_health.py 299 | runtime.py 1.3k | tests.py 1.6k | |

## agent/skills/ · skill harness

7 files · 1,829 lines

*SKILL.md frontmatter, registry, planning-handoff harness, I/O contract, redaction, validator*

| | | | |
|---|---|---|---|
| __init__.py 29 | harness.py 603 | redaction.py 234 | validation.py 335 |
| frontmatter.py 186 | io_contract.py 147 | registry.py 295 | |

## agent/skills_pkg/ · SKILL.md packages

39 files · 4,572 lines

*29 packages loaded by boot_skills() and invoked through list_skills / invoke_skill*

| | |
|---|---|
| _meta/lint.py 85 | |
| _meta/schema.json 101 | |
| acp_router/SKILL.md 106 | |
| adding_external_mcp/references/external_mcp_catalog_format.md 127 | |
| adding_external_mcp/references/llm_reflection_research.md 112 | |
| adding_external_mcp/references/transport_guide.md 143 | |
| adding_external_mcp/references/troubleshooting.md 164 | |
| adding_external_mcp/SKILL.md 297 | |
| code_review/SKILL.md 133 | |
| create_new_agent/SKILL.md 142 | |
| create_new_mcp/SKILL.md 147 | |
| flow_making/references/flw_schema.md 89 | |
| flow_making/scripts/make_flow.py 178 | |
| flow_making/scripts/result_to_flw.py 236 | |
| flow_making/SKILL.md 164 | |
| github/SKILL.md 78 | |
| gmail/SKILL.md 59 | |
| hello_world/SKILL.md 54 | |
| jira/SKILL.md 65 | |
| kali_pentest/SKILL.md 128 | |
| notion/SKILL.md 77 | |
| roblox_studio/SKILL.md 177 | |
| security_audit/SKILL.md 113 | |
| setup_new_acpx_key/SKILL.md 274 | |
| skill_creator/scripts/quick_validate.py 63 | |
| skill_creator/SKILL.md 129 | |
| slack/SKILL.md 60 | |
| summarize/SKILL.md 60 | |
| tlamatini_allowed_hosts_tighten/SKILL.md 64 | |
| tlamatini_csrf_exempt_audit/SKILL.md 100 | |
| tlamatini_exec_report_row_adder/SKILL.md 85 | |
| tlamatini_flow_from_objective/SKILL.md 126 | |
| tlamatini_flw_doctor/SKILL.md 130 | |
| tlamatini_new_acp_agent/SKILL.md 146 | |
| tlamatini_planner_trace_replay/SKILL.md 85 | |
| tlamatini_static_version_bumper/SKILL.md 103 | |
| todoist/SKILL.md 58 | |
| trello/SKILL.md 57 | |
| weather/SKILL.md 57 | |

## agent/ · platform, safety and lifecycle

8 files · 3,601 lines

*Temp/Templates policy, orphan reaper, watchdog, log tags, self-update, companion discovery*

| | | |
|---|---|---|
| agent_manifest.py 277 | log_identity.py 358 | self_update.py 500 |
| command_watchdog.py 592 | orphan_reaper.py 887 | windows_app_registration.py 268 |
| flow_file_open.py 312 | path_guard.py 407 | |

## persistence core

5 files · 880 lines

*Django models, WAL-safe SQLite copy (online backup API), DB staging for self-update*

| | | |
|---|---|---|
| agent/models.py 296 | agent/sqlite_copy.py 407 | DB/ToLoad/README.md 63 |
| agent/run_db_wal_tests.ps1 54 | DB/Older/README.md 60 | |

## Tlamatini/jd-cli/ · bundled Java decompiler

2 files · 29 lines

| | |
|---|---|
| jd-cli.bat 29 | jd-cli.jar 3.8MB |

## agent/images/ · documentation media

5 files · 0 lines

| | | |
|---|---|---|
| ACPXKeysConfigureWizard.jpg 118KB | MenuConfig.jpg 18KB | XAIHT-Tlamatini.mp4 10.8MB |
| ConfigureModels.jpg 44KB | mockup.jpg 34KB | |

## agent/TlamatiniSourceCode/ · self-modify snapshot slot

1 file · 7 lines

*filled by copy_source_assets.py in –self-modify builds*

README.md 7

## agent/test_fixtures/

1 file · 1 lines

*recorded model output for offline tests*

talker_orpheus_tokens.txt 1

# Atlas IV — Presentation layer: first-party frontend

Scripts and stylesheets grouped by the page template that loads them (parsed from the templates).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 14

### agent/static/agent/js/ · chat page (agent_page.html)

31 files · 16,380 lines

| | | |
|---|---|---|
| access_keys_wizard.js 406 | avatar.js 522 | mic_settings.js 197 |
| agent_page_canvas.js 640 | avatar_presence.js 570 | model_brain_tuning.js 348 |
| agent_page_chat.js 2.8k | avatar_size.js 286 | model_capacity.js 492 |
| agent_page_context.js 185 | chat_dictation.js 249 | pdf_context_progress.js 165 |
| agent_page_dialogs.js 1.4k | chat_image_paste.js 390 | release_notes_renderer.js 312 |
| agent_page_init.js 1.9k | chat_page_runtime_poller.js 151 | self_modify_switch.js 282 |
| agent_page_layout.js 468 | chat_table_contrast.js 146 | skills_dialog.js 392 |
| agent_page_markdown.js 262 | compact_costs.js 258 | tools_dialog.js 688 |
| agent_page_pdf.js 286 | contacts_dialog.js 384 | usage_dashboard.js 273 |
| agent_page_state.js 494 | context_gauge.js 440 | |
| agent_page_ui.js 518 | external_mcps_dialog.js 545 | |

### agent/static/agent/js/ · Agentic Control Panel

17 files · 11,320 lines

| | | |
|---|---|---|
| acp-agent-connectors.js 1.7k | acp-file-io.js 722 | acp-session.js 114 |
| acp-canvas-core.js 1.7k | acp-flow-snapshot.js 94 | acp-undo-manager.js 125 |
| acp-canvas-undo.js 1.2k | acp-globals.js 366 | acp-validate.js 641 |
| acp-connection-status.js 150 | acp-layout.js 102 | canvas_item_dialog.js 1.1k |
| acp-control-buttons.js 1.4k | acp-parametrizer-dialog.js 563 | contextual_menus.js 710 |
| acp-editor-tools.js 319 | acp-running-state.js 372 | |

### agent/static/agent/js/ · Prompt Flow Panel

2 files · 1,419 lines

| | |
|---|---|
| prompt-flow-panel-model.js 173 | prompt-flow-panel.js 1.2k |

### agent/static/agent/js/ · shared by several pages

6 files · 2,530 lines

| | |
|---|---|
| checkbox_bulk_toggle.js 319 | flow-canvas-interactions.js 146 |
| dialog_policy.js 780 | shared-runtime-dialogs.js 347 |
| file_drop_router.js 876 | ui_splitters.js 62 |

### agent/static/agent/js/ · entry pages, PDF frame and indirect loads

3 files · 333 lines

| | | |
|---|---|---|
| agentic_control_panel.js 28 | pdf_canvas_viewer.js 213 | welcome_enter_default.js 92 |

### agent/static/agent/css/ · chat page (agent_page.html)

14 files · 6,394 lines

| | | |
|---|---|---|
| access_keys_wizard.css 371 | context_gauge.css 263 | pdf_context_progress.css 27 |
| agent_page.css 2.5k | external_mcps_dialog.css 689 | skills_dialog.css 337 |
| avatar.css 180 | markdown_canvas.css 61 | tools_dialog.css 559 |
| chat_dictation.css 129 | model_brain_tuning.css 327 | usage_dashboard.css 101 |
| contacts_dialog.css 538 | model_capacity.css 313 | |

### agent/static/agent/css/ · Prompt Flow Panel

1 file · 183 lines

| |
|---|
| prompt_flow_panel.css 183 |

### agent/static/agent/css/ · shared by several pages

6 files · 3,967 lines

| | | |
|---|---|---|
| agentic_control_panel.css 2.9k | flow_canvas.css 58 | ui_splitters.css 39 |
| dialog_theme.css 795 | ui_shell.css 182 | ui_tokens.css 30 |

### agent/static/agent/css/ · entry pages, PDF frame and indirect loads

5 files · 125 lines

| | | |
|---|---|---|
| admin_theme.css 41 | login.css 14 | welcome.css 13 |
| entry_pages.css 38 | pdf_canvas.css 19 | |

### agent/static/ · images, avatar, PDF frame, sounds, video

10 files · 70 lines

| | |
|---|---|
| img/avatar/ec_mc.jpg 540KB | img/Tlamatini.ico 38KB |
| img/avatar/ec_mo.jpg 543KB | pdf/canvas.html 52 |
| img/avatar/eo_mc.jpg 534KB | sounds/hypervisor_alert.wav 215KB |
| img/avatar/eo_mo.jpg 537KB | sounds/notification.wav 279KB |
| img/spinner.svg 18 | video/XAIHT-Tlamatini.mp4 10.8MB |

# Atlas V — Vendored third-party frontend and PDF.js

Pinned, offline copies served by WhiteNoise: no CDN at runtime.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 15

## vendor/frontend

1 file · 269 lines

*Vendored-frontend manifest (versions + integrity)*

| | |
|---|---|
| manifest.json | 269 |

## vendor/frontend/bootstrap

5 files · 36 lines

*Bootstrap 5 (navbar, dropdowns, modals, grid)*

| | |
|---|---|
| dist/css/bootstrap.min.css | 6 |
| dist/css/bootstrap.min.css.map | 1 |
| dist/js/bootstrap.bundle.min.js | 7 |
| dist/js/bootstrap.bundle.min.js.map | 1 |
| LICENSE | 21 |

## vendor/frontend/dompurify

3 files · 210 lines

*DOMPurify HTML sanitizer used by the Markdown canvas*

| | |
|---|---|
| dist/purify.min.js | 7 |
| dist/purify.min.js.map | 1 |
| LICENSE | 202 |

## vendor/frontend/highlightjs

17 files · 1,795 lines

*highlight.js syntax highlighter, languages and theme*

| | |
|---|---|
| highlight.min.js | 1.2k |
| languages/bash.min.js | 20 |
| languages/c.min.js | 40 |
| languages/cpp.min.js | 47 |
| languages/css.min.js | 31 |
| languages/ini.min.js | 15 |
| languages/java.min.js | 38 |
| languages/javascript.min.js | 80 |
| languages/kotlin.min.js | 46 |
| languages/python.min.js | 41 |
| languages/rust.min.js | 28 |
| languages/sql.min.js | 17 |
| languages/typescript.min.js | 95 |
| languages/xml.min.js | 29 |
| languages/yaml.min.js | 25 |
| LICENSE | 29 |
| styles/atom-one-dark.min.css | 1 |

## vendor/frontend/jquery

3 files · 23 lines

*jQuery*

| | |
|---|---|
| dist/jquery.min.js | 2 |
| dist/jquery.min.map | 1 |
| LICENSE.txt | 20 |

## vendor/frontend/jquery-ui

2 files · 49 lines

*jQuery UI (dialogs, resizing)*

| | |
|---|---|
| jquery-ui.min.js | 6 |
| LICENSE.txt | 43 |

## vendor/frontend/marked

1 file · 44 lines

*Marked Markdown parser (license)*

| | |
|---|---|
| LICENSE | 44 |

## vendor/frontend/nunito

23 files · 191 lines

*Nunito web font (site typography)*

| | |
|---|---|
| 400.css | 49 |
| 700.css | 49 |
| files/nunito-cyrillic-400-normal.woff | 10KB |
| files/nunito-cyrillic-400-normal.woff2 | 8KB |
| files/nunito-cyrillic-700-normal.woff | 10KB |
| files/nunito-cyrillic-700-normal.woff2 | 8KB |
| files/nunito-cyrillic-ext-400-normal.woff | 14KB |
| files/nunito-cyrillic-ext-400-normal.woff2 | 11KB |
| files/nunito-cyrillic-ext-700-normal.woff | 14KB |
| files/nunito-cyrillic-ext-700-normal.woff2 | 11KB |
| files/nunito-latin-400-normal.woff | 20KB |
| files/nunito-latin-400-normal.woff2 | 16KB |
| files/nunito-latin-700-normal.woff | 20KB |
| files/nunito-latin-700-normal.woff2 | 16KB |
| files/nunito-latin-ext-400-normal.woff | 21KB |
| files/nunito-latin-ext-400-normal.woff2 | 16KB |
| files/nunito-latin-ext-700-normal.woff | 21KB |
| files/nunito-latin-ext-700-normal.woff2 | 16KB |
| files/nunito-vietnamese-400-normal.woff | 8KB |
| files/nunito-vietnamese-400-normal.woff2 | 6KB |
| files/nunito-vietnamese-700-normal.woff | 8KB |
| files/nunito-vietnamese-700-normal.woff2 | 6KB |
| LICENSE | 93 |

## vendor/pdfjs

2 files · 178 lines

*PDF.js license and pinned version*

| | |
|---|---|
| LICENSE | 177 |
| VERSION | 1 |

## vendor/pdfjs/build

2 files · 93,350 lines

*PDF.js core library and worker*

| | |
|---|---|
| pdf.mjs | 28k |
| pdf.worker.mjs | 65k |

## vendor/pdfjs/cmaps

169 files · 36 lines

*PDF.js binary CMaps for CJK and legacy encodings*

| | | | |
|---|---|---|---|
| 78-EUC-H.bcmap | 2KB | Adobe-GB1-UCS2.bcmap | 33KB |
| 78-EUC-V.bcmap | 173B | Adobe-Japan1-0.bcmap | 225B |
| 78-H.bcmap | 2KB | Adobe-Japan1-1.bcmap | 226B |
| 78-RKSJ-H.bcmap | 2KB | Adobe-Japan1-2.bcmap | 233B |
| 78-RKSJ-V.bcmap | 173B | Adobe-Japan1-3.bcmap | 242B |
| 78-V.bcmap | 169B | Adobe-Japan1-4.bcmap | 337B |
| 78ms-RKSJ-H.bcmap | 3KB | Adobe-Japan1-5.bcmap | 430B |
| 78ms-RKSJ-V.bcmap | 290B | Adobe-Japan1-6.bcmap | 485B |
| 83pv-RKSJ-H.bcmap | 905B | Adobe-Japan1-UCS2.bcmap | 40KB |
| 90ms-RKSJ-H.bcmap | 721B | Adobe-Korea1-0.bcmap | 241B |
| 90ms-RKSJ-V.bcmap | 290B | Adobe-Korea1-1.bcmap | 386B |
| 90msp-RKSJ-H.bcmap | 715B | Adobe-Korea1-2.bcmap | 391B |
| 90msp-RKSJ-V.bcmap | 291B | Adobe-Korea1-UCS2.bcmap | 23KB |
| 90pv-RKSJ-H.bcmap | 982B | B5-H.bcmap | 1KB |
| 90pv-RKSJ-V.bcmap | 260B | B5-V.bcmap | 142B |
| Add-H.bcmap | 2KB | B5pc-H.bcmap | 1KB |
| Add-RKSJ-H.bcmap | 2KB | B5pc-V.bcmap | 144B |
| Add-RKSJ-V.bcmap | 287B | CNS-EUC-H.bcmap | 2KB |
| Add-V.bcmap | 282B | CNS-EUC-V.bcmap | 2KB |
| Adobe-CNS1-0.bcmap | 317B | CNS1-H.bcmap | 706B |
| Adobe-CNS1-1.bcmap | 371B | CNS1-V.bcmap | 143B |
| Adobe-CNS1-2.bcmap | 376B | CNS2-H.bcmap | 504B |
| Adobe-CNS1-3.bcmap | 401B | CNS2-V.bcmap | 93B |
| Adobe-CNS1-4.bcmap | 405B | ETen-B5-H.bcmap | 1KB |
| Adobe-CNS1-5.bcmap | 406B | ETen-B5-V.bcmap | 158B |
| Adobe-CNS1-6.bcmap | 406B | ETenms-B5-H.bcmap | 101B |
| Adobe-CNS1-UCS2.bcmap | 40KB | ETenms-B5-V.bcmap | 172B |
| Adobe-GB1-0.bcmap | 217B | ETHK-B5-H.bcmap | 4KB |
| Adobe-GB1-1.bcmap | 250B | ETHK-B5-V.bcmap | 158B |
| Adobe-GB1-2.bcmap | 465B | EUC-H.bcmap | 578B |
| Adobe-GB1-3.bcmap | 470B | EUC-V.bcmap | 170B |
| Adobe-GB1-4.bcmap | 601B | Ext-H.bcmap | 2KB |
| Adobe-GB1-5.bcmap | 625B | Ext-RKSJ-H.bcmap | 2KB |

## vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

*PDF.js binary CMaps for CJK and legacy encodings*

| | | | |
|---|---|---|---|
| Ext-RKSJ-V.bcmap | 218B | Katakana.bcmap | 100B |
| Ext-V.bcmap | 215B | KSC-EUC-H.bcmap | 2KB |
| GB-EUC-H.bcmap | 549B | KSC-EUC-V.bcmap | 164B |
| GB-EUC-V.bcmap | 179B | KSC-H.bcmap | 2KB |
| GB-H.bcmap | 528B | KSC-Johab-H.bcmap | 16KB |
| GB-V.bcmap | 175B | KSC-Johab-V.bcmap | 166B |
| GBK-EUC-H.bcmap | 14KB | KSC-V.bcmap | 160B |
| GBK-EUC-V.bcmap | 180B | KSCms-UHC-H.bcmap | 3KB |
| GBK2K-H.bcmap | 19KB | KSCms-UHC-HW-H.bcmap | 3KB |
| GBK2K-V.bcmap | 219B | KSCms-UHC-HW-V.bcmap | 169B |
| GBKp-EUC-H.bcmap | 14KB | KSCms-UHC-V.bcmap | 166B |
| GBKp-EUC-V.bcmap | 181B | KSCpc-EUC-H.bcmap | 2KB |
| GBpc-EUC-H.bcmap | 557B | KSCpc-EUC-V.bcmap | 166B |
| GBpc-EUC-V.bcmap | 181B | LICENSE | 36 |
| GBT-EUC-H.bcmap | 7KB | NWP-H.bcmap | 3KB |
| GBT-EUC-V.bcmap | 180B | NWP-V.bcmap | 252B |
| GBT-H.bcmap | 7KB | RKSJ-H.bcmap | 534B |
| GBT-V.bcmap | 176B | RKSJ-V.bcmap | 170B |
| GBTpc-EUC-H.bcmap | 7KB | Roman.bcmap | 96B |
| GBTpc-EUC-V.bcmap | 182B | UniCNS-UCS2-H.bcmap | 47KB |
| H.bcmap | 553B | UniCNS-UCS2-V.bcmap | 156B |
| Hankaku.bcmap | 132B | UniCNS-UTF16-H.bcmap | 49KB |
| Hiragana.bcmap | 124B | UniCNS-UTF16-V.bcmap | 156B |
| HKdla-B5-H.bcmap | 3KB | UniCNS-UTF32-H.bcmap | 51KB |
| HKdla-B5-V.bcmap | 148B | UniCNS-UTF32-V.bcmap | 160B |
| HKdlb-B5-H.bcmap | 2KB | UniCNS-UTF8-H.bcmap | 52KB |
| HKdlb-B5-V.bcmap | 148B | UniCNS-UTF8-V.bcmap | 157B |
| HKgccs-B5-H.bcmap | 2KB | UniGB-UCS2-H.bcmap | 42KB |
| HKgccs-B5-V.bcmap | 149B | UniGB-UCS2-V.bcmap | 193B |
| HKm314-B5-H.bcmap | 2KB | UniGB-UTF16-H.bcmap | 43KB |
| HKm314-B5-V.bcmap | 149B | UniGB-UTF16-V.bcmap | 178B |
| HKm471-B5-H.bcmap | 2KB | UniGB-UTF32-H.bcmap | 45KB |
| HKm471-B5-V.bcmap | 149B | UniGB-UTF32-V.bcmap | 182B |
| HKscs-B5-H.bcmap | 4KB | UniGB-UTF8-H.bcmap | 46KB |
| HKscs-B5-V.bcmap | 159B | | |

## vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

*PDF.js binary CMaps for CJK and legacy encodings*

| | |
|---|---|
| UniGB-UTF8-V.bcmap | 181B |
| UniJIS-UCS2-H.bcmap | 25KB |
| UniJIS-UCS2-HW-H.bcmap | 119B |
| UniJIS-UCS2-HW-V.bcmap | 680B |
| UniJIS-UCS2-V.bcmap | 664B |
| UniJIS-UTF16-H.bcmap | 39KB |
| UniJIS-UTF16-V.bcmap | 643B |
| UniJIS-UTF32-H.bcmap | 40KB |
| UniJIS-UTF32-V.bcmap | 677B |
| UniJIS-UTF8-H.bcmap | 41KB |
| UniJIS-UTF8-V.bcmap | 678B |
| UniJIS2004-UTF16-H.bcmap | 39KB |
| UniJIS2004-UTF16-V.bcmap | 647B |
| UniJIS2004-UTF32-H.bcmap | 40KB |
| UniJIS2004-UTF32-V.bcmap | 681B |
| UniJIS2004-UTF8-H.bcmap | 41KB |
| UniJIS2004-UTF8-V.bcmap | 682B |
| UniJISPro-UCS2-HW-V.bcmap | 705B |
| UniJISPro-UCS2-V.bcmap | 689B |
| UniJISPro-UTF8-V.bcmap | 726B |
| UniJISX0213-UTF32-H.bcmap | 40KB |
| UniJISX0213-UTF32-V.bcmap | 684B |
| UniJISX02132004-UTF32-H.bcmap | 40KB |
| UniJISX02132004-UTF32-V.bcmap | 688B |
| UniKS-UCS2-H.bcmap | 25KB |
| UniKS-UCS2-V.bcmap | 178B |
| UniKS-UTF16-H.bcmap | 26KB |
| UniKS-UTF16-V.bcmap | 164B |
| UniKS-UTF32-H.bcmap | 26KB |
| UniKS-UTF32-V.bcmap | 168B |
| UniKS-UTF8-H.bcmap | 27KB |
| UniKS-UTF8-V.bcmap | 169B |
| V.bcmap | 166B |
| WP-Symbol.bcmap | 179B |

## vendor/pdfjs/iccs

2 files · 116 lines

*PDF.js ICC color profile*

| | |
|---|---|
| CGATS001Compat-v2-micro.icc | 8KB |
| LICENSE | 116 |

## vendor/pdfjs/standard_fonts

16 files · 390 lines

*PDF.js standard fonts*

| | |
|---|---|
| FoxitDingbats.pfb | 29KB |
| FoxitFixed.pfb | 17KB |
| FoxitFixedBold.pfb | 18KB |
| FoxitFixedBoldItalic.pfb | 19KB |
| FoxitFixedItalic.pfb | 18KB |
| FoxitSerif.pfb | 19KB |
| FoxitSerifBold.pfb | 19KB |
| FoxitSerifBoldItalic.pfb | 20KB |
| FoxitSerifItalic.pfb | 21KB |
| FoxitSymbol.pfb | 16KB |
| LiberationSans-Bold.ttf | 134KB |
| LiberationSans-BoldItalic.ttf | 132KB |
| LiberationSans-Italic.ttf | 158KB |
| LiberationSans-Regular.ttf | 136KB |
| LICENSE_FOXIT | 27 |
| LICENSE_LIBERATION | 363 |

## vendor/pdfjs/wasm

13 files · 358 lines

*PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS)*

| | |
|---|---|
| jbig2.wasm | 102KB |
| jbig2_nowasm_fallback.js | 15 |
| LICENSE_JBIG2 | 196 |
| LICENSE_OPENJPEG | 39 |
| LICENSE_PDFJS_JBIG2 | 13 |
| LICENSE_PDFJS_OPENJPEG | 22 |
| LICENSE_PDFJS_QCMS | 19 |
| LICENSE_QCMS | 21 |
| openjpeg.wasm | 246KB |
| openjpeg_nowasm_fallback.js | 17 |
| qcms_bg.wasm | 94KB |
| quickjs-eval.js | 16 |
| quickjs-eval.wasm | 458KB |

## vendor/pdfjs/web

84 files · 16,685 lines

*PDF.js viewer and its toolbar icons*

| | |
|---|---|
| images/altText_add.svg | 3 |
| images/altText_disclaimer.svg | 3 |
| images/altText_done.svg | 3 |
| images/altText_spinner.svg | 30 |
| images/altText_warning.svg | 3 |
| images/annotation-check.svg | 11 |
| images/annotation-comment.svg | 16 |
| images/annotation-help.svg | 26 |
| images/annotation-insert.svg | 10 |
| images/annotation-key.svg | 11 |
| images/annotation-newparagraph.svg | 11 |
| images/annotation-noicon.svg | 7 |
| images/annotation-note.svg | 42 |
| images/annotation-paperclip.svg | 6 |
| images/annotation-paragraph.svg | 16 |
| images/annotation-pushpin.svg | 7 |
| images/checkmark.svg | 5 |
| images/comment-actionsButton.svg | 3 |
| images/comment-closeButton.svg | 3 |
| images/comment-editButton.svg | 8 |
| images/comment-popup-editButton.svg | 5 |
| images/cursor-editorFreeHighlight.svg | 6 |
| images/cursor-editorFreeText.svg | 3 |
| images/cursor-editorInk.svg | 4 |
| images/cursor-editorTextHighlight.svg | 8 |
| images/editor-toolbar-delete.svg | 5 |
| images/editor-toolbar-edit.svg | 3 |
| images/findbarButton-next.svg | 3 |
| images/findbarButton-previous.svg | 3 |
| images/gv-toolbarButton-download.svg | 3 |
| images/loading-icon.gif | 2KB |
| images/loading.svg | 1 |
| images/messageBar_closingButton.svg | 3 |
| images/messageBar_info.svg | 3 |
| images/messageBar_warning.svg | 3 |
| images/pages_closeButton.svg | 3 |
| images/pages_selected.svg | 7 |
| images/pages_viewArrow.svg | 3 |
| images/pages_viewButton.svg | 3 |
| images/secondaryToolbarButton-documentProperties.svg | 3 |
| images/secondaryToolbarButton-firstPage.svg | 3 |
| images/secondaryToolbarButton-handTool.svg | 3 |
| images/secondaryToolbarButton-lastPage.svg | 3 |
| images/secondaryToolbarButton-rotateCcw.svg | 3 |
| images/secondaryToolbarButton-rotateCw.svg | 3 |
| images/secondaryToolbarButton-scrollHorizontal.svg | 3 |
| images/secondaryToolbarButton-scrollPage.svg | 3 |
| images/secondaryToolbarButton-scrollVertical.svg | 3 |
| images/secondaryToolbarButton-scrollWrapped.svg | 3 |
| images/secondaryToolbarButton-selectTool.svg | 3 |
| images/secondaryToolbarButton-spreadEven.svg | 3 |
| images/secondaryToolbarButton-spreadNone.svg | 3 |

## vendor/pdfjs/web *(continued)*

84 files · 16,685 lines

*PDF.js viewer and its toolbar icons*

| | |
|---|---|
| images/secondaryToolbarButton-spreadOdd.svg | 3 |
| images/signature-properties-row-check.svg | 4 |
| images/toolbarButton-bookmark.svg | 3 |
| images/toolbarButton-currentOutlineItem.svg | 3 |
| images/toolbarButton-download.svg | 4 |
| images/toolbarButton-editorFreeText.svg | 5 |
| images/toolbarButton-editorHighlight.svg | 6 |
| images/toolbarButton-editorInk.svg | 4 |
| images/toolbarButton-editorSignature.svg | 6 |
| images/toolbarButton-editorStamp.svg | 8 |
| images/toolbarButton-menuArrow.svg | 3 |
| images/toolbarButton-menuArrowNova.svg | 3 |
| images/toolbarButton-openFile.svg | 3 |
| images/toolbarButton-pageDown.svg | 3 |
| images/toolbarButton-pageUp.svg | 3 |
| images/toolbarButton-presentationMode.svg | 3 |
| images/toolbarButton-print.svg | 3 |
| images/toolbarButton-search.svg | 3 |
| images/toolbarButton-secondaryToolbarToggle.svg | 3 |
| images/toolbarButton-signaturePropertiesError.svg | 7 |
| images/toolbarButton-signaturePropertiesVerified.svg | 7 |
| images/toolbarButton-viewAttachments.svg | 3 |
| images/toolbarButton-viewLayers.svg | 3 |
| images/toolbarButton-viewOutline.svg | 3 |
| images/toolbarButton-viewsManagerToggle.svg | 3 |
| images/toolbarButton-viewThumbnail.svg | 3 |
| images/toolbarButton-zoomIn.svg | 3 |
| images/toolbarButton-zoomOut.svg | 3 |
| images/treeitem-collapsed.svg | 1 |
| images/treeitem-expanded.svg | 1 |
| pdf_viewer.css | 6.4k |
| pdf_viewer.mjs | 9.8k |

# Atlas VI — Agent pool: every workflow agent template

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 16

## agents/ · shared helpers

2 files · 198 lines

*copied beside every pool agent: model settings (@config) and visual-error reporting*

- model_settings.py 165
- visual_errors.py 33

## Cleaner

3 files · 354 lines

*Control Agents: The post-mortem janitor.*

- __init__.py 9
- cleaner.py 335
- config.yaml 10

## Croner

2 files · 421 lines

*Control Agents: A clock-driven trigger. Wakes up at the configured HH:MM every day and starts its target_agents. Good for nightly…*

- config.yaml 7
- croner.py 414

## Ender

2 files · 689 lines

*Control Agents: Terminates a flow gracefully.*

- config.yaml 29
- ender.py 660

## Sleeper

2 files · 396 lines · MT

*Control Agents: A timed pause. Waits for a configured number of milliseconds, then starts everything in target_agents. Useful for…*

- config.yaml 3
- sleeper.py 393

## Starter

2 files · 520 lines

*Control Agents: The entry point of every flow.*

- config.yaml 25
- starter.py 495

## Stopper

2 files · 504 lines

*Control Agents: A surgical "kill the noisy neighbor" agent.*

- config.yaml 53
- stopper.py 451

## Asker

2 files · 503 lines · MT

*Routing Agents: An interactive A/B chooser.*

- asker.py 469
- config.yaml 34

## Counter

2 files · 494 lines

*Routing Agents: A persistent tally with threshold-based routing.*

- config.yaml 44
- counter.py 450

## Forker

2 files · 698 lines

*Routing Agents: An automatic A/B router.*

- config.yaml 42
- forker.py 656

## Raiser

2 files · 697 lines

*Routing Agents: An event-driven launcher.*

- config.yaml 45
- raiser.py 652

## AND

2 files · 559 lines

*Logic Gates: A two-input AND gate. Fires its target_agents only when BOTH source_1 AND source_2 have produced their respective…*

- and.py 542
- config.yaml 17

## Barrier

3 files · 793 lines

*Logic Gates: An N-input barrier (a generalized AND).*

- barrier.py 507
- config.yaml 8
- test_barrier.py 278

## OR

2 files · 533 lines

*Logic Gates: A two-input OR gate. Fires its target_agents when EITHER source_1 OR source_2 produces its pattern, whichever…*

- config.yaml 16
- or.py 517

## Analyzer

2 files · 573 lines

*Action Agents: A deterministic static-analysis and security scanner — it uses no LLM, so its output is reproducible.*

- analyzer.py 540
- config.yaml 33

## Apirer

2 files · 520 lines · MT

*Action Agents: An HTTP/REST API client agent.*

- apirer.py 510
- config.yaml 10

## Arduiner

7 files · 1,793 lines · MT

*Action Agents: Tlamatini's bridge to the Arduino CLI (https://arduino.github.io/arduino-cli/) — the official all-in-one tool whose…*

- arduiner.py 1.5k
- ArduinoTemplateProject/ArduinoTemplateProject.ino 40
- ArduinoTemplateProject/README.md 53
- ArduinoTemplateProject/sketch.yaml 23
- ArduinoTemplateProject/src/Heartbeat.cpp 30
- ArduinoTemplateProject/src/Heartbeat.h 35
- config.yaml 125

## AudioPlayer

2 files · 913 lines · MT

*Action Agents: PLAYS an audio file through a system audio OUTPUT device (speakers / audio out) via soundfile + sounddevice — the…*

- audioplayer.py 839
- config.yaml 74

## Blenderer

2 files · 805 lines · MT

*Action Agents: Drives a Blender instance through the OFFICIAL Blender MCP add-on's TCP socket (default localhost:9876 — the add-on…*

- blenderer.py 742
- config.yaml 63

## Camcorder

2 files · 718 lines · MT

*Action Agents: Captures from a SYSTEM CAMERA (webcam) via OpenCV — distinct from Shoter, which captures the SCREEN.*

- camcorder.py 674
- config.yaml 44

## Crawler

2 files · 2,205 lines · MT

*Action Agents: A developer-oriented web reader with built-in LLM analysis.*

- config.yaml 39
- crawler.py 2.2k

## De-Compresser

2 files · 874 lines · MT

*Action Agents: Deterministic short-running archive worker.*

- config.yaml 26
- de_compresser.py 848

## Deleter

2 files · 793 lines · MT

*Action Agents: Deletes files matching one or more patterns, with exclusions, recursion, and immediate/event modes. target_path is…*

- config.yaml 29
- deleter.py 764

## Discoverer

2 files · 1,455 lines · MT

*Action Agents: Tlamatini's bridge to the ProjectDiscovery security-tool suite (https://github.com/projectdiscovery) for recon…*

- config.yaml 114
- discoverer.py 1.3k

## Dockerer

2 files · 522 lines · MT

*Action Agents: A Docker / docker-compose front-end.*

- config.yaml 3
- dockerer.py 519

## Editor

2 files · 425 lines · MT

*Action Agents: Makes a SURGICAL in-place edit to a single existing text file by replacing an EXACT string (old_string) with another…*

- config.yaml 16
- editor.py 409

## ESP32er

8 files · 1,838 lines · MT

*Action Agents: Tlamatini's bridge to PlatformIO Core (https://platformio.org) — the open-source embedded build system whose pio CLI…*

- config.yaml 109
- esp32er.py 1.4k
- ESP32TemplateProject/include/README.md 16
- ESP32TemplateProject/lib/README.md 35
- ESP32TemplateProject/platformio.ini 40
- ESP32TemplateProject/README.md 114
- ESP32TemplateProject/src/main.cpp 57
- ESP32TemplateProject/test/README.md 32

## ESPHomer

8 files · 1,822 lines · MT

*Action Agents: Tlamatini's bridge to ESPHome (https://esphome.io) — the system that turns ESP32 / ESP8266 / RP2040 / BK72xx boards…*

- config.yaml 104
- esphomer.py 1.4k
- ESPHomeTemplateProject/.gitignore 8
- ESPHomeTemplateProject/common/base.yaml 32
- ESPHomeTemplateProject/README.md 140
- ESPHomeTemplateProject/secrets.yaml.example 15
- ESPHomeTemplateProject/tlamatini-light.yaml 47
- ESPHomeTemplateProject/tlamatini-sensor.yaml 70

## Executer

2 files · 1,130 lines · MT

*Action Agents: Runs an arbitrary shell command and triggers its target_agents when the command finishes.*

- config.yaml 37
- executer.py 1.1k

## File-Creator

2 files · 485 lines · MT

*Action Agents: Writes a file with arbitrary content to a specified path, then triggers downstream agents (regardless of the write…*

- config.yaml 22
- file_creator.py 463

## File-Extractor

2 files · 877 lines · MT

*Action Agents: The "give me the raw text" sibling of File-Interpreter.*

- config.yaml 10
- file_extractor.py 867

## File-Interpreter

2 files · 1,084 lines · MT

*Action Agents: Reads and interprets documents — DOCX, PPTX, XLSX, PDF, TXT, TeX, CSV, HTML, RTF, and more — extracting text and…*

- config.yaml 46
- file_interpreter.py 1.0k

## Gitter

2 files · 560 lines · MT

*Action Agents: A Git operations agent. Runs clone, pull, push, commit, checkout, branch, diff, log, status, or any custom git…*

- config.yaml 27
- gitter.py 533

## Globber

2 files · 407 lines · MT

*Action Agents: Read-only FILE discovery by glob/filename pattern under a directory (the Claude-Glob equivalent) - returns matching…*

- config.yaml 11
- globber.py 396

## Googler

3 files · 3,586 lines

*Action Agents: Performs block- and hang-proof indexed-web search, then either extracts readable text/raw HTML from the top results…*

- config.yaml 208
- googler.py 2.0k
- googler_engines.py 1.4k

## Grepper

2 files · 611 lines · MT

*Action Agents: Read-only regex CONTENT search across a single file or a whole directory tree (the Claude-Grep equivalent) - returns…*

- config.yaml 28
- grepper.py 583

## Image-Interpreter

2 files · 1,096 lines · MT

*Action Agents: TRIPLE-MODEL vision analyst.*

- config.yaml 156
- image_interpreter.py 940

## Instant Messaging Doctor

2 files · 758 lines · MT

*Action Agents: A safe first-party messaging diagnostic agent for Telegrammer and Whatsapper.*

- config.yaml 52
- instant_messaging_doctor.py 706

## J-Decompiler

2 files · 525 lines · MT

*Action Agents: A Java decompiler. Scans a directory (or wildcard list) for .class, .jar, .war, and .ear files and uses the bundled…*

- config.yaml 11
- j_decompiler.py 514

## Jenkinser

2 files · 512 lines · MT

*Action Agents: Triggers a job on a Jenkins server.*

- config.yaml 21
- jenkinser.py 491

## Kalier

2 files · 807 lines · MT

*Action Agents: Tlamatini's bridge to Kali Linux offensive-security tooling, built on the MCP-Kali-Server…*

- config.yaml 104
- kalier.py 703

## Keyboarder

3 files · 783 lines · MT

*Action Agents: Checked Windows keyboard input, bound to one HWND/PID and stopped on foreground focus loss.*

- config.yaml 26
- keyboarder.py 570
- keyboarder_input.py 187

## Kuberneter

2 files · 428 lines · MT

*Action Agents: A kubectl front-end. Runs commands like get, apply, logs, exec against a configured namespace, with arbitrary extra…*

- config.yaml 17
- kuberneter.py 411

## LaTeXer

6 files · 6,469 lines · MT

*Action Agents: Tlamatini's LaTeX TYPESETTING agent — the typesetting sibling of PDFer.*

- config.yaml 221
- latexer_artwork.py 273
- latexer_styles.py 154
- latexer.py 5.3k
- latexer_design.py 267
- STYLES.md 242

## MCP Doctor

2 files · 704 lines · MT

*Action Agents: A safe External MCP diagnostic and onboarding agent.*

- config.yaml 10
- mcp_doctor.py 694

## Mongoxer

2 files · 214 lines · MT

*Action Agents: Executes a Python block against a MongoDB database using pymongo.*

- config.yaml 18
- mongoxer.py 196

## Mouser

3 files · 1,047 lines · MT

*Action Agents: Mouse movement, clicks, drags, scrolling, window anchors, and reference-image matching.*

- config.yaml 88
- mouser.py 783
- mouser_coordinates.py 176

## Mover

2 files · 884 lines · MT

*Action Agents: Moves or copies files with wildcard sources, exclusions, and optional recursion.*

- config.yaml 14
- mover.py 870

## NetSpeed-Calculator

2 files · 1,955 lines · MT

*Action Agents: Measures THIS machine's real Internet connection and reports the answer with its error bar — download, upload…*

- config.yaml 83
- netspeed_calculator.py 1.9k

## Nmapper

2 files · 1,281 lines · MT

*Action Agents: Tlamatini's LOCAL, USE-ONLY nmap bridge for pentesters / CTF recon.*

- config.yaml 88
- nmapper.py 1.2k

## PDFer

15 files · 10,824 lines · MT

*Action Agents: Document composer for an answer, Markdown, HTML, plain text, images or existing PDFs.*

- config.yaml 217
- pdfer_color.py 896
- pdfer_styles.py 104
- pdfer.py 1.9k
- pdfer_consult.py 378
- pdfer_tables.py 664
- pdfer_artwork.py 261
- pdfer_docmodel.py 777
- pdfer_theme.py 1.2k
- pdfer_atelier.py 1.0k
- pdfer_nuance.py 1.2k
- pdfer_typography.py 709
- pdfer_audit.py 494
- pdfer_ornament.py 702
- STYLES.md 239

## Playwrighter

2 files · 1,111 lines · MT

*Action Agents: A scripted, interactive browser-automation agent built on Playwright (Chromium/Firefox/WebKit).*

- config.yaml 80
- playwrighter.py 1.0k

## PPTXer

15 files · 11,401 lines · MT

*Action Agents: Builds editable PowerPoint presentations from an answer, Markdown, outlines, or JSON, with embedded local/remote…*

- config.yaml 179
- pptxer_diagram.py 433
- pptxer_media.py 693
- pptxer.py 1.2k
- pptxer_docmodel.py 731
- pptxer_nuance.py 887
- pptxer_audit.py 645
- pptxer_draw.py 866
- pptxer_render.py 944
- pptxer_build.py 1.5k
- pptxer_fonts.py 1.0k
- pptxer_theme.py 621
- pptxer_color.py 736
- pptxer_layout.py 853
- STYLES.md 100

## Prompter

2 files · 473 lines · MT

*Action Agents: Sends a configured prompt to an Ollama LLM and logs the response into a structured INI_SECTION_PROMPTER block.*

- config.yaml 30
- prompter.py 443

## Pser

2 files · 604 lines · MT

*Action Agents: An LLM-powered process finder.*

- config.yaml 32
- pser.py 572

## Pythonxer

2 files · 875 lines · MT

*Action Agents: Runs an inline Python script (provided as a YAML string) behind a STRICT correctness gate: it first compile()-parses…*

- config.yaml 46
- pythonxer.py 829

## Recorder

2 files · 1,041 lines · MT

*Action Agents: Records AUDIO from a system input device (MICROPHONE) via sounddevice and saves a WAV (written with the stdlib wave…*

- config.yaml 57
- recorder.py 984

## Reviewer

2 files · 626 lines

*Action Agents: An LLM-powered code reviewer.*

- config.yaml 38
- reviewer.py 588

## Scper

2 files · 529 lines · MT

*Action Agents: Transfers a file to or from a remote host over SCP using a pre-configured SSH key.*

- config.yaml 27
- scper.py 502

## Shoter

2 files · 606 lines · MT

*Action Agents: Captures the whole desktop by default (all_screens: true) and saves a PNG silently.*

- config.yaml 21
- shoter.py 585

## Sqler

2 files · 237 lines · MT

*Action Agents: Executes a Python block against a Microsoft SQL Server instance using pyodbc.*

- config.yaml 20
- sqler.py 217

## Ssher

2 files · 470 lines · MT

*Action Agents: Runs a shell command on a remote host over SSH using a pre-configured key.*

- config.yaml 22
- ssher.py 448

## STM32er

2 files · 2,936 lines · MT

*Action Agents: Tlamatini's STM32 firmware agent — it programs the WHOLE ST 32-bit line, from the Blue Pill (STM32F103) up through…*

- config.yaml 242
- stm32er.py 2.7k

## Summarizer

2 files · 670 lines · MT

*Action Agents: Two modes in one agent. Polling mode: continuously watches the logs of its source_agents and feeds new content to an…*

- config.yaml 57
- summarizer.py 613

## Talker

2 files · 1,629 lines · MT

*Action Agents: TEXT-TO-SPEECH (TTS): SPEAKS text aloud through a system audio OUTPUT device (speakers) by driving an OLLAMA…*

- config.yaml 151
- talker.py 1.5k

## Unrealer

2 files · 1,033 lines · MT

*Action Agents: Drives an Unreal Engine 5 editor instance through the Unreal MCP plugin's TCP protocol (default 127.0.0.1:55557 —…*

- config.yaml 160
- unrealer.py 873

## Video-Analyzer

5 files · 3,070 lines · MT

*Action Agents: Video-Analyzer supports analysis_type: robotics (default), transcription, and summary.*

- config.yaml 202
- video_analyzer.py 1.2k
- video_fetch.py 854
- README.md 241
- video_content.py 588

## VideoPlayer

2 files · 1,043 lines · MT

*Action Agents: PLAYS a video file (WITH audio) on a chosen DISPLAY (screen) — the on-screen sibling of AudioPlayer (speakers).*

- config.yaml 69
- videoplayer.py 974

## Whisperer

4 files · 2,230 lines · MT

*Action Agents: Direct chat microphone: Mic beside Send starts host capture without an LLM decision and stops on the configured…*

- chat_worker.py 232
- README.md 82
- config.yaml 182
- whisperer.py 1.7k

## Windower

2 files · 963 lines · MT

*Action Agents: The window manager of the desktop-UI trio (Windower = the window itself, Mouser = clicks inside it, Keyboarder =…*

- config.yaml 77
- windower.py 886

# Atlas VI — Agent pool: every workflow agent template (continued 2)

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 17

### Emailer
2 files · 836 lines · MT

*Notification Agents: Sends an SMTP email when triggered.*

| | |
|---|---|
| config.yaml | 147 |
| emailer.py | 689 |

### FlowHypervisor
4 files · 1,901 lines

*Notification Agents: Watches a running flow using process state, logs and current agent contracts.*

| | |
|---|---|
| config.yaml 18 | hypervisor_alert.wav 215KB |
| flowhypervisor.py 786 | monitoring-prompt.pmt 1.1k |

### Monitor Netstat
2 files · 340 lines · MT

*Notification Agents: The network-port version of Monitor-Log.*

| | |
|---|---|
| config.yaml 42 | monitor_netstat.py 298 |

### Monitor-Log
2 files · 462 lines · MT

*Notification Agents: A pure log-file watcher with LLM event detection.*

| | |
|---|---|
| config.yaml 44 | monitor_log.py 418 |

### Notifier
2 files · 509 lines · MT

*Notification Agents: The browser-notification agent.*

| | |
|---|---|
| config.yaml 17 | notifier.py 492 |

### RecMailer
2 files · 430 lines · MT

*Notification Agents: An IMAP email receiver with LLM analysis.*

| | |
|---|---|
| config.yaml 63 | recmailer.py 367 |

### Telegrammer
7 files · 1,409 lines · MT

*Notification Agents: The single Telegram send/receive agent using official Telegram surfaces only.*

| | |
|---|---|
| config.yaml 27 | |
| guide_assets/telegram_01_botfather_search.jpg 72KB | |
| guide_assets/telegram_02_newbot_token.jpg 124KB | |
| guide_assets/telegram_03_start_bot_getupdates.jpg 116KB | |
| guide_assets/telegram_04_tlamatini_contacts.jpg 119KB | |
| HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md 303 | |
| telegrammer.py 1.1k | |

### Whatsapper
8 files · 1,437 lines · MT

*Notification Agents: The single WhatsApp send/receive agent with two explicit outbound identities.*

| | |
|---|---|
| config.yaml 62 | |
| guide_assets/whatsapp_01_meta_create_app.jpg 90KB | |
| guide_assets/whatsapp_02_api_setup_keys.jpg 204KB | |
| guide_assets/whatsapp_03_test_recipient_send.jpg 249KB | |
| guide_assets/whatsapp_04_system_user_token.jpg 139KB | |
| guide_assets/whatsapp_05_tlamatini_contacts.jpg 104KB | |
| HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md 343 | |
| whatsapper.py 1.0k | |

### FlowBacker
2 files · 478 lines

*Utility Agents: A passive backup utility.*

| | |
|---|---|
| config.yaml 10 | flowbacker.py 468 |

### FlowCreator
6 files · 8,631 lines · MT

*Utility Agents: Designs a workflow from your objective.*

| | | |
|---|---|---|
| agentic_skill.md 2.6k | flow_catalog.json 4.9k | flowcreator.py 609 |
| config.yaml 40 | flow_knowledge.py 294 | result_to_flw.py 236 |

### Parametrizer
2 files · 1,250 lines

*Utility Agents: Carries structured results from one agent into another agent's configuration, one segment at a time.*

| | |
|---|---|
| config.yaml 11 | parametrizer.py 1.2k |

### Kyber-Cipher
2 files · 594 lines · MT

*Cryptography Agents: Encrypts a plaintext buffer with a CRYSTALS-Kyber public key.*

| | |
|---|---|
| config.yaml 14 | kyber_cipher.py 580 |

### Kyber-DeCipher
2 files · 539 lines · MT

*Cryptography Agents: The inverse of Kyber-Cipher.*

| | |
|---|---|
| config.yaml 20 | kyber_decipher.py 519 |

### Kyber-KeyGen
2 files · 491 lines · MT

*Cryptography Agents: Generates a CRYSTALS-Kyber post-quantum public/private key pair in base64.*

| | |
|---|---|
| config.yaml 8 | kyber_keygen.py 483 |

### TeleTlamatini
2 files · 1,364 lines

*Multi-Channel Bridges: A long-running Telegram bot that bridges authorized Telegram users into the full Multi-Turn + Exec Report Tlamatini...*

| | |
|---|---|
| config.yaml 101 | teletlamatini.py 1.3k |

### ACPXer
2 files · 957 lines

*External Coding-Agent Driver: Drives one external coding-agent CLI session per run — Claude Code, Codex, Cursor, Gemini, Qwen, the Tlamatini...*

| | |
|---|---|
| acpxer.py 914 | config.yaml 43 |

# Atlas VII — Verification: unit, contract, visible and release tests

Every automated test runs headed and visible on the real desktop; screenshots are taken by Shoter.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 18

## agent/ · unit and contract tests

160 files · 68,787 lines

*160 modules, Django test runner; pin the contracts described in CLAUDE.md*

| | | | |
|---|---|---|---|
| test_access_key_wizard.py | 145 | test_globber_agent.py | 156 |
| test_agent_display_names.py | 263 | test_googler_agent.py | 502 |
| test_agent_manifest.py | 414 | test_googler_dorks.py | 513 |
| test_agent_verdict.py | 292 | test_googler_resilience.py | 800 |
| test_agents_see_hidden_dirs.py | 71 | test_grepper_agent.py | 172 |
| test_arduiner_agent.py | 717 | test_grepper_encodings.py | 222 |
| test_ask_execs_allowlist.py | 225 | test_grepper_lines_mode.py | 279 |
| test_audioplayer_agent.py | 780 | test_image_interpreter_agent.py | 401 |
| test_binary_guard.py | 445 | test_instant_messaging_doctor.py | 171 |
| test_blenderer_agent.py | 577 | test_j_decompiler_agent.py | 252 |
| test_build_pip_quiet.py | 205 | test_js_gates.py | 59 |
| test_build_root_assets.py | 188 | test_kalier_agent.py | 1.1k |
| test_build_scripts.py | 718 | test_latexer_agent.py | 1.3k |
| test_camcorder_agent.py | 467 | test_latexer_delivery_truth.py | 65 |
| test_cancellation.py | 215 | test_latexer_layout_truth.py | 59 |
| test_catalog_pruning.py | 49 | test_latexer_major_removal_and_window_repair.py | 463 |
| test_chain_readiness.py | 327 | test_latexer_model_repair_truth.py | 54 |
| test_chat_agent_run_wait.py | 199 | test_latexer_repair_ladder.py | 538 |
| test_chat_bridge_bots.py | 234 | test_latexer_styles.py | 186 |
| test_chat_history_window.py | 94 | test_latexer_suite.py | 1.7k |
| test_chat_voice.py | 491 | test_latexer_verbatim_channel.py | 325 |
| test_checkbox_bulk_toggle.py | 189 | test_log_identity.py | 349 |
| test_command_watchdog.py | 367 | test_mcp_configured_endpoints.py | 217 |
| test_compact_mode_pingpong.py | 117 | test_model_brain.py | 511 |
| test_compact_mode_switch.py | 467 | test_model_capacity.py | 455 |
| test_console_colors.py | 517 | test_model_settings.py | 220 |
| test_console_shield.py | 602 | test_mover_file_safety.py | 217 |
| test_contacts.py | 153 | test_native_dialogs.py | 294 |
| test_context_governor.py | 570 | test_netspeed_calculator_agent.py | 1.6k |
| test_context_real_tokens.py | 690 | test_nmapper_agent.py | 268 |
| test_context_restore_spinner.py | 204 | test_no_audio_in_tests.py | 59 |
| test_context_sidecar_timeout.py | 257 | test_ollama_catalog_from_server.py | 281 |
| test_crawler_agent.py | 342 | test_ollama_stop_limit.py | 249 |
| test_crawler_resilience.py | 503 | test_orphan_reaper.py | 340 |
| test_createsuperuser_wizard.py | 68 | test_parametrizer_mcp_doctor.py | 145 |
| test_ctrl_c_shutdown.py | 215 | test_password_quoting.py | 601 |
| test_db_backup_restore_wal.py | 432 | test_pdf_context.py | 307 |
| test_db_backup_safety.py | 130 | test_pdfer_agent.py | 1.2k |
| test_de_compresser.py | 843 | test_pdfer_nuance_layout.py | 654 |
| test_deep_research_prompt.py | 86 | test_pdfer_styles.py | 192 |
| test_deleter_safety.py | 127 | test_playwrighter_agent.py | 662 |
| test_desktop_input_agents.py | 365 | test_pptxer_agent.py | 1.3k |
| test_dialog_dismissal_policy.py | 566 | test_pptxer_styles.py | 112 |
| test_dialog_theme.py | 766 | test_pptxer_visibility.py | 307 |
| test_discoverer_agent.py | 533 | test_preserved_user_state.py | 192 |
| test_discoverer_thousand.py | 141 | test_program_name_collisions.py | 186 |
| test_django_port_config.py | 254 | test_prompt_catalog_contiguous.py | 310 |
| test_drag_divider_look.py | 70 | test_prompt_flow_panel.py | 292 |
| test_drop_message.py | 330 | test_prompt_flow_panel_carriage.py | 94 |
| test_editor_agent.py | 181 | test_prompt_flow_panel_runtime.py | 198 |
| test_embedding_memory_guard.py | 638 | test_prompt_flow_panel_websocket.py | 173 |
| test_esp32er_agent.py | 767 | test_prompt_shape_sentences.py | 67 |
| test_esphomer_agent.py | 554 | test_public_release_targets.py | 486 |
| test_exec_report_verdict.py | 141 | test_recorder_agent.py | 617 |
| test_execute_command_bounded.py | 176 | test_runtime_provisioner.py | 498 |
| test_executer_window_report.py | 121 | test_security_assets_carriage.py | 139 |
| test_external_mcp_add_flow.py | 179 | test_self_healing.py | 259 |
| test_external_mcp_e2e.py | 470 | test_self_knowledge_is_current.py | 111 |
| test_external_mcp_transports.py | 294 | test_self_modify_gate.py | 459 |
| test_external_mcp_universal.py | 674 | test_self_modify_switch.py | 480 |
| test_file_creator_append.py | 241 | test_self_update.py | 157 |
| test_file_drop_router.py | 251 | test_shoter_takes_screenshots.py | 71 |
| test_file_extractor_reader.py | 104 | test_sqlite_wal_mode.py | 52 |
| test_flow_contracts.py | 227 | test_status_vocabulary.py | 569 |
| test_flow_file_open.py | 160 | test_step_by_step_mode.py | 209 |
| test_flow_file_views.py | 100 | test_stm32er_agent.py | 1.8k |
| test_flow_knowledge.py | 348 | test_talker_agent.py | 1.3k |
| test_frontend_mutable_state.py | 260 | test_telegrammer_identity.py | 214 |
| test_gitter_custom_command.py | 227 | test_temp_dir_policy.py | 479 |

## agent/ · unit and contract tests *(continued)*

160 files · 68,787 lines

*160 modules, Django test runner; pin the contracts described in CLAUDE.md*

| | | | |
|---|---|---|---|
| test_tool_failure_recovery.py | 86 | test_visual_fatal_errors.py | 246 |
| test_uninstall_processes.py | 129 | test_voice_commands_catalog.py | 265 |
| test_uninstaller_lifecycle.py | 292 | test_watchdog_foreground_exemption.py | 672 |
| test_uninstaller_mechanics.py | 669 | test_web_process_stays_lean.py | 231 |
| test_unrealer_agent.py | 518 | test_whatsapper_identity.py | 202 |
| test_usage.py | 362 | test_whisperer_agent.py | 1.1k |
| test_version_guard.py | 61 | test_win_shim.py | 404 |
| test_video_analyzer_agent.py | 357 | test_windower_agent.py | 662 |
| test_video_analyzer_content.py | 458 | test_windows_app_registration.py | 107 |
| test_video_analyzer_fetch.py | 594 | tests.py | 7.8k |
| test_videoplayer_agent.py | 758 | tests_perf_3x.py | 432 |

## Tests/ · avatar, PDF canvas and requirement tests

13 files · 2,470 lines

| | | | |
|---|---|---|---|
| avatar_dev_server/dev_settings.py | 28 | test_avatar_presence_visible.py | 582 |
| avatar_dev_server/development_test.py | 50 | test_avatar_visible.cjs | 169 |
| run_avatar_tests.py | 128 | test_pdf_canvas_assets.py | 68 |
| run_presence_tests.ps1 | 76 | test_pdf_canvas_browser.py | 738 |
| test_about_window_name_visible.py | 66 | test_perf_3x_visual.py | 216 |
| test_avatar_animation.cjs | 195 | test_requirements_coverage.py | 89 |
| test_avatar_collectstatic.py | 65 | | |

## AuxTests/

1 file · 156 lines

| | |
|---|---|
| mypdf2.py | 156 |

## Tlamatini/tests_e2e/ · visible end-to-end runs

11 files · 3,121 lines

*headed Chrome against the real chat GUI*

| | | | |
|---|---|---|---|
| oob_child_helper.py | 46 | test_oob_namu_unit.py | 189 |
| README.md | 79 | test_prompts_catalog_visual.py | 392 |
| test_create_flow_visual.py | 477 | test_self_healing_visual.py | 316 |
| test_ctrl_c_quits_visible.py | 187 | test_voice_visual.py | 321 |
| test_db_backup_set_visible.py | 415 | Tlamatini-Whatsapper-Daily-Tests.py | 562 |
| test_oob_browser_visible.py | 137 | | |

## repository root · guard tests

4 files · 1,835 lines

*private-data guard, author banner, performance*

| | | | |
|---|---|---|---|
| test_author_banner.py | 95 | test_perf_3x_visual.py | 479 |
| test_check_private_data.py | 1.0k | test_private_data_guard.py | 219 |

## scripts/ · visible checks, release checks and tooling

66 files · 15,293 lines

**_visible.py, release_*_checks.py, setup cycles, vendoring, catalog and inventory tools*

| | | | |
|---|---|---|---|
| acp_editor_visible.py | 291 | release_acp_editor_checks.py | 186 |
| agent_catalog_visible.py | 203 | release_acp_runtime_checks.py | 79 |
| build_setup_full_payload.py | 70 | release_agent_catalog_checks.py | 145 |
| build_setup_validation.py | 58 | release_auth_checks.py | 89 |
| canvas_refresh_visible.py | 556 | release_commentary_checks.py | 401 |
| chat_composer_resize_checks.py | 264 | release_extended_checks.py | 290 |
| chat_composer_resize_visible.py | 158 | release_local_agent_checks.py | 114 |
| chat_composer_visible_window.py | 83 | release_mcp_checks.py | 79 |
| chat_microphone_visible.py | 365 | release_output_resize_checks.py | 230 |
| chat_viewport_visible_checks.py | 156 | release_prompt_runtime_checks.py | 143 |
| chat_views_frozen_visible.py | 254 | release_shell_file_checks.py | 73 |
| chat_views_visible.py | 480 | run_menu_state_checks.py | 290 |
| check_js_parse.mjs | 43 | setup_crash_agents_visible.py | 275 |
| check_requirements_coverage.py | 280 | setup_desktop_cycles.py | 139 |
| docked_avatar_resize_checks.py | 178 | setup_lifecycle_checks.py | 389 |
| dossier_visual_walkthrough_visible.py | 230 | setup_release_cycles.py | 454 |
| drag_divider_look_visible.py | 467 | setup_wizard_visible.py | 274 |
| file_drop_router_cases.mjs | 455 | skill_inventory.py | 176 |
| flow_canvas_mechanics_visible.py | 398 | sync_assistant_skills.py | 143 |
| flow_file_associations_test.ps1 | 120 | tlamatini_clean_install.ps1 | 106 |
| flow_files_visible.py | 502 | ui_sweep_resize_checks.py | 68 |
| installed_panels_visible.py | 538 | ui_sweep_visible.py | 138 |
| markdown_canvas_visible.py | 573 | update_flow_catalog.py | 95 |
| menu_browser_checks.py | 525 | usage_dashboard_browser_checks.py | 83 |
| menu_live_checks.py | 145 | usage_dashboard_fixture_checks.py | 193 |
| menu_reference_graph.mjs | 95 | usage_dashboard_visible.py | 139 |
| panel_search_title_visible.py | 367 | vendor_frontend.py | 84 |
| pptxer_visibility_gallery.py | 94 | vendor_pdfjs.py | 57 |
| prompt_flow_commentary_visible.py | 175 | verify_latexer_styles.py | 246 |
| prompt_flow_connections_visible.py | 540 | verify_pdfer_styles.py | 151 |
| prompt_flow_extension_visible.py | 233 | verify_pptxer_layout.py | 163 |
| prompt_flow_output_resize_visible.py | 381 | verify_pptxer_styles.py | 132 |
| prompt_flow_selection_visible.py | 201 | visual_fatal_dialog_visible.py | 191 |

## .claude/. . . /tlamatini-daily-chat-test/harness/

61 files · 24,884 lines

*daily chat regression + feature labs (Playwright headed, Shoter screenshots)*

| | | | |
|---|---|---|---|
| _peek.py | 26 | grepper_lines_visible.py | 234 |
| _stage.ps1 | 75 | grepper_login_probe.py | 61 |
| acp_backend_banner_test.py | 358 | latexer_openmp_e2e.py | 445 |
| acp_backend_banner_test.py.antes_shoter | 362 | latexer_stepbystep_5.py | 860 |
| acp_dialog_full_sweep.py | 376 | mcp_playwright_suite.py | 218 |
| acp_dialog_theme_visible.py | 268 | model_brain_visible.py | 557 |
| ask_execs_regression.py | 676 | monitor.py | 177 |
| ask_execs_regression.py.antes_shoter | 679 | ollama_remote_catalog_visible.py | 504 |
| bulk_toggle_behaviour.py | 291 | pdf_context_visible.py | 423 |
| bulk_toggle_visible.py | 199 | pdfer_nuance_visible.py | 528 |
| cancel_regression.py | 571 | playwrighter_run.py | 163 |
| cancel_regression.py.antes_shoter | 575 | pptxer_visible.py | 780 |
| compact_mode_visible.py | 482 | preflight.py | 334 |
| compact_pingpong_visible.py | 341 | qualify.py | 188 |
| compact_switch_visible.py | 690 | questions.py | 390 |
| config.py | 132 | README.md | 118 |
| context_gauge_100.py | 500 | requirements.txt | 7 |
| context_gauge_real_lab.py | 507 | run_test.py | 726 |
| context_gauge_visible.py | 288 | self_modify_visible.py | 480 |
| context_restore_spinner_visible.py | 725 | shoter_shot.py | 99 |
| cyber_watchdog_test.py | 463 | step_by_step_catalog.py | 380 |
| deepseek_remote_chat_visible.py | 615 | step_by_step_catalog.py.antes_shoter | 381 |
| dialog_policy_visible.py | 492 | stop_sequence_visible.py | 581 |
| dialog_theme_visible.py | 255 | talk_test.py | 397 |
| discoverer_1000.py | 27 | uninstaller_visible.py | 465 |
| discoverer_1000.py.antes_shoter | 454 | video_link_visible.py | 368 |
| drop_message_visible.py | 669 | voice_commands_visible.py | 420 |
| file_drop_visible.py | 615 | window-test-screen.py | 1.5k |
| flowcreator_wizard_e2e.py | 373 | windower_focus.py | 163 |
| full_mode_visible.py | 251 | wrapped_questions.py | 276 |
| googler_dork_hunt.py | 324 | | |

## .gemini/. . . /tlamatini-daily-chat-test/harness/

32 files · 11,501 lines

*Gemini mirror of the daily chat harness*

| | | | |
|---|---|---|---|
| acp_backend_banner_test.py | 358 | flowcreator_wizard_e2e.py | 373 |
| acp_backend_banner_test.py.antes_shoter | 362 | googler_dork_hunt.py | 324 |
| acp_dialog_full_sweep.py | 376 | latexer_openmp_e2e.py | 445 |
| acp_dialog_theme_visible.py | 268 | latexer_stepbystep_5.py | 860 |
| ask_execs_regression.py | 676 | mcp_playwright_suite.py | 218 |
| ask_execs_regression.py.antes_shoter | 679 | playwrighter_run.py | 163 |
| bulk_toggle_behaviour.py | 291 | qualify.py | 188 |
| bulk_toggle_visible.py | 199 | questions.py | 389 |
| cancel_regression.py | 571 | README.md | 118 |
| cancel_regression.py.antes_shoter | 575 | requirements.txt | 7 |
| config.py | 125 | run_test.py | 726 |
| cyber_watchdog_test.py | 463 | shoter_shot.py | 99 |
| dialog_policy_visible.py | 492 | step_by_step_catalog.py | 380 |
| dialog_theme_visible.py | 255 | step_by_step_catalog.py.antes_shoter | 381 |
| discoverer_1000.py | 27 | talk_test.py | 397 |
| discoverer_1000.py.antes_shoter | 454 | wrapped_questions.py | 262 |

# Atlas VIII — Build, release, install, security and repository root

From source to Installer.exe, self-update and uninstall; guards that keep private data out of git.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 19

## build and release tooling

25 files · 10,034 lines

*PyInstaller build, inventories, versioning, release wrappers, dependency and private-data audits*

| | | | |
|---|---|---|---|
| .gitattributes | 14 | git_deny_go.py | 154 |
| .gitignore | 459 | package.json | 29 |
| audit_dependencies.py | 184 | pnpm-lock.yaml | 578 |
| build.py | 2.2k | private_targets.example.json | 43 |
| build_all.cmd | 101 | pyinstaller_hooks/hook-numpy.py | 158 |
| build_complete_private_release.py | 372 | pyinstaller_hooks/hook-pymupdf.py | 14 |
| build_complete_public_release.py | 949 | pyinstaller_hooks/hook-torch.py | 30 |
| build_installer.py | 568 | regen_secrets.py | 565 |
| build_runtime_assets.py | 472 | requirements-esphome.txt | 7 |
| build_uninstaller.py | 363 | requirements.txt | 224 |
| check_private_data.py | 721 | uncommit-keys.bat | 243 |
| copy_source_assets.py | 855 | versioning.py | 203 |
| eslint.config.mjs | 524 | | |

## install, update and launch

21 files · 5,345 lines

*setup window, recovery, Windows integration, self-update swap, uninstall, launchers*

| | | | | | |
|---|---|---|---|---|---|
| apply_update.ps1 | 355 | ollama_credits.py | 386 | setup_windows.py | 271 |
| backup_db.py | 206 | preserved_user_state.json | 27 | setup_wizard.py | 483 |
| CreateShortcut.json | 3 | register_flw.ps1 | 15 | Tlamatini.ps1 | 69 |
| CreateShortcut.ps1 | 264 | register_fpmt.ps1 | 12 | uninstall.py | 1.5k |
| flow_file_associations.ps1 | 181 | RemoveShortcut.ps1 | 59 | uninstall_processes.py | 147 |
| freeingport8000.ps1 | 65 | setup_logging.py | 100 | unregister_flw.ps1 | 15 |
| install.py | 854 | setup_recovery.py | 350 | unregister_fpmt.ps1 | 12 |

## root stdio MCP server

3 files · 1,764 lines

*exposes every pool agent and ACPX to external MCP clients*

| | | | | | |
|---|---|---|---|---|---|
| .mcp.json | 8 | tlamatini_acpx.py | 986 | tlamatini_mcp_server.py | 770 |

## security/ · security arsenal

11 files · 2,763 lines

*Active Defender, whitelist v2 (Controlled Folder Access), access tests*

| | | | |
|---|---|---|---|
| automated_tests_of_security_assets.py | 128 | test_windows_access.ps1 | 119 |
| enable_tlamatini_v2.bat | 734 | tlamatini_defender.ps1 | 718 |
| README.md | 139 | tlamatini_whitelist_v2.ps1 | 567 |
| run_defender.bat | 20 | verify_agent_execution.py | 132 |
| sync_enable_launcher.py | 65 | windows_access_helpers.ps1 | 128 |
| test_security_syntax.ps1 | 13 | | |

## CI and scanning policy

2 files · 193 lines

| | | | |
|---|---|---|---|
| .github/workflows/name-guard.yml | 99 | .scanning/finding-policy.json | 94 |

## demo flows

1 file · 434 lines

*ready-made .flw files for the Agentic Control Panel*

| | |
|---|---|
| MCPMemoriesFlowCreation.flw | 434 |

## repository root · media, documents and license

9 files · 21 lines

| | | | |
|---|---|---|---|
| ConfigureModels.png | 146KB | LICENSE | 21 |
| OllamaPricing.png | 178KB | OOB_shift_reaper-and-NAMU-Design.pdf | 18KB |
| PromptDesigner.jpg | 106KB | Tlamatini.ico | 38KB |
| Tlamatini.jpg | 15KB | tlamatini_app_summary.pdf | 2.7MB |
| Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx | 4.9MB | | |

# Atlas IX — Knowledge and governance

Documentation, change records, assistant onboarding, memory and the four tracked skill locations.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 20

## repository root · Markdown and text documents

24 files · 16,319 lines

*README, onboarding files for each assistant, design notes and session records*

| | |
|---|---|
| _acpx_pipeline_demo_report.md | 65 |
| ACPX.md | 841 |
| AGENTS.md | 330 |
| agents_descriptions.md | 194 |
| AvatarImprovementByClaude.md | 416 |
| BookOfTlamatini.md | 4.6k |
| Claude-Desktop-KALI-MCP-Session.md | 694 |
| CLAUDE.md | 1.2k |
| Codex2ClaudeRecommendations.md | 624 |
| DesignOfIncludingMemoryMCPS.txt | 1.2k |
| Discoverier-new-agent.md | 277 |
| example_of_prompt_to_make_de-compresser_agent.txt | 42 |
| FirstFinalPlanToSpeedUp.md | 774 |
| GEMINI.md | 995 |
| KIMI.md | 1.3k |
| latest-folding-context-session.md | 4 |
| MessagingConnectorAssistant_Design.md | 134 |
| PIVOT_CHANGES.md | 511 |
| README.md | 959 |
| test-reloaded-session.md | 4 |
| TestsVisiblesAndVisibleExecutionFromClaude2Codex.md | 230 |
| Tlamatini-Kali-Setup.md | 413 |
| TLAMATINI_MCP.md | 210 |
| VERSIONING.md | 419 |

## docs/ · feature guides

22 files · 3,869 lines

| | | | |
|---|---|---|---|
| agent-coverage.md | 110 | model-configuration-verification.md | 44 |
| build-root-assets-verification.md | 93 | model_configuration.md | 338 |
| canvas-refresh.md | 108 | pdf-canvas.md | 260 |
| chat-microphone-design.md | 432 | prompting-flow-designer.md | 109 |
| companion-app-discovery.md | 117 | self-management-carriage.md | 439 |
| dependency-coverage-audit.md | 126 | setup-lifecycle-research.md | 79 |
| desktop-input-and-flow-contracts.md | 127 | setup-wizards.md | 209 |
| examples/prompting-kickoff.fpmt | 26 | stm32er_all_families_proposal.md | 171 |
| external_mcp_bulletproof_architecture.md | 141 | usage-dashboard.md | 185 |
| GUI-Manager-design.md | 344 | visual-analysis-errors.md | 119 |
| markdown-canvas.md | 79 | windows-flow-files.md | 213 |

## docs/claude/ · assistant onboarding (auto-imported)

10 files · 8,566 lines

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| acpx.md | 456 | exec-report.md | 269 | INDEX.md | 75 | recent-fixes.md | 5.4k |
| agents.md | 335 | frontend.md | 440 | mcp-tools.md | 222 | | |
| architecture.md | 795 | gotchas.md | 305 | multi-turn.md | 304 | | |

## docs/changes/ · dated change records

18 files · 6,001 lines

| | |
|---|---|
| 2026-10-03-prompt-commentary-input.md | 71 |
| 2026-10-03-prompt-commentary-input.patch | 1.4k |
| 2026-10-03-prompt-flow-documentation.md | 59 |
| 2026-10-03-prompt-flow-documentation.patch | 631 |
| 2026-10-04-commentary-graphical-redesign.md | 55 |
| 2026-10-04-commentary-graphical-redesign.patch | 2.0k |
| 2026-10-04-prompt-flow-documentation.md | 43 |
| 2026-10-04-release-validation.md | 171 |
| 2026-10-04-run-output-resize.md | 36 |
| 2026-10-04-run-output-resize.patch | 834 |
| 2026-10-04-windows-flow-files.md | 51 |
| 2026-10-07-latexer-verification.md | 60 |
| 2026-10-07-pdf-mover-incident.md | 87 |
| 2026-10-07-windows-access-verification.md | 82 |
| 2026-10-10-composer-resize.md | 80 |
| 2026-10-11-ui-sweep.md | 146 |
| 2026-10-13-docked-avatar-divider.md | 65 |
| 2026-10-16-v1.85.0.md | 97 |

## authoring guides

3 files · 2,046 lines

*create a new agent, MCP/tool or skill*

| | | | |
|---|---|---|---|
| .agents/workflows/create_new_agent.md | 749 | .skills/create_new_skill.md | 416 |
| .mcps/create_new_mcp.md | 881 | | |

## scripts/architecture_atlas/ and this atlas

4 files · 2,849 lines

*generator and build script of Tlamatini-Architecture.pdf*

| | |
|---|---|
| scripts/architecture_atlas/build_architecture_pdf.py | 216 |
| scripts/architecture_atlas/gen_architecture.py | 2.6k |
| scripts/architecture_atlas/README.md | 52 |
| Tlamatini-Architecture.pdf | 2.0MB |

## .claude/ · Claude Code skills, hooks and settings

11 files · 3,707 lines

*canonical skill set; SessionStart hook*

| | |
|---|---|
| hooks/announce_skills.py | 204 |
| hooks/test_announce_skills.py | 353 |
| settings.json | 16 |
| skills/tlamatini-agent-creation/SKILL.md | 928 |
| skills/tlamatini-agent-naming/SKILL.md | 91 |
| skills/tlamatini-daily-chat-test/.gitignore | 8 |
| skills/tlamatini-daily-chat-test/SKILL.md | 271 |
| skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py | 436 |
| skills/tlamatini-self-modify-inclusion/SKILL.md | 350 |
| skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py | 610 |
| skills/tlamatini-self-update-inclusion/SKILL.md | 440 |

## .claude/memory/ · persistent assistant memory

83 files · 3,218 lines

*feedback, project and user notes*

| | |
|---|---|
| feedback_agent_naming_conventions.md | 33 |
| feedback_developer_product_boundary.md | 18 |
| feedback_dont_overbuild_exec_safety.md | 29 |
| feedback_forbidden_headless_visible_tests.md | 20 |
| feedback_foreground_visible_windows.md | 19 |
| feedback_hard_real_scenario_tests.md | 25 |
| feedback_main_branch_only.md | 40 |
| feedback_package_json_version_bump.md | 29 |
| feedback_run_tlamatini_agents_visible.md | 34 |
| feedback_state_constraints_upfront.md | 31 |
| feedback_track_changes_pivot_file.md | 27 |
| feedback_update_agent_docs.md | 27 |
| feedback_user_owns_git.md | 43 |
| MEMORY.md | 148 |
| project_acpx_oneshot_prompt.md | 46 |
| project_acpx_skills_menu.md | 58 |
| project_acpx_toggle_skills.md | 35 |
| project_acpxer_added.md | 31 |
| project_agent_table_wiped_on_boot.md | 71 |
| project_arduiner_agent.md | 35 |
| project_ask_execs_feature.md | 35 |
| project_audioplayer_agent.md | 31 |
| project_build_concurrency_guard.md | 32 |
| project_build_tests_and_installer_enterkey.md | 25 |
| project_camcorder_agent.md | 27 |
| project_carried_python_for_agents.md | 37 |
| project_conjunction_parser_fix.md | 26 |
| project_daily_chat_test_skill.md | 28 |
| project_desktop_ui_lifecycle.md | 29 |
| project_director_virtuoso_demo_prompts.md | 28 |
| project_doc_refresh_2026_05_06.md | 40 |
| project_doc_refresh_2026_05_08.md | 39 |
| project_doc_refresh_2026_05_09.md | 58 |
| project_eight_fixes_2026_05_07.md | 53 |
| project_emailer_recmailer_oneshot.md | 36 |
| project_embedding_memory_guard.md | 35 |
| project_esp32er_agent.md | 37 |
| project_execute_command_bounded_fix.md | 27 |
| project_execute_file_foreground_fix.md | 44 |
| project_external_exec_safety_layer.md | 33 |
| project_flow_compiler_dialog_wins.md | 29 |
| project_ghost_distinfo_dependency_audit.md | 56 |
| project_kalier_agent.md | 37 |
| project_keyboarder_wrapped_2026_05_07.md | 32 |
| project_latexer_agent.md | 76 |
| project_living_canvas_dropped.md | 29 |
| project_mouser_wrapped_2026_05_07.md | 37 |
| project_native_picker_tcltk_fix.md | 57 |
| project_native_toast.md | 31 |
| project_netspeed_calculator_agent.md | 89 |
| project_numpy_pyinstaller.md | 24 |
| project_ollama_source_build_breaks_embeddings.md | 31 |
| project_pdfer_agent.md | 78 |
| project_planner_followup.md | 31 |
| project_playwrighter_agent.md | 31 |
| project_playwrighter_hold_open.md | 56 |
| project_prompt_catalog_mode_badges.md | 42 |
| project_prompt_flow_commentary_input.md | 19 |
| project_pythonxer_forkbomb_fix.md | 46 |
| project_pythonxer_strict_ruff_gate.md | 36 |
| project_quote_apostrophe_fix_2026_05_07.md | 48 |
| project_reaper_console_window_fix.md | 36 |
| project_recorder_agent.md | 31 |
| project_reviewer_analyzer_agents.md | 33 |
| project_reviewer_analyzer_demo_prompts.md | 25 |
| project_reviewer_committed_secrets_falsepos.md | 31 |
| project_secret_leak_recovery.md | 33 |
| project_stm32er_agent.md | 35 |
| project_stm32er_bootstrap_preflight.md | 31 |

## .claude/memory/ · persistent assistant memory *(continued)*

83 files · 3,218 lines

*feedback, project and user notes*

| | | | |
|---|---|---|---|
| project_stm32er_demo_prompts.md | 29 | project_temp_templates_policy.md | 39 |
| project_stm32er_docs_libs_parametrizer.md | 35 | project_unity_mcp_declined.md | 30 |
| project_stm32er_hil_serial_proof_fix.md | 27 | project_unrealer_expanded_surface.md | 101 |
| project_stm32er_tests.md | 27 | project_versioning_2026_05_15.md | 60 |
| project_summarizer_oneshot_mode.md | 49 | project_videoplayer_agent.md | 33 |
| project_taskbar_flash_attention.md | 30 | project_windower_agent.md | 37 |
| project_teletlamatini_acpx.md | 34 | user_profile.md | 18 |

## .gemini/skills/ · Gemini mirror

8 files · 3,134 lines

| | |
|---|---|
| tlamatini-agent-creation/SKILL.md | 928 |
| tlamatini-agent-naming/SKILL.md | 91 |
| tlamatini-daily-chat-test/.gitignore | 8 |
| tlamatini-daily-chat-test/SKILL.md | 271 |
| tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py | 436 |
| tlamatini-self-modify-inclusion/SKILL.md | 350 |
| tlamatini-self-update-inclusion/scripts/sweep_self_update.py | 610 |
| tlamatini-self-update-inclusion/SKILL.md | 440 |

## .codex/skills/ · Codex dossier and release skills

5 files · 471 lines

| | |
|---|---|
| full-project-pdf-dossier/SKILL.md | 121 |
| overlap-safe-pptx-dossier/SKILL.md | 132 |
| tlamatini-release-validation/agents/openai.yaml | 4 |
| tlamatini-release-validation/references/acceptance-matrix.md | 94 |
| tlamatini-release-validation/SKILL.md | 120 |

# File index — 1508 tracked files

ID (click to see the tile) · path · [lines or size] · description extracted from the file itself. Grouped exactly like the atlas.

## Atlas I — Server core: process, web tier and intelligence

### Tlamatini/ · process entry — sheet 12

**F1472** `Tlamatini/cat_art.py` [64 lines] *Determine the clear screen command based on the operating system*
**F1477** `Tlamatini/manage.py` [1.7k lines] *Django's command-line utility for administrative tasks.*

### Tlamatini/tlamatini/ · Django project — sheet 12

**F1489** `Tlamatini/tlamatini/__init__.py` [10 lines] *Package marker for tlamatini/.*
**F1490** `Tlamatini/tlamatini/asgi.py` [34 lines] *ASGI application: ProtocolTypeRouter sends HTTP to Django and WebSockets (AuthMiddlewareStack) to agent.routing.*
**F1491** `Tlamatini/tlamatini/context_processors.py` [31 lines] *Defines static_version(), app_version().*
**F1492** `Tlamatini/tlamatini/logging_filters.py` [31 lines] *Defines SuppressHttpGet200.*
**F1493** `Tlamatini/tlamatini/middleware.py` [185 lines] *Wired to the console handler in settings.LOGGING ("tlamatini.request"), so everything logged here reaches BOTH the console and tlamatini.log (the...*
**F1494** `Tlamatini/tlamatini/settings.py` [399 lines] *Django settings for tlamatini project.*
**F1495** `Tlamatini/tlamatini/urls.py` [18 lines] *Module that sets urlpatterns using django, agent.views.*
**F1496** `Tlamatini/tlamatini/wsgi.py` [28 lines] *Standard Django WSGI entry point (the app itself runs on ASGI/Daphne).*

### agent/ · transport and web endpoints — sheet 12

**F0426** `Tlamatini/agent/__init__.py` [26 lines] *Ensure absolute imports for generated protobuf modules resolve when code tries to import them as top-level names.*
**F0427** `Tlamatini/agent/access_key_wizard.py` [703 lines] *Backend helpers for the graphical Access Keys Wizard.*
**F0439** `Tlamatini/agent/admin.py` [31 lines] *Module importing django, models.*
**F0688** `Tlamatini/agent/apps.py` [828 lines] *Companion-app discovery (Tlamatini-FlowPills) — process-local gate Dedicated to discovery publication and DELIBERATELY separate from...*
**F0696** `Tlamatini/agent/chat_voice_consumer.py` [121 lines] *Authenticated direct dictation, isolated from model/chat orchestration.*
**F0704** `Tlamatini/agent/constants.py` [156 lines] *Tlamatini speaks in the FIRST PERSON (Angela, 2026-10-09) Every fixed line below is a chat message FROM Tlamatini, and the chat...*
**F0705** `Tlamatini/agent/consumers.py` [2.5k lines] *Defines AgentConsumer.*
**F0706** `Tlamatini/agent/contacts.py` [210 lines] *Tlamatini Contacts book — resolve a person's NAME to their messaging handles.*
**F0729** `Tlamatini/agent/flow_file_views.py` [50 lines] *Authenticated browser handoff and loopback instance identification.*
**F0757** `Tlamatini/agent/model_brain_views.py` [133 lines] *HTTP surface of the MODEL BRAIN's Auto-tuning dialog (Config -> Models -> Save).*
**F0761** `Tlamatini/agent/native_dialogs.py` [429 lines] *Tkinter-free native file/folder pickers for the Tlamatini server.*
**F0770** `Tlamatini/agent/pdf_context_views.py` [40 lines] *Authenticated multipart preparation of a PDF selected in the browser canvas.*
**F0773** `Tlamatini/agent/prompt_flow_panel_consumer.py` [93 lines] *Authenticated, connection-scoped playback; never infer completion from prose.*
**F0791** `Tlamatini/agent/routing.py` [20 lines] *Module that sets websocket_urlpatterns using django, prompt_flow_panel_consumer, chat_voice_consumer.*
**F1461** `Tlamatini/agent/urls.py` [215 lines] *Defines secure_get(), secure_post().*
**F1464** `Tlamatini/agent/usage_views.py` [29 lines] *Authenticated, read-only usage; independent of the chat operation lock.*
**F1465** `Tlamatini/agent/version.py` [365 lines] *Version resolution for Tlamatini.*
**F1466** `Tlamatini/agent/views.py` [13k lines] *Defines home(), login_view(), welcome_view(), logout_view() and 172 more.*
**F1470** `Tlamatini/agent/window_flash.py` [146 lines] *Flash the Tlamatini.exe console window's taskbar button + log an UPPERCASE attention banner when a browser surface needs the user.*

### agent/templates/ · server-rendered pages — sheet 12

**F1290** `Tlamatini/agent/templates/admin/base_site.html` [15 lines] *HTML template. Loads 1 scripts and 3 stylesheets.*
**F1291** `Tlamatini/agent/templates/agent/agent_page.html` [916 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 56 scripts and 22 stylesheets.*
**F1292** `Tlamatini/agent/templates/agent/agentic_control_panel.html` [335 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 26 scripts and 9 stylesheets.*
**F1293** `Tlamatini/agent/templates/agent/login.html` [63 lines] *Page "Login - Tlamatini". Loads 2 scripts and 8 stylesheets.*
**F1294** `Tlamatini/agent/templates/agent/prompt_flow_panel.html` [113 lines] *Shared policy first: Escape = Cancel; clicking outside keeps dialogs open. Loads 9 scripts and 10 stylesheets.*
**F1295** `Tlamatini/agent/templates/agent/usage_dialog.html` [54 lines] *HTML template.*
**F1296** `Tlamatini/agent/templates/agent/welcome.html` [42 lines] *Page "Welcome - Tlamatini". Loads 4 scripts and 9 stylesheets.*

### agent/management/ · manage.py commands — sheet 12

**F0745** `Tlamatini/agent/management/__init__.py` [10 lines] *Django management package for the agent app.*
**F0746** `Tlamatini/agent/management/commands/acpx_lint.py` [123 lines] *Django management command to lint every SKILL.md package in agent/skills_pkg/.*
**F0747** `Tlamatini/agent/management/commands/check_agent_runtimes.py` [108 lines] *Offline runtime-carriage check, executed in source and by the frozen build.*
**F0748** `Tlamatini/agent/management/commands/check_prompt_flow_panel.py` [136 lines] *Offline panel checks for source and real frozen releases.*
**F0749** `Tlamatini/agent/management/commands/startserver.py` [56 lines] *Defines Command.*

### agent/ · intelligence core — sheet 12

**F0441** `Tlamatini/agent/agent_verdict.py` [645 lines] *Deterministic verdict engine for wrapped-agent results.*
**F0689** `Tlamatini/agent/cancellation.py` [199 lines] *agent/cancellation.py — the PER-RUN cancellation latch.*
**F0690** `Tlamatini/agent/capability_registry.py` [691 lines] *Defines ToolCapability, ContextCapability, build_context_capabilities(), build_tool_capabilities() and 2 more.*
**F0693** `Tlamatini/agent/chat_agent_registry.py` [2.2k lines] *Defines ChatWrappedAgentSpec, get_wrapped_agent_security_hints().*
**F0694** `Tlamatini/agent/chat_agent_runtime.py` [612 lines] *Defines get_chat_runtime_root(), ensure_chat_runtime_root(), create_isolated_runtime_copy(), resolve_runtime_script_path() and 11 more.*
**F0695** `Tlamatini/agent/chat_history_loader.py` [107 lines] *DB-backed chat history loader (safe, transparent)*
**F0697** `Tlamatini/agent/chat_voice_runtime.py` [242 lines] *Direct resident Whisperer bridge.*
**F0698** `Tlamatini/agent/chat_voice_settings.py` [70 lines] *Small, dependency-free contract shared by Django and carried dictation Python.*
**F0701** `Tlamatini/agent/compact_mode.py` [684 lines] *compact_mode.py - the COMPACT MODE switch (Angela, 2026-10-02).*
**F0702** `Tlamatini/agent/config.json` [299 lines] *Main configuration template: models, ports, timeouts, Model Brain, Compact mode, binary guard, ACPX; secrets are placeholders.*
**F0703** `Tlamatini/agent/config_loader.py` [135 lines] *Defines find_config_path(), load_config(), get_config_value(), get_int_config_value() and 1 more.*
**F0707** `Tlamatini/agent/context_baseline.py` [488 lines] *Tlamatini - the context gauge AT REST.*
**F0708** `Tlamatini/agent/context_fitter.py` [759 lines] *Tlamatini - the CONTEXT FITTER: every request fits the model it is sent to.*
**F0709** `Tlamatini/agent/context_governor.py` [2.0k lines] *Tlamatini - the CONTEXT GOVERNOR.*
**F0720** `Tlamatini/agent/embedding_memory_guard.py` [433 lines] *Embedding-memory pre-flight guard for "Set directory as context".*
**F0721** `Tlamatini/agent/exec_permission.py` [259 lines] *Ask-Execs permission broker.*
**F0730** `Tlamatini/agent/global_execution_planner.py` [526 lines] *Defines GlobalPlanNode, GlobalExecutionPlan, build_global_execution_plan(), summarize_global_execution_plan() and 2 more.*
**F0731** `Tlamatini/agent/global_state.py` [53 lines] *Defines GlobalState, get_request_state(), scoped_request_state().*
**F0732** `Tlamatini/agent/gpu_perf.py` [420 lines] *GPU max-performance + Ollama-pinning startup hook for Tlamatini.*
**F0741** `Tlamatini/agent/inet_determiner.py` [219 lines] *Defines determine_internet_required().*
**F0742** `Tlamatini/agent/llm_timing.py` [160 lines] *Ollama call timing instrumentation.*
**F0743** `Tlamatini/agent/local_toolcall_parser.py` [375 lines] *Recover a tool call that a LOCAL model emitted as PLAIN TEXT.*
**F0750** `Tlamatini/agent/mcp_agent.py` [3.8k lines] *MCP Agent (mcp_agent.py)*
**F0755** `Tlamatini/agent/model_brain.py` [549 lines] *MODEL BRAIN - Tlamatini configures herself for EACH model, from formal sources.*
**F0756** `Tlamatini/agent/model_brain_chat.py` [178 lines] *The chat model the Model Brain configures (agent/model_brain.py).*
**F0758** `Tlamatini/agent/model_profiles.json` [102 lines] *Model Brain knowledge base: sourced sampling/thinking profiles per model family.*
**F0762** `Tlamatini/agent/ollama_stop.py` [67 lines] *Stop sequences every Ollama model will accept.*
**F0768** `Tlamatini/agent/pdf_context.py` [202 lines] *PDF canvas ingestion: complete text and optional images for the normal RAG chain.*
**F0769** `Tlamatini/agent/pdf_context_jobs.py` [113 lines] *Bounded background jobs for PDF extraction and Image-Interpreter analysis.*
**F0771** `Tlamatini/agent/pdf_image_analysis.py` [38 lines] *PDF-specific adapter for the existing Image-Interpreter agent's vision pipeline.*
**F0772** `Tlamatini/agent/prompt.pmt` [384 lines] *System prompt of the chat LLM: Tlamatini's identity, operating rules, tool-usage contract, Temp/Templates policy and the self-knowledge slot.*
**F0774** `Tlamatini/agent/prompt_flow_panel_runtime.py` [151 lines] *Model adapter for a single prompt-flow-panel run, using the existing RAG stack.*
**F0790** `Tlamatini/agent/rag_enhancements.py` [687 lines] *RAG Enhancement Module for Tlamatini Provides advanced metadata extraction, context optimization, and retrieval strategies.*
**F0794** `Tlamatini/agent/self_healing.py` [523 lines] *agent/self_healing.py — Self-aware, NEVER-HANGING, self-healing resilience for Tlamatini's Multi-Turn model steps.*
**F1458** `Tlamatini/agent/Tlamatini.md` [493 lines] *Tlamatini — Self-Knowledge: Open chooses a document.*
**F1460** `Tlamatini/agent/tools.py` [5.2k lines] *Defines launch_in_new_terminal(), _ConfigRequirementAnalyzer, get_all_agents(), get_all_agent_processes() and 25 more.*
**F1462** `Tlamatini/agent/usage_provider.py` [284 lines] *Bounded, read-only Ollama usage adapter.*
**F1463** `Tlamatini/agent/usage_tracking.py` [92 lines] *Metadata-only usage ledger; no prompts, responses or credentials are stored.*
**F1467** `Tlamatini/agent/visual_error_reporting.py` [29 lines] *Per-request visual-error reporting, independent of execution/recovery policy.*
**F1468** `Tlamatini/agent/web_search_llm.py` [279 lines] *Updated web_search_llm.py to allow custom Ollama server IP and port*

### agent/rag/ · retrieval-augmented generation — sheet 12

**F0775** `Tlamatini/agent/rag/__init__.py` [39 lines] *Module that sets __all__ using factory, interface, chains.*
**F0776** `Tlamatini/agent/rag/binary_guard.py` [516 lines] *Binary-content detection for the RAG context-loading pipeline.*
**F0781** `Tlamatini/agent/rag/config.py` [445 lines] *The LLM's self-knowledge file.*
**F0782** `Tlamatini/agent/rag/factory.py` [1.2k lines] *Defines get_system_context_sync(), get_files_context_sync(), build_prompt_only_chain(), build_retrieval_chain() and 3 more.*
**F0783** `Tlamatini/agent/rag/interaction.py` [67 lines] *Defines save_context_blob(), load_context_blob(), show_rephrased_question().*
**F0784** `Tlamatini/agent/rag/interface.py` [967 lines] *Defines get_program_by_name(), tokenCounterOfAsk(), is_valid_prompt(), ask_rag().*
**F0785** `Tlamatini/agent/rag/loaders.py` [51 lines] *Defines report_oversized_docs().*
**F0786** `Tlamatini/agent/rag/prompts.py` [33 lines] *Contextualization prompt for history-aware question rewriting*
**F0787** `Tlamatini/agent/rag/retrieval.py` [114 lines] *Defines retrieve_documents().*
**F0788** `Tlamatini/agent/rag/splitters.py` [13 lines] *Defines get_text_splitter().*
**F0789** `Tlamatini/agent/rag/utils.py` [191 lines] *Scope header prepended to the user-loaded context blob before it is bound to the prompt's {context} placeholder (history-aware RAG chain) or folded...*

### agent/rag/chains/ · answer chains — sheet 12

**F0777** `Tlamatini/agent/rag/chains/base.py` [177 lines] *Defines GenerationCancelledException, Callbacks, summarize_or_none().*
**F0778** `Tlamatini/agent/rag/chains/basic.py` [192 lines] *Defines BasicPromptOnlyChain.*
**F0779** `Tlamatini/agent/rag/chains/history_aware.py` [585 lines] *Regex to strip code blocks ( or "') so embedded code doesn't cause false-positive file-listing detection.*
**F0780** `Tlamatini/agent/rag/chains/unified.py` [1.1k lines] *Defines wrap_loaded_context(), wrap_retrieved_context(), with_system_context(), history_summary_tail() and 3 more.*

### agent/services/ · flow compiler and contracts — sheet 12

**F0796** `Tlamatini/agent/services/__init__.py` [25 lines] *Pure format validators are also used before Django starts (Explorer opening).*
**F0797** `Tlamatini/agent/services/agent_contracts.py` [494 lines] *Defines AgentContract, get_agent_contracts(), get_password_paths(), resolve_agent_type() and 5 more.*
**F0798** `Tlamatini/agent/services/agent_paths.py` [173 lines] *Defines is_frozen_mode(), get_agent_app_dir(), get_app_base_dir(), get_agents_root() and 9 more.*
**F0799** `Tlamatini/agent/services/filesystem.py` [141 lines] *Defines get_time_stamp(), generate_tree_view_content(), save_files_from_db().*
**F0800** `Tlamatini/agent/services/flow_compiler.py` [441 lines] *Defines FlowCompileError, _QuotedStr, _AgentConfigYamlDumper, dump_agent_config_yaml() and 3 more.*
**F0801** `Tlamatini/agent/services/flow_knowledge.py` [146 lines] *Export the installed agent contracts for standalone planning/monitoring agents.*
**F0802** `Tlamatini/agent/services/flow_spec.py` [174 lines] *Defines FlowNode, FlowConnection, FlowSpec, normalize_flow_payload() and 1 more.*
**F0803** `Tlamatini/agent/services/prompt_flow_panel.py` [335 lines] *Versioned .fpmt graph contract and deterministic prompt-flow-panel interpreter.*
**F0804** `Tlamatini/agent/services/response_parser.py` [678 lines] *Full-answer debug dumps (the ENTIRE LLM response used to be printed up to 3x per turn below) are expensive and noisy on long answers.*

### agent/imaging/ · image analysis — sheet 12

**F0738** `Tlamatini/agent/imaging/converter.py` [25 lines] *Defines convert_image_to_base64().*
**F0739** `Tlamatini/agent/imaging/image_interpreter.py` [399 lines] *Defines opus_analyze_image(), qwen_analyze_image().*
**F0740** `Tlamatini/agent/imaging/screenshot.py` [257 lines] *screenshot.py - Capture the full screen and save as a .jpg file.*

### agent/opus_client/ · Claude API client — sheet 12

**F0763** `Tlamatini/agent/opus_client/claude_opus_client.py` [969 lines] *Claude Opus 4.5 Python Client A comprehensive client for interacting with Claude Opus 4.5 via the Anthropic API.*
**F0764** `Tlamatini/agent/opus_client/examples.py` [9 lines] *Python module.*
**F0765** `Tlamatini/agent/opus_client/README.md` [418 lines] *Claude Opus 4.5 Python Client: A comprehensive, production-ready Python client for interacting with Claude Opus 4.5 via the Anthropic API.*

### agent/monitors/ · SQL monitor — sheet 12

**F0760** `Tlamatini/agent/monitors/monitor_sql.py` [83 lines] *CONFIGURATION Windows typically uses the "ODBC Driver 17 for SQL Server" Ensure you have installed the driver from Microsoft.*

### agent/doc_generation/ · project dossier generator — sheet 12

**F0711** `Tlamatini/agent/doc_generation/complete_project_docs.py` [650 lines] *Complete project dossier: facts, orchestration and verification.*
**F0712** `Tlamatini/agent/doc_generation/dossier_content.py` [2.5k lines] *The written content of the project dossier, shared by the PDF and the deck.*
**F0713** `Tlamatini/agent/doc_generation/dossier_pdf.py` [1.5k lines] *The printed dossier: an A4 codex with a dark cover, dark chapter openers and ivory reading pages.*
**F0714** `Tlamatini/agent/doc_generation/dossier_pptx.py` [1.2k lines] *The dossier deck: a 16:9 obsidian-and-jade presentation built from the same content as the PDF.*
**F0715** `Tlamatini/agent/doc_generation/dossier_theme.py` [385 lines] *Shared visual identity of the project dossier (PDF + PPTX).*
**F0716** `Tlamatini/agent/doc_generation/dossier_verify.py` [314 lines] *Re-open the finished dossier files and prove they are whole.*
**F0717** `Tlamatini/agent/doc_generation/mardown_to_pdf.py` [119 lines] *Defines markdown_text_to_pdf(), main().*
**F0718** `Tlamatini/agent/doc_generation/refresh_project_docs.py` [16 lines] *Module importing __future__, complete_project_docs.*
**F0719** `Tlamatini/agent/doc_generation/test_output.pdf` [3KB] *PDF document: test output.*

## Atlas II — Integration surfaces, platform and state

### agent/ · context providers and external-MCP client — sheet 13

**F0691** `Tlamatini/agent/chain_files_search_lcel.py` [791 lines] *Handle both relative import from the same directory (when used as module) and direct import (when run as script)*
**F0692** `Tlamatini/agent/chain_system_lcel.py` [282 lines] *Handle both relative import (when used as module) and direct import (when run as script)*
**F0699** `Tlamatini/agent/command_togen_pb2.txt` [32 lines] *Command used to regenerate the Files-Search protobuf/gRPC stubs.*
**F0710** `Tlamatini/agent/context_sidecar_timeout.py` [163 lines] *A time limit for the context sidecars' own Ollama calls.*
**F0722** `Tlamatini/agent/external_mcp_defaults.py` [245 lines] *Default External MCP servers — shipped with EVERY installation, INACTIVE.*
**F0723** `Tlamatini/agent/external_mcp_manager.py` [2.7k lines] *External MCP client layer.*
**F0724** `Tlamatini/agent/external_mcps.json` [29 lines] *External-MCP catalog (mcpServers shape) + active list; user state preserved across self-update.*
**F0725** `Tlamatini/agent/filesearch.proto` [33 lines] *gRPC contract of the Files-Search MCP service.*
**F0726** `Tlamatini/agent/filesearch_pb2.py` [57 lines] *Generated protocol buffer code.*
**F0727** `Tlamatini/agent/filesearch_pb2_grpc.py` [152 lines] *Client and server classes corresponding to protobuf-defined services.*
**F0751** `Tlamatini/agent/mcp_files_search_client.py` [462 lines] *Config loading utilities*
**F0752** `Tlamatini/agent/mcp_files_search_server.py` [240 lines] *Defines get_application_root(), load_config(), FileSearcherServicer, serve().*
**F0753** `Tlamatini/agent/mcp_system_client.py` [141 lines] *Defines MCPSystemClient, example().*
**F0754** `Tlamatini/agent/mcp_system_server.py` [235 lines] *Defines MCPSystemHandler, system_handler(), main().*
**F0793** `Tlamatini/agent/runtime_provisioner.py` [1.2k lines] *Runtime Provisioner — Tlamatini ALWAYS has node / npm / npx / pnpm / uv / uvx.*
**F1469** `Tlamatini/agent/win_shim.py` [189 lines] *Windows command resolution — the ONE definition of "how do we spawn this?".*

### agent/acpx/ · ACPX runtime — sheet 13

**F0428** `Tlamatini/agent/acpx/__init__.py` [135 lines] *ACPX runtime for Tlamatini.*
**F0429** `Tlamatini/agent/acpx/agent_registry.py` [393 lines] *ACP agent registry — the agent_id -> command map.*
**F0430** `Tlamatini/agent/acpx/child_health.py` [299 lines] *ACPX child-health classification — did the external CLI actually DELIVER?*
**F0431** `Tlamatini/agent/acpx/config.py` [549 lines] *ACPX plugin config — Python mirror of OpenClaw's extensions/acpx/src/config-schema.ts and config.ts.*
**F0432** `Tlamatini/agent/acpx/permissions.py` [108 lines] *Permission gate for ACPX runtime.*
**F0433** `Tlamatini/agent/acpx/runtime.py` [1.3k lines] *ACPX runtime — Python port of OpenClaw's BaseAcpxRuntime + AcpRuntime (extensions/acpx/src/runtime.ts).*
**F0434** `Tlamatini/agent/acpx/service.py` [112 lines] *Django-side ACPX service — registers the runtime at startup and mirrors disk state into the AcpAgent table.*
**F0435** `Tlamatini/agent/acpx/session_store.py` [145 lines] *ACP session store — Python port of OpenClaw's createFileSessionStore() + createResetAwareSessionStore() in extensions/acpx/src/runtime.ts.*
**F0436** `Tlamatini/agent/acpx/tests.py` [1.6k lines] *Sanity tests for the ACPX runtime + Skill harness. [98 tests]*
**F0437** `Tlamatini/agent/acpx/tools.py` [716 lines] *ACPX-related LangChain @tool functions exposed to the unified agent.*
**F0438** `Tlamatini/agent/acpx/windows_spawn.py` [180 lines] *Windows spawn helpers — Python port of OpenClaw's applyWindowsSpawnProgramPolicy() / materializeWindowsSpawnProgram() /...*

### agent/skills/ · skill harness — sheet 13

**F0805** `Tlamatini/agent/skills/__init__.py` [29 lines] *Tlamatini skills package — runtime side.*
**F0806** `Tlamatini/agent/skills/frontmatter.py` [186 lines] *SKILL.md frontmatter parser.*
**F0807** `Tlamatini/agent/skills/harness.py` [603 lines] *SkillHarness — one skill invocation: contract validation, secret redaction, audit logging, and delivery of the skill's procedure to whoever will run...*
**F0808** `Tlamatini/agent/skills/io_contract.py` [147 lines] *Input / output contract validation for skills.*
**F0809** `Tlamatini/agent/skills/redaction.py` [234 lines] *Secret redaction for the skill boundary — the ONE definition of "is this input a credential, and what may leave the harness".*
**F0810** `Tlamatini/agent/skills/registry.py` [295 lines] *Skill registry — discovers, parses, and caches all SKILL.md packages.*
**F0811** `Tlamatini/agent/skills/validation.py` [335 lines] *The ONE validator for a SKILL.md package.*

### agent/skills_pkg/ · SKILL.md packages — sheet 13

**F0812** `Tlamatini/agent/skills_pkg/_meta/lint.py` [85 lines] *Lint every SKILL.md in agent/skills_pkg/.*
**F0813** `Tlamatini/agent/skills_pkg/_meta/schema.json` [101 lines] *JSON document with keys: $schema, title, description, type, required, additionalProperties, properties.*
**F0814** `Tlamatini/agent/skills_pkg/acp_router/SKILL.md` [106 lines] *Route plain-language requests for Claude Code, Cursor, Codex, Gemini, Qwen, Pi, Kiro, Kimi, iFlow, Factory Droid, Kilocode, OpenCode, Copilot into...*
**F0815** `Tlamatini/agent/skills_pkg/adding_external_mcp/references/external_mcp_catalog_format.md` [127 lines] *External MCP Catalog Format — Detailed Guide: The external MCP catalog lives in external_mcps.json next to config.json.*
**F0816** `Tlamatini/agent/skills_pkg/adding_external_mcp/references/llm_reflection_research.md` [112 lines] *LLM Reflection — Research Findings: LLM Reflection is a technique where language models evaluate and improve their own outputs through iterative...*
**F0817** `Tlamatini/agent/skills_pkg/adding_external_mcp/references/transport_guide.md` [143 lines] *Transport Configuration Reference: Tlamatini supports four MCP transport types via _SUPPORTED_TRANSPORTS*
**F0818** `Tlamatini/agent/skills_pkg/adding_external_mcp/references/troubleshooting.md` [164 lines] *Troubleshooting and Diagnostics: Run a static triage BEFORE activating a server*
**F0819** `Tlamatini/agent/skills_pkg/adding_external_mcp/SKILL.md` [297 lines] *> The authoritative reference for adding a NEW external MCP server to Tlamatini universal MCP client layer.*
**F0820** `Tlamatini/agent/skills_pkg/code_review/SKILL.md` [133 lines] *Review a git diff (or working-tree changes) like a senior engineer — correctness, security, performance, readability — and return a verdict plus...*
**F0821** `Tlamatini/agent/skills_pkg/create_new_agent/SKILL.md` [142 lines] *The authoritative 8-step contract for scaffolding a NEW Tlamatini workflow agent end-to-end (backend script + config.yaml, connection-update view +...*
**F0822** `Tlamatini/agent/skills_pkg/create_new_mcp/SKILL.md` [147 lines] *The authoritative reference for adding a NEW tool, MCP context provider, or BOTH to Tlamatini.*
**F0823** `Tlamatini/agent/skills_pkg/flow_making/references/flw_schema.md` [89 lines] *.flw schema (schemaVersion 2) — the shape the canvas loader consumes: Source of truth: agent/static/agent/js/acp-file-io.js:: . . . and...*
**F0824** `Tlamatini/agent/skills_pkg/flow_making/scripts/make_flow.py` [178 lines] *make_flow.py — one-shot driver for the flow-making skill.*
**F0825** `Tlamatini/agent/skills_pkg/flow_making/scripts/result_to_flw.py` [236 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in...*
**F0826** `Tlamatini/agent/skills_pkg/flow_making/SKILL.md` [164 lines] *Turn a natural-language objective into a downloadable .flw workflow by driving the FlowCreator engine (full 85-agent catalog), then emit a...*
**F0827** `Tlamatini/agent/skills_pkg/github/SKILL.md` [78 lines] *Use the gh CLI for GitHub issues, PR status, CI/logs, comments, reviews, releases, and API queries.*
**F0828** `Tlamatini/agent/skills_pkg/gmail/SKILL.md` [59 lines] *Read and send Gmail messages and threads via Gmail API.*
**F0829** `Tlamatini/agent/skills_pkg/hello_world/SKILL.md` [54 lines] *Smoke-test skill that echoes its inputs and confirms the SkillHarness wiring is alive end-to-end.*
**F0830** `Tlamatini/agent/skills_pkg/jira/SKILL.md` [65 lines] *Read and write Jira issues, comments, transitions via the Jira REST API v3.*
**F0831** `Tlamatini/agent/skills_pkg/kali_pentest/SKILL.md` [128 lines] *Drive an authorized, scoped penetration-testing / recon / CTF workflow against a target through the Kalier agent and the MCP-Kali-Server —...*
**F0832** `Tlamatini/agent/skills_pkg/notion/SKILL.md` [77 lines] *Use the Notion API to create, read, update Notion pages, data sources (databases), and blocks.*
**F0833** `Tlamatini/agent/skills_pkg/roblox_studio/SKILL.md` [177 lines] *Build and edit in Roblox Studio via the Roblox Studio MCP the RIGHT way - preflight the Studio connection, do the whole build in a few big...*
**F0834** `Tlamatini/agent/skills_pkg/security_audit/SKILL.md` [113 lines] *Run whichever SAST, secret-scanning, and dependency-audit tools are installed (bandit, semgrep, ruff, eslint, gitleaks, pip-audit) over a path, then...*
**F0835** `Tlamatini/agent/skills_pkg/setup_new_acpx_key/SKILL.md` [274 lines] *Configure the API key (or other credential) for a registered ACPX agent_id...*
**F0836** `Tlamatini/agent/skills_pkg/skill_creator/scripts/quick_validate.py` [63 lines] *Validate a single SKILL.md package directory.*
**F0837** `Tlamatini/agent/skills_pkg/skill_creator/SKILL.md` [129 lines] *Create, edit, validate, and package new Tlamatini skills (SKILL.md packages).*
**F0838** `Tlamatini/agent/skills_pkg/slack/SKILL.md` [60 lines] *Post messages, read channels, and manage threads via Slack Web API.*
**F0839** `Tlamatini/agent/skills_pkg/summarize/SKILL.md` [60 lines] *Summarize a long text or file into a tight, faithful brief at a target word count.*
**F0840** `Tlamatini/agent/skills_pkg/tlamatini_allowed_hosts_tighten/SKILL.md` [64 lines] *Tighten Django ALLOWED_HOSTS from the wide-open '*' default to a specific list, with a backup of settings.py.*
**F0841** `Tlamatini/agent/skills_pkg/tlamatini_csrf_exempt_audit/SKILL.md` [100 lines] *Enumerate every @csrf_exempt-decorated view in Tlamatini/agent/views.py and classify whether each one really needs the exemption.*
**F0842** `Tlamatini/agent/skills_pkg/tlamatini_exec_report_row_adder/SKILL.md` [85 lines] *Add a state-changing tool to _EXEC_REPORT_TOOLS in mcp_agent.py and the matching CSS rules so its operations appear in the chat-page Exec Report.*
**F0843** `Tlamatini/agent/skills_pkg/tlamatini_flow_from_objective/SKILL.md` [126 lines] *Turn a one-sentence objective into a downloadable .flw workflow that wires the right Tlamatini visual agents and connections.*
**F0844** `Tlamatini/agent/skills_pkg/tlamatini_flw_doctor/SKILL.md` [130 lines] *Validate a .flw workflow file: check connection topology, terminal agents, Parametrizer single-lane queue, missing connectors, dangling target_agents.*
**F0845** `Tlamatini/agent/skills_pkg/tlamatini_new_acp_agent/SKILL.md` [146 lines] *Scaffold a new Tlamatini visual agent end-to-end across the 8 places the agent contract requires (script + config.yaml, view + url, migration, CSS...*
**F0846** `Tlamatini/agent/skills_pkg/tlamatini_planner_trace_replay/SKILL.md` [85 lines] *Replay the most recent global execution planner trace from tlamatini.log and explain why each capability got the score it did.*
**F0847** `Tlamatini/agent/skills_pkg/tlamatini_static_version_bumper/SKILL.md` [103 lines] *Bump STATIC_VERSION in tlamatini/settings.py so the chat / ACP frontend re-fetches CSS+JS bundles after a frontend change.*
**F0848** `Tlamatini/agent/skills_pkg/todoist/SKILL.md` [58 lines] *Manage Todoist tasks and projects via the Todoist REST API v2.*
**F0849** `Tlamatini/agent/skills_pkg/trello/SKILL.md` [57 lines] *Manage Trello boards, lists, and cards via the Trello REST API.*
**F0850** `Tlamatini/agent/skills_pkg/weather/SKILL.md` [57 lines] *Look up current weather and short forecast for a location via Open-Meteo (no API key required).*

### agent/ · platform, safety and lifecycle — sheet 13

**F0440** `Tlamatini/agent/agent_manifest.py` [277 lines] *Companion-app discovery: the agents manifest + the HKCU discovery key.*
**F0700** `Tlamatini/agent/command_watchdog.py` [592 lines] *Autonomous command watchdog for Tlamatini.*
**F0728** `Tlamatini/agent/flow_file_open.py` [312 lines] *Bounded .flw / .fpmt opening across Explorer, startup, login and browser uploads.*

**F0744** `Tlamatini/agent/log_identity.py` [358 lines] *Per-line USER attribution for tlamatini.log (Angela, 2026-08-13).*
**F0766** `Tlamatini/agent/orphan_reaper.py` [887 lines] *Orphan-process reaper for Tlamatini.*
**F0767** `Tlamatini/agent/path_guard.py` [407 lines] *path_guard.py — Centralized path validation for LLM-exposed tools.*
**F0795** `Tlamatini/agent/self_update.py` [500 lines] *Tlamatini self-update — "About ▷ Check for updates".*
**F1471** `Tlamatini/agent/windows_app_registration.py` [268 lines] *Register Tlamatini in Windows "Installed apps" / "Programs and Features".*

**persistence core** sheet 13

**F0759** `Tlamatini/agent/models.py` [296 lines] *Defines AgentMessage, LLMProgram, LLMSnippet, Prompt and 15 more.*
**F0792** `Tlamatini/agent/run_db_wal_tests.ps1` [54 lines] *Tlamatini — VISIBLE test runner for the DB Backup / Set DB (WAL) fix.*
**F0851** `Tlamatini/agent/sqlite_copy.py` [407 lines] *WAL-safe SQLite copying + sidecar hygiene — what "Backup database" and "Set DB" must use instead of a plain file copy.*
**F1473** `Tlamatini/DB/Older/README.md` [60 lines] *DB / Older: This directory is the archive of previously-live db.sqlite3 files that the start-up swap-in has retired.*
**F1474** `Tlamatini/DB/ToLoad/README.md` [63 lines] *DB / ToLoad: This directory is the drop zone for replacing Tlamatini's live SQLite database on the next start-up.*

**Tlamatini/jd-cli/ · bundled Java decompiler** sheet 13

**F1475** `Tlamatini/jd-cli/jd-cli.bat` [29 lines] *1. Resolve Java WITHOUT any hardcoded developer path. Prefer an ambient JAVA_HOME (manage.py pins it to the carried <install_dir>\jre in frozen. . .*
**F1476** `Tlamatini/jd-cli/jd-cli.jar` [3.8MB] *jd-cli Java decompiler, run by the J-Decompiler agent and the decompile_java tool.*

**agent/images/ · documentation media** sheet 13

**F0733** `Tlamatini/agent/images/ACPXKeysConfigureWizard.jpg` [118KB] *Image (JPG): ACPXKeysConfigureWizard.*
**F0734** `Tlamatini/agent/images/ConfigureModels.jpg` [44KB] *Image (JPG): ConfigureModels.*
**F0735** `Tlamatini/agent/images/MenuConfig.jpg` [18KB] *Image (JPG): MenuConfig.*
**F0736** `Tlamatini/agent/images/mockup.jpg` [34KB] *Image (JPG): mockup.*
**F0737** `Tlamatini/agent/images/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

**agent/TlamatiniSourceCode/ · self-modify snapshot slot** sheet 13

**F1459** `Tlamatini/agent/TlamatiniSourceCode/README.md` [7 lines] *This folder contains the source code aimed to you in order to modify and improve yourself.*

**agent/test_fixtures/** sheet 13

**F1360** `Tlamatini/agent/test_fixtures/talker_orpheus_tokens.txt` [1 lines] *Recorded Orpheus audio-token stream (one line of custom tokens) replayed by the Talker tests without a model.*

## Atlas IV — Presentation layer: first-party frontend

**agent/static/agent/js/ · chat page (agent_page.html)** sheet 14

**F0884** `Tlamatini/agent/static/agent/js/access_keys_wizard.js` [406 lines] *access_keys_wizard.js - graphical one-page key setup wizard*
**F0900** `Tlamatini/agent/static/agent/js/agent_page_canvas.js` [640 lines] *agent_page_canvas.js – Canvas / code-editor operations*
**F0901** `Tlamatini/agent/static/agent/js/agent_page_chat.js` [2.8k lines] *agent_page_chat.js – Chat messaging, WebSocket & form submit*
**F0902** `Tlamatini/agent/static/agent/js/agent_page_context.js` [185 lines] *agent_page_context.js – Context management*
**F0903** `Tlamatini/agent/static/agent/js/agent_page_dialogs.js` [1.4k lines] *agent_page_dialogs.js – jQuery UI dialogs & loader helpers*
**F0904** `Tlamatini/agent/static/agent/js/agent_page_init.js` [1.9k lines] *agent_page_init.js – Initialization, event wiring & actions*
**F0905** `Tlamatini/agent/static/agent/js/agent_page_layout.js` [468 lines] *agent_page_layout.js – Drag dividers, resize & title rotation*
**F0906** `Tlamatini/agent/static/agent/js/agent_page_markdown.js` [262 lines] *Read-only Markdown presentation.*
**F0907** `Tlamatini/agent/static/agent/js/agent_page_pdf.js` [286 lines] *PDF canvas lifecycle and request bridge.*
**F0908** `Tlamatini/agent/static/agent/js/agent_page_state.js` [494 lines] *agent_page_state.js – Shared state & DOM element references*
**F0909** `Tlamatini/agent/static/agent/js/agent_page_ui.js` [518 lines] *agent_page_ui.js – UI state helpers (enable/disable, busy, spinner)*
**F0911** `Tlamatini/agent/static/agent/js/avatar.js` [522 lines] *Tlamatini chat-avatar engine - extracted from agent_page.html (2026-07-17).*
**F0912** `Tlamatini/agent/static/agent/js/avatar_presence.js` [570 lines] *PRESENCE ENGINE — the talking head, composited on a 2D canvas. . . . WHAT THIS. . .*
**F0913** `Tlamatini/agent/static/agent/js/avatar_size.js` [286 lines] *AVATAR SIZING — she is resizable, from 120 px up to most of the screen. . . .*
**F0915** `Tlamatini/agent/static/agent/js/chat_dictation.js` [249 lines] *Direct Whisperer dictation; the existing chat form owns prompt submission.*
**F0916** `Tlamatini/agent/static/agent/js/chat_image_paste.js` [390 lines] *chat_image_paste.js — screenshots into the chat box.*
**F0917** `Tlamatini/agent/static/agent/js/chat_page_runtime_poller.js` [151 lines] *Polls /agent/check_chat_runtimes_status/ from the chat page (agent_page.html) and surfaces Asker A/B dialogs and Notifier toasts via. . .*
**F0918** `Tlamatini/agent/static/agent/js/chat_table_contrast.js` [146 lines] *chat_table_contrast.js - every table in an answer stays READABLE (Angela Lopez Mendoza, 2026-10-01).*
**F0920** `Tlamatini/agent/static/agent/js/compact_costs.js` [258 lines] *compact_costs.js — what each Configure row COSTS (Angela, 2026-10-02).*
**F0921** `Tlamatini/agent/static/agent/js/contacts_dialog.js` [384 lines] *contacts_dialog.js — Config ▷ Contacts CRUD dialog*
**F0922** `Tlamatini/agent/static/agent/js/context_gauge.js` [440 lines] *context_gauge.js — the context ring in the chat window (Angela López Mendoza, 2026-09-20 — Context Governor, step 1) Renders ONE row between the. . .*
**F0925** `Tlamatini/agent/static/agent/js/external_mcps_dialog.js` [545 lines] *external_mcps_dialog.js — External ▷ MCPs menu*
**F0928** `Tlamatini/agent/static/agent/js/mic_settings.js` [197 lines] *Browser preferences for direct dictation; microphone access stays in Whisperer.*
**F0929** `Tlamatini/agent/static/agent/js/model_brain_tuning.js` [348 lines] *model_brain_tuning.js — the AUTO-TUNING dialog of the MODEL BRAIN (agent/model_brain.py), opened after Config ▷ Models ▷ Save.*
**F0930** `Tlamatini/agent/static/agent/js/model_capacity.js` [492 lines] *model_capacity.js — the COMPACT MODE box, told to the user (Angela, 2026-10-01; the switch 2026-10-02).*
**F0932** `Tlamatini/agent/static/agent/js/pdf_context_progress.js` [165 lines] *Accessible native modal; all behavior lives outside the HTML template.*
**F0935** `Tlamatini/agent/static/agent/js/release_notes_renderer.js` [312 lines] *release_notes_renderer.js — renders GitHub RELEASE NOTES (Markdown + the raw HTML GitHub itself injects) into real HTML for the "About ▷ Check for. . .*
**F0936** `Tlamatini/agent/static/agent/js/self_modify_switch.js` [282 lines] *self_modify_switch.js — the SELF-MODIFY box (Angela, 2026-10-03).*
**F0938** `Tlamatini/agent/static/agent/js/skills_dialog.js` [392 lines] *skills_dialog.js — jQuery-UI dialogs for the ACPX-Skills menu*
**F0939** `Tlamatini/agent/static/agent/js/tools_dialog.js` [688 lines] *Defines appendPrompt(), condenseWhitespace(), extractPromptTitle(), buildPromptPreview() and 12 more.*
**F0941** `Tlamatini/agent/static/agent/js/usage_dashboard.js` [273 lines] *JavaScript module.*

**agent/static/agent/js/ · Agentic Control Panel** sheet 14

**F0885** `Tlamatini/agent/static/agent/js/acp-agent-connectors.js` [1.7k lines] *Agentic Control Panel - Agent Connection Updaters LOAD ORDER: #4 - Depends on: acp-session.js (getHeaders), acp-globals.js (ACP.connections)*
**F0886** `Tlamatini/agent/static/agent/js/acp-canvas-core.js` [1.7k lines] *Agentic Control Panel - Canvas Core: Items, Connections, Selection, Drag & Drop LOAD ORDER: #7 - Depends on: acp-globals.js, acp-session.js. . .*
**F0887** `Tlamatini/agent/static/agent/js/acp-canvas-undo.js` [1.2k lines] *Agentic Control Panel - Canvas Undo/Redo Helpers & Keyboard Handler LOAD ORDER: #8 - Depends on: acp-globals.js, acp-session.js. . .*
**F0888** `Tlamatini/agent/static/agent/js/acp-connection-status.js` [150 lines] *"BACKEND IS DOWN" BANNER FOR THE ACP DESIGNER*
**F0889** `Tlamatini/agent/static/agent/js/acp-control-buttons.js` [1.4k lines] *Agentic Control Panel - Control Panel Button Handlers (Start / Stop / Pause / Clear) LOAD ORDER: #6 - Depends on: acp-globals.js, acp-session.js. . .*
**F0890** `Tlamatini/agent/static/agent/js/acp-editor-tools.js` [319 lines] *Loaded after the existing canvas modules: all editing goes through their APIs.*
**F0891** `Tlamatini/agent/static/agent/js/acp-file-io.js` [722 lines] *Agentic Control Panel - File I/O: Save, Open, Close, Load Diagram LOAD ORDER: #9 - Depends on: acp-globals.js, acp-session.js, acp-canvas-core.js. . .*
**F0892** `Tlamatini/agent/static/agent/js/acp-flow-snapshot.js` [94 lines] *Agentic Control Panel - Flow Snapshot / Contract Compiler bridge LOAD ORDER: after acp-canvas-core.js; runtime dependency on getHeaders().*
**F0893** `Tlamatini/agent/static/agent/js/acp-globals.js` [366 lines] *Agentic Control Panel - Global State & DOM References LOAD ORDER: #1 - Must be loaded before all other acp-*.js files.*
**F0894** `Tlamatini/agent/static/agent/js/acp-layout.js` [102 lines] *Agentic Control Panel - Layout, Divider, Agent List, Canvas Initialization LOAD ORDER: #10 - Depends on: ALL previous acp-*.js files*
**F0895** `Tlamatini/agent/static/agent/js/acp-parametrizer-dialog.js` [563 lines] *Agentic Control Panel - Parametrizer Mapping Dialog LOAD ORDER: #11 - Depends on: acp-globals.js, acp-session.js*
**F0896** `Tlamatini/agent/static/agent/js/acp-running-state.js` [372 lines] *Agentic Control Panel - Global Running State & Agent Status Polling LOAD ORDER: #5 - Depends on: acp-globals.js, acp-session.js, acp-undo-manager.js*
**F0897** `Tlamatini/agent/static/agent/js/acp-session.js` [114 lines] *Agentic Control Panel - Session Management LOAD ORDER: #2 - Depends on: nothing (standalone)*
**F0898** `Tlamatini/agent/static/agent/js/acp-undo-manager.js` [125 lines] *Agentic Control Panel - Undo/Redo Manager LOAD ORDER: #3 - Depends on: nothing (standalone class)*
**F0899** `Tlamatini/agent/static/agent/js/acp-validate.js` [641 lines] *Agentic Control Panel - Flow Validation Logic LOAD ORDER: #7 - Depends on: acp-globals.js, acp-session.js, acp-control-buttons.js*
**F0914** `Tlamatini/agent/static/agent/js/canvas_item_dialog.js` [1.1k lines] *Defines preRenderCanvasItemDialog(), renderCanvasItemDialog(), showDeploymentResultDialog(), _executeFlowCreator() and 6 more.*
**F0923** `Tlamatini/agent/static/agent/js/contextual_menus.js` [710 lines] *Contextual Menus for Agentic Control Panel Handles right-click context menus and log viewer modal for canvas agents*

**agent/static/agent/js/ · Prompt Flow Panel** sheet 14

**F0933** `Tlamatini/agent/static/agent/js/prompt-flow-panel-model.js` [173 lines] *Exports window.PromptFlowPanelModel; 0 functions.*
**F0934** `Tlamatini/agent/static/agent/js/prompt-flow-panel.js` [1.2k lines] *JavaScript module.*

**agent/static/agent/js/ · shared by several pages** sheet 14

**F0919** `Tlamatini/agent/static/agent/js/checkbox_bulk_toggle.js` [319 lines] *checkbox_bulk_toggle.js – SPACE-bar bulk check/uncheck of every checkbox the current text selection covers.*
**F0924** `Tlamatini/agent/static/agent/js/dialog_policy.js` [780 lines] *DIALOG DISMISSAL POLICY (Angela, 2026-08-13; ESCAPE STANDARDISED 2026-08-16) ONE rule, enforced in ONE place, for EVERY dialog on EVERY page: A. . .*
**F0926** `Tlamatini/agent/static/agent/js/file_drop_router.js` [876 lines] *file_drop_router.js — ONE smart listener for every file dropped on ANY Tlamatini page.*
**F0927** `Tlamatini/agent/static/agent/js/flow-canvas-interactions.js` [146 lines] *Exports window.FlowCanvasInteractions; 0 functions.*
**F0937** `Tlamatini/agent/static/agent/js/shared-runtime-dialogs.js` [347 lines] *Reusable Asker A/B dialog + Notifier toast renderers used by both agent_page.html (chat) and agentic_control_panel.html (ACP).*
**F0940** `Tlamatini/agent/static/agent/js/ui_splitters.js` [62 lines] *Exports window.TlmSplitters; 0 functions.*

**agent/static/agent/js/ · entry pages, PDF frame and indirect loads** sheet 14

**F0910** `Tlamatini/agent/static/agent/js/agentic_control_panel.js` [28 lines] *Agentic Control Panel - LEGACY STUB This file has been split into smaller functional modules.*
**F0931** `Tlamatini/agent/static/agent/js/pdf_canvas_viewer.js` [213 lines] *Offline PDF.js viewer. Loaded only inside agent/pdf/canvas.html.*
**F0942** `Tlamatini/agent/static/agent/js/welcome_enter_default.js` [92 lines] *welcome_enter_default.js — ENTER is the default action on the welcome page. welcome.html renders → press Enter → you are in the chat.*

**agent/static/agent/css/ · chat page (agent_page.html)** sheet 14

**F0852** `Tlamatini/agent/static/agent/css/access_keys_wizard.css` [371 lines] *Graphical Access Keys Wizard [50 rule blocks]*
**F0854** `Tlamatini/agent/static/agent/css/agent_page.css` [2.5k lines] *Stylesheet. [378 rule blocks]*
**F0856** `Tlamatini/agent/static/agent/css/avatar.css` [180 lines] *Tlamatini chat-avatar - talking-head (blink + lip-sync), voice, bubble. [65 rule blocks]*
**F0857** `Tlamatini/agent/static/agent/css/chat_dictation.css` [129 lines] *Stylesheet. [67 rule blocks]*
**F0858** `Tlamatini/agent/static/agent/css/contacts_dialog.css` [538 lines] *contacts_dialog.css - Config > Contacts CRUD dialog Mirrors the External > MCPs native modal identity (emx-*) so the Contacts book feels native to. . . [69 rule blocks]*
**F0859** `Tlamatini/agent/static/agent/css/context_gauge.css` [263 lines] *Context gauge — the ring in the chat window (Angela, 2026-09-20) A sibling row between the toolbar (#tools-div) and the message box, showing the. . . [36 rule blocks]*
**F0862** `Tlamatini/agent/static/agent/css/external_mcps_dialog.css` [689 lines] *external_mcps_dialog.css - External > MCPs activation dialog Keeps the existing Tlamatini dark dialog identity while making the shell. . . [95 rule blocks]*
**F0865** `Tlamatini/agent/static/agent/css/markdown_canvas.css` [61 lines] *Stylesheet. [42 rule blocks]*
**F0866** `Tlamatini/agent/static/agent/css/model_brain_tuning.css` [327 lines] *model_brain_tuning.css — the Auto-tuning dialog of the MODEL BRAIN (Config ▷ Models ▷ Save). [62 rule blocks]*
**F0867** `Tlamatini/agent/static/agent/css/model_capacity.css` [313 lines] *model_capacity.css — the Compact-mode badge, dialog body and notices (Angela, 2026-10-01). [48 rule blocks]*
**F0869** `Tlamatini/agent/static/agent/css/pdf_context_progress.css` [27 lines] *Stylesheet. [21 rule blocks]*
**F0871** `Tlamatini/agent/static/agent/css/skills_dialog.css` [337 lines] *skills_dialog.css — ACPX-Skills admin dialogs Three dialogs sharing one stylesheet: #skills-configure-dialog-message (checkbox grid; mirrors. . . [55 rule blocks]*
**F0872** `Tlamatini/agent/static/agent/css/tools_dialog.css` [559 lines] *Stylesheet. [68 rule blocks]*
**F0876** `Tlamatini/agent/static/agent/css/usage_dashboard.css` [101 lines] *Stylesheet. [111 rule blocks]*

**agent/static/agent/css/ · Prompt Flow Panel** sheet 14

**F0870** `Tlamatini/agent/static/agent/css/prompt_flow_panel.css` [183 lines] *Stylesheet. [164 rule blocks]*

**agent/static/agent/css/ · shared by several pages** sheet 14

**F0855** `Tlamatini/agent/static/agent/css/agentic_control_panel.css` [2.9k lines] *Existing styles [428 rule blocks]*
**F0860** `Tlamatini/agent/static/agent/css/dialog_theme.css` [795 lines] *dialog_theme.css — THE ONE Tlamatini dialog identity Angela, 2026-08-12: every dialog in Tlamatini must look like the SAME piece of software. [129 rule blocks]*
**F0863** `Tlamatini/agent/static/agent/css/flow_canvas.css` [58 lines] *Loaded after panel styles in both editors: common interaction states have one owner. [26 rule blocks]*
**F0873** `Tlamatini/agent/static/agent/css/ui_shell.css` [182 lines] *Page chrome only. Diagram coordinates, content colors and dialog semantics belong to their existing owners. Load after page CSS, before dialog_theme. [90 rule blocks]*
**F0874** `Tlamatini/agent/static/agent/css/ui_splitters.css` [39 lines] *One seam/grip treatment for every adjacent workspace pane. [22 rule blocks]*
**F0875** `Tlamatini/agent/static/agent/css/ui_tokens.css` [30 lines] *Shared by the workspace, entry pages, dialogs, admin and isolated PDF frame. [1 rule blocks]*

**agent/static/agent/css/ · entry pages, PDF frame and indirect loads** sheet 14

**F0853** `Tlamatini/agent/static/agent/css/admin_theme.css` [41 lines] *Keep Django's native light/dark/auto switch and accessible admin mechanics. [17 rule blocks]*
**F0861** `Tlamatini/agent/static/agent/css/entry_pages.css` [38 lines] *Stylesheet. [23 rule blocks]*
**F0864** `Tlamatini/agent/static/agent/css/login.css` [14 lines] *Stylesheet. [2 rule blocks]*
**F0868** `Tlamatini/agent/static/agent/css/pdf_canvas.css` [19 lines] *The PDF renderer lives in its own frame so PDF.js styles cannot affect chat. [17 rule blocks]*
**F0877** `Tlamatini/agent/static/agent/css/welcome.css` [13 lines] *Stylesheet. [1 rule blocks]*

**agent/static/ · images, avatar, PDF frame, sounds, video** sheet 14

**F0878** `Tlamatini/agent/static/agent/img/avatar/ec_mc.jpg` [540KB] *Avatar portrait: eyes closed, mouth closed (blended by the presence compositor).*
**F0879** `Tlamatini/agent/static/agent/img/avatar/ec_mo.jpg` [543KB] *Avatar portrait: eyes closed, mouth open (blended by the presence compositor).*
**F0880** `Tlamatini/agent/static/agent/img/avatar/eo_mc.jpg` [534KB] *Avatar portrait: eyes open, mouth closed (blended by the presence compositor).*
**F0881** `Tlamatini/agent/static/agent/img/avatar/eo_mo.jpg` [537KB] *Avatar portrait: eyes open, mouth open (blended by the presence compositor).*
**F0882** `Tlamatini/agent/static/agent/img/spinner.svg` [18 lines] *SVG graphic: spinner.*
**F0883** `Tlamatini/agent/static/agent/img/Tlamatini.ico` [38KB] *Tlamatini application icon.*
**F0943** `Tlamatini/agent/static/agent/pdf/canvas.html` [52 lines] *Page "PDF canvas".*
**F0944** `Tlamatini/agent/static/agent/sounds/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
**F0945** `Tlamatini/agent/static/agent/sounds/notification.wav` [279KB] *Notification sound played by the chat/canvas pages.*
**F1289** `Tlamatini/agent/static/agent/video/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

## Atlas V — Vendored third-party frontend and PDF.js

**vendor/frontend** sheet 15

**F0976** `Tlamatini/agent/static/agent/vendor/frontend/manifest.json` [269 lines] *JSON document with keys: schema, packages, files.*

**vendor/frontend/bootstrap** sheet 15

**F0946** `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css` [6 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.min.css.*
**F0947** `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css.map` [1 lines] *Source map of the vendored minified bundle.*
**F0948** `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js` [7 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.bundle.min.js.*
**F0949** `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
**F0950** `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/LICENSE` [21 lines] *Third-party license text: The MIT License (MIT)*

**vendor/frontend/dompurify** sheet 15

**F0951** `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js` [7 lines] *Vendored DOMPurify HTML sanitizer used by the Markdown canvas: purify.min.js.*
**F0952** `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
**F0953** `Tlamatini/agent/static/agent/vendor/frontend/dompurify/LICENSE` [202 lines] *Third-party license text: Apache License*

**vendor/frontend/highlightjs** sheet 15

**F0954** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/highlight.min.js` [1.2k lines] *Vendored highlight.js syntax highlighter, languages and theme: highlight.min.js.*
**F0955** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/bash.min.js` [20 lines] *Vendored highlight.js syntax highlighter, languages and theme: bash.min.js.*
**F0956** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/c.min.js` [40 lines] *Vendored highlight.js syntax highlighter, languages and theme: c.min.js.*
**F0957** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/cpp.min.js` [47 lines] *Vendored highlight.js syntax highlighter, languages and theme: cpp.min.js.*
**F0958** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/css.min.js` [31 lines] *Vendored highlight.js syntax highlighter, languages and theme: css.min.js.*
**F0959** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/ini.min.js` [15 lines] *Vendored highlight.js syntax highlighter, languages and theme: ini.min.js.*
**F0960** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/java.min.js` [38 lines] *Vendored highlight.js syntax highlighter, languages and theme: java.min.js.*
**F0961** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/javascript.min.js` [80 lines] *Vendored highlight.js syntax highlighter, languages and theme: javascript.min.js.*
**F0962** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/kotlin.min.js` [46 lines] *Vendored highlight.js syntax highlighter, languages and theme: kotlin.min.js.*
**F0963** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/python.min.js` [41 lines] *Vendored highlight.js syntax highlighter, languages and theme: python.min.js.*
**F0964** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/rust.min.js` [28 lines] *Vendored highlight.js syntax highlighter, languages and theme: rust.min.js.*
**F0965** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/sql.min.js` [17 lines] *Vendored highlight.js syntax highlighter, languages and theme: sql.min.js.*
**F0966** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/typescript.min.js` [95 lines] *Vendored highlight.js syntax highlighter, languages and theme: typescript.min.js.*
**F0967** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/xml.min.js` [29 lines] *Vendored highlight.js syntax highlighter, languages and theme: xml.min.js.*
**F0968** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/yaml.min.js` [25 lines] *Vendored highlight.js syntax highlighter, languages and theme: yaml.min.js.*
**F0969** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/LICENSE` [29 lines] *Third-party license text: BSD 3-Clause License*
**F0970** `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/styles/atom-one-dark.min.css` [1 lines] *Vendored highlight.js syntax highlighter, languages and theme: atom-one-dark.min.css.*

**vendor/frontend/jquery** sheet 15

**F0973** `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.js` [2 lines] *Vendored jQuery: jquery.min.js.*
**F0974** `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.map` [1 lines] *Source map of the vendored minified bundle.*
**F0975** `Tlamatini/agent/static/agent/vendor/frontend/jquery/LICENSE.txt` [20 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

**vendor/frontend/jquery-ui** sheet 15

**F0971** `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/jquery-ui.min.js` [6 lines] *Vendored jQuery UI (dialogs, resizing): jquery-ui.min.js.*
**F0972** `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/LICENSE.txt` [43 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

**vendor/frontend/marked** sheet 15

**F0977** `Tlamatini/agent/static/agent/vendor/frontend/marked/LICENSE` [44 lines] *Third-party license text: License information*

**vendor/frontend/nunito** sheet 15

**F0978** `Tlamatini/agent/static/agent/vendor/frontend/nunito/400.css` [49 lines] *Vendored Nunito web font (site typography): 400.css.*
**F0979** `Tlamatini/agent/static/agent/vendor/frontend/nunito/700.css` [49 lines] *Vendored Nunito web font (site typography): 700.css.*
**F0980** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff` [10KB] *Nunito web-font file (cyrillic-400-normal).*
**F0981** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff2` [8KB] *Nunito web-font file (cyrillic-400-normal).*
**F0982** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff` [10KB] *Nunito web-font file (cyrillic-700-normal).*
**F0983** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff2` [8KB] *Nunito web-font file (cyrillic-700-normal).*
**F0984** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-400-normal).*
**F0985** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-400-normal).*
**F0986** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-700-normal).*
**F0987** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-700-normal).*
**F0988** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff` [20KB] *Nunito web-font file (latin-400-normal).*
**F0989** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff2` [16KB] *Nunito web-font file (latin-400-normal).*
**F0990** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff` [20KB] *Nunito web-font file (latin-700-normal).*
**F0991** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff2` [16KB] *Nunito web-font file (latin-700-normal).*
**F0992** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff` [21KB] *Nunito web-font file (latin-ext-400-normal).*
**F0993** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff2` [16KB] *Nunito web-font file (latin-ext-400-normal).*
**F0994** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff` [21KB] *Nunito web-font file (latin-ext-700-normal).*
**F0995** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff2` [16KB] *Nunito web-font file (latin-ext-700-normal).*
**F0996** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff` [8KB] *Nunito web-font file (vietnamese-400-normal).*
**F0997** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff2` [6KB] *Nunito web-font file (vietnamese-400-normal).*
**F0998** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff` [8KB] *Nunito web-font file (vietnamese-700-normal).*
**F0999** `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff2` [6KB] *Nunito web-font file (vietnamese-700-normal).*
**F1000** `Tlamatini/agent/static/agent/vendor/frontend/nunito/LICENSE` [93 lines] *Third-party license text: Google Inc.*

**vendor/pdfjs** sheet 15

**F1174** `Tlamatini/agent/static/agent/vendor/pdfjs/LICENSE` [177 lines] *Third-party license text: Apache License*
**F1191** `Tlamatini/agent/static/agent/vendor/pdfjs/VERSION` [1 lines] *Pinned PDF.js version: 6.3.289.*

**vendor/pdfjs/build** sheet 15

**F1001** `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.mjs` [28k lines] *Vendored PDF.js core library and worker: pdf.mjs.*
**F1002** `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.worker.mjs` [65k lines] *Vendored PDF.js core library and worker: pdf.worker.mjs.*

**vendor/pdfjs/cmaps** sheet 15

**F1003** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-H.bcmap` [2KB] *PDF.js binary CMap 78-EUC-H (character-code to CID mapping for the PDF canvas).*
**F1004** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-V.bcmap` [173B] *PDF.js binary CMap 78-EUC-V (character-code to CID mapping for the PDF canvas).*
**F1005** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-H.bcmap` [2KB] *PDF.js binary CMap 78-H (character-code to CID mapping for the PDF canvas).*
**F1006** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap 78-RKSJ-H (character-code to CID mapping for the PDF canvas).*
**F1007** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-V.bcmap` [173B] *PDF.js binary CMap 78-RKSJ-V (character-code to CID mapping for the PDF canvas).*
**F1008** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-V.bcmap` [169B] *PDF.js binary CMap 78-V (character-code to CID mapping for the PDF canvas).*
**F1009** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-H.bcmap` [3KB] *PDF.js binary CMap 78ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
**F1010** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 78ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
**F1011** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/83pv-RKSJ-H.bcmap` [905B] *PDF.js binary CMap 83pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
**F1012** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-H.bcmap` [721B] *PDF.js binary CMap 90ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
**F1013** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 90ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
**F1014** `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-H.bcmap` [715B] *PDF.js binary CMap 90msp-RKSJ-H (character-code to CID mapping for the PDF canvas).*

F1015 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-V.bcmap` [291B] *PDF.js binary CMap 90msp-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1016 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-H.bcmap` [982B] *PDF.js binary CMap 90pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1017 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-V.bcmap` [260B] *PDF.js binary CMap 90pv-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1018 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-H.bcmap` [2KB] *PDF.js binary CMap Add-H (character-code to CID mapping for the PDF canvas).*
F1019 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Add-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1020 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-V.bcmap` [287B] *PDF.js binary CMap Add-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1021 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-V.bcmap` [282B] *PDF.js binary CMap Add-V (character-code to CID mapping for the PDF canvas).*
F1022 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-0.bcmap` [317B] *PDF.js binary CMap Adobe-CNS1-0 (character-code to CID mapping for the PDF canvas).*
F1023 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-1.bcmap` [371B] *PDF.js binary CMap Adobe-CNS1-1 (character-code to CID mapping for the PDF canvas).*
F1024 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-2.bcmap` [376B] *PDF.js binary CMap Adobe-CNS1-2 (character-code to CID mapping for the PDF canvas).*
F1025 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-3.bcmap` [401B] *PDF.js binary CMap Adobe-CNS1-3 (character-code to CID mapping for the PDF canvas).*
F1026 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-4.bcmap` [405B] *PDF.js binary CMap Adobe-CNS1-4 (character-code to CID mapping for the PDF canvas).*
F1027 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-5.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-5 (character-code to CID mapping for the PDF canvas).*
F1028 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-6.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-6 (character-code to CID mapping for the PDF canvas).*
F1029 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-CNS1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1030 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-0.bcmap` [217B] *PDF.js binary CMap Adobe-GB1-0 (character-code to CID mapping for the PDF canvas).*
F1031 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-1.bcmap` [250B] *PDF.js binary CMap Adobe-GB1-1 (character-code to CID mapping for the PDF canvas).*
F1032 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-2.bcmap` [465B] *PDF.js binary CMap Adobe-GB1-2 (character-code to CID mapping for the PDF canvas).*
F1033 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-3.bcmap` [470B] *PDF.js binary CMap Adobe-GB1-3 (character-code to CID mapping for the PDF canvas).*
F1034 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-4.bcmap` [601B] *PDF.js binary CMap Adobe-GB1-4 (character-code to CID mapping for the PDF canvas).*
F1035 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-5.bcmap` [625B] *PDF.js binary CMap Adobe-GB1-5 (character-code to CID mapping for the PDF canvas).*
F1036 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-UCS2.bcmap` [33KB] *PDF.js binary CMap Adobe-GB1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1037 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-0.bcmap` [225B] *PDF.js binary CMap Adobe-Japan1-0 (character-code to CID mapping for the PDF canvas).*
F1038 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-1.bcmap` [226B] *PDF.js binary CMap Adobe-Japan1-1 (character-code to CID mapping for the PDF canvas).*
F1039 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-2.bcmap` [233B] *PDF.js binary CMap Adobe-Japan1-2 (character-code to CID mapping for the PDF canvas).*
F1040 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-3.bcmap` [242B] *PDF.js binary CMap Adobe-Japan1-3 (character-code to CID mapping for the PDF canvas).*
F1041 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-4.bcmap` [337B] *PDF.js binary CMap Adobe-Japan1-4 (character-code to CID mapping for the PDF canvas).*
F1042 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-5.bcmap` [430B] *PDF.js binary CMap Adobe-Japan1-5 (character-code to CID mapping for the PDF canvas).*
F1043 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-6.bcmap` [485B] *PDF.js binary CMap Adobe-Japan1-6 (character-code to CID mapping for the PDF canvas).*
F1044 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-Japan1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1045 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-0.bcmap` [241B] *PDF.js binary CMap Adobe-Korea1-0 (character-code to CID mapping for the PDF canvas).*
F1046 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-1.bcmap` [386B] *PDF.js binary CMap Adobe-Korea1-1 (character-code to CID mapping for the PDF canvas).*
F1047 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-2.bcmap` [391B] *PDF.js binary CMap Adobe-Korea1-2 (character-code to CID mapping for the PDF canvas).*
F1048 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-UCS2.bcmap` [23KB] *PDF.js binary CMap Adobe-Korea1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1049 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-H.bcmap` [1KB] *PDF.js binary CMap B5-H (character-code to CID mapping for the PDF canvas).*
F1050 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-V.bcmap` [142B] *PDF.js binary CMap B5-V (character-code to CID mapping for the PDF canvas).*
F1051 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-H.bcmap` [1KB] *PDF.js binary CMap B5pc-H (character-code to CID mapping for the PDF canvas).*
F1052 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-V.bcmap` [144B] *PDF.js binary CMap B5pc-V (character-code to CID mapping for the PDF canvas).*
F1053 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-H.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-H (character-code to CID mapping for the PDF canvas).*
F1054 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-V.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-V (character-code to CID mapping for the PDF canvas).*
F1055 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-H.bcmap` [706B] *PDF.js binary CMap CNS1-H (character-code to CID mapping for the PDF canvas).*
F1056 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-V.bcmap` [143B] *PDF.js binary CMap CNS1-V (character-code to CID mapping for the PDF canvas).*
F1057 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-H.bcmap` [504B] *PDF.js binary CMap CNS2-H (character-code to CID mapping for the PDF canvas).*
F1058 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-V.bcmap` [93B] *PDF.js binary CMap CNS2-V (character-code to CID mapping for the PDF canvas).*
F1059 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-H.bcmap` [1KB] *PDF.js binary CMap ETen-B5-H (character-code to CID mapping for the PDF canvas).*
F1060 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-V.bcmap` [158B] *PDF.js binary CMap ETen-B5-V (character-code to CID mapping for the PDF canvas).*
F1061 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-H.bcmap` [101B] *PDF.js binary CMap ETenms-B5-H (character-code to CID mapping for the PDF canvas).*
F1062 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-V.bcmap` [172B] *PDF.js binary CMap ETenms-B5-V (character-code to CID mapping for the PDF canvas).*
F1063 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-H.bcmap` [4KB] *PDF.js binary CMap ETHK-B5-H (character-code to CID mapping for the PDF canvas).*
F1064 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-V.bcmap` [158B] *PDF.js binary CMap ETHK-B5-V (character-code to CID mapping for the PDF canvas).*
F1065 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-H.bcmap` [578B] *PDF.js binary CMap EUC-H (character-code to CID mapping for the PDF canvas).*
F1066 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-V.bcmap` [170B] *PDF.js binary CMap EUC-V (character-code to CID mapping for the PDF canvas).*
F1067 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-H.bcmap` [2KB] *PDF.js binary CMap Ext-H (character-code to CID mapping for the PDF canvas).*
F1068 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Ext-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1069 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-V.bcmap` [218B] *PDF.js binary CMap Ext-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1070 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-V.bcmap` [215B] *PDF.js binary CMap Ext-V (character-code to CID mapping for the PDF canvas).*
F1071 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-H.bcmap` [549B] *PDF.js binary CMap GB-EUC-H (character-code to CID mapping for the PDF canvas).*
F1072 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-V.bcmap` [179B] *PDF.js binary CMap GB-EUC-V (character-code to CID mapping for the PDF canvas).*
F1073 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-H.bcmap` [528B] *PDF.js binary CMap GB-H (character-code to CID mapping for the PDF canvas).*
F1074 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-V.bcmap` [175B] *PDF.js binary CMap GB-V (character-code to CID mapping for the PDF canvas).*
F1075 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBK-EUC-H (character-code to CID mapping for the PDF canvas).*
F1076 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-V.bcmap` [180B] *PDF.js binary CMap GBK-EUC-V (character-code to CID mapping for the PDF canvas).*
F1077 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-H.bcmap` [19KB] *PDF.js binary CMap GBK2K-H (character-code to CID mapping for the PDF canvas).*
F1078 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-V.bcmap` [219B] *PDF.js binary CMap GBK2K-V (character-code to CID mapping for the PDF canvas).*
F1079 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBKp-EUC-H (character-code to CID mapping for the PDF canvas).*
F1080 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-V.bcmap` [181B] *PDF.js binary CMap GBKp-EUC-V (character-code to CID mapping for the PDF canvas).*
F1081 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-H.bcmap` [557B] *PDF.js binary CMap GBpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1082 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-V.bcmap` [181B] *PDF.js binary CMap GBpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1083 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBT-EUC-H (character-code to CID mapping for the PDF canvas).*
F1084 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-V.bcmap` [180B] *PDF.js binary CMap GBT-EUC-V (character-code to CID mapping for the PDF canvas).*
F1085 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-H.bcmap` [7KB] *PDF.js binary CMap GBT-H (character-code to CID mapping for the PDF canvas).*
F1086 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-V.bcmap` [176B] *PDF.js binary CMap GBT-V (character-code to CID mapping for the PDF canvas).*
F1087 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBTpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1088 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-V.bcmap` [182B] *PDF.js binary CMap GBTpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1089 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/H.bcmap` [553B] *PDF.js binary CMap H (character-code to CID mapping for the PDF canvas).*
F1090 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hankaku.bcmap` [132B] *PDF.js binary CMap Hankaku (character-code to CID mapping for the PDF canvas).*
F1091 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hiragana.bcmap` [124B] *PDF.js binary CMap Hiragana (character-code to CID mapping for the PDF canvas).*
F1092 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-H.bcmap` [3KB] *PDF.js binary CMap HKdla-B5-H (character-code to CID mapping for the PDF canvas).*
F1093 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-V.bcmap` [148B] *PDF.js binary CMap HKdla-B5-V (character-code to CID mapping for the PDF canvas).*
F1094 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-H.bcmap` [2KB] *PDF.js binary CMap HKdlb-B5-H (character-code to CID mapping for the PDF canvas).*
F1095 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-V.bcmap` [148B] *PDF.js binary CMap HKdlb-B5-V (character-code to CID mapping for the PDF canvas).*
F1096 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-H.bcmap` [2KB] *PDF.js binary CMap HKgccs-B5-H (character-code to CID mapping for the PDF canvas).*
F1097 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-V.bcmap` [149B] *PDF.js binary CMap HKgccs-B5-V (character-code to CID mapping for the PDF canvas).*
F1098 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm314-B5-H (character-code to CID mapping for the PDF canvas).*
F1099 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-V.bcmap` [149B] *PDF.js binary CMap HKm314-B5-V (character-code to CID mapping for the PDF canvas).*
F1100 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm471-B5-H (character-code to CID mapping for the PDF canvas).*
F1101 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-V.bcmap` [149B] *PDF.js binary CMap HKm471-B5-V (character-code to CID mapping for the PDF canvas).*
F1102 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-H.bcmap` [4KB] *PDF.js binary CMap HKscs-B5-H (character-code to CID mapping for the PDF canvas).*
F1103 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-V.bcmap` [159B] *PDF.js binary CMap HKscs-B5-V (character-code to CID mapping for the PDF canvas).*
F1104 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Katakana.bcmap` [100B] *PDF.js binary CMap Katakana (character-code to CID mapping for the PDF canvas).*
F1105 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSC-EUC-H (character-code to CID mapping for the PDF canvas).*
F1106 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-V.bcmap` [164B] *PDF.js binary CMap KSC-EUC-V (character-code to CID mapping for the PDF canvas).*
F1107 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-H.bcmap` [2KB] *PDF.js binary CMap KSC-H (character-code to CID mapping for the PDF canvas).*
F1108 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-H.bcmap` [16KB] *PDF.js binary CMap KSC-Johab-H (character-code to CID mapping for the PDF canvas).*
F1109 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-V.bcmap` [166B] *PDF.js binary CMap KSC-Johab-V (character-code to CID mapping for the PDF canvas).*
F1110 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-V.bcmap` [160B] *PDF.js binary CMap KSC-V (character-code to CID mapping for the PDF canvas).*
F1111 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-H (character-code to CID mapping for the PDF canvas).*
F1112 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-HW-H (character-code to CID mapping for the PDF canvas).*
F1113 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-V.bcmap` [169B] *PDF.js binary CMap KSCms-UHC-HW-V (character-code to CID mapping for the PDF canvas).*
F1114 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-V.bcmap` [166B] *PDF.js binary CMap KSCms-UHC-V (character-code to CID mapping for the PDF canvas).*
F1115 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSCpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1116 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-V.bcmap` [166B] *PDF.js binary CMap KSCpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1117 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/LICENSE` [36 lines] *Third-party license text: %%Copyright*
F1118 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-H.bcmap` [3KB] *PDF.js binary CMap NWP-H (character-code to CID mapping for the PDF canvas).*
F1119 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-V.bcmap` [252B] *PDF.js binary CMap NWP-V (character-code to CID mapping for the PDF canvas).*
F1120 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-H.bcmap` [534B] *PDF.js binary CMap RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1121 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-V.bcmap` [170B] *PDF.js binary CMap RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1122 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Roman.bcmap` [96B] *PDF.js binary CMap Roman (character-code to CID mapping for the PDF canvas).*
F1123 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-H.bcmap` [47KB] *PDF.js binary CMap UniCNS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1124 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1125 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-H.bcmap` [49KB] *PDF.js binary CMap UniCNS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1126 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1127 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-H.bcmap` [51KB] *PDF.js binary CMap UniCNS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1128 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-V.bcmap` [160B] *PDF.js binary CMap UniCNS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1129 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-H.bcmap` [52KB] *PDF.js binary CMap UniCNS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1130 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-V.bcmap` [157B] *PDF.js binary CMap UniCNS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1131 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-H.bcmap` [42KB] *PDF.js binary CMap UniGB-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1132 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-V.bcmap` [193B] *PDF.js binary CMap UniGB-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1133 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-H.bcmap` [43KB] *PDF.js binary CMap UniGB-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1134 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-V.bcmap` [178B] *PDF.js binary CMap UniGB-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1135 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-H.bcmap` [45KB] *PDF.js binary CMap UniGB-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1136 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-V.bcmap` [182B] *PDF.js binary CMap UniGB-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1137 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-H.bcmap` [46KB] *PDF.js binary CMap UniGB-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1138 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-V.bcmap` [181B] *PDF.js binary CMap UniGB-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1139 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-H.bcmap` [25KB] *PDF.js binary CMap UniJIS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1140 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-H.bcmap` [119B] *PDF.js binary CMap UniJIS-UCS2-HW-H (character-code to CID mapping for the PDF canvas).*
F1141 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-V.bcmap` [680B] *PDF.js binary CMap UniJIS-UCS2-HW-V (character-code to CID mapping for the PDF canvas).*
F1142 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-V.bcmap` [664B] *PDF.js binary CMap UniJIS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1143 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-H.bcmap` [39KB] *PDF.js binary CMap UniJIS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1144 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-V.bcmap` [643B] *PDF.js binary CMap UniJIS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1145 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJIS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1146 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF32-V.bcmap` [677B] *PDF.js binary CMap UniJIS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1147 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF8-H.bcmap` [41KB] *PDF.js binary CMap UniJIS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1148 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF8-V.bcmap` [678B] *PDF.js binary CMap UniJIS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1149 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF16-H.bcmap` [39KB] *PDF.js binary CMap UniJIS2004-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1150 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF16-V.bcmap` [647B] *PDF.js binary CMap UniJIS2004-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1151 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJIS2004-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1152 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF32-V.bcmap` [681B] *PDF.js binary CMap UniJIS2004-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1153 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF8-H.bcmap` [41KB] *PDF.js binary CMap UniJIS2004-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1154 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF8-V.bcmap` [682B] *PDF.js binary CMap UniJIS2004-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1155 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UCS2-HW-V.bcmap` [705B] *PDF.js binary CMap UniJISPro-UCS2-HW-V (character-code to CID mapping for the PDF canvas).*
F1156 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UCS2-V.bcmap` [689B] *PDF.js binary CMap UniJISPro-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1157 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UTF8-V.bcmap` [726B] *PDF.js binary CMap UniJISPro-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1158 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX0213-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJISX0213-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1159 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX0213-UTF32-V.bcmap` [684B] *PDF.js binary CMap UniJISX0213-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1160 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX02132004-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJISX02132004-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1161 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX02132004-UTF32-V.bcmap` [688B] *PDF.js binary CMap UniJISX02132004-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1162 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UCS2-H.bcmap` [25KB] *PDF.js binary CMap UniKS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1163 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UCS2-V.bcmap` [178B] *PDF.js binary CMap UniKS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1164 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF16-H.bcmap` [26KB] *PDF.js binary CMap UniKS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1165 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF16-V.bcmap` [164B] *PDF.js binary CMap UniKS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1166 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF32-H.bcmap` [26KB] *PDF.js binary CMap UniKS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1167 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF32-V.bcmap` [168B] *PDF.js binary CMap UniKS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1168 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF8-H.bcmap` [27KB] *PDF.js binary CMap UniKS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1169 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF8-V.bcmap` [169B] *PDF.js binary CMap UniKS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1170 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/V.bcmap` [166B] *PDF.js binary CMap V (character-code to CID mapping for the PDF canvas).*
F1171 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/WP-Symbol.bcmap` [179B] *PDF.js binary CMap WP-Symbol (character-code to CID mapping for the PDF canvas).*

**vendor/pdfjs/iccs** sheet 15

F1172 `Tlamatini/agent/static/agent/vendor/pdfjs/iccs/CGATS001Compat-v2-micro.icc` [8KB] *ICC color profile used by PDF.js.*
F1173 `Tlamatini/agent/static/agent/vendor/pdfjs/iccs/LICENSE` [116 lines] *Third-party license text: CC0 1.0 Universal*

**vendor/pdfjs/standard_fonts** sheet 15

F1175 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitDingbats.pfb` [29KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1176 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixed.pfb` [17KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1177 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedBold.pfb` [18KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1178 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedBoldItalic.pfb` [19KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1179 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedItalic.pfb` [18KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1180 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSerif.pfb` [19KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1181 `Tlamatini/agent/static/ag

**F1237** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_closingButton.svg` [3 lines] *PDF.js viewer icon: messageBar closingButton.*
**F1238** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_info.svg` [3 lines] *PDF.js viewer icon: messageBar info.*
**F1239** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_warning.svg` [3 lines] *PDF.js viewer icon: messageBar warning.*
**F1240** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_closeButton.svg` [3 lines] *PDF.js viewer icon: pages closeButton.*
**F1241** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_selected.svg` [7 lines] *PDF.js viewer icon: pages selected.*
**F1242** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_viewArrow.svg` [3 lines] *PDF.js viewer icon: pages viewArrow.*
**F1243** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_viewButton.svg` [3 lines] *PDF.js viewer icon: pages viewButton.*
**F1244** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-documentProperties.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton documentProperties.*
**F1245** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-firstPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton firstPage.*
**F1246** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-handTool.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton handTool.*
**F1247** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-lastPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton lastPage.*
**F1248** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-rotateCcw.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton rotateCcw.*
**F1249** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-rotateCw.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton rotateCw.*
**F1250** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollHorizontal.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollHorizontal.*
**F1251** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollPage.*
**F1252** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollVertical.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollVertical.*
**F1253** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollWrapped.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollWrapped.*
**F1254** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-selectTool.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton selectTool.*
**F1255** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadEven.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadEven.*
**F1256** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadNone.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadNone.*
**F1257** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadOdd.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadOdd.*
**F1258** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/signature-properties-row-check.svg` [4 lines] *PDF.js viewer icon: signature properties row check.*
**F1259** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-bookmark.svg` [3 lines] *PDF.js viewer icon: toolbarButton bookmark.*
**F1260** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-currentOutlineItem.svg` [3 lines] *PDF.js viewer icon: toolbarButton currentOutlineItem.*
**F1261** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-download.svg` [4 lines] *PDF.js viewer icon: toolbarButton download.*
**F1262** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorFreeText.svg` [5 lines] *PDF.js viewer icon: toolbarButton editorFreeText.*
**F1263** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorHighlight.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorHighlight.*
**F1264** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorInk.svg` [4 lines] *PDF.js viewer icon: toolbarButton editorInk.*
**F1265** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorSignature.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorSignature.*
**F1266** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorStamp.svg` [8 lines] *PDF.js viewer icon: toolbarButton editorStamp.*
**F1267** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrow.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrow.*
**F1268** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrowNova.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrowNova.*
**F1269** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-openFile.svg` [3 lines] *PDF.js viewer icon: toolbarButton openFile.*
**F1270** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageDown.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageDown.*
**F1271** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageUp.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageUp.*
**F1272** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-presentationMode.svg` [3 lines] *PDF.js viewer icon: toolbarButton presentationMode.*
**F1273** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-print.svg` [3 lines] *PDF.js viewer icon: toolbarButton print.*
**F1274** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-search.svg` [3 lines] *PDF.js viewer icon: toolbarButton search.*
**F1275** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-secondaryToolbarToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton secondaryToolbarToggle.*
**F1276** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesError.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesError.*
**F1277** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesVerified.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesVerified.*
**F1278** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewAttachments.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewAttachments.*
**F1279** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewLayers.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewLayers.*
**F1280** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewOutline.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewOutline.*
**F1281** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewsManagerToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewsManagerToggle.*
**F1282** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewThumbnail.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewThumbnail.*
**F1283** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomIn.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomIn.*
**F1284** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomOut.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomOut.*
**F1285** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-collapsed.svg` [1 lines] *PDF.js viewer icon: treeitem collapsed.*
**F1286** `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-expanded.svg` [1 lines] *PDF.js viewer icon: treeitem expanded.*
**F1287** `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.css` [6.4k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.css.*
**F1288** `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.mjs` [9.8k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.mjs.*

## Atlas VI — Agent pool: every workflow agent template

### agents/ · shared helpers — sheet 16

**F0567** `Tlamatini/agent/agents/model_settings.py` [165 lines] *Shared model registry for the Models dialog and standalone workflow agents.*
**F0673** `Tlamatini/agent/agents/visual_errors.py` [33 lines] *Report a failed visual-analysis attempt without controlling recovery or retries.*

### Cleaner — sheet 16

**F0468** `Tlamatini/agent/agents/cleaner/__init__.py` [9 lines] *Package marker for cleaner/.*
**F0469** `Tlamatini/agent/agents/cleaner/cleaner.py` [335 lines] *Cleaner Agent - Cleans up logs/pids of target agents and triggers restarts This agent is designed to run AFTER an Ender agent.*
**F0470** `Tlamatini/agent/agents/cleaner/config.yaml` [10 lines] *Default config.yaml of the Cleaner agent: agents_to_clean, cleaned_agents, output_agents.*

### Croner — sheet 16

**F0475** `Tlamatini/agent/agents/croner/config.yaml` [7 lines] *Default config.yaml of the Croner agent: trigger_time, poll_interval.*
**F0476** `Tlamatini/agent/agents/croner/croner.py` [414 lines] *Croner Agent - Deterministic Time/Pattern Trigger Agent Triggers target agents at a specific scheduled time, optionally requiring a specific pattern...*

### Ender — sheet 16

**F0489** `Tlamatini/agent/agents/ender/config.yaml` [29 lines] *Default config.yaml of the Ender agent: output_agents.*
**F0490** `Tlamatini/agent/agents/ender/ender.py` [660 lines] *Ender Agent - No LLM, deterministic agent terminator This agent terminates all agents listed in target_agents when triggered.*

### Sleeper — sheet 16

**F0639** `Tlamatini/agent/agents/sleeper/config.yaml` [3 lines] *Default config.yaml of the Sleeper agent: duration_ms.*
**F0640** `Tlamatini/agent/agents/sleeper/sleeper.py` [393 lines] *Sleeper Agent - Deterministic agent to wait and then trigger downstream Action: Triggered by upstream -> Wait -> Trigger downstream*

### Starter — sheet 16

**F0645** `Tlamatini/agent/agents/starter/config.yaml` [25 lines] *Default config.yaml of the Starter agent: exit_after_start.*
**F0646** `Tlamatini/agent/agents/starter/starter.py` [495 lines] *Starter Agent - No LLM, deterministic agent starter This agent starts all agents connected to its output when executed.*

### Stopper — sheet 16

**F0649** `Tlamatini/agent/agents/stopper/config.yaml` [53 lines] *Default config.yaml of the Stopper agent: patterns, output_agents, poll_interval.*
**F0650** `Tlamatini/agent/agents/stopper/stopper.py` [451 lines] *Stopper Agent - Single-threaded pattern-based agent terminator This agent monitors source agent log files for configurable patterns and terminates...*

### Asker — sheet 16

**F0457** `Tlamatini/agent/agents/asker/asker.py` [469 lines] *Asker Agent - Deterministic agent that asks the user to choose a path When started, writes ASKER_CHOICE_NEEDED to log.*
**F0458** `Tlamatini/agent/agents/asker/config.yaml` [34 lines] *Default config.yaml of the Asker agent: target_agents_a, target_agents_b, legend_path_a, legend_path_b.*

### Counter — sheet 16

**F0471** `Tlamatini/agent/agents/counter/config.yaml` [44 lines] *Default config.yaml of the Counter agent: initial_value, threshold_value, target_agents_l, target_agents_g.*
**F0472** `Tlamatini/agent/agents/counter/counter.py` [450 lines] *Counter Agent - Deterministic agent that maintains a persistent counter and routes to Path L (less than) or Path G (greater than or equal) based on...*

### Forker — sheet 16

**F0527** `Tlamatini/agent/agents/forker/config.yaml` [42 lines] *Default config.yaml of the Forker agent: pattern_a, pattern_b, target_agents_a, target_agents_b, poll_interval.*
**F0528** `Tlamatini/agent/agents/forker/forker.py` [656 lines] *Forker Agent - Deterministic agent that monitors source agent logs and automatically routes to Path A or Path B based on pattern detection.*

### Raiser — sheet 16

**F0627** `Tlamatini/agent/agents/raiser/config.yaml` [45 lines] *Default config.yaml of the Raiser agent: pattern, poll_interval.*
**F0628** `Tlamatini/agent/agents/raiser/raiser.py` [652 lines] *Raiser Agent - No LLM, deterministic event-driven agent launcher This agent monitors log files of source agents for a configurable pattern string...*

### AND — sheet 16

**F0446** `Tlamatini/agent/agents/and/and.py` [542 lines] *AND Agent - Deterministic AND gate logic Monitors two source log files for specific patterns.*
**F0447** `Tlamatini/agent/agents/and/config.yaml` [17 lines] *Default config.yaml of the AND agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*

### Barrier — sheet 16

**F0461** `Tlamatini/agent/agents/barrier/barrier.py` [507 lines] *Barrier Agent - OS-process-level synchronization barrier for flow control Each source agent STARTS a separate barrier process ("input sub-process").*
**F0462** `Tlamatini/agent/agents/barrier/config.yaml` [8 lines] *Default config.yaml of the Barrier agent: .*
**F0463** `Tlamatini/agent/agents/barrier/test_barrier.py` [278 lines] *Test script for the Barrier agent.*

### OR — sheet 16

**F0585** `Tlamatini/agent/agents/or/config.yaml` [16 lines] *Default config.yaml of the OR agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*
**F0586** `Tlamatini/agent/agents/or/or.py` [517 lines] *OR Agent - Deterministic OR gate logic Monitors two source log files for specific patterns.*

### Analyzer — sheet 16

**F0444** `Tlamatini/agent/agents/analyzer/analyzer.py` [540 lines] *Analyzer Agent - deterministic static-analysis / security scanner Action: Triggered by upstream -> run every installed scanner over target_path ->...*
**F0445** `Tlamatini/agent/agents/analyzer/config.yaml` [33 lines] *Default config.yaml of the Analyzer agent: target_path, tools, min_severity, max_report_chars.*

### Apirer — sheet 16

**F0448** `Tlamatini/agent/agents/apirer/apirer.py` [510 lines] *Apirer Agent - HTTP/REST API Agent Action: Triggered by upstream -> Make HTTP request -> Log response -> Trigger downstream (always)*
**F0449** `Tlamatini/agent/agents/apirer/config.yaml` [10 lines] *Default config.yaml of the Apirer agent: url, method, headers, body, expected_status, timeout.*

### Arduiner — sheet 16

**F0450** `Tlamatini/agent/agents/arduiner/arduiner.py` [1.5k lines] *Arduiner Agent - Arduino CLI (arduino-cli) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the arduino-cli...*
**F0451** `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/ArduinoTemplateProject.ino` [40 lines] *ArduinoTemplateProject.ino — Tlamatini Arduiner template sketch.*
**F0452** `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/README.md` [53 lines] *ArduinoTemplateProject: The bundled scaffold the Arduiner agent (Tlamatini) copies when you run action='create_project'.*
**F0453** `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/sketch.yaml` [23 lines] *sketch.yaml — Arduino CLI sketch project file (the Arduino-native peer of PlatformIO's platformio.ini).*
**F0454** `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.cpp` [30 lines] *Firmware source of the template project.*
**F0455** `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.h` [35 lines] *Heartbeat.h — a tiny, board-agnostic non-blocking LED blinker.*
**F0456** `Tlamatini/agent/agents/arduiner/config.yaml` [125 lines] *Default config.yaml of the Arduiner agent: action, arduino_cli_executable, auto_bootstrap, arduino_cli_install_dir, auto_update, preflight, fqbn +16 more.*

### AudioPlayer — sheet 16

**F0459** `Tlamatini/agent/agents/audioplayer/audioplayer.py` [839 lines] *AudioPlayer Agent - Plays an audio FILE through a system OUTPUT device.*
**F0460** `Tlamatini/agent/agents/audioplayer/config.yaml` [74 lines] *Default config.yaml of the AudioPlayer agent: audio_file, device_index, device_name, volume_percent, time_played, sample_rate.*

### Blenderer — sheet 16

**F0464** `Tlamatini/agent/agents/blenderer/blenderer.py` [742 lines] *Blenderer Agent — drives Blender via the OFFICIAL Blender MCP add-on's TCP socket protocol (localhost:9876 by default...*
**F0465** `Tlamatini/agent/agents/blenderer/config.yaml` [63 lines] *Default config.yaml of the Blenderer agent: host, port, command, strict_json, params, connect_timeout, read_timeout.*

### Camcorder — sheet 16

**F0466** `Tlamatini/agent/agents/camcorder/camcorder.py` [674 lines] *Camcorder Agent - Camera capture agent (photo or video) via OpenCV Action: Triggered by upstream -> Open a system camera -> Take ONE photo (default)...*
**F0467** `Tlamatini/agent/agents/camcorder/config.yaml` [44 lines] *Default config.yaml of the Camcorder agent: camera_index, capture_mode, video_duration_seconds, video_fps, resolution_width, resolution_height, warmup_seconds +1 more.*

### Crawler — sheet 16

**F0473** `Tlamatini/agent/agents/crawler/config.yaml` [39 lines] *Default config.yaml of the Crawler agent: url, urls, system_prompt, content_mode, include_headers, crawl_type, include_seed +9 more.*
**F0474** `Tlamatini/agent/agents/crawler/crawler.py` [2.2k lines] *Crawler Agent - Web page crawler with RAW content capture and LLM analysis Action: Triggered by upstream -> Fetch URL -> Capture RAW HTTP response...*

### De-Compresser — sheet 16

**F0477** `Tlamatini/agent/agents/de_compresser/config.yaml` [26 lines] *Default config.yaml of the De-Compresser agent: input, output, passwordless.*
**F0478** `Tlamatini/agent/agents/de_compresser/de_compresser.py` [848 lines] *De-Compresser Agent - Deterministic compression / decompression*

### Deleter — sheet 16

**F0479** `Tlamatini/agent/agents/deleter/config.yaml` [29 lines] *Default config.yaml of the Deleter agent: trigger_mode, target_path, files_to_delete, allow_directory_delete, recursive, filetype_exclusions, trigger_event_string +1 more.*
**F0480** `Tlamatini/agent/agents/deleter/deleter.py` [764 lines] *Deleter Agent - Deterministic agent to delete files Triggers: Immediate or Event-based (Source Log) Action: Delete files based on patterns (supports...*

### Discoverer — sheet 16

**F0481** `Tlamatini/agent/agents/discoverer/config.yaml` [114 lines] *Default config.yaml of the Discoverer agent: tool, target, targets_file, json_output, output_dir, rate_limit, concurrency +34 more.*
**F0482** `Tlamatini/agent/agents/discoverer/discoverer.py` [1.3k lines] *Discoverer Agent - ProjectDiscovery suite bridge (subfinder/httpx/naabu/katana/nuclei/cvemap) Action: Triggered by upstream -> resolve the requested...*

### Dockerer — sheet 16

**F0483** `Tlamatini/agent/agents/dockerer/config.yaml` [3 lines] *Default config.yaml of the Dockerer agent: command.*
**F0484** `Tlamatini/agent/agents/dockerer/dockerer.py` [519 lines] *Dockerer Agent - Docker container management agent Action: Triggered by upstream -> Execute docker command -> Trigger downstream (on success or error)*

### Editor — sheet 16

**F0485** `Tlamatini/agent/agents/editor/config.yaml` [16 lines] *Default config.yaml of the Editor agent: file_path, old_string, new_string, old_string_b64, new_string_b64, replace_all.*
**F0486** `Tlamatini/agent/agents/editor/editor.py` [409 lines] *Editor Agent - Surgical in-place find-and-replace on a single text file Action: Triggered by upstream -> edit file -> emit INI_SECTION_EDITOR ->...*

### ESP32er — sheet 16

**F0491** `Tlamatini/agent/agents/esp32er/config.yaml` [109 lines] *Default config.yaml of the ESP32er agent: action, pio_executable, auto_bootstrap, pio_install_method, pio_core_dir, auto_update, pip_install +13 more.*
**F0492** `Tlamatini/agent/agents/esp32er/esp32er.py` [1.4k lines] *ESP32er Agent - PlatformIO Core (pio CLI) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the pio...*
**F0493** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/include/README.md` [16 lines] *include/ — project header files: Put your own .h / .hpp files here.*
**F0494** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/lib/README.md` [35 lines] *lib/ — private project libraries: Each subdirectory here is compiled as its own static library and linked in automatically.*
**F0495** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/platformio.ini` [40 lines] *; ...*
**F0496** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/README.md` [114 lines] *ESP32TemplateProject: A known-good ESP32 firmware baseline: it blinks the onboard LED and prints LED ON / LED OFF over serial at 115200 baud.*
**F0497** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/src/main.cpp` [57 lines] *ESP32TemplateProject — the whole firmware.*
**F0498** `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/test/README.md` [32 lines] *test/ — unit tests: PlatformIO's test runner (Unity) picks up tests from this directory.*

### ESPHomer — sheet 16

**F0499** `Tlamatini/agent/agents/esphomer/config.yaml` [104 lines] *Default config.yaml of the ESPHomer agent: action, esphome_executable, auto_bootstrap, pip_install, auto_update, preflight, config_path +12 more.*
**F0500** `Tlamatini/agent/agents/esphomer/esphomer.py` [1.4k lines] *ESPHomer Agent - ESPHome (esphome CLI) bridge (device YAML author/validate/compile/upload/observe) Action: Triggered by upstream -> resolve the...*
**F0501** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/.gitignore` [8 lines] *Your real credentials — NEVER commit these.*
**F0502** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/common/base.yaml` [32 lines] *Shared building blocks every device in this project pulls in with*
**F0503** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/README.md` [140 lines] *ESPHomeTemplateProject: A known-good ESPHome smart-home baseline — two working devices, shared configuration, and credentials kept out of git.*
**F0504** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/secrets.yaml.example` [15 lines] ...
**F0505** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-light.yaml` [47 lines] *Tlamatini ESPHome sample device — a phone-controlled light.*
**F0506** `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-sensor.yaml` [70 lines] *Tlamatini ESPHome sample device #2 — a sensor node, the "grown-up" shape.*

### Executer — sheet 16

**F0507** `Tlamatini/agent/agents/executer/config.yaml` [37 lines] *Default config.yaml of the Executer agent: script, non_blocking, execute_forked_window.*
**F0508** `Tlamatini/agent/agents/executer/executer.py` [1.1k lines] *Executer Agent - Deterministic agent to execute a command Logs EXECUTION SUCCESS or EXECUTION FAILED based on result Always triggers downstream...*

### File-Creator — sheet 16

**F0509** `Tlamatini/agent/agents/file_creator/config.yaml` [22 lines] *Default config.yaml of the File-Creator agent: file_path, content, content_b64, append.*
**F0510** `Tlamatini/agent/agents/file_creator/file_creator.py` [463 lines] *File-Creator Agent - Creates a file with specified content, triggers downstream agents, then stops Action: Triggered by upstream -> Write file ->...*

### File-Extractor — sheet 16

**F0511** `Tlamatini/agent/agents/file_extractor/config.yaml` [10 lines] *Default config.yaml of the File-Extractor agent: path_filenames, recursive, filetype_exclusions, line_numbers, offset, limit.*
**F0512** `Tlamatini/agent/agents/file_extractor/file_extractor.py` [867 lines] *File-Extractor Agent - Extracts text content from files, triggers downstream agents, then stops Action: Triggered by upstream -> Read/extract...*

### File-Interpreter — sheet 16

**F0513** `Tlamatini/agent/agents/file_interpreter/config.yaml` [46 lines] *Default config.yaml of the File-Interpreter agent: path_filenames, recursive, filetype_exclusions, reading_type, llm.*
**F0514** `Tlamatini/agent/agents/file_interpreter/file_interpreter.py` [1.0k lines] *File-Interpreter Agent - Document parsing and text/image extraction Hybrid deterministic/non-deterministic agent Action: Read files -> Extract text...*

### Gitter — sheet 16

**F0529** `Tlamatini/agent/agents/gitter/config.yaml` [27 lines] *Default config.yaml of the Gitter agent: repo_path, command, branch, commit_message, remote, custom_command.*
**F0530** `Tlamatini/agent/agents/gitter/gitter.py` [533 lines] *Gitter Agent - Git operations agent Action: Triggered by upstream -> Execute git command -> Log output -> Trigger downstream*

### Globber — sheet 16

**F0531** `Tlamatini/agent/agents/globber/config.yaml` [11 lines] *Default config.yaml of the Globber agent: pattern, path, sort_by, max_results.*
**F0532** `Tlamatini/agent/agents/globber/globber.py` [396 lines] *Globber Agent - Read-only filename pattern search (find files by glob) Action: Triggered by upstream -> glob -> emit INI_SECTION_GLOBBER -> Trigger...*

### Googler — sheet 16

**F0533** `Tlamatini/agent/agents/googler/config.yaml` [208 lines] *Default config.yaml of the Googler agent: query, preset, filetypes, filetype, sites, site, exclude_sites +36 more.*
**F0534** `Tlamatini/agent/agents/googler/googler.py` [2.0k lines] *Googler Agent - resilient indexed-web search agent with content extraction Action: Triggered by upstream -> Search the engine chain -> Fetch top N...*
**F0535** `Tlamatini/agent/agents/googler/googler_engines.py` [1.4k lines] *Googler resilience core: the part of Googler that must never hang and never lie.*

### Grepper — sheet 16

**F0536** `Tlamatini/agent/agents/grepper/config.yaml` [28 lines] *Default config.yaml of the Grepper agent: pattern, path, glob, case_insensitive, output_mode, max_results, start_line +2 more.*
**F0537** `Tlamatini/agent/agents/grepper/grepper.py` [583 lines] *Grepper Agent - Read-only regex content search across a file or directory tree Action: Triggered by upstream -> search -> emit INI_SECTION_GREPPER...*

### Image-Interpreter — sheet 16

**F0538** `Tlamatini/agent/agents/image_interpreter/config.yaml` [156 lines] *Default config.yaml of the Image-Interpreter agent: images_pathfilenames, recursive, filetype_exclusions, interpreter_model_1, interpreter_model_2, merging_model, prompt_interpreter_model_1 +4 more.*
**F0539** `Tlamatini/agent/agents/image_interpreter/image_interpreter.py` [940 lines] *Image-Interpreter Agent - TRIPLE-MODEL image analysis via LLM vision models Non-deterministic agent (uses LLMs) Action: Resolve image paths ->...*

### Instant Messaging Doctor — sheet 16

**F0540** `Tlamatini/agent/agents/instant_messaging_doctor/config.yaml` [52 lines] *Default config.yaml of the Instant Messaging Doctor agent: mode, platform, contact_name, message, telegram, whatsapp, template +10 more.*
**F0541** `Tlamatini/agent/agents/instant_messaging_doctor/instant_messaging_doctor.py` [706 lines] *Instant Messaging Doctor Agent - Telegrammer/Whatsapper diagnostics*

### J-Decompiler — sheet 16

**F0542** `Tlamatini/agent/agents/j_decompiler/config.yaml` [11 lines] *Default config.yaml of the J-Decompiler agent: directory, recursive.*
**F0543** `Tlamatini/agent/agents/j_decompiler/j_decompiler.py` [514 lines] *J-Decompiler Agent - Decompile .class, .jar, .war, .ear files using jd-cli Action: Triggered by upstream -> Decompile Java files -> Trigger downstream*

### Jenkinser — sheet 16

**F0544** `Tlamatini/agent/agents/jenkinser/config.yaml` [21 lines] *Default config.yaml of the Jenkinser agent: jenkins_url, job_name, user, api_token, parameters, use_parameters.*
**F0545** `Tlamatini/agent/agents/jenkinser/jenkinser.py` [491 lines] *Jenkinser Agent - CI/CD Pipeline Trigger Action: Triggered by upstream -> Trigger Jenkins build -> Log result -> Trigger downstream (always)*

### Kalier — sheet 16

**F0546** `Tlamatini/agent/agents/kalier/config.yaml` [104 lines] *Default config.yaml of the Kalier agent: action, server_url, timeout, OOB_shift_reaper, hang_detect_idle_seconds, target, url +16 more.*

**F0547** `Tlamatini/agent/agents/kalier/kalier.py` [703 lines] *Kalier Agent - MCP-Kali-Server bridge (AI-assisted penetration testing) Action: Triggered by upstream -> POST to the MCP-Kali-Server Flask API...*

### Keyboarder — sheet 16

**F0548** `Tlamatini/agent/agents/keyboarder/config.yaml` [26 lines] *Default config.yaml of the Keyboarder agent: stride_delay, typing_interval_ms, window_title, window_handle, window_match_index, input_mode, text +1 more.*
**F0549** `Tlamatini/agent/agents/keyboarder/keyboarder.py` [570 lines] *Keyboarder Agent - Issues keyboard sequences simulating the user pressing keys*
**F0550** `Tlamatini/agent/agents/keyboarder/keyboarder_input.py` [187 lines] *Checked Windows keyboard input without changing the clipboard.*

### Kubernéter — sheet 16

**F0551** `Tlamatini/agent/agents/kuberneter/config.yaml` [17 lines] *Default config.yaml of the Kubernéter agent: command, namespace, extra_args, custom_command.*
**F0552** `Tlamatini/agent/agents/kuberneter/kuberneter.py` [411 lines] *Kubernéter Agent - Execute kubectl commands and trigger downstream Action: Triggered by upstream -> Execute kubectl command -> Trigger downstream...*

### LaTeXer — sheet 16

**F0559** `Tlamatini/agent/agents/latexer/config.yaml` [221 lines] *Default config.yaml of the LaTeXer agent: action, tex_path, project_dir, main_file, input_text, input_text_b64, recursive +55 more.*
**F0560** `Tlamatini/agent/agents/latexer/latexer.py` [5.3k lines] *LaTeXer Agent - Tlamatini's LaTeX TYPESETTING agent (author + compile .tex -> PDF).*
**F0561** `Tlamatini/agent/agents/latexer/latexer_artwork.py` [273 lines] *Original, deterministic TikZ artwork.*
**F0562** `Tlamatini/agent/agents/latexer/latexer_design.py` [267 lines] *Portable styled LaTeX scaffolds, with separate document and Beamer recipes.*
**F0563** `Tlamatini/agent/agents/latexer/latexer_styles.py` [154 lines] *LaTeXer's portable design catalogue.*
**F0564** `Tlamatini/agent/agents/latexer/STYLES.md` [242 lines] *LaTeXer: the signature collection: 30 explicit visual identities, independent of the eight document templates.*

### MCP Doctor — sheet 16

**F0565** `Tlamatini/agent/agents/mcp_doctor/config.yaml` [10 lines] *Default config.yaml of the MCP Doctor agent: server_key, catalog_path, source_url, mode, include_catalog.*
**F0566** `Tlamatini/agent/agents/mcp_doctor/mcp_doctor.py` [694 lines] *MCP Doctor Agent - External MCP catalog diagnostics and setup guidance*

### Mongoxer — sheet 16

**F0568** `Tlamatini/agent/agents/mongoxer/config.yaml` [18 lines] *Default config.yaml of the Mongoxer agent: mongo_connection, script.*
**F0569** `Tlamatini/agent/agents/mongoxer/mongoxer.py` [196 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console...*

### Mouser — sheet 16

**F0574** `Tlamatini/agent/agents/mouser/config.yaml` [88 lines] *Default config.yaml of the Mouser agent: movement_type, coordinate_space, capture_left, capture_top, capture_width, capture_height, image_width +16 more.*
**F0575** `Tlamatini/agent/agents/mouser/mouser.py` [783 lines] *Mouser Agent - Mouse pointer movement agent Action: Triggered by upstream -> Move mouse (random or localized) -> Trigger downstream*
**F0576** `Tlamatini/agent/agents/mouser/mouser_coordinates.py` [176 lines] *Physical desktop coordinates for Mouser (also copied to isolated runs).*

### Mover — sheet 16

**F0577** `Tlamatini/agent/agents/mover/config.yaml` [14 lines] *Default config.yaml of the Mover agent: trigger_mode, operation, source_files, destination_folder, recursive, filetype_exclusions, trigger_event_string +1 more.*
**F0578** `Tlamatini/agent/agents/mover/mover.py` [870 lines] *Mover Agent - Deterministic agent to copy/move files Triggers: Immediate or Event-based (Source Log) Action: Move or Copy files based on patterns*

### NetSpeed-Calculator — sheet 16

**F0579** `Tlamatini/agent/agents/netspeed_calculator/config.yaml` [83 lines] *Default config.yaml of the NetSpeed-Calculator agent: action, providers, min_successful_providers, parallel_streams, test_duration_seconds, warmup_seconds, sample_interval_seconds +14 more.*
**F0580** `Tlamatini/agent/agents/netspeed_calculator/netspeed_calculator.py` [1.9k lines] *NetSpeed-Calculator Agent — formal, multi-provider Internet throughput measurement.*

### Nmapper — sheet 16

**F0581** `Tlamatini/agent/agents/nmapper/config.yaml` [88 lines] *Default config.yaml of the Nmapper agent: action, target, targets_file, ports, top_ports, timing, min_rate +17 more.*
**F0582** `Tlamatini/agent/agents/nmapper/nmapper.py` [1.2k lines] *Nmapper Agent - LOCAL, USE-ONLY nmap bridge for pentesters / CTF recon.*

### PDFer — sheet 16

**F0589** `Tlamatini/agent/agents/pdfer/config.yaml` [217 lines] *Default config.yaml of the PDFer agent: mode, input_text, input_file, images, input_pdfs, title, subtitle +45 more.*
**F0590** `Tlamatini/agent/agents/pdfer/pdfer.py` [1.9k lines] *PDFer Agent - Tlamatini's DOCUMENT COMPOSER (the WRITE side of the document family).*
**F0591** `Tlamatini/agent/agents/pdfer/pdfer_artwork.py` [261 lines] *Resolution-independent signature artwork, clipped to a text-free cover zone.*
**F0592** `Tlamatini/agent/agents/pdfer/pdfer_atelier.py` [1.0k lines] *PDFer atelier — the ReportLab Platypus renderer that replaced xhtml2pdf.*
**F0593** `Tlamatini/agent/agents/pdfer/pdfer_audit.py` [494 lines] *PDFer audit — checking the FILE ON DISK, not the renderer's opinion of it.*
**F0594** `Tlamatini/agent/agents/pdfer/pdfer_color.py` [896 lines] *PDFer colour science — the pigment bench of the document composer.*
**F0595** `Tlamatini/agent/agents/pdfer/pdfer_consult.py` [378 lines] *PDFer design consultation — asking Tlamatini's own model for an art direction.*
**F0596** `Tlamatini/agent/agents/pdfer/pdfer_docmodel.py` [777 lines] *PDFer document model — content parsed into blocks a renderer can lay out.*
**F0597** `Tlamatini/agent/agents/pdfer/pdfer_nuance.py` [1.2k lines] *PDFer nuance engine — reading the content BEFORE choosing how to dress it.*
**F0598** `Tlamatini/agent/agents/pdfer/pdfer_ornament.py` [702 lines] *PDFer ornament — generated artwork, and the judgement about when to use it.*
**F0599** `Tlamatini/agent/agents/pdfer/pdfer_styles.py` [104 lines] *Selectable visual identities, independent of the document's semantic nuance.*
**F0600** `Tlamatini/agent/agents/pdfer/pdfer_tables.py` [664 lines] *PDFer table layout — the overlap fix, and why the old one could not work.*
**F0601** `Tlamatini/agent/agents/pdfer/pdfer_theme.py` [1.2k lines] *PDFer themes — turning a nuance into a complete, legible design system.*
**F0602** `Tlamatini/agent/agents/pdfer/pdfer_typography.py` [709 lines] *PDFer typography — the type case of the document composer.*

**F0603** `Tlamatini/agent/agents/pdfer/STYLES.md` [239 lines] *PDFer: the signature collection: PDFer now offers 24 selectable visual identities alongside its 20 existing document themes.*

### Playwrighter — sheet 16

**F0604** `Tlamatini/agent/agents/playwrighter/config.yaml` [80 lines] *Default config.yaml of the Playwrighter agent: start_url, browser, headless, timeout_ms, nav_wait_until, user_agent, viewport_width +9 more.*
**F0605** `Tlamatini/agent/agents/playwrighter/playwrighter.py` [1.0k lines] *Playwrighter Agent — scripted, interactive browser automation via Playwright.*

### PPTXer — sheet 16

**F0606** `Tlamatini/agent/agents/pptxer/config.yaml` [179 lines] *Default config.yaml of the PPTXer agent: input_text, input_file, input_format, title, subtitle, author, kicker +47 more.*
**F0607** `Tlamatini/agent/agents/pptxer/pptxer.py` [1.2k lines] *PPTXer Agent — Tlamatini's PRESENTATION COMPOSER.*
**F0608** `Tlamatini/agent/agents/pptxer/pptxer_audit.py` [645 lines] *pptxer_audit.py — DID THE DECK ACTUALLY COME OUT RIGHT?*
**F0609** `Tlamatini/agent/agents/pptxer/pptxer_build.py` [1.5k lines] *pptxer_build.py — THE ASSEMBLY ENGINE.*
**F0610** `Tlamatini/agent/agents/pptxer/pptxer_color.py` [736 lines] *pptxer_color.py — PPTXer's COLOUR SCIENCE.*
**F0611** `Tlamatini/agent/agents/pptxer/pptxer_diagram.py` [433 lines] *pptxer_diagram.py — DIAGRAMS AS NATIVE, EDITABLE POWERPOINT SHAPES.*
**F0612** `Tlamatini/agent/agents/pptxer/pptxer_docmodel.py` [731 lines] *pptxer_docmodel.py — CONTENT → DECK MODEL.*
**F0613** `Tlamatini/agent/agents/pptxer/pptxer_draw.py` [866 lines] *pptxer_draw.py — GENERATED ARTWORK.*
**F0614** `Tlamatini/agent/agents/pptxer/pptxer_fonts.py` [1.0k lines] *pptxer_fonts.py — PPTXer's TYPEFACE ENGINE.*
**F0615** `Tlamatini/agent/agents/pptxer/pptxer_layout.py` [853 lines] *pptxer_layout.py — THE GEOMETRY SOLVER.*
**F0616** `Tlamatini/agent/agents/pptxer/pptxer_media.py` [693 lines] *pptxer_media.py — MEDIA ACQUISITION AND PREPARATION.*
**F0617** `Tlamatini/agent/agents/pptxer/pptxer_nuance.py` [887 lines] *pptxer_nuance.py — WHAT KIND OF DECK IS THIS?*
**F0618** `Tlamatini/agent/agents/pptxer/pptxer_render.py` [944 lines] *pptxer_render.py — PPTXer LOOKS AT ITS OWN SLIDES.*
**F0619** `Tlamatini/agent/agents/pptxer/pptxer_theme.py` [621 lines] *pptxer_theme.py — the DESIGN SYSTEM: nuance + seed colour → a complete, validated, machine-usable specification for every slide in the deck.*
**F0620** `Tlamatini/agent/agents/pptxer/STYLES.md` [100 lines] *PPTXer presentation styles: PPTXer provides 36 named treatments: the original 24 content treatments and 12 additional visual styles.*

### Prompter — sheet 16

**F0621** `Tlamatini/agent/agents/prompter/config.yaml` [30 lines] *Default config.yaml of the Prompter agent: prompt, llm.*
**F0622** `Tlamatini/agent/agents/prompter/prompter.py` [443 lines] *Prompter Agent - Sends a configured prompt to an Ollama LLM and logs the response Action: Triggered by upstream -> Read prompt from config -> Query...*

### Pser — sheet 16

**F0623** `Tlamatini/agent/agents/pser/config.yaml` [32 lines] *Default config.yaml of the Pser agent: likely_process_name, llm.*
**F0624** `Tlamatini/agent/agents/pser/pser.py` [572 lines] *Pser Agent - Process finder agent with LLM-powered fuzzy matching Action: Triggered by upstream -> List processes (no admin) -> Ask LLM for best...*

### Pythonxer — sheet 16

**F0625** `Tlamatini/agent/agents/pythonxer/config.yaml` [46 lines] *Default config.yaml of the Pythonxer agent: script, execute_forked_window, ruff_blocking.*
**F0626** `Tlamatini/agent/agents/pythonxer/pythonxer.py` [829 lines] *Pythonxer Agent - Deterministic agent to execute a Python script Validates with Ruff, executes the script, and triggers downstream agents ONLY if...*

### Recorder — sheet 16

**F0631** `Tlamatini/agent/agents/recorder/config.yaml` [57 lines] *Default config.yaml of the Recorder agent: device_index, device_name, record_seconds, sample_rate, channels, input_gain_percent, output_dir.*
**F0632** `Tlamatini/agent/agents/recorder/recorder.py` [984 lines] *Recorder Agent - Microphone / audio-input capture agent via sounddevice Action: Triggered by upstream -> Open a system audio INPUT device (mic) ->...*

### Reviewer — sheet 16

**F0633** `Tlamatini/agent/agents/reviewer/config.yaml` [38 lines] *Default config.yaml of the Reviewer agent: repo_path, diff_ref, focus, max_diff_chars, llm.*
**F0634** `Tlamatini/agent/agents/reviewer/reviewer.py` [588 lines] *Reviewer Agent - LLM-powered code review of a git diff Action: Triggered by upstream -> resolve git diff -> ask Ollama LLM to review it -> parse a...*

### Scper — sheet 16

**F0635** `Tlamatini/agent/agents/scper/config.yaml` [27 lines] *Default config.yaml of the Scper agent: user, ip, file, direction.*
**F0636** `Tlamatini/agent/agents/scper/scper.py` [502 lines] *Scper Agent - Deterministic agent to send/receive files via SCP Connects to a remote host and transfers a file.*

### Shoter — sheet 16

**F0637** `Tlamatini/agent/agents/shoter/config.yaml` [21 lines] *Default config.yaml of the Shoter agent: output_dir, all_screens, filename.*
**F0638** `Tlamatini/agent/agents/shoter/shoter.py` [585 lines] *Shoter Agent - Screenshot capture agent Action: Triggered by upstream -> Capture screenshot -> Save to numbered dir -> Trigger downstream*

### Sqler — sheet 16

**F0641** `Tlamatini/agent/agents/sqler/config.yaml` [20 lines] *Default config.yaml of the Sqler agent: sql_connection, script.*
**F0642** `Tlamatini/agent/agents/sqler/sqler.py` [217 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console...*

### Ssher — sheet 16

**F0643** `Tlamatini/agent/agents/ssher/config.yaml` [22 lines] *Default config.yaml of the Ssher agent: user, ip, script.*
**F0644** `Tlamatini/agent/agents/ssher/ssher.py` [448 lines] *Ssher Agent - Deterministic agent to execute a command via SSH Connects to a remote host and runs the configured script.*

### STM32er — sheet 16

**F0647** `Tlamatini/agent/agents/stm32er/config.yaml` [242 lines] *Default config.yaml of the STM32er agent: action, stm32_backend, board, framework, environment, server_script, auto_bootstrap +50 more.*

**F0648** `Tlamatini/agent/agents/stm32er/stm32er.py` [2.7k lines] *STM32er Agent - STM32 Template Project MCP-server bridge (firmware scaffold/build/flash/observe) Action: Triggered by upstream -> spawn the STM32...*

### Summarizer — sheet 16

**F0651** `Tlamatini/agent/agents/summarizer/config.yaml` [57 lines] *Default config.yaml of the Summarizer agent: input_text, target_words, system_prompt, llm, poll_interval.*
**F0652** `Tlamatini/agent/agents/summarizer/summarizer.py` [613 lines] *Summarizer Agent - Log file monitoring and LLM-powered event detection Action: Started -> Continuously poll source agent logs -> Query LLM with...*

### Talker — sheet 16

**F0653** `Tlamatini/agent/agents/talker/config.yaml` [151 lines] *Default config.yaml of the Talker agent: input_text, ollama_url, ollama_token, model, language, voice, gender +20 more.*
**F0654** `Tlamatini/agent/agents/talker/talker.py` [1.5k lines] *Talker Agent - TEXT-TO-SPEECH (TTS): speaks input_text aloud via OLLAMA.*

### Unrealer — sheet 16

**F0664** `Tlamatini/agent/agents/unrealer/config.yaml` [160 lines] *Default config.yaml of the Unrealer agent: host, port, command, params, connect_timeout, read_timeout.*
**F0665** `Tlamatini/agent/agents/unrealer/unrealer.py` [873 lines] *Unrealer Agent — drives Unreal Engine via the Unreal MCP plugin's TCP socket protocol (127.0.0.1:55557 by default).*

### Video-Analyzer — sheet 16

**F0666** `Tlamatini/agent/agents/video_analyzer/config.yaml` [202 lines] *Default config.yaml of the Video-Analyzer agent: video_pathfilenames, analysis_type, audio_tracks, transcription, download, summary_prompt, summary_language +18 more.*
**F0667** `Tlamatini/agent/agents/video_analyzer/README.md` [241 lines] *Video-Analyzer: robotics, transcription and summaries: analysis_type selects one of three tasks.*
**F0668** `Tlamatini/agent/agents/video_analyzer/video_analyzer.py` [1.2k lines] *Video-Analyzer Agent - robotics verdict, video-track transcription, or summary.*
**F0669** `Tlamatini/agent/agents/video_analyzer/video_content.py` [588 lines] *Video audio transcription and evidence-based summaries for standalone pools.*
**F0670** `Tlamatini/agent/agents/video_analyzer/video_fetch.py` [854 lines] *Video-Analyzer URL intake: turn a web video link into a local media file.*

### VideoPlayer — sheet 16

**F0671** `Tlamatini/agent/agents/videoplayer/config.yaml` [69 lines] *Default config.yaml of the VideoPlayer agent: video_file, display_index, volume_percent, time_played, window_width, window_height, fullscreen +1 more.*
**F0672** `Tlamatini/agent/agents/videoplayer/videoplayer.py` [974 lines] *VideoPlayer Agent - Plays a video FILE (with audio) on a chosen DISPLAY.*

### Whisperer — sheet 16

**F0682** `Tlamatini/agent/agents/whisperer/chat_worker.py` [232 lines] *Internal resident dictation worker under source/carried Python.*
**F0683** `Tlamatini/agent/agents/whisperer/config.yaml` [182 lines] *Default config.yaml of the Whisperer agent: input_source, audio_file, record_seconds, silence_timeout_seconds, silence_gate, max_record_seconds, silence_threshold_db +26 more.*
**F0684** `Tlamatini/agent/agents/whisperer/README.md` [82 lines] *Whisperer: workflow speech recognition and direct chat dictation: Whisperer records the configured host microphone or transcribes audio files.*
**F0685** `Tlamatini/agent/agents/whisperer/whisperer.py` [1.7k lines] *Whisperer Agent - Self-contained SPEECH-TO-TEXT (STT / voice recognition) Action: Triggered by upstream OR run from chat -> get audio (either RECORD...*

### Windower — sheet 16

**F0686** `Tlamatini/agent/agents/windower/config.yaml` [77 lines] *Default config.yaml of the Windower agent: action, window_title, match_mode, match_index, pos_x, pos_y, width +4 more.*
**F0687** `Tlamatini/agent/agents/windower/windower.py` [886 lines] *Windower Agent - Application window manager Action: Triggered by upstream -> locate a window by title and run a window lifecycle op (focus / move /...*

### Emailer — sheet 17

**F0487** `Tlamatini/agent/agents/emailer/config.yaml` [147 lines] *Default config.yaml of the Emailer agent: pattern, poll_interval, smtp, email.*
**F0488** `Tlamatini/agent/agents/emailer/emailer.py` [689 lines] *Emailer Agent - No LLM, deterministic email notification agent This agent monitors log files of source agents for a configurable pattern string and...*

### FlowHypervisor — sheet 17

**F0523** `Tlamatini/agent/agents/flowhypervisor/config.yaml` [18 lines] *Default config.yaml of the FlowHypervisor agent: llm, monitoring_poll_time, user_instructions.*
**F0524** `Tlamatini/agent/agents/flowhypervisor/flowhypervisor.py` [786 lines] *FlowHypervisor Agent - LLM-powered flow monitoring agent Watches all running agents' processes and log files, uses an LLM to detect anomalies, and...*
**F0525** `Tlamatini/agent/agents/flowhypervisor/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
**F0526** `Tlamatini/agent/agents/flowhypervisor/monitoring-prompt.pmt` [1.1k lines] *FlowHypervisor watchdog prompt: answers OK or ATTENTION NEEDED, with per-agent special notes and normal-behaviour lists.*

### Monitor Netstat — sheet 17

**F0572** `Tlamatini/agent/agents/monitor_netstat/config.yaml` [42 lines] *Default config.yaml of the Monitor Netstat agent: llm, target, system_prompt.*
**F0573** `Tlamatini/agent/agents/monitor_netstat/monitor_netstat.py` [298 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

### Monitor-Log — sheet 17

**F0570** `Tlamatini/agent/agents/monitor_log/config.yaml` [44 lines] *Default config.yaml of the Monitor-Log agent: llm, target, system_prompt.*
**F0571** `Tlamatini/agent/agents/monitor_log/monitor_log.py` [418 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

### Notifier — sheet 17

**F0583** `Tlamatini/agent/agents/notifier/config.yaml` [17 lines] *Default config.yaml of the Notifier agent: llm, target.*
**F0584** `Tlamatini/agent/agents/notifier/notifier.py` [492 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console...*

### RecMailer — sheet 17

**F0629** `Tlamatini/agent/agents/recmailer/config.yaml` [63 lines] *Default config.yaml of the RecMailer agent: poll_interval, max_checks, imap, llm, keywords_or_phrases, outcome_word, system_prompt.*

**F0630** `Tlamatini/agent/agents/recmailer/recmailer.py` [367 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler*

### Telegrammer — sheet 17

**F0655** `Tlamatini/agent/agents/telegrammer/config.yaml` [27 lines] *Default config.yaml of the Telegrammer agent: mode, telegram, message, contact_name, rx_max_seconds, rx_from_chat_id, rx_match +2 more.*
**F0656** `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_01_botfather_search.jpg` [72KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0657** `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_02_newbot_token.jpg` [124KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0658** `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_03_start_bot_getupdates.jpg` [116KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0659** `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_04_tlamatini_contacts.jpg` [119KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0660** `Tlamatini/agent/agents/telegrammer/HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md` [303 lines] *Telegrammer Setup: Send A Telegram Message From Tlamatini: This guide is for absolute beginners.*
**F0661** `Tlamatini/agent/agents/telegrammer/telegrammer.py` [1.1k lines] *Telegrammer Agent — the ONE Telegram send/receive agent.*

### Whatsapper — sheet 17

**F0674** `Tlamatini/agent/agents/whatsapper/config.yaml` [62 lines] *Default config.yaml of the Whatsapper agent: mode, provider, whatsapp, message, contact_name, template, template_language +6 more.*
**F0675** `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_01_meta_create_app.jpg` [90KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0676** `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_02_api_setup_keys.jpg` [204KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0677** `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_03_test_recipient_send.jpg` [249KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0678** `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_04_system_user_token.jpg` [139KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0679** `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_05_tlamatini_contacts.jpg` [104KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
**F0680** `Tlamatini/agent/agents/whatsapper/HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md` [343 lines] *Whatsapper Setup: Send A WhatsApp Message From Tlamatini: This guide is for absolute beginners.*
**F0681** `Tlamatini/agent/agents/whatsapper/whatsapper.py` [1.0k lines] *Whatsapper Agent — the ONE WhatsApp send/receive agent.*

### FlowBacker — sheet 17

**F0515** `Tlamatini/agent/agents/flowbacker/config.yaml` [10 lines] *Default config.yaml of the FlowBacker agent: target_directory.*
**F0516** `Tlamatini/agent/agents/flowbacker/flowbacker.py` [468 lines] *FlowBacker Agent - Utility batch infrastructure backup agent Action: Triggered by upstream -> Copy session-id directory to target -> Trigger...*

### FlowCreator — sheet 17

**F0517** `Tlamatini/agent/agents/flowcreator/agentic_skill.md` [2.6k lines] *Tlamatini Flow Creation Skill: You are an expert flow designer for the Tlamatini platform.*
**F0518** `Tlamatini/agent/agents/flowcreator/config.yaml` [40 lines] *Default config.yaml of the FlowCreator agent: flow_filename, prompt, output_dir, llm.*
**F0519** `Tlamatini/agent/agents/flowcreator/flow_catalog.json` [4.9k lines] *Generated agent catalog (contracts + output fields) read by FlowCreator and Parametrizer.*
**F0520** `Tlamatini/agent/agents/flowcreator/flow_knowledge.py` [294 lines] *Standalone contract-aware flow planning helpers; no Django or application imports.*
**F0521** `Tlamatini/agent/agents/flowcreator/flowcreator.py` [609 lines] *FlowCreator Agent - Uses an LLM to design and create agent flows automatically Action: Read prompt + agentic_skill.md -> Query LLM -> Parse response...*
**F0522** `Tlamatini/agent/agents/flowcreator/result_to_flw.py` [236 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in...*

### Parametrizer — sheet 17

**F0587** `Tlamatini/agent/agents/parametrizer/config.yaml` [11 lines] *Default config.yaml of the Parametrizer agent: source_agent, target_agent.*
**F0588** `Tlamatini/agent/agents/parametrizer/parametrizer.py` [1.2k lines] *Parametrizer Agent - Utility Interconnection Agent Maps structured outputs from a source agent's log to a target agent's config.yaml Reads...*

### Kyber-Cipher — sheet 17

**F0553** `Tlamatini/agent/agents/kyber_cipher/config.yaml` [14 lines] *Default config.yaml of the Kyber-Cipher agent: kyber_variant, public_key, buffer.*
**F0554** `Tlamatini/agent/agents/kyber_cipher/kyber_cipher.py` [580 lines] *Kyber-Cipher Agent - Encrypts a buffer using a CRYSTALS-Kyber public key*

### Kyber-DeCipher — sheet 17

**F0555** `Tlamatini/agent/agents/kyber_decipher/config.yaml` [20 lines] *Default config.yaml of the Kyber-DeCipher agent: kyber_variant, private_key, encapsulation, initialization_vector, cipher_text.*
**F0556** `Tlamatini/agent/agents/kyber_decipher/kyber_decipher.py` [519 lines] *Kyber-DeCipher Agent - Decrypts a cipher text using a CRYSTALS-Kyber private key*

### Kyber-KeyGen — sheet 17

**F0557** `Tlamatini/agent/agents/kyber_keygen/config.yaml` [8 lines] *Default config.yaml of the Kyber-KeyGen agent: kyber_variant.*
**F0558** `Tlamatini/agent/agents/kyber_keygen/kyber_keygen.py` [483 lines] *Kyber-KeyGen Agent - Generates CRYSTALS-Kyber public/private key pairs*

### TeleTlamatini — sheet 17

**F0662** `Tlamatini/agent/agents/teletlamatini/config.yaml` [101 lines] *Default config.yaml of the TeleTlamatini agent: telegram, password, tlamatini, completeness_check.*
**F0663** `Tlamatini/agent/agents/teletlamatini/teletlamatini.py` [1.3k lines] *TeleTlamatini Agent — pure Telegram-bot bridge to the Tlamatini chat core.*

### ACPXer — sheet 17

**F0442** `Tlamatini/agent/agents/acpxer/acpxer.py` [914 lines] *ACPXer Agent - Visual ACPX Session Driver*
**F0443** `Tlamatini/agent/agents/acpxer/config.yaml` [43 lines] *Default config.yaml of the ACPXer agent: agent_id, command, task, mode, cwd, idle_seconds, timeout_seconds +1 more.*

## Atlas VII — Verification: unit, contract, visible and release tests

### agent/ · unit and contract tests — sheet 18

**F1297** `Tlamatini/agent/test_access_key_wizard.py` [145 lines] *Tests for the graphical Access Keys Wizard backend. [2 tests]*
**F1298** `Tlamatini/agent/test_agent_display_names.py` [263 lines] *Pins the AGENT DISPLAY-NAME contract (Angela, 2026-07-26). [10 tests]*
**F1299** `Tlamatini/agent/test_agent_manifest.py` [414 lines] *Tests for the companion-app discovery surface (Tlamatini-FlowPills PROP-001...003) [17 tests]*
**F1300** `Tlamatini/agent/test_agent_verdict.py` [292 lines] *Tests for the deterministic verdict engine (agent/agent_verdict.py). [25 tests]*

**F1301** `Tlamatini/agent/test_agents_see_hidden_dirs.py` [71 lines] *The file agents must see dot-directories, and still spare .git. [4 tests]*
**F1302** `Tlamatini/agent/test_arduiner_agent.py` [717 lines] *Automated tests for the Arduiner workflow agent and its surrounding infrastructure. [41 tests]*
**F1303** `Tlamatini/agent/test_ask_execs_allowlist.py` [225 lines] *Pins ANGELA'S Ask-Execs policy (2026-07-14). [8 tests]*
**F1304** `Tlamatini/agent/test_audioplayer_agent.py` [780 lines] *Automated tests for the AudioPlayer workflow agent and its surrounding infrastructure. [44 tests]*
**F1305** `Tlamatini/agent/test_binary_guard.py` [445 lines] *Coverage for the binary-content guard on the RAG context-loading chain. [46 tests]*
**F1306** `Tlamatini/agent/test_blenderer_agent.py` [577 lines] *Automated tests for the Blenderer workflow agent and its surrounding infrastructure. [40 tests]*
**F1307** `Tlamatini/agent/test_build_pip_quiet.py` [205 lines] *Guard: the build pipeline must NEVER print pip's self-upgrade nag. [4 tests]*
**F1308** `Tlamatini/agent/test_build_root_assets.py` [188 lines] *Physical packaging regressions; run in a verified visible foreground console. [13 tests]*
**F1309** `Tlamatini/agent/test_build_scripts.py` [718 lines] *Static completeness tests for the packaging pipeline — build.py, build_installer.py, build_uninstaller.py. [57 tests]*
**F1310** `Tlamatini/agent/test_camcorder_agent.py` [467 lines] *Automated tests for the Camcorder workflow agent and its surrounding infrastructure. [22 tests]*
**F1311** `Tlamatini/agent/test_cancellation.py` [215 lines] *Regression tests for the PER-RUN cancellation latch (agent/cancellation.py). [22 tests]*
**F1312** `Tlamatini/agent/test_catalog_pruning.py` [49 lines] *Catalog retirement must work on both new databases and existing installs. [2 tests]*
**F1313** `Tlamatini/agent/test_chain_readiness.py` [327 lines] *Regression pins for the PERMANENT CHAT WEDGE (found 2026-07-29, Angela). [15 tests]*
**F1314** `Tlamatini/agent/test_chat_agent_run_wait.py` [199 lines] *Regression guard: chat_agent_run_wait must return AS SOON AS the child exits. [5 tests]*
**F1315** `Tlamatini/agent/test_chat_bridge_bots.py` [234 lines] *Tests for the long-running chat-bridge bot — TeleTlamatini — focused on the post-"Ask Execs" adaptation (2026-06-04). [9 tests]*
**F1316** `Tlamatini/agent/test_chat_history_window.py` [94 lines] *Regression tests for the conversation-memory window (chat_history_loader). [5 tests]*
**F1317** `Tlamatini/agent/test_chat_voice.py` [491 lines] *Direct dictation regressions. [36 tests]*
**F1318** `Tlamatini/agent/test_checkbox_bulk_toggle.py` [189 lines] *Guards the SPACE-bar bulk check/uncheck of selected checkboxes. [15 tests]*
**F1319** `Tlamatini/agent/test_command_watchdog.py` [367 lines] *Hard, real-scenario tests for agent/command_watchdog.py. [15 tests]*
**F1320** `Tlamatini/agent/test_compact_mode_pingpong.py` [117 lines] *Two chat pages on two models must not ping-pong (Angela, 2026-10-08). [4 tests]*
**F1321** `Tlamatini/agent/test_compact_mode_switch.py` [467 lines] *The COMPACT MODE switch (Angela, 2026-10-02). [33 tests]*
**F1322** `Tlamatini/agent/test_console_colors.py` [517 lines] *CONSOLE COLOURS - the window is painted by level, the log file never is (Angela, 2026-10-08). [33 tests]*
**F1323** `Tlamatini/agent/test_console_shield.py` [602 lines] *Contract tests for the CONSOLE SHIELD (Angela, 2026-09-10). [28 tests]*
**F1324** `Tlamatini/agent/test_contacts.py` [153 lines] *Tests for the Contacts book (agent/contacts.py) — name -> messaging handle. [11 tests]*
**F1325** `Tlamatini/agent/test_context_governor.py` [570 lines] *Tests for the Context Governor — STEP 1, measurement only. [52 tests]*
**F1326** `Tlamatini/agent/test_context_real_tokens.py` [690 lines] *Tests for the REAL context gauge (Angela, 2026-09-28). [46 tests]*
**F1327** `Tlamatini/agent/test_context_restore_spinner.py` [204 lines] *A RESTORED CONTEXT MUST LOOK AS BUSY AS IT IS (2026-09-22). [5 tests]*
**F1328** `Tlamatini/agent/test_context_sidecar_timeout.py` [257 lines] *The context sidecars' own Ollama calls are bounded (Angela, 2026-10-05). [16 tests]*
**F1329** `Tlamatini/agent/test_crawler_agent.py` [342 lines] *Tests for the Crawler agent's recon / multi-seed / safety improvements. [42 tests]*
**F1330** `Tlamatini/agent/test_crawler_resilience.py` [503 lines] *The Crawler must read the page it was given, never hang, and never lie (2026-09-28). [40 tests]*
**F1331** `Tlamatini/agent/test_createsuperuser_wizard.py` [68 lines] *Tests for the create-superuser wizard catalog prompt (migration 0145). [4 tests]*
**F1332** `Tlamatini/agent/test_ctrl_c_shutdown.py` [215 lines] *Ctrl+C MUST ALWAYS QUIT — source contract for the shutdown path. [11 tests]*
**F1333** `Tlamatini/agent/test_db_backup_restore_wal.py` [432 lines] *DB ▷ Backup database and DB ▷ Set DB must work under WAL. [24 tests]*
**F1334** `Tlamatini/agent/test_db_backup_safety.py` [130 lines] *The daily DB backup must refuse bad input and must never fail quietly. [7 tests]*
**F1335** `Tlamatini/agent/test_de_compresser.py` [843 lines] *Automated tests for the De-Compresser workflow agent. [44 tests]*
**F1336** `Tlamatini/agent/test_deep_research_prompt.py` [86 lines] *Tests for the Deep Internet Research catalog prompt (migration 0194). [4 tests]*
**F1337** `Tlamatini/agent/test_deleter_safety.py` [127 lines] *Guard the Deleter against ever deleting the directory it was told to work IN. [9 tests]*
**F1338** `Tlamatini/agent/test_desktop_input_agents.py` [365 lines] *Desktop-input regressions. [38 tests]*
**F1339** `Tlamatini/agent/test_dialog_dismissal_policy.py` [566 lines] *DIALOG DISMISSAL POLICY - COVERAGE AUDIT (Angela, 2026-08-13) [35 tests]*
**F1340** `Tlamatini/agent/test_dialog_theme.py` [766 lines] *DIALOG STANDARDIZATION CONTRACT (Angela, 2026-08-12) [42 tests]*
**F1341** `Tlamatini/agent/test_discoverer_agent.py` [533 lines] *Automated tests for the Discoverer workflow agent and its surrounding wiring. [40 tests]*
**F1342** `Tlamatini/agent/test_discoverer_thousand.py` [141 lines] *1000 data-driven tests for the Discoverer agent, runnable in the Tlamatini dev (python manage.py test agent.test_discoverer_thousand).*
**F1343** `Tlamatini/agent/test_django_port_config.py` [254 lines] *Contract tests for the CONFIGURABLE WEB PORT — config.json → django_port. [24 tests]*
**F1344** `Tlamatini/agent/test_drag_divider_look.py` [70 lines] *drag-divider has the same look and feel as #vertical-drag-divider (2026-10-11). [5 tests]*
**F1345** `Tlamatini/agent/test_drop_message.py` [330 lines] *The chat card's DROP button (Angela Lopez Mendoza, 2026-09-30). [23 tests]*
**F1346** `Tlamatini/agent/test_editor_agent.py` [181 lines] *HARD real-scenario tests for the Editor agent (surgical in-place find/replace). [15 tests]*
**F1347** `Tlamatini/agent/test_embedding_memory_guard.py` [638 lines] *Tests for agent.embedding_memory_guard. [49 tests]*
**F1348** `Tlamatini/agent/test_esp32er_agent.py` [767 lines] *Automated tests for the ESP32er workflow agent and its surrounding infrastructure. [43 tests]*
**F1349** `Tlamatini/agent/test_esphomer_agent.py` [554 lines] *Automated tests for the ESPHomer workflow agent and its surrounding infrastructure. [41 tests]*
**F1350** `Tlamatini/agent/test_exec_report_verdict.py` [141 lines] *Regression guards for the Exec Report SUCCESS/FAILURE verdict. [19 tests]*
**F1351** `Tlamatini/agent/test_execute_command_bounded.py` [176 lines] *Hard regression tests for the bounded execute_command (2026-06-06). [8 tests]*
**F1352** `Tlamatini/agent/test_executer_window_report.py` [121 lines] *Executer must report its forked window TRUTHFULLY (2026-10-09). [10 tests]*
**F1353** `Tlamatini/agent/test_external_mcp_add_flow.py` [179 lines] *Certify the fix for: "I don't have a file-writing or shell tool bound this turn" when the user asks to add an MCP (e.g. [12 tests]*
**F1354** `Tlamatini/agent/test_external_mcp_e2e.py` [470 lines] *End-to-end certification of the External MCPs pipeline: from the dropped JSON all the way to executing, diagnosing, and supervising a live MCP server. [10 tests]*
**F1355** `Tlamatini/agent/test_external_mcp_transports.py` [294 lines] *End-to-end loopback tests for the External MCP network transports. [11 tests]*
**F1356** `Tlamatini/agent/test_external_mcp_universal.py` [674 lines] *External MCP universal hardening tests. [39 tests]*
**F1357** `Tlamatini/agent/test_file_creator_append.py` [241 lines] *Deterministic proof for File-Creator's append option (Angela, 2026-10-08). [17 tests]*
**F1358** `Tlamatini/agent/test_file_drop_router.py` [251 lines] *Guards the page-wide file-drop router (Angela, 2026-10-14). [22 tests]*
**F1359** `Tlamatini/agent/test_file_extractor_reader.py` [104 lines] *HARD tests for the File-Extractor Reader upgrade (line_numbers + offset/limit). [6 tests]*
**F1361** `Tlamatini/agent/test_flow_contracts.py` [227 lines] *Defines FlowContractTests. [10 tests]*
**F1362** `Tlamatini/agent/test_flow_file_open.py` [160 lines] *Run from a verified visible foreground console; no hidden test execution. [13 tests]*
**F1363** `Tlamatini/agent/test_flow_file_views.py` [100 lines] *Run via manage.py test in a verified visible foreground console. [7 tests]*
**F1364** `Tlamatini/agent/test_flow_knowledge.py` [348 lines] *Offline flow/catalog regressions. [32 tests]*
**F1365** `Tlamatini/agent/test_frontend_mutable_state.py` [260 lines] *Defines FrontendMutableStateTests, PromptCatalogEndpointTests. [8 tests]*
**F1366** `Tlamatini/agent/test_gitter_custom_command.py` [227 lines] *Gitter custom_command tokenization — Windows paths must survive. [23 tests]*
**F1367** `Tlamatini/agent/test_globber_agent.py` [156 lines] *HARD real-scenario tests for the Globber agent (read-only filename glob search). [13 tests]*
**F1368** `Tlamatini/agent/test_googler_agent.py` [502 lines] *Tests for the Googler agent's dork-search improvements. [41 tests]*
**F1369** `Tlamatini/agent/test_googler_dorks.py` [513 lines] *Tests for Googler's Google-dork query builder (2026-08-23). [73 tests]*
**F1370** `Tlamatini/agent/test_googler_resilience.py` [800 lines] *Googler must never hang, never lie, and never hammer (2026-09-28). [65 tests]*
**F1371** `Tlamatini/agent/test_grepper_agent.py` [172 lines] *HARD real-scenario tests for the Grepper agent (read-only regex content search). [15 tests]*
**F1372** `Tlamatini/agent/test_grepper_encodings.py` [222 lines] *Grepper must not go BLIND on non-UTF-8 text. [16 tests]*
**F1373** `Tlamatini/agent/test_grepper_lines_mode.py` [279 lines] *HARD real-scenario tests for Grepper's output_mode: "lines" VERBATIM READ. [21 tests]*
**F1374** `Tlamatini/agent/test_image_interpreter_agent.py` [401 lines] *Hard tests for the Image-Interpreter TRIPLE-MODEL pipeline (2026-07-04). [18 tests]*
**F1375** `Tlamatini/agent/test_instant_messaging_doctor.py` [171 lines] *Instant Messaging Doctor contract and Parametrizer integration tests. [5 tests]*
**F1376** `Tlamatini/agent/test_j_decompiler_agent.py` [252 lines] *Automated tests for the J-Decompiler agent + the decompile_java tool. [10 tests]*
**F1377** `Tlamatini/agent/test_js_gates.py` [59 lines] *Process gates for the browser JavaScript – two silent, total failure modes. [2 tests]*
**F1378** `Tlamatini/agent/test_kalier_agent.py` [1.1k lines] *Automated tests for the Kalier workflow agent and its surrounding infrastructure. [83 tests]*
**F1379** `Tlamatini/agent/test_latexer_agent.py` [1.3k lines] *Automated tests for the LaTeXer workflow agent and its surrounding infrastructure. [100 tests]*
**F1380** `Tlamatini/agent/test_latexer_delivery_truth.py` [65 lines] *LaTeXer must verify the delivered file before reporting a finished PDF. [4 tests]*
**F1381** `Tlamatini/agent/test_latexer_layout_truth.py` [59 lines] *Large overfull TeX boxes must never receive the finished-document verdict. [5 tests]*
**F1382** `Tlamatini/agent/test_latexer_major_removal_and_window_repair.py` [463 lines] *2026-10-08 – two fixes born from Angela's Podman cheat-sheet run (46.6 minutes). [37 tests]*
**F1383** `Tlamatini/agent/test_latexer_model_repair_truth.py` [54 lines] *A repair must typeset the document, not print its source as a code listing. [3 tests]*
**F1384** `Tlamatini/agent/test_latexer_repair_ladder.py` [538 lines] *Regression guards for the LaTeXer REPAIR LADDER (Layer 05). [48 tests]*
**F1385** `Tlamatini/agent/test_latexer_styles.py` [186 lines] *Design invariants, caller contracts and copied-pool execution. [15 tests]*
**F1386** `Tlamatini/agent/test_latexer_suite.py` [1.7k lines] *LaTeXer — the BIG suite: a fixed, permanent testing asset (150+ tests). [318 tests]*
**F1387** `Tlamatini/agent/test_latexer_verbatim_channel.py` [325 lines] *Regression tests for the LaTeXer BYTE-EXACT (verbatim + base64) channel. [19 tests]*
**F1388** `Tlamatini/agent/test_log_identity.py` [349 lines] *Behavioural tests for per-line USER attribution in tlamatini.log. [28 tests]*
**F1389** `Tlamatini/agent/test_mcp_configured_endpoints.py` [217 lines] *Real nondefault MCP listeners and their configured clients, without inference. [8 tests]*
**F1390** `Tlamatini/agent/test_model_brain.py` [511 lines] *MODEL BRAIN - every decision is formal, per model, and fail-open (Angela, 2026-10-08). [42 tests]*
**F1391** `Tlamatini/agent/test_model_capacity.py` [455 lines] *COMPACT MODE - every request fits the model it is sent to (Angela, 2026-10-01). [46 tests]*
**F1392** `Tlamatini/agent/test_model_settings.py` [220 lines] *Model selection across UI, standalone agents and isolated runtimes. [11 tests]*
**F1393** `Tlamatini/agent/test_mover_file_safety.py` [217 lines] *Regression for the 2026-10-07 scalar-path Desktop deletion incident. [18 tests]*
**F1394** `Tlamatini/agent/test_native_dialogs.py` [294 lines] *Tests for the tkinter-free native file/folder picker. [26 tests]*
**F1395** `Tlamatini/agent/test_netspeed_calculator_agent.py` [1.6k lines] *Hard, real-scenario tests for the NetSpeed-Calculator agent (#88). [262 tests]*
**F1396** `Tlamatini/agent/test_nmapper_agent.py` [268 lines] *Hard, real-code tests for the Nmapper agent (LOCAL, use-only nmap bridge) and its registration across the Tlamatini surfaces. [28 tests]*
**F1397** `Tlamatini/agent/test_no_audio_in_tests.py` [59 lines] *A test run must NEVER make a sound on the developer's desktop. [4 tests]*
**F1398** `Tlamatini/agent/test_ollama_catalog_from_server.py` [281 lines] *The Config -> Models dialog must ask the CONFIGURED Ollama, not the local one. [15 tests]*
**F1399** `Tlamatini/agent/test_ollama_stop_limit.py` [249 lines] *No Ollama request may carry more than four stop sequences, and a failed chat-history summary must never fail the answer (Angela, 2026-10-03). [16 tests]*
**F1400** `Tlamatini/agent/test_orphan_reaper.py` [340 lines] *Regression tests for agent.orphan_reaper. [25 tests]*
**F1401** `Tlamatini/agent/test_parametrizer_mcp_doctor.py` [145 lines] *Verify the Parametrizer change Codex made for MCP Doctor works end to end. [4 tests]*
**F1402** `Tlamatini/agent/test_password_quoting.py` [601 lines] *Password-quoting contract tests for Emailer and Recmailer. [28 tests]*
**F1403** `Tlamatini/agent/test_pdf_context.py` [307 lines] *PDF upload permissions, extraction, user isolation and real consumer handoff. [17 tests]*
**F1404** `Tlamatini/agent/test_pdfer_agent.py` [1.2k lines] *Automated tests for the PDFer workflow agent and its surrounding infrastructure. [82 tests]*
**F1405** `Tlamatini/agent/test_pdfer_nuance_layout.py` [654 lines] *Regression guard for the PDFer nuance / typography / layout overhaul. [37 tests]*
**F1406** `Tlamatini/agent/test_pdfer_styles.py` [192 lines] *Rendered regressions for PDFer's visual styles and protected reading areas. [11 tests]*
**F1407** `Tlamatini/agent/test_playwrighter_agent.py` [662 lines] *Automated tests for the Playwrighter workflow agent. [60 tests]*
**F1408** `Tlamatini/agent/test_pptxer_agent.py` [1.3k lines] *PPTXer — the agent that MEASURES ITS OWN SLIDES, and the tests that measure it. [96 tests]*
**F1409** `Tlamatini/agent/test_pptxer_styles.py` [112 lines] *Style selection, user overrides, and long-content layout regressions. [7 tests]*
**F1410** `Tlamatini/agent/test_pptxer_visibility.py` [307 lines] *Regression tests for real PPTX content preservation and bounded text. [23 tests]*
**F1411** `Tlamatini/agent/test_preserved_user_state.py` [192 lines] *USER STATE MUST SURVIVE A REINSTALL (Angela, 2026-08-12) [10 tests]*
**F1412** `Tlamatini/agent/test_program_name_collisions.py` [186 lines] *Two code blocks in ONE answer must never break each other's file. [11 tests]*
**F1413** `Tlamatini/agent/test_prompt_catalog_contiguous.py` [310 lines] *Catalog-of-Prompts INVARIANTS. [15 tests]*
**F1414** `Tlamatini/agent/test_prompt_flow_panel.py` [292 lines] *Run in a visible foreground console: python Tlamatini/agent/test_prompt_flow_panel.py. [29 tests]*
**F1415** `Tlamatini/agent/test_prompt_flow_panel_carriage.py` [94 lines] *Packaging omission regressions; run in a verified visible foreground console. [3 tests]*
**F1416** `Tlamatini/agent/test_prompt_flow_panel_runtime.py` [198 lines] *Run in a verified visible foreground console with -NoExit: python Tlamatini/manage.py test agent.test_prompt_flow_panel_runtime –noinput Adapter... [9 tests]*
**F1417** `Tlamatini/agent/test_prompt_flow_panel_websocket.py` [173 lines] *Real ASGI routing/consumer/runner tests; model adapter is deterministic. [10 tests]*
**F1418** `Tlamatini/agent/test_prompt_shape_sentences.py` [67 lines] *Offline prompt-shape regressions; no model or filesystem access is invoked. [6 tests]*
**F1419** `Tlamatini/agent/test_public_release_targets.py` [486 lines] *test_public_release_targets.py – .private_targets.json is OPTIONAL and is NEVER a runtime dependency. [26 tests]*
**F1420** `Tlamatini/agent/test_recorder_agent.py` [617 lines] *Automated tests for the Recorder workflow agent and its surrounding infrastructure. [37 tests]*
**F1421** `Tlamatini/agent/test_runtime_provisioner.py` [498 lines] *Behavioural guards for the Runtime Provisioner and the shipped default MCPs. [46 tests]*
**F1422** `Tlamatini/agent/test_security_assets_carriage.py` [139 lines] *Guard the Blue-hat security toolkit's CARRIAGE + EVIDENCE-carryover contracts. [15 tests]*
**F1423** `Tlamatini/agent/test_self_healing.py` [259 lines] *Deterministic proof for the self-healing, NEVER-HANGING multi-turn redesign (Angela, 2026-07-06). [12 tests]*
**F1424** `Tlamatini/agent/test_self_knowledge_is_current.py` [111 lines] *Keep agent/TLamatini.md (the injected {self_knowledge} system-prompt payload) from drifting behind source. [6 tests]*
**F1425** `Tlamatini/agent/test_self_modify_gate.py` [459 lines] *test_self_modify_gate.py — "her source and her self-knowledge ship together, or not at all", and the DEFAULT build carries neither. [28 tests]*
**F1426** `Tlamatini/agent/test_self_modify_switch.py` [480 lines] *The SELF-MODIFY switch (Angela, 2026-10-03). [35 tests]*
**F1427** `Tlamatini/agent/test_self_update.py` [157 lines] *Tests for the self-update module (About ▷ Check for updates). [17 tests]*
**F1428** `Tlamatini/agent/test_shoter_takes_screenshots.py` [71 lines] *GUARDA: en las pruebas, las fotos las toma SHOTER — nunca PIL.ImageGrab. [3 tests]*
**F1429** `Tlamatini/agent/test_sqlite_wal_mode.py` [52 lines] *SQLite must stay in WAL mode. [3 tests]*
**F1430** `Tlamatini/agent/test_status_vocabulary.py` [569 lines] *THE GUARD that ties the status vocabulary to the agents that emit it. [27 tests]*
**F1431** `Tlamatini/agent/test_step_by_step_mode.py` [209 lines] *Deep certification of the Step-by-Step toolbar mode (step_by_step_enabled). [15 tests]*
**F1432** `Tlamatini/agent/test_stm32er_agent.py` [1.8k lines] *Automated tests for the STM32er workflow agent and its surrounding infrastructure. [126 tests]*
**F1433** `Tlamatini/agent/test_talker_agent.py` [1.3k lines] *Automated tests for the Talker workflow agent and its surrounding infrastructure. [78 tests]*
**F1434** `Tlamatini/agent/test_telegrammer_identity.py` [214 lines] *Tests for the Telegrammer dual-identity ("send as me" vs "send as the bot") provider selection. [19 tests]*
**F1435** `Tlamatini/agent/test_temp_dir_policy.py` [479 lines] *test_temp_dir_policy.py — the "temp stays inside Tlamatini" contract. [33 tests]*
**F1436** `Tlamatini/agent/test_tool_failure_recovery.py` [86 lines] *Unit tests for the universal tool-failure classifier + self-correction. [20 tests]*
**F1437** `Tlamatini/agent/test_uninstall_processes.py` [129 lines] *Actual owned-worker cleanup, scoped to a temporary installation. [5 tests]*
**F1438** `Tlamatini/agent/test_uninstaller_lifecycle.py` [292 lines] *Uninstall regressions; run in a verified visible foreground console. [21 tests]*
**F1439** `Tlamatini/agent/test_uninstaller_mechanics.py` [669 lines] *Guards for the Tlamatini Uninstaller's two safety mechanics (2026-09-13). [56 tests]*
**F1440** `Tlamatini/agent/test_unrealer_agent.py` [518 lines] *Automated tests for the Unrealer workflow agent and its surrounding infrastructure. [46 tests]*
**F1441** `Tlamatini/agent/test_usage.py` [362 lines] *Usage correctness, isolation, failure handling and source-carriage contracts. [27 tests]*
**F1442** `Tlamatini/agent/test_version_guard.py` [61 lines] *Pin the ENGLISH version-metadata + update-detection expectations. [9 tests]*
**F1443** `Tlamatini/agent/test_video_analyzer_agent.py` [357 lines] *Hard, real-scenario tests for the Video-Analyzer agent (#84). [29 tests]*
**F1444** `Tlamatini/agent/test_video_analyzer_content.py` [458 lines] *Real media decode/sampling plus isolated ASR/LLM integration regressions. [26 tests]*
**F1445** `Tlamatini/agent/test_video_analyzer_fetch.py` [594 lines] *Video-Analyzer web links: video_fetch.py, the chat request parser and carriage. [54 tests]*
**F1446** `Tlamatini/agent/test_videoplayer_agent.py` [758 lines] *Automated tests for the VideoPlayer workflow agent and its surrounding infrastructure. [38 tests]*
**F1447** `Tlamatini/agent/test_visual_fatal_errors.py` [246 lines] *Fatal analysis reporting must remain independent of Tlamatini recovery. [17 tests]*
**F1448** `Tlamatini/agent/test_voice_commands_catalog.py` [265 lines] *VOICE COMMANDS — the catalog section added by migration 0201 (2026-09-12). [18 tests]*
**F1449** `Tlamatini/agent/test_watchdog_foreground_exemption.py` [672 lines] *Complete automated tests for the generalized "eagle-eye" foreground-console exemption shared by command_watchdog and orphan_reaper. [28 tests]*
**F1450** `Tlamatini/agent/test_web_process_stays_lean.py` [231 lines] *The frozen Django process must NOT drag in the transformers/torch ML stack. [10 tests]*
**F1451** `Tlamatini/agent/test_whatsapper_identity.py` [202 lines] *Tests for the Whatsapper dual-identity ("send as me" vs the official business number) provider selection. [15 tests]*
**F1452** `Tlamatini/agent/test_whisperer_agent.py` [1.1k lines] *Automated tests for the Whisperer workflow agent and its surrounding infrastructure. [72 tests]*
**F1453** `Tlamatini/agent/test_win_shim.py` [404 lines] *Every Windows .cmd / .exe spawn scenario Tlamatini has to survive. [27 tests]*
**F1454** `Tlamatini/agent/test_windower_agent.py` [662 lines] *Automated tests for the Windower workflow agent. [56 tests]*
**F1455** `Tlamatini/agent/test_windows_app_registration.py` [107 lines] *Tests for agent/windows_app_registration.py (Installed-apps / ARP entry). [8 tests]*
**F1456** `Tlamatini/agent/tests.py` [7.8k lines] *Defines P0HardeningTests, P1HardeningTests, SetDirectoryAsContextPathTests, ContextDirectoryPickerViewTests and 79 more. [437 tests]*
**F1457** `Tlamatini/agent/tests_perf_3x.py` [432 lines] *Automated regression tests for the 3X-speed surgical plan — L1 (Ollama serving layer) + L2 (orphan reaper). [24 tests]*

**Tests/ · avatar, PDF canvas and requirement tests** sheet 18

**F0404** `Tests/avatar_dev_server/dev_settings.py` [28 lines] *Isolated settings for the requested visible Django avatar tests only.*
**F0405** `Tests/avatar_dev_server/development_test.py` [50 lines] *Real development Django server with an isolated database and no agent jobs.*
**F0406** `Tests/run_avatar_tests.py` [128 lines] *One-command, VISIBLE avatar regression for the real development Django app.*
**F0407** `Tests/run_presence_tests.ps1` [76 lines] *ONE COMMAND, ONE VISIBLE WINDOW, ONE REPORT.*
**F0408** `Tests/test_about_window_name_visible.py` [66 lines] *Playwright test — Angela's name is visible in Tlamatini's About window.*
**F0409** `Tests/test_avatar_animation.cjs` [195 lines] *Browser regression: run with node tests/test_avatar_animation.cjs.*
**F0410** `Tests/test_avatar_collectstatic.py` [65 lines] *Verify real Django collectstatic preserves avatar assets byte-for-byte.*
**F0411** `Tests/test_avatar_presence_visible.py` [582 lines] *THE AVATAR PRESENCE REGRESSION — VISIBLE, PERMANENT, AND HARD TO FOOL.*
**F0412** `Tests/test_avatar_visible.cjs` [169 lines] *Visible real-Django avatar regression.*
**F0413** `Tests/test_pdf_canvas_assets.py` [68 lines] *Check real Django/WhiteNoise MIME handling and collected PDF assets in isolation. [1 tests]*
**F0414** `Tests/test_pdf_canvas_browser.py` [738 lines] *Real Chromium PDF canvas regression, isolated from RAG, accounts and databases. [11 tests]*
**F0415** `Tests/test_perf_3x_visual.py` [216 lines] *VISUAL automated tests for the 3X-speed surgical plan (L1 + L2).*
**F0416** `Tests/test_requirements_coverage.py` [89 lines] *Run visibly: python -m unittest discover -s Tests -p test_requirements_coverage.py -v [10 tests]*

**AuxTests/** sheet 18

**F0212** `AuxTests/mypdf2.py` [156 lines] *Defines create_beautiful_pdf().*

**Tlamatini/tests_e2e/ · visible end-to-end runs** sheet 18

**F1478** `Tlamatini/tests_e2e/oob_child_helper.py` [46 lines] *Child process used by the OOB_shift_reaper unit test.*
**F1479** `Tlamatini/tests_e2e/README.md` [79 lines] *tests_e2e — visible (headed) Playwright end-to-end suites: These drive a real, visible Chromium against a running Tlamatini server (they are NOT Django unit...*
**F1480** `Tlamatini/tests_e2e/test_create_flow_visual.py` [477 lines] *Visible (HEADED) Playwright end-to-end suite for the 2026-07-06 Create-Flow overhaul.*
**F1481** `Tlamatini/tests_e2e/test_ctrl_c_quits_visible.py` [187 lines] *VISIBLE end-to-end proof that Ctrl+C actually quits Tlamatini.*
**F1482** `Tlamatini/tests_e2e/test_db_backup_set_visible.py` [415 lines] *Visible, dev-only Backup DB / Set DB round-trip regression test.*
**F1483** `Tlamatini/tests_e2e/test_oob_browser_visible.py` [137 lines] *VISIBLE HEADED-BROWSER proof of the OOB_shift_reaper wiring, end-to-end.*
**F1484** `Tlamatini/tests_e2e/test_oob_namu_unit.py` [189 lines] *OOB_shift_reaper + NAMU — deterministic unit proof of the FINAL design.*
**F1485** `Tlamatini/tests_e2e/test_prompts_catalog_visual.py` [392 lines] *VISIBLE HEADED-BROWSER walk of the COMPLETE Catalog of Prompts (Angela, 2026-07-26).*
**F1486** `Tlamatini/tests_e2e/test_self_healing_visual.py` [316 lines] *VISIBLE self-healing soak (Angela, 2026-07-06).*
**F1487** `Tlamatini/tests_e2e/test_voice_visual.py` [321 lines] *Visible (HEADED) Playwright test for the VOICE feature (Config -> Voice).*
**F1488** `Tlamatini/tests_e2e/Tlamatini-Whatsapper-Daily-Tests.py` [562 lines] *Tlamatini-Whatsapper-Daily-Tests.py – the definitive WhatsApp send tester.*

**repository root · guard tests** sheet 18

**F0400** `test_author_banner.py` [95 lines] *Automated guard: Angela López Mendoza's authorship must be present EVERYWHERE. [4 tests]*
**F0401** `test_check_private_data.py` [1.0k lines] *test_check_private_data.py – 100+ automated tests for the god-of-gods auditor. [143 tests]*
**F0402** `test_perf_3x_visual.py` [479 lines] *VISUAL performance dashboard for the 3X-speed surgical plan.*
**F0403** `test_private_data_guard.py` [219 lines] *Automated tests for the PRIVATE DATA GUARD mechanism. [9 tests]*

**scripts/ · visible checks, release checks and tooling** sheet 18

**F0315** `scripts/acp_editor_visible.py` [291 lines] *Exercise the real ACP editor in visible Chrome on port 8001.*
**F0316** `scripts/agent_catalog_visible.py` [203 lines] *Check the live agent catalog and editor in visible Chrome on an isolated DB.*
**F0320** `scripts/build_setup_full_payload.py` [70 lines] *Build the current complete payload in a disposable, private source snapshot.*
**F0321** `scripts/build_setup_validation.py` [58 lines] *Freeze the current setup clients and attach the newly built full payload.*
**F0322** `scripts/canvas_refresh_visible.py` [556 lines] *Canvas Refresh acceptance, on the real source page in visible Chrome only.*
**F0323** `scripts/chat_composer_resize_checks.py` [264 lines] *Headed real-page layout checks.*
**F0324** `scripts/chat_composer_resize_visible.py` [158 lines] *Composer geometry regression on the real source page and an isolated database.*
**F0325** `scripts/chat_composer_visible_window.py` [83 lines] *Native Windows browser sizing: no viewport emulation or off-screen evidence.*
**F0326** `scripts/chat_microphone_visible.py` [365 lines] *Visible real-template dictation checks with deterministic transport fixtures.*
**F0327** `scripts/chat_viewport_visible_checks.py` [156 lines] *Native zoom and narrow-window checks, run in the visible source harness.*
**F0328** `scripts/chat_views_frozen_visible.py` [254 lines] *Focused Views acceptance against a real frozen test instance on port 8878.*
**F0329** `scripts/chat_views_visible.py` [480 lines] *Views acceptance on source/dev artifacts, never a rebuild or installed app.*
**F0330** `scripts/check_js_parse.mjs` [43 lines] *Parse-gate every browser JS module with node –check.*
**F0331** `scripts/check_requirements_coverage.py` [280 lines] *Static repository-wide Python dependency coverage; imports no application code.*
**F0332** `scripts/docked_avatar_resize_checks.py` [178 lines] *Docked portrait regression checks, called only by the headed source harness.*
**F0333** `scripts/dossier_visual_walkthrough_visible.py` [230 lines] *VISIBLE walkthrough of the regenerated project dossier (PDF + PPTX).*
**F0334** `scripts/drag_divider_look_visible.py` [467 lines] *VISIBLE proof that #drag-divider has the same look and feel as #vertical-drag-divider.*
**F0335** `scripts/file_drop_router_cases.mjs` [455 lines] *file_drop_router_cases.mjs — behaviour tests for static/agent/js/file_drop_router.js*
**F0336** `scripts/flow_canvas_mechanics_visible.py` [398 lines] *Shared editor checks, invoked only by the verified visible Chrome harness.*
**F0337** `scripts/flow_file_associations_test.ps1` [120 lines] *Run in a verified visible foreground PowerShell -NoExit console.*
**F0338** `scripts/flow_files_visible.py` [502 lines] *Visible real-browser flow-file lifecycle checks; launch via PowerShell -NoExit.*
**F0339** `scripts/installed_panels_visible.py` [538 lines] *Visible acceptance checks against actual frozen or isolated source Tlamatini.*
**F0340** `scripts/markdown_canvas_visible.py` [573 lines] *Markdown canvas acceptance on the real source page, in visible Chrome only.*
**F0341** `scripts/menu_browser_checks.py` [525 lines] *Real-template/browser state regressions.*
**F0342** `scripts/menu_live_checks.py` [145 lines] *Live menu checks in the real application, through visible Chrome.*
**F0343** `scripts/menu_reference_graph.mjs` [95 lines] *Run only in the verified visible test console.*
**F0344** `scripts/panel_search_title_visible.py` [367 lines] *Real panel UI checks in visible Chrome and a verified foreground console.*
**F0345** `scripts/pptxer_visibility_gallery.py` [94 lines] *Create an offline, searchable gallery of actual PowerPoint test renders.*
**F0346** `scripts/prompt_flow_commentary_visible.py` [175 lines] *Static commentary / unchanged user-input regression in real visible Chrome.*
**F0347** `scripts/prompt_flow_connections_visible.py` [540 lines] *Verify ACP/Prompt Flow connector parity in VISIBLE Chrome on port 8001.*
**F0348** `scripts/prompt_flow_extension_visible.py` [233 lines] *Exercise the real Prompt Flow Panel file format in visible Chrome on port 8001.*
**F0349** `scripts/prompt_flow_output_resize_visible.py` [381 lines] *Run output splitter regression in real visible Chrome.*
**F0350** `scripts/prompt_flow_selection_visible.py` [201 lines] *Exercise Prompt Flow Panel selection and status colors in visible Chrome on port 8001.*
**F0351** `scripts/release_acp_editor_checks.py` [186 lines] *Real ACP graphical editing checks shared by source and frozen acceptance.*
**F0352** `scripts/release_acp_runtime_checks.py` [79 lines] *Start, pause, resume and stop a real harmless ACP workflow through its UI.*
**F0353** `scripts/release_agent_catalog_checks.py` [145 lines] *Inspect every actual ACP agent and round-trip its file through the visible UI.*
**F0354** `scripts/release_auth_checks.py` [89 lines] *Normal UI authentication and disposable nonstaff user lifecycle checks.*

**F0355** `scripts/release_commentary_checks.py` [401 lines] *Shared real-UI rich-commentary acceptance for source and frozen runs.*
**F0356** `scripts/release_extended_checks.py` [290 lines] *Real, headed UI acceptance cases; never inject application state or responses.*
**F0357** `scripts/release_local_agent_checks.py` [114 lines] *Execute local file agents through the product runtime in source or frozen mode.*
**F0358** `scripts/release_mcp_checks.py` [79 lines] *Read-only client probes inside the actual source/frozen Django shell.*
**F0359** `scripts/release_output_resize_checks.py` [230 lines] *Real playback and complete divider checks for source and frozen acceptance.*
**F0360** `scripts/release_prompt_runtime_checks.py` [143 lines] *Real model, scheduling, branching and cancellation through Prompt Flow UI.*
**F0361** `scripts/release_shell_file_checks.py` [73 lines] *Exercise the installed Windows file association using actual ShellExecute.*
**F0362** `scripts/run_menu_state_checks.py` [290 lines] *Deep menu suite: launch in a verified visible PowerShell -NoExit console.*
**F0363** `scripts/setup_crash_agents_visible.py` [275 lines] *Real frozen-app crash campaign, from a verified visible -NoExit console.*
**F0364** `scripts/setup_desktop_cycles.py` [139 lines] *Five real desktop lifecycle cases, started manually in a visible console.*
**F0365** `scripts/setup_lifecycle_checks.py` [389 lines] *Focused real-filesystem/Windows checks; launch from a visible -NoExit console.*
**F0366** `scripts/setup_release_cycles.py` [454 lines] *Visible, compiled setup validation.*
**F0367** `scripts/setup_wizard_visible.py` [274 lines] *Visible source UI validation, NOT compiled release acceptance.*
**F0368** `scripts/skill_inventory.py` [176 lines] *Generate the CURRENT skill inventory + version facts from Git and disk.*
**F0369** `scripts/sync_assistant_skills.py` [143 lines] *Keep .gemini/skills/ in step with .claude/skills/.*
**F0370** `scripts/tlamatini_clean_install.ps1` [106 lines] *Destructive reset for an explicitly authorized CLEAN INSTALL test.*
**F0371** `scripts/ui_sweep_resize_checks.py` [68 lines] *Behavior checks run only in the verified, headed ui_sweep_visible session.*
**F0372** `scripts/ui_sweep_visible.py` [138 lines] *Interactive source UI audit, from a verified visible PowerShell -NoExit console.*
**F0373** `scripts/update_flow_catalog.py` [95 lines] *Regenerate/check the standalone agent catalog and its documentation inventory.*
**F0374** `scripts/usage_dashboard_browser_checks.py` [83 lines] *Visible real-page checks; deterministic data cases are explicitly labelled.*
**F0375** `scripts/usage_dashboard_fixture_checks.py` [193 lines] *Explicit synthetic-data UI cases, supplemental to the real-source checks.*
**F0376** `scripts/usage_dashboard_visible.py` [139 lines] *Real source app + isolated database, in a verified visible foreground console.*
**F0377** `scripts/vendor_frontend.py` [84 lines] *Reproduce local UI dependencies from version/integrity-pinned npm archives.*
**F0378** `scripts/vendor_pdfjs.py` [57 lines] *Reproduce the offline PDF canvas assets from the pinned upstream npm archive.*
**F0379** `scripts/verify_latexer_styles.py` [246 lines] *Compile real LaTeX, audit content/geometry, render with Poppler, build an atlas.*
**F0380** `scripts/verify_pdfer_styles.py` [151 lines] *Build, measure and render every PDFer style, plus a browsable gallery and atlas.*
**F0381** `scripts/verify_pptxer_layout.py` [163 lines] *Reproducible PPTXer stress decks and a browsable PowerPoint render gallery.*
**F0382** `scripts/verify_pptxer_styles.py` [132 lines] *Render the twelve new PPTXer styles with complete 256-character fields.*
**F0383** `scripts/visual_fatal_dialog_visible.py` [191 lines] *Visible component integration checks using the real dialog, poller and styles.*

### .claude/. . . /tlamatini-daily-chat-test/harness/ — sheet 18

**F0090** `.claude/skills/tlamatini-daily-chat-test/harness/_peek.py` [26 lines] *Module that sets p, n, raw, txt using re, sys.*
**F0091** `.claude/skills/tlamatini-daily-chat-test/harness/_stage.ps1` [75 lines] *Stage the 2x2 test desktop for Angela.*
**F0092** `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
**F0093** `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
**F0094** `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [376 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
**F0095** `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [268 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
**F0096** `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
**F0097** `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
**F0098** `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
**F0099** `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
**F0100** `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
**F0101** `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
**F0102** `.claude/skills/tlamatini-daily-chat-test/harness/compact_mode_visible.py` [482 lines] *VISIBLE proof: COMPACT MODE - one-shot questions work on the SMALL model the installed Tlamatini is configured with (Angela, 2026-10-01).*
**F0103** `.claude/skills/tlamatini-daily-chat-test/harness/compact_pingpong_visible.py` [341 lines] *TWO CHAT PAGES, TWO MODELS - THE COMPACT-MODE VERDICT MUST NOT PING-PONG (Angela Lopez Mendoza, 2026-10-08)*
**F0104** `.claude/skills/tlamatini-daily-chat-test/harness/compact_switch_visible.py` [690 lines] *VISIBLE proof: the COMPACT MODE checkbox (Angela, 2026-10-02).*
**F0105** `.claude/skills/tlamatini-daily-chat-test/harness/config.py` [132 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
**F0106** `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_100.py` [500 lines] *100+ REAL prompts in a VISIBLE Chrome, watching the context gauge move.*
**F0107** `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_real_lab.py` [507 lines] *THE REAL CONTEXT GAUGE - VISIBLE LABORATORY (Angela, 2026-09-28)*
**F0108** `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_visible.py` [288 lines] *VISIBLE proof that the context gauge moves on a REAL request.*
**F0109** `.claude/skills/tlamatini-daily-chat-test/harness/context_restore_spinner_visible.py` [725 lines] *context_restore_spinner_visible.py - VISIBLE regression runner (2026-09-22)*
**F0110** `.claude/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
**F0111** `.claude/skills/tlamatini-daily-chat-test/harness/deepseek_remote_chat_visible.py` [615 lines] *VISIBLE proof: the whole chat works against a REMOTE Ollama serving deepseek-coder.*
**F0112** `.claude/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [492 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
**F0113** `.claude/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [255 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
**F0114** `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
**F0115** `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
**F0116** `.claude/skills/tlamatini-daily-chat-test/harness/drop_message_visible.py` [669 lines] *THE DROP BUTTON - VISIBLE END-TO-END TEST (Angela Lopez Mendoza, 2026-09-30)*
**F0117** `.claude/skills/tlamatini-daily-chat-test/harness/file_drop_visible.py` [615 lines] *FILE DROP ROUTER - VISIBLE END-TO-END TEST (Angela, 2026-10-14)*
**F0118** `.claude/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [373 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*
**F0119** `.claude/skills/tlamatini-daily-chat-test/harness/full_mode_visible.py` [251 lines] *FULL MODE on a big cloud model - VISIBLE E2E (Angela Lopez Mendoza, 2026-10-01).*
**F0120** `.claude/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
**F0121** `.claude/skills/tlamatini-daily-chat-test/harness/grepper_lines_visible.py` [234 lines] *VISIBLE end-to-end proof that the modified Grepper did NOT break Tlamatini.*
**F0122** `.claude/skills/tlamatini-daily-chat-test/harness/grepper_login_probe.py` [61 lines] *VISIBLE login probe - prints exactly where the chat page is lost.*
**F0123** `.claude/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [445 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
**F0124** `.claude/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [860 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
**F0125** `.claude/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
**F0126** `.claude/skills/tlamatini-daily-chat-test/harness/model_brain_visible.py` [557 lines] *MODEL BRAIN - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-08).*
**F0127** `.claude/skills/tlamatini-daily-chat-test/harness/monitor.py` [177 lines] *LIVE TEST MONITOR - a window that REFRESHES ITSELF while the test runs.*
**F0128** `.claude/skills/tlamatini-daily-chat-test/harness/ollama_remote_catalog_visible.py` [504 lines] *VISIBLE proof: Config > Models asks the CONFIGURED (remote) Ollama.*
**F0129** `.claude/skills/tlamatini-daily-chat-test/harness/pdf_context_visible.py` [423 lines] *PDF AS CONTEXT - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-08)*
**F0130** `.claude/skills/tlamatini-daily-chat-test/harness/pdfer_nuance_visible.py` [528 lines] *PDFer NUANCE / LAYOUT — THE VISIBLE TEST*
**F0131** `.claude/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [163 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
**F0132** `.claude/skills/tlamatini-daily-chat-test/harness/pptxer_visible.py` [780 lines] *PPTXer — THE VISIBLE TEST*
**F0133** `.claude/skills/tlamatini-daily-chat-test/harness/preflight.py` [334 lines] *Make a visible test INVULNERABLE to peripheral failure.*
**F0134** `.claude/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
**F0135** `.claude/skills/tlamatini-daily-chat-test/harness/questions.py` [390 lines] *Question bank generator for the Tlamatini daily chat test.*
**F0136** `.claude/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
**F0137** `.claude/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
**F0138** `.claude/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
**F0139** `.claude/skills/tlamatini-daily-chat-test/harness/self_modify_visible.py` [480 lines] *The SELF-MODIFY box - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
**F0140** `.claude/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [99 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
**F0141** `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [380 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
**F0142** `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
**F0143** `.claude/skills/tlamatini-daily-chat-test/harness/stop_sequence_visible.py` [581 lines] *TOO MANY STOP SEQUENCES - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
**F0144** `.claude/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
**F0145** `.claude/skills/tlamatini-daily-chat-test/harness/uninstaller_visible.py` [465 lines] *uninstaller_visible.py — VISIBLE end-to-end test of the Tlamatini Uninstaller.*
**F0146** `.claude/skills/tlamatini-daily-chat-test/harness/video_link_visible.py` [368 lines] *VIDEO LINK TRANSCRIPTION - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-11)*
**F0147** `.claude/skills/tlamatini-daily-chat-test/harness/voice_commands_visible.py` [420 lines] *VISIBLE proof of the VOICE COMMANDS catalog section (Angela, 2026-09-12).*
**F0148** `.claude/skills/tlamatini-daily-chat-test/harness/window-test-screen.py` [1.5k lines] *WINDOW TEST SCREEN - a graphical instrument panel Claude drives in real time.*
**F0149** `.claude/skills/tlamatini-daily-chat-test/harness/windower_focus.py` [163 lines] *THE WINDOW IS BROUGHT FORWARD BY WINDOWER, TLAMATINI'S OWN AGENT*
**F0150** `.claude/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [276 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

### .gemini/. . . /tlamatini-daily-chat-test/harness/ — sheet 18

**F0164** `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
**F0165** `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
**F0166** `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [376 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
**F0167** `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [268 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
**F0168** `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
**F0169** `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
**F0170** `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
**F0171** `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
**F0172** `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
**F0173** `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
**F0174** `.gemini/skills/tlamatini-daily-chat-test/harness/config.py` [125 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
**F0175** `.gemini/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
**F0176** `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [492 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
**F0177** `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [255 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
**F0178** `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
**F0179** `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
**F0180** `.gemini/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [373 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*
**F0181** `.gemini/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
**F0182** `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [445 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
**F0183** `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [860 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
**F0184** `.gemini/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
**F0185** `.gemini/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [163 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
**F0186** `.gemini/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
**F0187** `.gemini/skills/tlamatini-daily-chat-test/harness/questions.py` [389 lines] *Question bank generator for the Tlamatini daily chat test.*
**F0188** `.gemini/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
**F0189** `.gemini/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
**F0190** `.gemini/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
**F0191** `.gemini/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [99 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
**F0192** `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [380 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
**F0193** `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
**F0194** `.gemini/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
**F0195** `.gemini/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [262 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

## Atlas VIII — Build, release, install, security and repository root

### build and release tooling — sheet 19

**F0201** `.gitattributes` [14 lines] *Git attributes: line-ending and binary handling.*
**F0203** `.gitignore` [459 lines] *Git ignore rules: Temp/, Templates/, databases, secrets (data.keys), build output, generated _version.py.*
**F0211** `audit_dependencies.py` [184 lines] *Tlamatini dependency audit — run it on ANY interpreter, it changes nothing.*
**F0216** `build.py` [2.2k lines] *build.py — Tlamatini Build Script*
**F0217** `build_all.cmd` [101 lines] *build_all.cmd — Build Tlamatini end-to-end.*
**F0218** `build_complete_private_release.py` [372 lines] *build_complete_private_release.py – KEYED (private) release builder.*
**F0219** `build_complete_public_release.py` [949 lines] *build_complete_public_release.py – PUBLIC release builder (scrubbed + verified).*
**F0220** `build_installer.py` [568 lines] *build_installer.py — Tlamatini Installer Build Script*
**F0221** `build_runtime_assets.py` [472 lines] *Fail-closed runtime asset inventory shared by the application/installer builds.*
**F0222** `build_uninstaller.py` [363 lines] *build_uninstaller.py — Tlamatini Uninstaller Build Script*
**F0223** `check_private_data.py` [721 lines] *check_private_data.py – god-of-gods private-data leak auditor.*
**F0228** `copy_source_assets.py` [855 lines] *copy_source_assets.py — generate the TlamatiniSourceCode self-modify snapshot.*
**F0283** `eslint.config.mjs` [524 lines] *JavaScript module.*
**F0289** `git_deny_go.py` [154 lines] *git_deny_go.py — autonomously guarantee the Go toolchain NEVER appears in git.*
**F0299** `package.json` [29 lines] *Node tooling manifest (tlamatini): 3 dependencies, scripts lint, lint:fix, check-js-parse, test.*
**F0301** `pnpm-lock.yaml` [578 lines] *pnpm lockfile pinning the JavaScript lint tooling.*
**F0303** `private_targets.example.json` [43 lines] *JSON document with keys: _README, names, emails, phones, handles.*
**F0305** `pyinstaller_hooks/hook-numpy.py` [158 lines] *Tlamatini custom PyInstaller hook for numpy.*
**F0306** `pyinstaller_hooks/hook-pymupdf.py` [14 lines] *Bundle native MuPDF libraries used by PDF context in the frozen web process.*
**F0307** `pyinstaller_hooks/hook-torch.py` [30 lines] *Prevent PyInstaller from collecting Torch assets for the frozen web app.*
**F0309** `regen_secrets.py` [565 lines] *regen_secrets.py — toggle Tlamatini config files between two modes*
**F0313** `requirements-esphome.txt` [7 lines] *Python dependency list: 1 pinned requirements (private ESPHome runtime).*
**F0314** `requirements.txt` [224 lines] *Python dependency list: 88 pinned requirements.*
**F1502** `uncommit-keys.bat` [243 lines] *uncommit-keys.bat - Angela's secret-leak seatbelt for the Tlamatini repo.*
**F1508** `versioning.py` [203 lines] *Top-level versioning helper for Tlamatini's build scripts.*

### install, update and launch — sheet 19

**F0210** `apply_update.ps1` [355 lines] *Tlamatini Auto-Updater Runs OUTSIDE the install directory (a copy is placed under %LOCALAPPDATA%\Tlamatini\updater by self_update.py) so it can. . .*
**F0214** `backup_db.py` [206 lines] *Daily backup of Tlamatini's database.*
**F0229** `CreateShortcut.json` [3 lines] *JSON document with keys: InstallDir.*
**F0230** `CreateShortcut.ps1` [264 lines] *Shortcut Creator for Tlamatini Reads the installation directory from CreateShortcut.json*
**F0286** `flow_file_associations.ps1` [181 lines] *Per-user registration. Never modify UserChoice, its hash, or other applications.*
**F0287** `freeingport8000.ps1` [65 lines] *PowerShell script.*
**F0290** `install.py` [854 lines] *Version resolution . . . Read the version from the running .exe's Win32 ProductVersion (frozen. . .*
**F0296** `ollama_credits.py` [386 lines] *ollama_credits.py - Zero-dependency Ollama Cloud credits/usage checker.*
**F0302** `preserved_user_state.json` [27 lines] *JSON document with keys: _README, preserve, _notes.*
**F0310** `register_flw.ps1` [15 lines] *Run visibly in PowerShell.*
**F0311** `register_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*
**F0312** `RemoveShortcut.ps1` [59 lines] *Shortcut Remover for Tlamatini Removes the desktop and local shortcuts created by CreateShortcut.ps1 and forces Windows Explorer to refresh so the. . .*
**F0395** `setup_logging.py` [100 lines] *Private local setup transcripts, including for windowed executables.*
**F0396** `setup_recovery.py` [350 lines] *Bounded, installation-scoped recovery for the standalone setup clients.*
**F0397** `setup_windows.py` [271 lines] *Small, explicitly scoped Windows setup primitives; no application imports.*
**F0398** `setup_wizard.py` [483 lines] *Shared, standalone presentation for the Windows setup tools.*
**F0422** `Tlamatini.ps1` [69 lines] *Tlamatini PowerShell Script Executes the Django development server with –noreload flag and automatically opens the browser on the configured web. . .*
**F1503** `uninstall.py` [1.5k lines] *uninstall.py — Tlamatini Uninstaller*
**F1504** `uninstall_processes.py` [147 lines] *Installation-scoped process cleanup for the standalone Windows uninstaller.*
**F1505** `unregister_flw.ps1` [15 lines] *Run visibly in PowerShell.*
**F1506** `unregister_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*

### root stdio MCP server — sheet 19

**F0204** `.mcp.json` [8 lines] *JSON document with keys: mcpServers.*
**F1497** `tlamatini_acpx.py` [986 lines] *Self-contained ACPX runtime for the Tlamatini MCP server.*
**F1501** `tlamatini_mcp_server.py` [770 lines] *Tlamatini Agents — MCP server.*

### security/ · security arsenal — sheet 19

**F0384** `security/automated_tests_of_security_assets.py` [128 lines] *Non-admin regression checks, run only in a confirmed visible console.*
**F0385** `security/enable_tlamatini_v2.bat` [734 lines] *Generated from tlamatini_whitelist_v2.ps1 + windows_access_helpers.ps1.*
**F0386** `security/README.md` [139 lines] *Tlamatini Windows access and Blue-hat toolkit: Double-click enable_tlamatini_v2.bat when you want to apply Windows access settings, approve its UAC prompt. . .*
**F0387** `security/run_defender.bat` [20 lines] *Default is report-only: no process kills and no firewall block additions.*
**F0388** `security/sync_enable_launcher.py` [65 lines] *Regenerate the standalone enable launcher from its reviewed PowerShell sources.*
**F0389** `security/test_security_syntax.ps1` [13 lines] *Parser only: no enablement or defender workloads are executed.*
**F0390** `security/test_windows_access.ps1` [119 lines] *Non-admin behavior tests: every Windows-policy mutation below is a mock.*
**F0391** `security/tlamatini_defender.ps1` [718 lines] *TLAMATINI DEFENDER - REPORT-ONLY BY DEFAULT, OPTIONAL RESPONSE (v2.2) Purpose: Real-time intrusion detection and automated defensive response.*
**F0392** `security/tlamatini_whitelist_v2.ps1` [567 lines] *TLAMATINI SECURITY WHITELIST SCRIPT v2.3 - VERIFIED APPLICATION ACCESS Purpose: Adds Tlamatini to Windows security exclusions AND grants it. . .*
**F0393** `security/verify_agent_execution.py` [132 lines] *Check real non-admin execution without running model jobs or applying policy.*
**F0394** `security/windows_access_helpers.ps1` [128 lines] *Pure helper definitions.*

### CI and scanning policy — sheet 19

**F0202** `.github/workflows/name-guard.yml` [99 lines] *YAML document: keys name, on, permissions, concurrency, jobs.*
**F0205** `.scanning/finding-policy.json` [94 lines] *JSON document with keys: bandit, semgrep.*

### demo flows — sheet 19

**F0294** `MCPMemoriesFlowCreation.flw` [434 lines] *Agentic flow (.flw) for the Agentic Control Panel with 17 nodes.*

### repository root · media, documents and license — sheet 19

**F0227** `ConfigureModels.png` [146KB] *Image (PNG): ConfigureModels.*
**F0293** `LICENSE` [21 lines] *MIT license of Tlamatini.*
**F0297** `OllamaPricing.png` [178KB] *Image (PNG): OllamaPricing.*
**F0298** `OOB_shift_reaper-and-NAMU-Design.pdf` [18KB] *PDF document: OOB shift reaper-and-NAMU-Design.*
**F0304** `PromptDesigner.jpg` [106KB] *Image (JPG): PromptDesigner.*
**F0420** `Tlamatini.ico` [38KB] *Tlamatini application icon.*
**F0421** `Tlamatini.jpg` [15KB] *Image (JPG): Tlamatini.*
**F1498** `tlamatini_app_summary.pdf` [2.7MB] *PDF document: tlamatini app summary.*
**F1499** `Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx` [4.9MB] *Project presentation deck generated by the dossier generator.*

## Atlas IX — Knowledge and governance

### repository root · Markdown and text documents — sheet 20

**F0206** `_acpx_pipeline_demo_report.md` [65 lines] *ACPX Pipeline Demo Report: - Session ID: c697c78913ea4ab4b308211d9649d8bd - Agent: gemini (Google Gemini CLI v0.37.2) - Transport: tui-repl - Working. . .*
**F0207** `ACPX.md` [841 lines] *ACPX & Skills in Tlamatini — A complete guide for dummies: Document version: 1.0 Date: 2026-04-29 Status: Shipped in the current v1.85.0 release.*
**F0208** `AGENTS.md` [330 lines] *Tlamatini instructions for Codex and every coding agent: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
**F0209** `agents_descriptions.md` [194 lines] *Tlamatini — Agent Descriptions: This file is the authoritative source of human-readable descriptions for every workflow agent shown in the Agentic Control. . .*
**F0213** `AvatarImprovementByClaude.md` [416 lines] *The Avatar — from a 150 ms metronome to a talking head: Date: 2026-09-11 · Baseline: v1.51.5 · Author of Tlamatini: Angela López Mendoza Result: 74 / 74. . .*
**F0215** `BookOfTlamatini.md` [4.6k lines] *Tlamatini: Every agent in Tlamatini/agent/agents/ is intentionally provided as a plain-Python program so its operating code can be read, audited, edited. . .*
**F0224** `Claude-Desktop-KALI-MCP-Session.md` [694 lines] *Claude Desktop ↔ Kali Linux MCP — Complete Setup Guide: Who this document is for: Anyone (human or Claude AI) setting up or maintaining the bridge between. . .*
**F0225** `CLAUDE.md` [1.2k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
**F0226** `Codex2ClaudeRecommendations.md` [624 lines] *Codex to Claude: Tlamatini skill audit and recommendations: Prepared by Codex on 2026-09-23 for Claude and Angela.*
**F0231** `DesignOfIncludingMemoryMCPS.txt` [1.2k lines] *Tlamatini (2026/08/15 16:04:42.921)*
**F0232** `Discoverier-new-agent.md` [277 lines] *Discoverer — New Agent Design (ProjectDiscovery suite bridge): Discoverer is a new Tlamatini workflow agent that runs the ProjectDiscovery security tool suite. . .*
**F0284** `example_of_prompt_to_make_de-compresser_agent.txt` [42 lines] *Please read create_new_agent.md first and either analize the code of all of the agents in Tlamatini/agent/agents/* in order to you to understand how. . .*
**F0285** `FirstFinalPlanToSpeedUp.md` [774 lines] *First Final Plan To Speed Up Tlamatini: Objective: implement one low-risk speedup batch that improves runtime speed without reducing Tlamatini's virtues. . .*
**F0288** `GEMINI.md` [995 lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
**F0291** `KIMI.md` [1.3k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
**F0292** `latest-folding-context-session.md` [4 lines] *10247944-d2ab-420e-b58c-1a7af83442e9*
**F0295** `MessagingConnectorAssistant_Design.md` [134 lines] *MessagingConnectorAssistant — Design: Goal (Angela's): the user tells Tlamatini their phone number and *nothing else*; Tlamatini does every step to. . .*
**F0300** `PIVOT_CHANGES.md` [511 lines] *Tlamatini — Change Pivot / Rollback Log: A dated, append-only log of surgical changes with the verbatim request and the exact before/after, so any single. . .*
**F0308** `README.md` [959 lines] *Table of contents: 1. What is Tlamatini 2. How it works 3. Get started in five steps 4. Speak a prompt from the chat 5. Drop a message from the chat 6. Drop a. . .*
**F0399** `test-reloaded-session.md` [4 lines] *10247944-d2ab-420e-b58c-1a7af83442e9*
**F0417** `TestsVisiblesAndVisibleExecutionFromClaude2Codex.md` [230 lines] *Claude → Codex: EVERY TEST AND EVERY EXECUTION MUST BE VISIBLE: From: Claude, 2026-09-23 To: Codex, and every model that works on Tlamatini after it this to. . .*
**F0419** `Tlamatini-Kali-Setup.md` [413 lines] *Tlamatini ↔ Kali Linux — Zero-Client Setup (Kalier): Who this is for: Anyone (human or AI) who wants Tlamatini to drive Kali Linux penetration-testing tools. . .*
**F1500** `TLAMATINI_MCP.md` [210 lines] *Tlamatini Agents — MCP conn

F0265 `docs/companion-app-discovery.md` [117 lines] *Tlamatini — Companion-App Discovery Contract: A stable lookup surface that lets XAIHT companion apps (e.g.*
F0266 `docs/dependency-coverage-audit.md` [126 lines] *Python dependency coverage audit - 2026-09-27: The refreshed source audit covers 744 Python files and all 89 runnable agents.*
F0267 `docs/desktop-input-and-flow-contracts.md` [127 lines] *Desktop input and flow contracts: Implementation update, 2026-09-15.*
F0268 `docs/examples/prompting-kickoff.fpmt` [26 lines] *Example Prompt Flow Panel diagram (JSON format tlamatini-prompting-flow).*
F0269 `docs/external_mcp_bulletproof_architecture.md` [141 lines] *External MCPs — the bulletproof architecture: The design contract for Tlamatini's universal MCP _client_: the layer that lets her use the tools of any. . .*
F0270 `docs/GUI-Manager-design.md` [344 lines] *Mouser: read physical cursor and monitor layout without moving anything.*
F0271 `docs/markdown-canvas.md` [79 lines] *Markdown in the chat canvas: Views → Canvas keeps this document and its viewer alive while hiding the pane.*
F0272 `docs/model-configuration-verification.md` [44 lines] *Runtime and model configuration verification — 2026-09-20: Installed application: C:\Tlamatini\Tlamatini.exe, version 1.63.0.*
F0273 `docs/model_configuration.md` [338 lines] *Model configuration: Config → Models manages 38 model, engine and voice settings for core services and 21 model-backed agents.*
F0274 `docs/pdf-canvas.md` [260 lines] *PDF canvas and document context: Views → Canvas keeps this document and its viewer alive while hiding the pane.*
F0275 `docs/prompting-flow-designer.md` [109 lines] *Prompt Flow Panel: Open Panels → Prompt Flow Panel from chat, or File → Prompt Flow Panel from the Agentic Control Panel.*
F0276 `docs/self-management-carriage.md` [439 lines] *Self-modify and self-update carriage review: Views → Canvas and Views → Reset layout are ordinary chat capabilities in both frozen build modes.*
F0277 `docs/setup-lifecycle-research.md` [79 lines] *Windows setup: research and implementation decisions: Research date: 2026-10-11.*
F0278 `docs/setup-wizards.md` [209 lines] *Installation and removal windows: Status: shipped in the published v1.82.0 release (tag at 880a335e, 2026-10-12).*
F0279 `docs/stm32er_all_families_proposal.md` [171 lines] *Proposal — Widen STM32er to the ENTIRE ST 32-bit line (Blue Pill → STM32N6)*
F0280 `docs/usage-dashboard.md` [185 lines] *About Usage: Status: shipped in the published v1.78.0 release (2026-10-10).*
F0281 `docs/visual-analysis-errors.md` [119 lines] *Image and video failures, dialogs and recovery: Image/video analysis uses the configured model identities.*
F0282 `docs/windows-flow-files.md` [213 lines] *Windows flow files: Implemented 2026-10-04; shipped in v1.76.0.*

## docs/claude/ · assistant onboarding (auto-imported) — sheet 20

F0255 `docs/claude/acpx.md` [456 lines] *Tlamatini — ACPX (Agent Communication Protocol eXtension): This file is the authoritative reference for what ACPX means in Tlamatini, the mechanics it. . .*
F0256 `docs/claude/agents.md` [335 lines] *Tlamatini — Agents (Creation, Catalog, FlowCreator, FlowHypervisor): All 21 model-backed agents resolve their registered YAML fields through the portable. . .*
F0257 `docs/claude/architecture.md` [795 lines] *Tlamatini — Architecture & Core Systems: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text comparison. . .*
F0258 `docs/claude/exec-report.md` [269 lines] *Tlamatini — Exec Report (Per-Agent Execution Tables on the Final Answer)*
F0259 `docs/claude/frontend.md` [440 lines] *Tlamatini — Frontend Architecture: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text comparison. . .*
F0260 `docs/claude/gotchas.md` [305 lines] *Tlamatini — Gotchas, Build/Lint, Roadmap, Work Style: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text. . .*
F0261 `docs/claude/INDEX.md` [75 lines] *docs/claude/ — Tlamatini AI-Assistant Docs Index: - v1.85.0 release record — Refresh, Views/Reset, centered avatar, implementation matrix, current counts and. . .*
F0262 `docs/claude/mcp-tools.md` [222 lines] *Tlamatini — Creating a New MCP or Tool: Wrapped chat resolves central model settings before explicit tool arguments.*
F0263 `docs/claude/multi-turn.md` [304 lines] *Tlamatini — Multi-Turn Mode, Create Flow, Parametrizer Sections: The microphone beside Send is an input path, available with the current chat modes.*
F0264 `docs/claude/recent-fixes.md` [5.4k lines] *Tlamatini — Recent Fixes / Gotchas (archived fix log): v1.85.0 is the latest released version (2026-10-16).*

## docs/changes/ · dated change records — sheet 20

F0236 `docs/changes/2026-10-03-prompt-commentary-input.md` [71 lines] *2026-10-03 — Prompt Flow commentary/input separation: Source changes, uncommitted.*
F0237 `docs/changes/2026-10-03-prompt-commentary-input.patch` [1.4k lines] *Patch recorded together with the change note 2026-10-03-prompt-commentary-input.*
F0238 `docs/changes/2026-10-03-prompt-flow-documentation.md` [59 lines] *2026-10-03 — Prompt Flow documentation and process cleanup: Ok, now update all all all all all all all, all the related hundreds of documents, all the mardown. . .*
F0239 `docs/changes/2026-10-03-prompt-flow-documentation.patch` [631 lines] *Patch recorded together with the change note 2026-10-03-prompt-flow-documentation.*
F0240 `docs/changes/2026-10-04-commentary-graphical-redesign.md` [55 lines] *2026-10-04 — Graphical rich-text User Commentary: Sorry, but still horrible your fucking User Commentary: -It cannot be resized, directly in the borders of. . .*
F0241 `docs/changes/2026-10-04-commentary-graphical-redesign.patch` [2.0k lines] *Patch recorded together with the change note 2026-10-04-commentary-graphical-redesign.*
F0242 `docs/changes/2026-10-04-prompt-flow-documentation.md` [43 lines] *Prompt Flow documentation and dossier refresh — 2026-10-04: The standing instruction is do not commit.*
F0243 `docs/changes/2026-10-04-release-validation.md` [171 lines] *Release validation and repairs — October 4, 2026: This is an uncommitted local release campaign against source and Windows frozen artifacts reporting version. . .*
F0244 `docs/changes/2026-10-04-run-output-resize.md` [36 lines] *Prompt Flow Run output resizing — 2026-10-04: The horizontal divider resizes Run output from 5% to 95% of the combined canvas/output pane height; fixed. . .*
F0245 `docs/changes/2026-10-04-run-output-resize.patch` [834 lines] *Patch recorded together with the change note 2026-10-04-run-output-resize.*
F0246 `docs/changes/2026-10-04-windows-flow-files.md` [51 lines] *Windows flow files — 2026-10-04 source implementation: The existing format is .flw (agent flows), not .fmt.*
F0247 `docs/changes/2026-10-07-latexer-verification.md` [60 lines] *LaTeXer delivery and real-chat verification — 2026-10-07: The installed Tlamatini chat produced a correct simple PDF through LaTeXer. . .*
F0248 `docs/changes/2026-10-07-pdf-mover-incident.md` [87 lines] *2026-10-07: installed PDF delivery and Desktop deletion incident: The installed application's log records LaTeXer delivering. . .*
F0249 `docs/changes/2026-10-07-windows-access-verification.md` [82 lines] *Windows access scripts and non-admin execution checks — 2026-10-07: The security/ changes prepare Windows exceptions for the operator to apply.*
F0250 `docs/changes/2026-10-10-composer-resize.md` [80 lines] *Composer resizing and viewport containment — 2026-10-10: Status: shipped in the published v1.78.0 release (commit 113eddc4, 2026-10-10).*
F0251 `docs/changes/2026-10-11-ui-sweep.md` [146 lines] *Whole-site appearance and resize sweep — 2026-10-11: Local source changes requested by Angela.*
F0252 `docs/changes/2026-10-13-docked-avatar-divider.md` [65 lines] *Docked avatar resizing from the composer divider: Date: 2026-10-13.*
F0253 `docs/changes/2026-10-16-v1.85.0.md` [97 lines] *v1.85.0 — Current release: Tlamatini v1.85.0 is the latest released version.*

## authoring guides — sheet 20

F0423 `Tlamatini/.agents/workflows/create_new_agent.md` [749 lines] *How to create a new Tlamatini agent*
F0424 `Tlamatini/.mcps/create_new_mcp.md` [881 lines] *How to add a new MCP-backed context provider or unified-agent tool to Tlamatini without confusing the transport, DB, UI, and chain layers.*
F0425 `Tlamatini/.skills/create_new_skill.md` [416 lines] *Creating a New Skill (SKILL.md package) in Tlamatini: Authoritative, step-by-step guide for authoring a new Skill — including ACPX skills.*

## scripts/architecture_atlas/ and this atlas — sheet 20

F0317 `scripts/architecture_atlas/build_architecture_pdf.py` [216 lines] *Rebuild Tlamatini-Architecture.pdf in one step.*
F0318 `scripts/architecture_atlas/gen_architecture.py` [2.6k lines] *Generate Tlamatini-Architecture.tex: a multi-sheet architecture atlas of Tlamatini.*
F0319 `scripts/architecture_atlas/README.md` [52 lines] *Architecture atlas — how to rebuild Tlamatini-Architecture.pdf: Tlamatini-Architecture.pdf (repository root) is a multi-sheet A3 architecture atlas of. . .*
F0418 `Tlamatini-Architecture.pdf` [2.0MB] *This architecture atlas: every listed application file on A3 sheets; rebuilt by scripts/architecture_atlas/build_archi. . . and typeset by LaTeXer.*

## .claude/ · Claude Code skills, hooks and settings — sheet 20

F0001 `.claude/hooks/announce_skills.py` [204 lines] *SessionStart hook – announce that the complete skill set (Claude Code skills + Tlamatini's SKILL.md packages) is loaded, so every session is. . .*
F0002 `.claude/hooks/test_announce_skills.py` [353 lines] *Automated tests for the SessionStart hook (announce_skills.py). [15 tests]*
F0086 `.claude/settings.json` [16 lines] *JSON document with keys: hooks.*
F0087 `.claude/skills/tlamatini-agent-creation/SKILL.md` [928 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered. . .*
F0088 `.claude/skills/tlamatini-agent-naming/SKILL.md` [91 lines] *The authoritative Tlamatini agent NAMING CONVENTION — invoke before adding, renaming, casing, displaying, or auditing any workflow agent (STM32er. . .*
F0089 `.claude/skills/tlamatini-daily-chat-test/.gitignore` [8 lines] *Per-run outputs (regenerated daily)*
F0151 `.claude/skills/tlamatini-daily-chat-test/SKILL.md` [271 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe. . .*
F0152 `.claude/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0153 `.claude/skills/tlamatini-self-modify-inclusion/SKILL.md` [350 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships. . .*
F0154 `.claude/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [610 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0155 `.claude/skills/tlamatini-self-update-inclusion/SKILL.md` [440 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a. . .*

## .claude/memory/ · persistent assistant memory — sheet 20

F0003 `.claude/memory/feedback_agent_naming_conventions.md` [33 lines] *name: feedback_agent_naming_conventions description: CRITICAL — Tlamatini agent naming convention.*
F0004 `.claude/memory/feedback_developer_product_boundary.md` [18 lines] *Developer workflow is not product UX: Angela clarified this on 2026-09-27: she is the developer using this machine; the worldwide audience for her products is. . .*
F0005 `.claude/memory/feedback_dont_overbuild_exec_safety.md` [29 lines] *The whole multi-day external-exec safety hardening (gates/containment/_run_bounded/watcher daemon) was discarded by the user as not-working — don't. . .*
F0006 `.claude/memory/feedback_forbidden_headless_visible_tests.md` [20 lines] *All automated tests and diagnostics must remain visible on Angela's real desktop, with no headless exception.*
F0007 `.claude/memory/feedback_foreground_visible_windows.md` [19 lines] *Every Tlamatini execution must run in a visible forked foreground window; headless is forbidden.*
F0008 `.claude/memory/feedback_hard_real_scenario_tests.md` [25 lines] *User demands HARD, real-scenario automated tests — soft happy-path tests are unacceptable*
F0009 `.claude/memory/feedback_main_branch_only.md` [40 lines] *ABSOLUTE rule. Tlamatini is a solo project; NEVER create branches, NEVER suggest PRs, NEVER let a "Create PR" UI badge appear. Everything goes on. . .*
F0010 `.claude/memory/feedback_package_json_version_bump.md` [29 lines] *On release version bumps, also bump package.json \"version\" — user wants it tracked despite the git-tag-only contract*
F0011 `.claude/memory/feedback_run_tlamatini_agents_visible.md` [34 lines] *To show Tlamatini's desktop agents (Playwrighter headed, forked windows, Shoter/Mouser/Keyboarder) on the user's real screen, launch FOREGROUND with. . .*
F0012 `.claude/memory/feedback_state_constraints_upfront.md` [31 lines] *Surface hard platform/architectural constraints + real options UP FRONT as a decision for the user — never discover them by trial-and-error.*
F0013 `.claude/memory/feedback_track_changes_pivot_file.md` [27 lines] *Keep a pivot/changelog file recording the verbatim request + complete before/after of every change, so precise rollbacks never depend on git or on. . .*
F0014 `.claude/memory/feedback_update_agent_docs.md` [27 lines] *When adding or modifying workflow agents in Tlamatini, also update the agent documentation files*
F0015 `.claude/memory/feedback_user_owns_git.md` [43 lines] *Read-only git commands (status/log/diff/show/blame) are always allowed.*
F0016 `.claude/memory/MEMORY.md` [148 lines] *Image/video error reporting and recovery (2026-09-26): Image/video model failures accumulate in one shared, themed, non-modal fatal-error dialog with an. . .*
F0017 `.claude/memory/project_acpx_oneshot_prompt.md` [46 lines] *2026-05-04 fix for ACPX losing TUI agent responses; claude/gemini/cursor/qwen/codex now re-spawn per turn with prompt as CLI arg*
F0018 `.claude/memory/project_acpx_skills_menu.md` [58 lines] *2026-05-17 — Added \"ACPX-Skills\" navbar dropdown (Browse / Configure / Diagnostics / Reload).*
F0019 `.claude/memory/project_acpx_toggle_skills.md` [35 lines] *2026-05-06 - acpx_enabled WebSocket flag filters the 12-tool ACPX/Skill surface per-request via agent.acpx.filter_acpx_tools(); 21 SKILL.md packages. . .*
F0020 `.claude/memory/project_acpxer_added.md` [31 lines] *2026-05-03 added ACPXer (#59) — a workflow agent that drives one ACPX session lifecycle from the canvas; it deliberately mirrors the runtime. . .*
F0021 `.claude/memory/project_agent_table_wiped_on_boot.md` [71 lines] *apps.ready() DELETES the whole Agent table every startup and re-derives names with .title() — the real source of 'Pdfer' and 6 dead canvas. . .*
F0022 `.claude/memory/project_arduiner_agent.md` [35 lines] *Arduiner (#70) Arduino CLI bridge agent — built 2026-06-02, full canvas + Multi-Turn, ships ArduinoTemplateProject; not committed*
F0023 `.claude/memory/project_ask_execs_feature.md` [35 lines] *The \"Ask Execs\" per-tool Proceed/Deny permission prompt for Multi-Turn executions — architecture + contracts.*
F0024 `.claude/memory/project_audioplayer_agent.md` [31 lines] *AudioPlayer (#73) audio-playback workflow agent — soundfile+sounddevice, canvas + chat_agent_audioplayer*
F0025 `.claude/memory/project_build_concurrency_guard.md` [32 lines] *build.py error 'FileNotFoundError build/manage/warn-manage.txt' = TWO concurrent builds clobbering shared build/ dist/ work dirs; fixed with a PID. . .*
F0026 `.claude/memory/project_build_tests_and_installer_enterkey.md` [25 lines] *build-script contract tests (test_build_scripts.py, 28) + Enter-key triggers install/uninstall in the Tkinter GUIs*
F0027 `.claude/memory/project_camcorder_agent.md` [27 lines] *2026-06-03 added Camcorder (#71) webcam photo/video agent (canvas + chat_agent_camcorder)*
F0028 `.claude/memory/project_carried_python_for_agents.md` [37 lines] *Frozen installer now ships its OWN Python 3.12.10 for pool agents; agents ALWAYS use it (no system Python needed)*
F0029 `.claude/memory/project_conjunction_parser_fix.md` [26 lines] *2026-04-24 fix — _split_assignment_segments and _closes_outer_quote now split on and KEY= / with KEY=, not just ,/;. Root-cause of AngysBackInCUDA. . .*
F0030 `.claude/memory/project_daily_chat_test_skill.md` [28 lines] *The tlamatini-daily-chat-test Claude Code skill — Playwright/real-Chrome harness that asks 1000 curated questions to the Tlamatini chat daily and. . .*
F0031 `.claude/memory/project_desktop_ui_lifecycle.md` [29 lines] *2026-05-07 fix — Keyboarder/Mouser/Shoter purposes + prompt.pmt rule 11 codify open→focus→interact→close→handle-save-. . .*
F0032 `.claude/memory/project_director_virtuoso_demo_prompts.md` [28 lines] *2026-05-21 added two ADVANCED multi-agent demo prompts (slots 55/56) via migration 0096; catalog now runs 1-56, next free slot is 57*
F0033 `.claude/memory/project_doc_refresh_2026_05_06.md` [40 lines] *Comprehensive doc-refresh pass covering the last week of changes - ACPX toggle, Skills system, WhatsTlamatini, ACPXer, summarizer one-shot mode. . .*
F0034 `.claude/memory/project_doc_refresh_2026_05_08.md` [39 lines] *Cross-cutting doc audit and surgical fixes to CLAUDE.md, docs/claude/exec-report.md, docs/claude/frontend.md, and README.md to align with the last 2. . .*
F0035 `.claude/memory/project_doc_refresh_2026_05_09.md` [58 lines] *CLAUDE.md + docs/claude/* updated for Flow Compiler / Agent Contracts (commit 0bea21d), agents_descriptions.md authoritative tooltip source. . .*
F0036 `.claude/memory/project_eight_fixes_2026_05_07.md` [53 lines] *2026-05-07 batch fixing the "open notepad → type → wait → close" failure mode (15 iterations got force-stopped before Keyboarder ran)*
F0037 `.claude/memory/project_emailer_recmailer_oneshot.md` [36 lines] *Emailer/RecMailer now work standalone in Multi-Turn chat (one-shot send / one-shot check)*
F0038 `.claude/memory/project_embedding_memory_guard.md` [35 lines] *2026-05-12 — Embedding-memory pre-flight guard added (NVIDIA-GPU-only, fail-open) for the \"Set directory as context\" flow*
F0039 `.claude/memory/project_esp32er_agent.md` [37 lines] *ESP32er agent (#69) — PlatformIO pio CLI bridge, the direct-CLI sibling of STM32er*
F0040 `.claude/memory/project_execute_command_bounded_fix.md` [27 lines] *2026-06-06 execute_command now bounded (timeout + stdin=DEVNULL + kill-tree); fixes the copy-con hang*
F0041 `.claude/memory/project_execute_file_foreground_fix.md` [44 lines] *REAL root cause of 'execute_file window never opened + false OK'; 2026-05-29 made the foreground path reachable, 2026-05-30 fixed the LAUNCH. . .*
F0042 `.claude/memory/project_external_exec_safety_layer.md` [33 lines] *The Python-launch syntax gate + Job-Object containment safety layer, its coverage, and the outstanding Sqler/Mongoxer gap*
F0043 `.claude/memory/project_flow_compiler_dialog_wins.md` [29 lines] *Reverses the canvas-as-source-of-truth contract for connection fields; user-edited source_agents/target_agents/etc. survive Start.*
F0044 `.claude/memory/project_ghost_distinfo_dependency_audit.md` [56 lines] *site-packages carries ~30 GHOST dist-info dirs; pip's conflicts were mostly phantom. audit_dependencies.py + the numpy floor fix (2026-07-26)*
F0045 `.claude/memory/project_kalier_agent.md` [37 lines] *Kalier agent — Kali Linux / MCP-Kali-Server bridge added on canvas + Multi-Turn*
F0046 `.claude/memory/project_keyboarder_wrapped_2026_05_07.md` [32 lines] *2026-05-07 — Keyboarder + Shoter usable from Multi-Turn; chat_agent_keyboarder added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0078*
F0047 `.claude/memory/project_latexer_agent.md` [76 lines] *LaTeXer (#87) — native typesetting, 30 optional styles, engine-free catalogue, MiKTeX-backed compilation and portable pool helpers.*
F0048 `.claude/memory/project_living_canvas_dropped.md` [29 lines] *2026-04-29 — Living Canvas v0 commits (2fc441d, 0705a9c, d496cda) were force-reverted; feature was non-functional in production despite passing. . .*
F0049 `.claude/memory/project_mouser_wrapped_2026_05_07.md` [37 lines] *2026-05-07 — Mouser usable from Multi-Turn; chat_agent_mouser added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0079.*
F0050 `.claude/memory/project_native_picker_tcltk_fix.md` [57 lines] *Server file picker rewritten tkinter-free (Win32 ctypes); tkinter REMOVED from server build.*
F0051 `.claude/memory/project_native_toast.md` [31 lines] *Notifier toast/desktop-popup experiment was REMOVED entirely (never worked); only the Windows "Installed apps" registration was kept.*
F0052 `.claude/memory/project_netspeed_calculator_agent.md` [89 lines] *NetSpeed-Calculator (agent #88) — COMPLETE and wired across ~30 surfaces; the 4 endpoint bugs, the silent-zero fix, and the spaced-impostor Agent. . .*
F0053 `.claude/memory/project_numpy_pyinstaller.md` [24 lines] *Root cause and fix for "cannot load module more than once per process" at Tlamatini startup*
F0054 `.claude/memory/project_ollama_source_build_breaks_embeddings.md` [31 lines] *The \"llama-server binary not found\" / Nomic-Embed error is the broken C:\\Development\\ollama source build, NOT prompt size*
F0055 `.claude/memory/project_pdfer_agent.md` [78 lines] *PDFer document composer — 24 visual styles, 20 semantic themes, measured layouts, catalog mode and flow outputs*
F0056 `.claude/memory/project_planner_followup.md` [31 lines] *Fixed planner losing tool context on short follow-up messages, plus 5 other fixes from MXNet installation log analysis*
F0057 `.claude/memory/project_playwrighter_agent.md` [31 lines] *Playwrighter (#65) scripted-browser-automation agent — canvas + Multi-Turn, added 2026-05-20*
F0058 `.claude/memory/project_playwrighter_hold_open.md` [56 lines] *Playwrighter hold_open_seconds/hold_open_ms linger knob — fixes \"browser closes before I can see it*
F0059 `.claude/memory/project_prompt_catalog_mode_badges.md` [42 lines] *Prompt catalog cards now show mode badges (One-Shot / Multi-turn / ACPX) and auto-set the Multi-Turn + ACPX toolbar checkboxes when a prompt is. . .*
F0060 `.claude/memory/project_prompt_flow_commentary_input.md` [19 lines] *Preserve the annotation/input split, mixed-style graphical editing, file fidelity, 5–95% Run output resizing and source/release boundaries.*
F0061 `.claude/memory/project_pythonxer_forkbomb_fix.md` [46 lines] *Pythonxer crash (thousands of flashing console windows, machine restart) — fix = blocking syntax gate + blocking Ruff (non-zero on lint fail) +. . .*
F0062 `.claude/memory/project_pythonxer_strict_ruff_gate.md` [36 lines] *STRICT Pythonxer correctness gate (compile() floor + blocking Ruff) + LLM fix→re-ruff→retry loop — the sanctioned minimal subset re-added 2026-05-29. . .*
F0063 `.claude/memory/project_quote_apostrophe_fix_2026_05_07.md` [48 lines] *2026-05-07 fix for the "Hi!, i'm tlamatini" bug — the LLM passed "Hi!, I'm Tlamatini" (doubled outer + SQL-doubled inner apostrophe) and it. . .*
F0064 `.claude/memory/project_reaper_console_window_fix.md` [36 lines] *Orphan reaper was killing Tlamatini's own console-window conhost (frozen onedir builds), closing the window and hanging the server; fixed + tests*
F0065 `.claude/memory/project_recorder_agent.md` [31 lines] *Recorder (#72) microphone/audio-capture agent added on canvas + Multi-Turn*
F0066 `.claude/memory/project_reviewer_analyzer_agents.md` [33 lines] *2026-05-19 — added Reviewer + Analyzer workflow agents (#63/#64) and code-review + security-audit SKILL.md packages, on both surfaces*
F0067 `.claude/memory/project_reviewer_analyzer_demo_prompts.md` [25 lines] *2026-05-20 added two fancy seeded demo prompts for Reviewer/Analyzer (idPrompt 26/27) via migration 0090; documents the prompts-catalog contiguity. . .*
F0068 `.claude/memory/project_reviewer_committed_secrets_falsepos.md` [31 lines] *2026-05-20 fix — Reviewer agent + code-review skill falsely reported working-tree API keys as \"committed\"; taught both commit-state precision +. . .*
F0069 `.claude/memory/project_secret_leak_recovery.md` [33 lines] *How Tlamatini commits can leak API keys, and the recovery recipe when it happens*
F0070 `.claude/memory/project_stm32er_agent.md` [35 lines] *STM32er (#68) agent bridging the STM32TemplateProjectMCP stdio server on canvas + Multi-Turn*
F0071 `.claude/memory/project_stm32er_bootstrap_preflight.md` [31 lines] *STM32er zero-config auto-bootstrap (download/install MCP) + critical-mission safety preflight (validate compiler/CubeIDE/driver/ST-LINK, fail-safe. . .*
F0072 `.claude/memory/project_stm32er_demo_prompts.md` [29 lines] *STM32er Catalog-of-Prompts demos — migration 0103 seeds 3 tiered STM32F firmware prompts at slots 63/64/65*
F0073 `.claude/memory/project_stm32er_docs_libs_parametrizer.md` [35 lines] *STM32er v1.9.0 alignment — docs/skills/prompt.pmt swept for bootstrap+preflight, parametrizer server_script field, requirements lib sweep (PyPDF2. . .*
F0074 `.claude/memory/project_stm32er_hil_serial_proof_fix.md` [27 lines] *STM32er HIL demo (#65) fix — F4-Discovery ST-LINK VCP is NOT routed to the MCU USART, so live-SWD-memory is the real HIL proof, not serial*
F0075 `.claude/memory/project_stm32er_tests.md` [27 lines] *STM32er agent test suite — agent/test_stm32er_agent.py, 85 tests covering compiler-find/compile/link/hex via a fake MCP stdio server*
F0076 `.claude/memory/project_summarizer_oneshot_mode.md` [49 lines] *2026-05-06 fix — chat_agent_summarize_text now actually accepts input_text/target_words; before this, the registry advertised it as a one-shot text. . .*
F0077 `.claude/memory/project_taskbar_flash_attention.md` [30 lines] *Taskbar-flash + uppercase log banner attention notice for Ask-Execs prompts and Notifier notifications (the toast successor)*
F0078 `.claude/memory/project_teletlamatini_acpx.md` [34 lines] *TeleTlamatini AND WhatsTlamatini carry acpx_enabled end-to-end (config default true); 2026-06-04 both also hardened for "Ask Execs" — ungated by. . .*
F0079 `.claude/memory/project_temp_templates_policy.md` [39 lines] *Temp + Templates dirs must live ONLY under the Tlamatini app root; never outside Tlamatini*
F0080 `.claude/memory/project_unity_mcp_declined.md` [30 lines] *2026-05-17 — Uniter agent (Unity MCP analogue of Unrealer) was analyzed but explicitly NOT built; functionality too limited to justify*
F0081 `.claude/memory/project_unrealer_expanded_surface.md` [101 lines] *Unrealer agent expanded from 28→53 Unreal-MCP commands (System/Level/Asset/Material); cross-repo fork relationship + forwarder hardening*
F0082 `.claude/memory/project_versioning_2026_05_15.md` [60 lines] *SemVer 2.0.0 versioning system with git-tag-derived versions, injected into build artefacts at build time.*
F0083 `.claude/memory/project_videoplayer_agent.md` [33 lines] *VideoPlayer (#74) video+audio playback agent — ffpyplayer+OpenCV, canvas + chat_agent_videoplayer*
F0084 `.claude/memory/project_windower_agent.md` [37 lines] *Windower (#65) Win32 window-manager agent — dual-surface (canvas + chat_agent_windower), ports Windows-MCP window subset*
F0085 `.claude/memory/user_profile.md` [18 lines] *Primary developer of Tlamatini; values robustness, comprehensive execution, and parallel work.*

## .gemini/skills/ · Gemini mirror — sheet 20

F0161 `.gemini/skills/tlamatini-agent-creation/SKILL.md` [928 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered. . .*
F0162 `.gemini/skills/tlamatini-agent-naming/SKILL.md` [91 lines] *The authoritative Tlamatini agent NAMING CONVENTION — invoke before adding, renaming, casing, displaying, or auditing any workflow agent (STM32er. . .*
F0163 `.gemini/skills/tlamatini-daily-chat-test/.gitignore` [8 lines] *Per-run outputs (regenerated daily)*
F0196 `.gemini/skills/tlamatini-daily-chat-test/SKILL.md` [271 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe. . .*
F0197 `.gemini/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0198 `.gemini/skills/tlamatini-self-modify-inclusion/SKILL.md` [350 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships. . .*
F0199 `.gemini/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [610 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0200 `.gemini/skills/tlamatini-self-update-inclusion/SKILL.md` [440 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a. . .*

## .codex/skills/ · Codex dossier and release skills — sheet 20

F0156 `.codex/skills/full-project-pdf-dossier/SKILL.md` [121 lines] *Use when asked to create or update a complete project PDF dossier, app summary, architecture report, or repository documentation PDF that must. . .*
F0157 `.codex/skills/overlap-safe-pptx-dossier/SKILL.md` [132 lines] *Use when asked to create or update a complete technical PPTX deck, especially a Tlamatini-style presentation, where slides must describe the whole. . .*
F0158 `.codex/skills/tlamatini-release-validation/agents/openai.yaml` [4 lines] *YAML document: keys interface.*
F0159 `.codex/skills/tlamatini-release-validation/references/acceptance-matrix.md` [94 lines] *Acceptance matrix: Apply this to the current build, using actual UI labels and endpoints found in source.*
F0160 `.codex/skills/tlamatini-release-validation/SKILL.md` [120 lines] *Validate a real Tlamatini Windows release through clean installation, administration, chat, Prompt Flow Panel, Agentic Control Panel, and lifecycle. . .*