TLAMATINI

Complete Architecture Atlas

eXtended Artificial Intelligence, Humanly Tempered · "one who knows"

Created by **Angela López Mendoza** · XAIHT

Release v1.85.0 · commit 5a9631cd (2026-10-17) · atlas generated 2026-10-17 from every file tracked in git

1,735 tracked files, every one drawn	**578,888** lines of text	**854** Python files	**89** workflow agent types
67 Multi-Turn chat-agent tools	**184 + 3** HTTP routes + WebSocket routes	**19** Django models	**213** migrations
59 / 26 first-party JS / CSS files	**29** SKILL.md packages	**5,254** test functions in 182 files	**228** Markdown documents

Lines of text by architectural layer

- Presentation (browser) — 102 files, 44,493 lines
- Process & transport — 34 files, 21,947 lines
- Intelligence core — 67 files, 33,867 lines
- Integration surfaces — 81 files, 22,115 lines
- Agent pool — 264 files, 119,398 lines
- Persistence & state — 219 files, 18,534 lines
- Platform & safety — 21 files, 6,454 lines
- Build, release & install — 57 files, 22,222 lines
- Verification — 349 files, 128,676 lines
- Knowledge & governance — 198 files, 47,452 lines
- Vendored third-party — 343 files, 113,730 lines

File-type markers on every tile

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

How to read this atlas

- **Part A (sheets 2–11)** draws the architecture: runtime topology, request lifecycle, intelligence core, agents, integrations, frontend, data, build/release, verification and a module dependency matrix. File names in blue are links to the index.
- **Part B (sheets 12–21)** is the file atlas: every tracked file is a tile inside the cluster where it lives architecturally. Marker = file type, right number = lines (or size for binaries).
- **Part C** is the file index: every file with its ID, path, size and a description extracted from the file itself (docstring, header comment, heading or parsed structure).
- Click a tile to open its index entry; click an ID in the index to jump back to the tile. PDF bookmarks list every sheet and cluster.

SHEET INDEX

Part A — architecture overview

02 Runtime topology — processes, ports and stores
03 Request lifecycle — from the composer to the rendered answer
04 Intelligence core — five layers, the Multi-Turn executor and the Model Brain
05 Agent ecosystem — 89 workflow agent types and the flow pipeline
06 Integration surfaces — ACPX, skills, external MCPs and bridges
07 Frontend module map — what each page loads, in order
08 Data model and state — 19 Django models, 213 migrations, WAL-safe copies
09 Build, release, install and self-update pipeline
10 Verification and knowledge — how Tlamatini is tested and documented
11 Python module dependency matrix (DSM)

Part B — file atlas

12 Atlas I — Server core: process, web tier and intelligence
13 Atlas II — Integration surfaces, platform and state
14 Atlas III — Persistence history: every Django migration
15 Atlas IV — Presentation layer: first-party frontend
16 Atlas V — Vendored third-party frontend and PDF.js
17 Atlas VI — Agent pool: every workflow agent template
18 Atlas VI — Agent pool: every workflow agent template (continued 2)
19 Atlas VII — Verification: unit, contract, visible and release tests
20 Atlas VIII — Build, release, install, security and repository root
21 Atlas IX — Knowledge and governance

Part C — file index (1735 entries)

Runtime topology — processes, ports and stores

One Python process serves the browser pages over HTTP and 3 WebSocket routes, starts two built-in MCP servers, and drives pool agents, ACPX children and external MCP servers.

SHEET 02

Chat page

- agent_page.html: composer, toolbar modes (Multi-Turn, Exec report, ACPX, Ask Execs, Step-by-Step, Compact mode, Self-modify), canvas, avatar
- Boot and state: agent_page_init.js, agent_page_state.js, agent_page_ui.js, agent_page_layout.js
- Messages: agent_page_chat.js (Copy/Drop, Create Flow, Exec Report)
- Canvas: agent_page_canvas.js, agent_page_markdown.js, agent_page_pdf.js
- Voice and avatar: chat_dictation.js, mic_settings.js, avatar.js
- Gauges: context_gauge.js, model_capacity.js, self_modify_switch.js

HTTP, WS

Agentic Control Panel

- agentic_control_panel.html + agentic_control_panel.js
- Canvas engine: acp-canvas-core.js, acp-canvas-undo.js, acp-undo-manager.js, acp-editor-tools.js
- Flow I/O: acp-file-io.js (.flw), acp-flow-snapshot.js → /agent/compile_flow/
- Run control: acp-control-buttons.js, acp-running-state.js, acp-session.js, acp-validate.js

HTTP

Prompt Flow Panel

- prompt_flow_panel.html: diagram editor for chains of prompts saved as .fpmt
- prompt-flow-panel-model.js (document contract) and prompt-flow-panel.js (editor, playback)
- Shared canvas mechanics: flow-canvas-interactions.js, flow_canvas.css

WS

Entry pages, admin and PDF frame

- login.html, welcome.html + welcome_enter_default.js
- Django admin skin: base_site.html + admin_theme.css
- PDF iframe: pdf/canvas.html + pdf_canvas_viewer.js + vendored PDF.js

HTTP

Shared shell on every page

- Dismissal policy and themed popups: dialog_policy.js, dialog_theme.css
- Theme and splitters: ui_tokens.css, ui_shell.css, ui_splitters.css, ui_splitters.js
- Smart file drop: file_drop_router.js; bulk toggle: checkbox_bulk_toggle.js

TLAMATINI SERVER — manage.py → Django + Channels on Daphne (ASGI), port django_port (default 8000)

Process bootstrap

- manage.py: tees stdout/stderr into tlamatini.log, console shield, coloured console, django_port, Temp pin, post-update DB swap and migrate
- tlamatini/settings.py (SQLite WAL, WhiteNoise), tlamatini/asgi.py, tlamatini/middleware.py (per-user log tags), tlamatini/logging_filters.py
- agent/apps.py AgentConfig.ready(): rebuilds the Agent table, starts the MCP servers, boot_skills(), Tier-3 reaper, companion manifest

HTTP surface

- tlamatini/urls.py → agent/urls.py: 184 routes
- agent/views.py (pages, agents, flows, DB, prompts, skills, external MCPs), flow_file_views.py, model_brain_views.py, pdf_context_views.py, usage_views.py, agent/admin.py

WebSocket surface (routing.py)

- Routes declared in agent/routing.py
- ws/agent/ → agent/consumers.py AgentConsumer: chat, toggles, Drop, Compact and Self-modify switches, Ask-Execs replies
- ws/prompt-flow-panel/ → prompt_flow_panel_consumer.py (one run per connection)
- ws/chat-voice/ → chat_voice_consumer.py (direct microphone)

RAG and answer chains

- rag/interface.py ask_rag() → rag/factory.py builds the chain; sidecars inject system and file context
- rag/chains/basic.py, rag/chains/history_aware.py, rag/chains/unified.py
- Retrieval: rag/retrieval.py, rag/loaders.py, rag/splitters.py, rag/binary_guard.py (FAISS + BM25)

Multi-Turn agent

- mcp_agent.py: capability-aware tool-loop executor
- global_execution_planner.py, capability_registry.py, self_healing.py, exec_permission.py
- context_fitter.py, compact_mode.py, model_brain.py, model_brain_chat.py

Tool surface

- agent/tools.py: direct tools and one chat_agent_* launcher per wrapped agent (chat_agent_registry.py: 67 specs; chat_agent_runtime.py)
- acpx/tools.py: 12 ACPX/Skill tools; external_mcp_manager.py: 10 supervisors + ext__<server>__<tool>
- agent_verdict.py: deterministic SUCCESS/FAILED from each agent's INI_SECTION

Flow services

- services/flow_spec.py → services/flow_compiler.py with services/agent_contracts.py and services/agent_paths.py
- services/response_parser.py: answer cleanup and Exec Report tables
- services/prompt_flow_panel.py: .fpmt validator and interpreter

Platform guards

- path_guard.py (Temp/Templates policy), orphan_reaper.py (three-tier reaper), command_watchdog.py
- log_identity.py ([a3] user tags), cancellation.py, global_state.py

read / write

WS

System-Metrics MCP · WebSocket :8765

- mcp_system_server.py ↔ mcp_system_client.py; sidecar chain_system_lcel.py

gRPC

Files-Search MCP · gRPC :50051

- mcp_files_search_server.py, filesearch.proto → filesearch_pb2.py, filesearch_pb2_grpc.py; sidecar chain_files_search_lcel.py, bounded by context_sidecar_timeout.py

HTTP

LLM back-ends

- Ollama local and cloud (chat, embeddings, vision); sampling per model from model_profiles.json
- Anthropic Claude: claude_opus_client.py; images: imaging/image_interpreter.py

spawn

Pool agent processes

- 89 templates in agent/agents/<type>/, copied to agents/pools/<session>/<type>_N (canvas) or _chat_runs_ (chat)
- Each run: <type>.py + config.yaml, PID file, reanim* state, INI_SECTION_<TYPE> output

stdio

ACPX child CLIs

- claude, codex, gemini, cursor, qwen, kiro, kimi, copilot… spawned by acpx/runtime.py via acpx/windows_spawn.py and win_shim.py; verdict acpx/child_health.py

connect

External MCP servers

- stdio, streamable-http, sse, websocket; at most 5 active; catalog external_mcps.json; defaults external_mcp_defaults.py; runtimes runtime_provisioner.py

socket

Voice worker

- whisperer/chat_worker.py over an authenticated loopback socket (chat_voice_runtime.py, chat_voice_settings.py)

Root stdio MCP server

- tlamatini_mcp_server.py + tlamatini_acpx.py expose every pool agent and ACPX to external MCP clients (Claude Code, Kimi): .mcp.json

STORAGE AND STATE

SQLite (WAL)

- db.sqlite3: 19 models in agent/models.py, 213 migrations; WAL-safe backup and Set-DB by sqlite_copy.py

User state and configuration

- config.json (agent/config.json template), external_mcps.json, contacts, preserved_user_state.json

Working directories

- <app>/Temp (all scratch) and <app>/Templates (scaffolded projects) via path_guard.py; agents/pools/ session pools

Logs

- tlamatini.log (truncated at start, per-user tags), each pool agent's own log with INI_SECTION blocks

Per-user machine stores

- %LOCALAPPDATA%\Tlamatini: private runtimes, memory knowledge graph, learned model profiles, setup logs

Request lifecycle — from the composer to the rendered answer

Twelve steps of one chat message in Multi-Turn mode, by the layer that performs them. Every file named is clickable.

SHEET 03

Browser

1 · Compose and send
`agent_page_init.js` sends the prompt and the mode flags over `ws/agent/`

7 · Ask Execs
`exec_permission.py` broker → Proceed/Deny dialog (`agent_page_dialogs.js`); Deny halts the chain

12 · Render
`agent_page_chat.js` draws the card; `context_gauge.js` ring; `avatar.js` speaks; Create Flow → `/agent/flow_from_tool_calls/`

Channels consumer

2 · Receive
`agent/consumers.py` binds the user tag (`log_identity.py`), saves the prompt (`AgentMessage`), queues retrieval on a worker thread

11 · Broadcast
`agent_message` with `message_id` and `tool_calls_log`; Tier-2 reaper; `context_governor.py`; `usage_tracking.py`

RAG interface and chains

3 · Decide context
Internet check (`inet_determiner.py`); `rag/interface.py ask_rag()`; last 8 messages from `chat_history_loader.py`

4 · Build chain
`rag/factory.py` picks basic, history-aware or unified; patched `invoke()` pulls sidecar context (`chain_system_lcel.py`, `chain_files_search_lcel.py`)

Multi-Turn executor

5 · Plan and fit
`global_execution_planner.py` + `capability_registry.py`; ACPX filter; `fit_request` (`context_fitter.py`, `compact_mode.py`); `model_brain.py`

6 · Tool loop
`mcp_agent.py` executor; each model step through `self_healing.py` (watchdog, tactic ladder); dedup and quota guards

Tools and agents

8 · Run tools
`agent/tools.py` → `chat_agent_runtime.py` copies and starts a pool agent; `acp_*` children; `ext__*` remote tools

9 · Judge
Agent prints `INI_SECTION_<TYPE>`; `agent_verdict.py` rules SUCCESS/FAILED; Tier-1 `orphan_reaper.py`

Response and persistence

10 · Compose answer
`services/response_parser.py` strips `END-RESPONSE`, appends the Exec Report and any denial banner, then saves the row

Mode gates

Multi-Turn off: the legacy one-shot answer. ACPX off: `filter_acpx_tools` strips the 12 ACPX/Skill tools. Exec report and Ask Execs act only inside Multi-Turn. Step-by-Step paces one action per reply; Compact mode binds only the ticked tools.

Never hang, never discard, never lie

Each model attempt has a watchdog; distinct recovery tactics follow; a graceful answer is built from the work already done, and a recovery preamble tells the user what happened. Only Cancel (`cancellation.py`) or an exhausted ladder stops it.

What returns to the browser

Answer HTML; Exec Report tables (one per agent kind); `tool_calls_log` for Create Flow; context-gauge frames with Ollama's real token count; Compact and Self-modify state frames; message ids for Drop.

Intelligence core — five layers, the Multi-Turn executor and the Model Brain

How context reaches the model, how each request is fitted to the model's real window, and how every model step is protected.

SHEET 04

1 · Persisted toggles

- `Mcp`, `Tool`, `Agent`, `Skill` rows (`agent/models.py`) loaded by `agent/consumers.py` into status flags; `compact_mode.py` rewrites them as one switch

2 · Runtime MCP services

- System-Metrics (`mcp_system_server.py`) and Files-Search (`mcp_files_search_server.py`), started by `agent/apps.py` or `startserver.py`

3 · Context sidecars

- `chain_system_lcel.py` and `chain_files_search_lcel.py` decide whether `system_context` or `files_context` is needed

4 · Answer chains

- `rag/chains/basic.py`, `rag/chains/history_aware.py`, `rag/chains/unified.py`; `rag/factory.py` patches `invoke()`; `rag/chains/base.py` callbacks

5 · Unified-agent tools

- `agent/tools.py` `get_mcp_tools()` + `tool_gate_table()`: direct, wrapped (`chat_agent_*`), ACPX and external-MCP tools

Chain selection

- `basic`: prompt only, no documents (`rag/chains/basic.py`)
- `history_aware`: RAG with reranking over the loaded context (`rag/chains/history_aware.py`)
- `unified`: tool-enabled agent chains (`rag/chains/unified.py`); Multi-Turn binds the full enabled tool surface
- Sidecars fetch System-Metrics or Files-Search context only when the question needs it

Ask-Execs allowlist

- Prompts only for tools in `_ASK_EXECS_REQUIRED_TOOLS` (`mcp_agent.py`): command and script runners; tier A data-changing (Deleter, Mover, File-Creator, Editor, De-Compresser, PDFer, LaTeXer); tier D remote/network (SCPer, Apirer, Nmapper, Discoverer, Crawler, NetSpeed-Calculator)
- Not gated on purpose: tier B messaging and tier C visible desktop/hardware agents
- Deny halts the whole chain and shows a red banner; pinned by `test_ask_execs_allowlist.py`

Request payload

- message, history, `multi_turn_enabled`, `acpx_enabled`, `ask_execs_enabled`, `exec_report_enabled`, `step_by_step_enabled` (whitelisted when `unified.py` rebuilds the payload)

fit_request

- `context_fitter.py` measures the prompt and tool schemas against the model's real window: FULL, COMPACT or STRICT (locked); switch state in `compact_mode.py` (`CompactState`)

System prompt

- `agent/prompt.pmt` + self-knowledge `agent/Tlamatini.md` (only when Self-modify is on and fits) via `rag/config.py`; Temp and Templates rules

Model step

- `self_healing.py` `SelfHealingInvoker` → `model_brain_chat.py` `BrainChatOllama` (reasoning kept inside the tool loop); stop sequences fitted by `ollama_stop.py`; text tool-calls recovered by `local_toolcall_parser.py`

Tool call

- dedup and quota → Ask-Execs allowlist (`exec_permission.py`) → tool → Tier-1 reaper (`orphan_reaper.py`) → verdict (`agent_verdict.py`)

loop

Result

- `output`, `tool_calls_log`, `exec_report_entries`, `exec_report_denied`, recovery preamble → `services/response_parser.py`

Self-healing tactic ladder

- Each model attempt runs under a watchdog (`unified_agent_llm_step_timeout_seconds`, default 80 s)
- Distinct tactics: plain retry, back-off, message-tail trim, plain-LLM fallback, up to `unified_agent_llm_step_max_tactics`
- Live status lines reach the chat; the answer carries a recovery preamble; finished work is kept, so Create Flow and the Exec Report survive

Verdict engine

- `agent_verdict.py` parses `INI_SECTION_<TYPE>` into a typed record; ordered rules decide SUCCESS or FAILED; the agent's self-report outranks the exit code
- Closed vocabulary of five disjoint status sets, pinned by `test_status_vocabulary.py`

Model Brain

- Sources in order: overrides › `model_profiles.json` › learned profile › Ollama `/api/show` › model defaults
- `model_brain.py`, `model_brain_views.py`; Auto-tuning dialog `model_brain_tuning.js`

Context governor

- `context_governor.py` pairs Ollama's `prompt_eval_count` with each request; `context_baseline.py` probes the next request at rest; ring in `context_gauge.js`

Retrieval stack

- FAISS + BM25 (`rag/retrieval.py`), metadata (`rag_enhancements.py`), `rag/loaders.py`, `rag/splitters.py`, `rag/binary_guard.py`, VRAM pre-flight `embedding_memory_guard.py`, `gpu_perf.py`

Documents and vision

- PDF context: `pdf_context.py`, `pdf_context_jobs.py`, `pdf_image_analysis.py`; `visual_error_reporting.py`; `imaging/converter.py`, `imaging/screenshot.py`

Usage, voice and web

- `usage_provider.py` (Ollama balance), `usage_tracking.py` (`UsageDaily`); dictation `chat_voice_runtime.py`; `web_search_llm.py`, `llm_timing.py`

Prompt Flow runtime

- `prompt_flow_panel_runtime.py`: own chain, history and embeddings per run; interpreter `services/prompt_flow_panel.py`

Compact mode switch

- Ticking it unticks every MCP, tool, agent and skill row except System-Metrics, Files-Search and Current-Time; unticking re-ticks every row
- STRICT: a model that cannot hold everything activated locks it ON; saved rows apply at once (`after_toggles_saved`)
- Toolbar box `model_capacity.js`; per-row token prices `compact_costs.js`

Self-modify switch

- Rendered only where self-modify is possible: a source run, or a `-self-modify` build
- ON sends `agent/Tlamatini.md` as self-knowledge when it fits; a small model shows it locked OFF (`self_modify_switch.js`)

Ollama limits handled

- At most four stop sequences per request (`ollama_stop.py`); the real context window is learned from Ollama's `prompt_eval_count` when a request is cut

Agent ecosystem — 89 workflow agent types and the flow pipeline

From a drawing on the canvas (or a chat answer) to running processes; every chip opens that agent's files in the atlas.

SHEET 05

Design — ACP canvas (`acp-canvas-core.js`); FlowCreator AI (`flowcreator.py`, `agentic_skill.md`, `flow_catalog.json`); chat Create Flow

→ **Snapshot** — `acp-flow-snapshot.js` builds `schemaVersion 2`; `.flw` files via `acp-file-io.js`

→ **Normalize** — `services/flow_spec.py`: FlowNode, FlowConnection, FlowSpec

→ **Compile** — `services/flow_compiler.py` wires slots per `services/agent_contracts.py`, redacts secrets; names from `services/agent_paths.py`

→ **Session pool** — `agents/pools/<session>/<type>_N/config.yaml` + `interconnection-scheme.csv`; shared helpers `model_settings.py`

→ **Run** — Starter → agents → Parametrizer (`INI_SECTION_<TYPE>`) → Ender → Cleaner; LEDs and logs polled by `acp-running-state.js`

→ **Watch** — FlowHypervisor (`monitoring-prompt.pmt`) answers OK or ATTENTION NEEDED

WORKFLOW AGENTS BY CATEGORY

chip = agent · MT = also a Multi-Turn chat tool · number = tracked files

Control Agents (6)
start, stop, schedule and clean up flows

- Cleaner 3
- Croner 2
- Ender 2
- Sleeper MT 2
- Starter 2
- Stopper 2

Multi-Channel Bridges (1)
bridges between outside channels and Tlamatini

- TeleTlamatini 2

Routing Agents (4)
branch on patterns, choices and counters

- Asker MT 2
- Counter 2
- Forker 2
- Raiser 2

Utility Agents (6)
parametrize, back up, design and supervise flows

- FlowBacker 2
- FlowCreator MT 6
- Gateway Relayer 3
- Gatewayer 4
- NodeManager 5
- Parametrizer 2

Logic Gates (3)
join parallel branches

- AND 2
- Barrier 3
- OR 2

Cryptography Agents (3)
post-quantum CRYSTALS-Kyber

- Kyber-Cipher MT 2
- Kyber-DeCipher MT 2
- Kyber-KeyGen MT 2

Anatomy of a pool agent

- Each template: `<type>.py` + `config.yaml`; flat helper siblings travel with pool copies (PDFer, PPTXer, LaTeXer, Googler, Video-Analyzer...)
- Lifecycle: PID file while running; `AGENT_REANIMATED=1` resumes after pause with `reanim*` state; Ender clears it
- Connections: `source_agents` (watch), `target_agents` (start), special slots for OR/AND, Forker/Asker, Counter, Ender
- Pool agents import nothing from `agent.*`: 0 of 128 pool Python files do (checked)

Action Agents (56)
do the work: shell, files, web, cloud, devices, media, documents

- Analyzer 2
- Apirer MT 2
- Arduiner MT 7
- AudioPlayer MT 2
- Blenderer MT 2
- Camcorder MT 2
- Crawler MT 2
- De-Compresser MT 2
- Deleter MT 2
- Discoverer MT 2
- Dockerer MT 2
- Editor MT 2
- ESP32er MT 8
- ESPHomer MT 8
- Executer MT 2
- File-Creator MT 2
- File-Extractor MT 2
- File-Interpreter MT 2
- Gitter MT 2
- Globber MT 2
- Googler 3
- Grepper MT 2
- Image-Interpreter MT 2
- Instant Messaging Doctor MT 2
- J-Decompiler MT 2
- Jenkinser MT 2
- Kalier MT 2
- Keyboarder MT 3
- Kuberneter MT 2
- LaTeXer MT 6
- MCP Doctor MT 2
- Mongoxer MT 2
- Mouser MT 3
- Mover MT 2
- NetSpeed-Calculator MT 2
- Nmapper MT 2
- PDFer MT 15
- Playwrighter MT 2
- PPTXer MT 15
- Prompter MT 2
- Pser MT 2
- Pythonxer MT 2
- Recorder MT 2
- Reviewer 2
- Scper MT 2
- Shoter MT 2
- Sqler MT 2
- Ssher MT 2
- STM32er MT 2
- Summarizer MT 2
- Talker MT 2
- Unrealer MT 2
- Video-Analyzer MT 5
- VideoPlayer MT 2
- Whisperer MT 4
- Windower MT 2

Notification Agents (9)
watch, notify and message people

- Emailer MT 2
- FlowHypervisor 4
- Monitor Netstat MT 2
- Monitor-Log MT 2
- Notifier MT 2
- RecMailer MT 2
- Telegrammer MT 7
- Whatsapper MT 8
- Zavuerer MT 2

External Coding-Agent Driver (1)
external coding-agent CLIs from the canvas

- ACPXer 2

Integration surfaces — ACPX, skills, external MCPs and bridges

Four ways Tlamatini reaches beyond its own process: coding-agent CLIs, procedural skills, any MCP server, and the outside world.

ACPX — external coding-agent CLIs

Registry and transports

- `acpx/agent_registry.py`: agent ids with `oneshot-prompt`, `json-acp`, `tui-repl`, `one-shot` transports; per-agent overrides from `config.json` (`acpx/config.py`)

LLM surface

- `acpx/tools.py`: `acp_doctor`, `acp_spawn`, `acp_send`, `acp_send_and_wait`, `acp_relay`, `acp_kill`, transcripts, sessions, `list_skills`, `invoke_skill`

Runtime

- `acpx/runtime.py`: reader thread, transport-aware idle rule, NDJSON transcripts (`acpx/session_store.py`); `acpx/permissions.py` gate

Twins

- Canvas node `acpxer.py` and the Django-free root `tlamatini_acpx.py` share the same verdict; Windows spawning by `acpx/windows_spawn.py` + `win_shim.py`

Delivery verdict

- `acpx/child_health.py`: PERMISSION_BLOCKED, AUTH_FAILED, NO_CREDIT, NO_OUTPUT… an exit code is one bit, so the child's output is judged

Tests

- `acpx/tests.py`: every failure string copied from real transcripts

Skills — SKILL.md packages

Harness

- `skills/registry.py` discovers packages, `skills/frontmatter.py` parses, `skills/validation.py` is the one validator, `skills/harness.py` returns a planning handoff, `skills/io_contract.py`, `skills/redaction.py`

29 packages in agent/skills_pkg/

`acp_router`, `adding_external_mcp`, `code_review`, `create_new_agent`, `create_new_mcp`, `flow_making`, `github`, `gmail`, `hello_world`, `jira`, `kali_pentest`, `notion`, `roblox_studio`, `security_audit`, `setup_new_acpx_key`, `skill_creator`, `slack`, `summarize`, `tlamatini_allowed_hosts_tighten`, `tlamatini_csrf_exempt_audit`, `tlamatini_exec_report_row_adder`, `tlamatini_flow_from_objective`, `tlamatini_flw_doctor`, `tlamatini_new_acp_agent`, `tlamatini_planner_trace_replay`, `tlamatini_static_version_bumper`, `todoist`, `trello`, `weather`

Boot and admin

- `acpx/service.py` `boot_skills()` mirrors packages into `Skill` rows; ACPX-Skills menu `skills_dialog.js`

Assistant skill sets

- .claude/skills (canonical), .gemini/skills (mirror), .codex/skills; counted by `skill_inventory.py`

External MCPs — universal MCP client

Client

- `external_mcp_manager.py`: four transports, background connects, negative cache, supervisor; remote tools as `ext__<server>__<tool>`; 10 supervisor tools

Runtime provisioner

- `runtime_provisioner.py`: private node, npm, npx, pnpm, uv, uvx in `%LOCALAPPDATA%`; SHA-256 verified; no admin; npx shims rewritten by `win_shim.py`

Catalog and defaults

- `external_mcps.json` (user state, at most 5 active); `external_mcp_defaults.py` seeds `memory` and `sequential-thinking`, inactive

UI and triage

- External › MCPs dialog `external_mcps_dialog.js`; static triage agent `mcp_doctor.py`; runbook `adding_external_mcp`

Built-in providers and the root MCP server

Context providers

- System-Metrics: `mcp_system_server.py` (WebSocket 8765); Files-Search: `mcp_files_search_server.py` (gRPC 50051); both started by `agent/apps.py`

One definition of Windows spawning

- `win_shim.py` prefers a real `.exe`, rewrites npm/pnpm shims to `node.exe <script.js>` and avoids cmd.exe, which cuts a multi-line prompt at its first newline; shared by ACPX, the stdio MCP server and External MCPs

Root MCP server

- `tlamatini_mcp_server.py` publishes every pool agent as an MCP tool for Claude Code, Kimi and other clients (`.mcp.json`, `TLAMATINI_MCP.md`)

Messaging bridges

TeleTlamatini

- `teletlamatini.py`: long-running Telegram bot that brings authorized users into the full Multi-Turn chat

Zavuerer, Emailer, RecMailer, Notifier

- `zavuerer.py`: one API key for SMS, WhatsApp, Telegram, email and voice; SMTP send and IMAP watch; in-browser notifications

Telegrammer and Whatsapper

- `telegrammer.py`: send as the bot or as your own account; `whatsapper.py`: Meta Cloud API by default, WhatsApp Web on request

Instant Messaging Doctor

- `instant_messaging_doctor.py` diagnoses tokens, contacts, templates and the 24-hour window, and is launched after a messaging failure

Devices, engines and security bridges

Firmware

- STM32er (PlatformIO + template MCP, ST-LINK preflight), ESP32er (`platformio.ini` template), Arduiner (arduino-cli, `sketch.yaml`), ESPHomer (YAML devices)

Security tooling

- Kalier (MCP-Kali-Server HTTP API), Nmapper (a locally installed nmap; connect scan by default), Discoverer (ProjectDiscovery tools through a private Go toolchain); authorized targets only

3D engines

- Blenderer speaks to the Blender MCP add-on socket (9876); Unrealer to the Unreal MCP plugin socket (55557)

Desktop control

- Mouser, Keyboarder, Windower and Shoter drive and observe the real desktop; Playwrighter drives a real browser

Frontend module map — what each page loads, in order

Parsed from the templates' {% static %} tags. Numbers give the load order; a star marks a module loaded by more than one page.

SHEET 07

Chat page · agent_page.html (84 assets)

1 Tlamatini.ico ★	38KB	
2 bootstrap.min.css ★	6	
3 bootstrap.bundle.min.js ★	7	
4 atom-one-dark.min.css ★	1	
5 ui_tokens.css ★	30	
6 agent_page.css	2.5k	
7 pdf_context_progress.css	27	
8 tools_dialog.css	559	
9 skills_dialog.css	337	
10 external_mcps_dialog.css	689	
11 contacts_dialog.css	538	
12 access_keys_wizard.css	371	
13 avatar.css	180	
14 context_gauge.css	263	
15 chat_dictation.css	129	
16 model_capacity.css	313	
17 model_brain_tuning.css	327	
18 usage_dashboard.css	101	
19 ui_shell.css ★	182	
20 markdown_canvas.css	61	
21 ui_splitters.css ★	39	
22 dialog_theme.css ★	795	
23 400.css ★	49	
24 700.css ★	49	
25 jquery.min.js ★	2	
26 jquery-ui.min.js ★	6	
27 ui_splitters.js ★	62	
28 dialog_policy.js ★	780	
29 file_drop_router.js ★	876	
30 highlight.min.js	1.2k	
31 python.min.js	41	
32 java.min.js	38	
33 javascript.min.js	80	
34 c.min.js	40	
35 cpp.min.js	47	
36 css.min.js	31	
37 sql.min.js	17	
38 xml.min.js	29	
39 yaml.min.js	25	
40 bash.min.js	20	
41 typescript.min.js	95	
42 kotlin.min.js	46	
43 rust.min.js	28	
44 ini.min.js	15	
45 eo_mc.jpg	534KB	
46 ec_mc.jpg	540KB	
47 eo_mo.jpg	537KB	
48 ec_mo.jpg	543KB	
49 canvas.html	52	
50 XAIHT-Tlamatini.mp4	10.8MB	
51 agent_page_state.js	494	
52 agent_page_ui.js	518	
53 pdf_context_progress.js	165	
54 agent_page_pdf.js	286	
55 purify.min.js	7	
56 agent_page_markdown.js	262	
57 agent_page_canvas.js	640	
58 agent_page_dialogs.js	1.4k	
59 agent_page_context.js	185	
60 agent_page_chat.js	2.8k	
61 agent_page_layout.js	468	
62 agent_page_init.js	1.9k	
63 tools_dialog.js	688	
64 skills_dialog.js	392	
65 external_mcps_dialog.js	545	
66 contacts_dialog.js	384	
67 access_keys_wizard.js	406	
68 shared-runtime-dialogs.js ★	347	
69 chat_page_runtime_poller.js	151	
70 chat_image_paste.js	390	
71 context_gauge.js	440	
72 model_capacity.js	492	
73 model_brain_tuning.js	348	
74 self_modify_switch.js	282	
75 compact_costs.js	258	
76 chat_table_contrast.js	146	
77 checkbox_bulk_toggle.js ★	319	
78 release_notes_renderer.js	312	
79 avatar_presence.js	570	
80 avatar_size.js	286	
81 avatar.js	522	
82 mic_settings.js	197	
83 chat_dictation.js	249	
84 usage_dashboard.js	273	

Agentic Control Panel (37 assets)

1 Tlamatini.ico ★	38KB
2 bootstrap.min.css ★	6
3 bootstrap.bundle.min.js ★	7
4 ui_tokens.css ★	30
5 agentic_control_panel.css ★	2.9k
6 flow_canvas.css ★	58
7 ui_shell.css ★	182
8 ui_splitters.css ★	39
9 dialog_theme.css ★	795
10 400.css ★	49
11 700.css ★	49
12 jquery.min.js ★	2
13 jquery-ui.min.js ★	6
14 ui_splitters.js ★	62
15 dialog_policy.js ★	780
16 file_drop_router.js ★	876
17 spinner.svg	18
18 canvas_item_dialog.js	1.1k
19 contextual_menus.js	710
20 flow-canvas-interactions.js ★	146
21 acp-globals.js	366
22 acp-session.js	114
23 acp-undo-manager.js	125
24 acp-agent-connectors.js	1.8k
25 shared-runtime-dialogs.js ★	347
26 acp-running-state.js	372
27 acp-control-buttons.js	1.4k
28 acp-validate.js	641
29 acp-canvas-core.js	1.8k
30 acp-flow-snapshot.js	94
31 acp-canvas-undo.js	1.2k
32 acp-file-io.js	733
33 acp-layout.js	102
34 acp-parametrizer-dialog.js	563
35 acp-connection-status.js	150
36 acp-editor-tools.js	319
37 checkbox_bulk_toggle.js ★	319

Prompt Flow Panel (20 assets)

1 Tlamatini.ico ★	38KB
2 bootstrap.min.css ★	6
3 400.css ★	49
4 700.css ★	49
5 ui_tokens.css ★	30
6 agentic_control_panel.css ★	2.9k
7 prompt_flow_panel.css	183
8 flow_canvas.css ★	58
9 ui_shell.css ★	182
10 ui_splitters.css ★	39
11 dialog_theme.css ★	795
12 jquery.min.js ★	2
13 jquery-ui.min.js ★	6
14 ui_splitters.js ★	62
15 dialog_policy.js ★	780
16 file_drop_router.js ★	876
17 bootstrap.bundle.min.js ★	7
18 flow-canvas-interactions.js ★	146
19 prompt-flow-panel-model.js	173
20 prompt-flow-panel.js	1.2k

Entry pages, admin, usage dialog, PDF frame (36 assets)

login:	Tlamatini.ico	38KB
login:	bootstrap.min.css	6
login:	bootstrap.bundle.min.js	7
login:	atom-one-dark.min.css	1
login:	400.css	49
login:	700.css	49
login:	ui_tokens.css	30
login:	ui_shell.css	182
login:	entry_pages.css	38
login:	login.css	14
login:	file_drop_router.js	876
welcome:	Tlamatini.ico	38KB
welcome:	bootstrap.min.css	6
welcome:	bootstrap.bundle.min.js	7
welcome:	atom-one-dark.min.css	1
welcome:	400.css	49
welcome:	700.css	49
welcome:	ui_tokens.css	30
welcome:	ui_shell.css	182
welcome:	entry_pages.css	38
welcome:	welcome.css	13
welcome:	dialog_theme.css	795
welcome:	dialog_policy.js	780
welcome:	file_drop_router.js	876
welcome:	welcome_enter_default.js	92
admin:	Tlamatini.ico	38KB
admin:	400.css	49
admin:	700.css	49
admin:	admin_theme.css	41
admin:	file_drop_router.js	876
pdf:	pdf_viewer.css	6.4k
pdf:	ui_tokens.css	30
pdf:	ui_shell.css	182
pdf:	pdf_canvas.css	19
pdf:	file_drop_router.js	876
pdf:	pdf_canvas_viewer.js	213

Data model and state — 19 Django models, 213 migrations, WAL-safe copies

Fields parsed from agent/models.py. FK arrows are written as → Target. The history chart classifies each migration by its file name.

AgentMessage

- `user` ForeignKey → **User**
- `conversation_user` ForeignKey → **User**
- `message` Text
- `timestamp` DateTime

Mcp

- `idMcp` Integer
- `mcpName` Char
- `mcpDescription` Char
- `mcpContent` Text

Asset

- `idAsset` Integer
- `assetName` Char
- `assetDescription` Char
- `assetContent` Text

AcpSession

- `session_uuid` Char
- `agent_id` Char
- `user` ForeignKey → **User**
- `cwd` Char
- `state_path` Char
- `transcript_path` Char
- `started_at` DateTime
- `ended_at` DateTime
- `ok` Boolean
- `pid` Integer
- `label` Char

LLMProgram

- `idProgram` Integer
- `programName` Char
- `programLanguage` Char
- `timestamp` DateTime
- `programContent` Text

Tool

- `idTool` Integer
- `toolName` Char
- `toolDescription` Char
- `toolContent` Text

SessionState

- `user` OneToOne → **User**
- `context_path` Char
- `context_type` Char
- `context_filename` Char
- `last_active` DateTime

SkillInvocation

- `skill_name` Char
- `user` ForeignKey → **User**
- `started_at` DateTime
- `finished_at` DateTime
- `ok` Boolean
- `iterations` Integer
- `tokens` Integer
- `args_json` Text
- `output_json` Text
- `audit_path` Char
- `failure_reason` Char
- `acp_session` ForeignKey → **AcpSession**

LLMSnippet

- `idSnippet` Integer
- `snippetName` Char
- `snippetLanguage` Char
- `timestamp` DateTime
- `snippetContent` Text

Agent

- `idAgent` Integer
- `agentName` Char
- `agentDescription` Char
- `agentContent` Text

AcpAgent

- `agent_id` Char
- `command` Char
- `description` Char
- `enabled` Boolean
- `healthy` Boolean
- `last_probe_at` DateTime
- `notes` Text

CompactState

- `active` Boolean
- `strict` Boolean
- `model` Char
- `window_tokens` Integer
- `saved_external_active` Text
- `reason` Char
- `self_modify` Boolean
- `updated_at` DateTime

Prompt

- `idPrompt` Integer
- `promptName` Char
- `promptContent` Text
- `category` Char
- `hidden` Boolean
- `sort_rank` Integer

AgentProcess

- `idAgentProcess` Integer
- `agentProcessDescription` Char
- `agentProcessPid` Integer

Skill

- `name` Char
- `description` Text
- `runtime` Char
- `acpx_agent` Char
- `enabled` Boolean
- `frontmatter_json` Text
- `body_sha256` Char
- `last_loaded_at` DateTime

UsageDaily

- `user` ForeignKey → **User**
- `day` Date
- `model` Char
- `calls` PositiveBigInteger
- `input_tokens` PositiveBigInteger
- `output_tokens` PositiveBigInteger
- `missing_output_calls` PositiveBigInteger
- `first_seen` DateTime
- `last_seen` DateTime

Omission

- `idOmission` Integer
- `omissionName` Char
- `omissionContent` Text

ContextCache

- `query_hash` Char
- `context_blob` Text
- `timestamp` DateTime

ChatAgentRun

- `runId` Char
- `toolDescription` Char
- `templateAgentDir` Char
- `runtimeDir` Char
- `logPath` Char
- `requestText` Text
- `pid` Integer
- `status` Char
- `exitCode` Integer
- `startedAt` DateTime
- `finishedAt` DateTime

Migration history (25 per bar, by kind)



Backup database

- `sqlite_copy.py consistent_copy`: SQLite online backup API (reads through the WAL) → copy written in DELETE journal mode → `PRAGMA quick_check` before success

Set DB

- `move_with_sidecars` / `remove_sidecars` keep `-wal`, `-shm`, `-journal` with their own database; fail-safe, never deletes the source

Self-update carry-over

- `apply_update.ps1` copies the live DB to `DB/ToLoad` + a flag; on next launch `manage.py` swaps it back and runs `migrate` in a child (`ToLoad`, `Older`)

Chat history

- `AgentMessage` rows are the only history the model reads: `chat_history_loader.py` reloads the last 8 per request, so Drop needs no reconnect

Build, release, install and self-update pipeline

From the repository to Installer.exe, then in-app updates that keep user state; plus the guards that keep secrets out of git.

SHEET 09

Build

Version
- `versioning.py` writes `agent/_version.py` (gitignored) from git tags; rules in `VERSIONING.md`

Inputs
- `build_runtime_assets.py` (fail-closed inventory), `hook-numpy`, `hook-torch`, `hook-pymupdf`, `requirements.txt`

Freeze
- `build.py`: PyInstaller onedir of `manage.py`, `collectstatic`, carried Python, hidden imports, `verify_frozen_agent_modules()`, gates `check_agent_runtimes.py` and `check_prompt_flow_panel.py`

Self-modify (optional)
- `-self-modify` → `copy_source_assets.py` writes `TlamatiniSourceCode/` and rebuild instructions; bundles `agent/Tlamatini.md`

Package
- `pkg.zip` → `build_uninstaller.py` (`Uninstaller.exe`) → `build_installer.py` (`Installer.exe`); `build_all.cmd` end-to-end

Release
- `build_complete_private_release.py` / `build_complete_public_release.py`; private data audited by `check_private_data.py`; keys toggled by `regen_secrets.py`

Installer.exe

Install

Setup window
- `install.py` + `setup_wizard.py` (one window for Installer and Uninstaller), transcripts by `setup_logging.py`

Recovery
- `setup_recovery.py`: verified recovery copy and journal before any change; `setup_windows.py`: snapshot of Tlamatini's own registry keys and shortcut

Windows integration
- `CreateShortcut.ps1`, `flow_file_associations.ps1` (.flw and .fpmt), `register_flw.ps1`, `register_fpmt.ps1`; `windows_app_registration.py` + `agent_manifest.py` (HKCU discovery)

Uninstall
- `uninstall.py` + `uninstall_processes.py` (owned workers only); keeps `agents/` and non-empty user folders listed in `preserved_user_state.json`

Run and update

Launch
- `Tlamatini.ps1` or `Tlamatini.exe` → `manage.py` runserver; Explorer-opened flows handled by `flow_file_open.py`

Check
- About › Check for updates → `self_update.py`: latest GitHub release, download and stage; the dialog is sealed while it downloads

Swap
- `apply_update.ps1` runs outside the install: stops the tree, `agents` → `agents_backup`, keeps the preserve set, stages the DB in `DB/ToLoad`

Migrate
- Next launch swaps the DB back and runs `migrate` in a child; daily copies by `backup_db.py`

Security and hygiene

Active defense
- `tlamatini_defender.ps1`, `tlamatini_whitelist_v2.ps1` (Controlled Folder Access), `enable_tlamatini_v2.bat`

Repository guards
- `test_private_data_guard.py`, `git_deny_go.py`, `name-guard.yml`, `finding-policy.json`

Dependencies
- `audit_dependencies.py`, `check_requirements_coverage.py`, `requirements-esphome.txt`

Secrets
- `regen_secrets.py` toggles placeholders and keys from the gitignored `data.keys`; `uncommit-keys.bat`; `private_targets.example.json`

What ships and what survives

Install layout
- `Tlamatini.exe` + `_internal/` (frozen Django app and collected statics), carried `python/`, `jre/` and `git/`, the `agents/` templates, `DB/`, `Temp/`, `Templates/`

Kept by self-update
- `config.json`, `DB`, `Temp`, `Templates`, `application(s)`, the `*_generated` and `context_files` folders and `Uninstaller.exe`; uninstall keeps what `preserved_user_state.json` lists

Self-modify snapshot
- `TlamatiniSourceCode/` with a manifest and rebuild instructions; secrets redacted and heavy media omitted by `copy_source_assets.py`

Inclusion sweeps
- `sweep_self_update.py` and `sweep_self_modify.py` prove both pipelines carry every new asset

Verification and knowledge — how Tlamatini is tested and documented

182 test modules hold 5254 test functions; every automated run is visible. The documentation graph is what every assistant reads first.

Unit and contract tests

- 160 modules in `agent/` (`test_*.py`) + `acpx/tests.py`; e.g. `test_status_vocabulary.py`, `test_agent_display_names.py`, `test_dialog_dismissal_policy.py`, `test_ask_execs_allowlist.py`, `test_console_shield.py`

Visible end-to-end

- `tests_e2e`: headed Chrome against the real GUI, e.g. `test_self_healing_visual.py`, `test_create_flow_visual.py`, `test_db_backup_set_visible.py`

Daily chat harness

- `run_test.py` with `preflight.py` (repairs DB, server and login before Chrome opens), `qualify.py` and Shoter photos (`shoter_shot.py`); Gemini mirror

Visible and release checks

- `scripts/`: `*_visible.py` runners, `release_*_checks.py`, setup lifecycle cycles; JS gates `check_js_parse.mjs` + `eslint.config.mjs`; Python gate: ruff

Policy

- Headless runs are forbidden: `TestsVisiblesAndVisibleExecutionFromClaude2Codex.md`; screenshots only by the Shoter agent; tests must establish their own environment

Onboarding chain

- `CLAUDE.md` @-imports `architecture`, `multi-turn`, `exec-report`, `agents`, `acpx`, `mcp-tools`, `frontend`, `gotchas`; on demand `recent-fixes`

Other assistants

- `AGENTS.md`, `GEMINI.md`, `KIMI.md`; authoring guides `create_new_agent.md`, `create_new_mcp.md`, `create_new_skill.md`

Feature guides and records

- `docs/` feature guides (e.g. `setup-wizards`, `canvas-refresh`, `model_configuration`) and dated records in `docs/changes/` (e.g. `v1.85.0`)

User-facing

- `README.md`, `BookOfTlamatini.md`, `agents_descriptions.md` (tooltips and canvas descriptions), `ACPX.md`, `TLAMATINI_MCP.md`

Memory, hooks and skills

- `.claude/memory/` notes, `announce_skills.py` (SessionStart), `.claude/settings.json`; four skill locations checked by `skill_inventory.py`

Verification assets per cluster



Knowledge assets per cluster



Largest test suites (test functions per file, counted with ast)

Python module dependency matrix (DSM)

Row imports column (module-level and lazy in-function imports). 139 backend modules, 306 dependencies, parsed with ast.



Most imported (fan-in)

- `models`: 18
- `path_guard`: 14
- `config_loader`: 14
- `global_state`: 14
- `services.agent_paths`: 10
- `context_governor`: 9
- `cancellation`: 9
- `rag.utils`: 6
- `external_mcp_manager`: 6
- `chat_agent_registry`: 5
- `rag_enhancements`: 5
- `version`: 5

Most importing (fan-out)

- `views`: 24
- `rag.factory`: 22
- `mcp_agent`: 21
- `apps`: 18
- `consumers`: 17
- `rag.chains.unified`: 15
- `tools`: 12
- `rag.interface`: 10
- `compact_mode`: 7
- `rag.chains.history_aware`: 7
- `acpx.runtime`: 7
- `prompt_flow_panel_runtime`: 6

Import cycles (strongly connected)

- 4 modules: compact_mode, mcp_agent, rag.config, tools

Reading the matrix

- Diagonal = the module itself; shaded squares = groups (Django project, transport, intelligence, rag, services, integration, acpx, skills, platform, persistence, doc generation). Marks below the diagonal point back to groups listed earlier.
- Pool agents are excluded: they run as separate processes and import nothing from `agent.*`.

Atlas I — Server core: process, web tier and intelligence

Django/Channels process, HTTP and WebSocket entry points, the RAG chains, the Multi-Turn executor and its services.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 12

Tlamatini/ · process entry

2 files · 1,795 lines

manage.py: log tee, console shield, colours, django_port, Temp pin, post-update DB swap

cat_art.py	64	manage.py	1.7k

Tlamatini/tlamatini/ · Django project

8 files · 736 lines

settings (SQLite WAL, WhiteNoise, temp pin), ASGI app, root URLs, per-user log-tag middleware

__init__.py	10	context_processors.py	31
middleware.py	185	urls.py	18
asgi.py	34	logging_filters.py	31
settings.py	399	wsgi.py	28

agent/ · transport and web endpoints

19 files · 18,983 lines

Channels consumers, HTTP views, app boot (AgentConfig.ready), admin, fixed chat lines

__init__.py	26	contacts.py	210	urls.py	219
access_key_wizard.py	721	flow_file_views.py	50	usage_views.py	29
admin.py	31	model_brain_views.py	133	version.py	365
apps.py	828	native_dialogs.py	429	views.py	13k
chat_voice_consumer.py	121	pdf_context_views.py	40	window_flash.py	146
constants.py	156	prompt_flow_panel_consumer.py	93		
consumers.py	2.5k	routing.py	20		

agent/templates/ · server-rendered pages

7 files · 1,538 lines

chat page, Agentic Control Panel, Prompt Flow Panel, login, welcome, usage dialog, admin skin

admin/base_site.html	15	agent/prompt_flow_panel.html	113
agent/agent_page.html	916	agent/usage_dialog.html	54
agent/agentic_control_panel.html	335	agent/welcome.html	42
agent/login.html	63		

agent/management/ · manage.py commands

5 files · 433 lines

startserver plus build gates (check_agent_runtimes, check_prompt_flow_panel) and acpx_lint

__init__.py	10	commands/check_prompt_flow_panel.py	136
commands/acpx_lint.py	123	commands/startserver.py	56
commands/check_agent_runtimes.py	108		

agent/ · intelligence core

40 files · 24,863 lines

Multi-Turn executor, tool surface, planner, self-healing, Model Brain, context fitting, prompts

agent_verdict.py	646	llm_timing.py	160
cancellation.py	199	local_toolcall_parser.py	375
capability_registry.py	703	mcp_agent.py	3.8k
chat_agent_registry.py	2.3k	model_brain.py	549
chat_agent_runtime.py	612	model_brain_chat.py	178
chat_history_loader.py	107	model_profiles.json	102
chat_voice_runtime.py	242	ollama_stop.py	67
chat_voice_settings.py	70	pdf_context.py	202
compact_mode.py	684	pdf_context_jobs.py	113
config.json	301	pdf_image_analysis.py	38
config_loader.py	135	prompt.pmt	385
context_baseline.py	488	prompt_flow_panel_runtime.py	151
context_fitter.py	759	rag_enhancements.py	687
context_governor.py	2.0k	self_healing.py	523
embedding_memory_guard.py	433	Tlamatini.md	493
exec_permission.py	259	tools.py	5.2k
global_execution_planner.py	526	usage_provider.py	284
global_state.py	53	usage_tracking.py	92
gpu_perf.py	420	visual_error_reporting.py	29
inet_determiner.py	219	web_search_llm.py	279

agent/rag/ · retrieval-augmented generation

11 files · 3,636 lines

chain factory, ask_rag interface, FAISS + BM25 retrieval, loaders, splitters, binary guard

__init__.py	39	factory.py	1.2k	loaders.py	51
splitters.py	13	binary_guard.py	516	interaction.py	67
prompts.py	33	utils.py	191	config.py	445
interface.py	967	retrieval.py	114		

agent/rag/chains/ · answer chains

4 files · 2,070 lines

prompt-only, history-aware RAG and unified tool-agent chains

base.py	177	basic.py	192	history_aware.py	585
unified.py	1.1k				

agent/services/ · flow compiler and contracts

9 files · 2,617 lines

FlowSpec, flow compiler, agent contracts and paths, response parser, prompt-flow interpreter

__init__.py	25	filesystem.py	141	flow_spec.py	174
agent_contracts.py	503	flow_compiler.py	441	prompt_flow_panel.py	335
agent_paths.py	174	flow_knowledge.py	146	response_parser.py	678

agent/imaging/ · image analysis

3 files · 681 lines

dual-backend (Claude + Qwen) interpretation, conversion, screenshots

converter.py	25	image_interpreter.py	399	screenshot.py	257

agent/opus_client/ · Claude API client

3 files · 1,396 lines

chat, images, PDFs, streaming, tools

claude_opus_client.py	969	examples.py	9	README.md	418

agent/monitors/ · SQL monitor

1 file · 83 lines

monitor_sql.py	83

agent/doc_generation/ · project dossier generator

9 files · 6,639 lines

builds and verifies the summary PDF and the PPTX deck from source facts

complete_project_docs.py	644	dossier_pptx.py	1.2k	mardown_to_pdf.py	119
dossier_content.py	2.5k	dossier_theme.py	385	refresh_project_docs.py	16
dossier_pdf.py	1.5k	dossier_verify.py	313	test_output.pdf	3KB

Atlas II — Integration surfaces, platform and state

Built-in MCP servers, the universal external-MCP client, ACPX, the skill harness, platform guards and persistence core.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 13

agent/ · context providers and external-MCP client

16 files · 6,914 lines

System-Metrics (WS 8765), Files-Search (gRPC 50051), sidecars, universal MCP client, runtimes, Windows shim

chain_files_search_lcel.py 791	filesearch_pb2.py 57		
chain_system_lcel.py 282	filesearch_pb2_grpc.py 152		
command_togen_pb2.txt 32	mcp_files_search_client.py 462		
context_sidecar_timeout.py 163	mcp_files_search_server.py 240		
external_mcp_defaults.py 245	mcp_system_client.py 141		
external_mcp_manager.py 2.7k	mcp_system_server.py 235		
external_mcps.json 4	runtime_provisioner.py 1.2k		
filesearch.proto 33	win_shim.py 189		

agent/acpx/ · ACPX runtime

11 files · 5,610 lines

external coding-agent CLIs as children: registry, transports, delivery verdict, 12 tools

__init__.py 135	config.py 549	service.py 112	tools.py 716
agent_registry.py 393	permissions.py 108	session_store.py 145	windows_spawn.py 180
child_health.py 299	runtime.py 1.3k	tests.py 1.6k	

agent/skills/ · skill harness

7 files · 1,829 lines

SKILL.md frontmatter, registry, planning-handoff harness, I/O contract, redaction, validator

__init__.py 29	harness.py 603	redaction.py 234	validation.py 335
frontmatter.py 186	io_contract.py 147	registry.py 295	

agent/skills_pkg/ · SKILL.md packages

39 files · 4,573 lines

29 packages loaded by boot_skills() and invoked through list_skills / invoke_skill

_meta/lint.py 85	
_meta/schema.json 101	
acp_router/SKILL.md 106	
adding_external_mcp/references/external_mcp_catalog_format.md 127	
adding_external_mcp/references/llm_reflection_research.md 112	
adding_external_mcp/references/transport_guide.md 143	
adding_external_mcp/references/troubleshooting.md 164	
adding_external_mcp/SKILL.md 297	
code_review/SKILL.md 133	
create_new_agent/SKILL.md 142	
create_new_mcp/SKILL.md 147	
flow_making/references/flw_schema.md 89	
flow_making/scripts/make_flow.py 178	
flow_making/scripts/result_to_flw.py 237	
flow_making/SKILL.md 164	
github/SKILL.md 78	
gmail/SKILL.md 59	
hello_world/SKILL.md 54	
jira/SKILL.md 65	
kali_pentest/SKILL.md 128	
notion/SKILL.md 77	
roblox_studio/SKILL.md 177	
security_audit/SKILL.md 113	
setup_new_acpx_key/SKILL.md 274	
skill_creator/scripts/quick_validate.py 63	
skill_creator/SKILL.md 129	
slack/SKILL.md 60	
summarize/SKILL.md 60	
tlamatini_allowed_hosts_tighten/SKILL.md 64	
tlamatini_csrf_exempt_audit/SKILL.md 100	
tlamatini_exec_report_row_adder/SKILL.md 85	
tlamatini_flow_from_objective/SKILL.md 126	
tlamatini_flw_doctor/SKILL.md 130	
tlamatini_new_acp_agent/SKILL.md 146	
tlamatini_planner_trace_replay/SKILL.md 85	
tlamatini_static_version_bumper/SKILL.md 103	
todoist/SKILL.md 58	
trello/SKILL.md 57	
weather/SKILL.md 57	

agent/ · platform, safety and lifecycle

8 files · 3,601 lines

Temp/Templates policy, orphan reaper, watchdog, log tags, self-update, companion discovery

agent_manifest.py 277	log_identity.py 358	self_update.py 500
command_watchdog.py 592	orphan_reaper.py 887	windows_app_registration.py 268
flow_file_open.py 312	path_guard.py 407	

persistence core

5 files · 880 lines

Django models, WAL-safe SQLite copy (online backup API), DB staging for self-update

agent/models.py 296	agent/sqlite_copy.py 407	DB/ToLoad/README.md 63
agent/run_db_wal_tests.ps1 54	DB/Older/README.md 60	

Tlamatini/jd-cli/ · bundled Java decompiler

2 files · 29 lines

jd-cli.bat 29	jd-cli.jar 3.8MB

agent/images/ · documentation media

5 files · 0 lines

ACPXKeysConfigureWizard.jpg 118KB	MenuConfig.jpg 18KB	XAIHT-Tlamatini.mp4 10.8MB
ConfigureModels.jpg 44KB	mockup.jpg 34KB	

agent/TlamatiniSourceCode/ · self-modify snapshot slot

1 file · 7 lines

filled by copy_source_assets.py in –self-modify builds

README.md 7

agent/test_fixtures/

1 file · 1 lines

recorded model output for offline tests

talker_orpheus_tokens.txt 1

Atlas III — Persistence history: every Django migration

Tiles are tinted by what each migration seeds or changes (classified from its file name).

Agent rows · Catalog prompts · Tool rows · Skills · MCP rows · Schema & data

SHEET 14

agent/migrations/ · 0001–0050

51 files · 3,261 lines

47 agent rows · 1 catalog prompts · 3 schema & data

- 0001_initial.py 135
- 0002_populate_db.py 542
- 0003_add_cleaner.py 31
- 0004_add_deleter.py 45
- 0005_add_executer.py 45
- 0006_add_notifier.py 35
- 0007_add_stopper.py 35
- 0008_add_recmailer.py 35
- 0009_add_whatsapper.py 35
- 0010_add_pythonxer.py 35
- 0011_add_asker.py 53
- 0012_repopulate_all_agents.py 84
- 0013_add_forker.py 53
- 0014_repopulate_all_agents.py 84
- 0015_add_shoter.py 56
- 0016_repopulate_all_agents.py 86
- 0017_add_ssher.py 56
- 0018_repopulate_all_agents.py 86
- 0019_add_scper.py 56
- 0020_repopulate_all_agents.py 83
- 0021_add_telegramrx.py 56
- 0022_repopulate_all_agents.py 83
- 0023_add_mongoxer.py 51
- 0024_repopulate_all_agents.py 84
- 0025_add_telegramer.py 56
- 0026_repopulate_all_agents.py 84
- 0027_add_sqler.py 50
- 0028_repopulate_all_agents.py 84
- 0029_add_prompter.py 50
- 0030_repopulate_all_agents.py 84
- 0031_add_flowcreator.py 50
- 0032_repopulate_all_agents.py 84
- 0033_add_gitter.py 42
- 0034_add_dockerer.py 42
- 0035_add_pser.py 42
- 0036_add_kuberneter.py 42
- 0037_add_apirer.py 42
- 0038_add_jenkinser.py 42
- 0039_add_crawler.py 42
- 0040_add_summarizer.py 42
- 0041_add_flowhypervisor.py 42
- 0042_add_mouser.py 42
- 0043_agentmessage_conversation_user.py 51
- 0044_add_counter.py 43
- 0045_add_file_interpreter.py 42
- 0046_add_image_interpreter.py 42
- 0047_add_gatewayer.py 42
- 0048_add_gateway_relayer.py 42
- 0049_add_node_manager.py 42
- 0050_add_file_creator.py 42
- __init__.py 9

agent/migrations/ · 0051–0100

50 files · 4,512 lines

21 agent rows · 11 catalog prompts · 15 tool rows · 1 skills · 2 schema & data

- 0051_add_file_extractor.py 42
- 0052_add_kyber_keygen.py 42
- 0053_add_kyber_cipher.py 42
- 0054_add_kyber_decipher.py 42
- 0055_fix_kyber_cipher_names.py 31
- 0056_add_parametrizer.py 42
- 0057_add_flowbacker.py 42
- 0058_add_barrier.py 42
- 0059_add_j_decompiler.py 42
- 0060_add_agent_parametrizer_tool.py 45
- 0061_add_agent_starter_tool.py 45
- 0062_sync_agent_control_tools_and_prompts.py 110
- 0063_add_agent_parametrizer_prompt.py 46
- 0064_add_chat_agent_run_model.py 35
- 0065_add_chat_wrapped_agent_tools.py 82
- 0066_add_keyboarder.py 42
- 0067_add_multi_turn_demo_prompts.py 47
- 0068_add_googler_tool.py 45
- 0069_add_googler_agent.py 45
- 0070_add_teletlamatini.py 45
- 0071_acpx_skills.py 143
- 0072_add_acpx_demo_prompts.py 274
- 0073_acpx_demo_gemini_uplift.py 453
- 0074_simplify_demo_prompts.py 279
- 0075_add_acpx_tool_surface.py 66
- 0076_add_acpxer.py 45
- 0077_add_whatstlamatini.py 45
- 0078_add_chat_agent_keyboarder_tool.py 43
- 0079_add_chat_agent_mouser_tool.py 43
- 0080_add_chat_agent_sleeper_tool.py 43
- 0081_add_window_present_and_run_wait_tools.py 55
- 0082_add_chat_agent_j_decompiler_tool.py 43
- 0083_add_de_compresser.py 45
- 0084_add_chat_agent_de_compresser_tool.py 43
- 0085_add_unrealer.py 45
- 0086_add_chat_agent_unrealer_tool.py 43
- 0087_add_unrealer_demo_prompt.py 173
- 0088_add_reviewer.py 45
- 0089_add_analyzer.py 45
- 0090_add_reviewer_analyzer_demo_prompts.py 228
- 0091_add_playwrighter.py 45
- 0092_add_chat_agent_playwrighter_tool.py 43
- 0093_add_windower.py 45
- 0094_add_chat_agent_windower_tool.py 43
- 0095_add_windower_playwrighter_demo_prompts.py 273
- 0096_add_director_virtuoso_demo_prompts.py 227
- 0097_add_kalier.py 45
- 0098_add_chat_agent_kalier_tool.py 43
- 0099_add_kalier_demo_prompts.py 272
- 0100_add_unrealer_extended_demo_prompts.py 323

agent/migrations/ · 0101–0150

50 files · 4,152 lines

15 agent rows · 16 catalog prompts · 16 tool rows · 1 mcp rows · 2 schema & data

- 0101_add_stm32er.py 45
- 0102_add_chat_agent_stm32er_tool.py 43
- 0103_add_stm32er_demo_prompts.py 332
- 0104_fix_stm32er_hil_serial_proof.py 212
- 0105_add_esp32er.py 45
- 0106_add_chat_agent_esp32er_tool.py 43
- 0107_add_esp32er_demo_prompts.py 349
- 0108_add_flow_making_demo_prompt.py 118
- 0109_add_arduiner.py 45
- 0110_add_chat_agent_arduiner_tool.py 43
- 0111_add_arduiner_demo_prompts.py 360
- 0112_add_camcorder.py 45
- 0113_add_chat_agent_camcorder_tool.py 43
- 0114_add_recorder.py 45
- 0115_add_chat_agent_recorder_tool.py 43
- 0116_add_audioplayer.py 45
- 0117_add_chat_agent_audioplayer_tool.py 43
- 0118_add_videoplayer.py 45
- 0119_add_chat_agent_videoplayer_tool.py 43
- 0120_add_talker.py 45
- 0121_add_chat_agent_talker_tool.py 43
- 0122_add_talker_demo_prompt.py 129
- 0123_add_whisperer.py 45
- 0124_add_chat_agent_whisperer_tool.py 43
- 0125_add_whisperer_demo_prompt.py 116
- 0126_add_blenderer.py 45
- 0127_add_chat_agent_blenderer_tool.py 43
- 0128_add_blenderer_demo_prompts.py 125
- 0129_add_editor.py 45
- 0130_add_chat_agent_editor_tool.py 43
- 0131_add_editor_demo_prompts.py 108
- 0132_add_grepper.py 45
- 0133_add_chat_agent_grepper_tool.py 43
- 0134_add_grepper_demo_prompts.py 97
- 0135_add_globber.py 45
- 0136_add_chat_agent_globber_tool.py 43
- 0137_add_globber_demo_prompts.py 97
- 0138_add_esphomer.py 45
- 0139_add_chat_agent_esphomer_tool.py 43
- 0140_add_esphomer_demo_prompts.py 220
- 0141_add_mcp_doctor.py 38
- 0142_add_chat_agent_mcp_doctor_tool.py 41
- 0143_add_mcp_doctor_demo_prompt.py 68
- 0144_insert_java17_maven_demo_prompt_at_5.py 77
- 0145_insert_createsuperuser_wizard_prompt_at_1.py 103
- 0146_update_createsuperuser_wizard_continuation.py 43
- 0147_add_unreal_game_demo_prompts.py 116
- 0148_add_discoverer_demo_prompts.py 87
- 0149_add_discoverer.py 41
- 0150_add_chat_agent_discoverer_tool.py 43

agent/migrations/ · 0151–0200

50 files · 4,799 lines

10 agent rows · 30 catalog prompts · 7 tool rows · 3 schema & data

- 0151_retire_old_messaging_add_telegrammer.py 102
- 0152_add_instant_messaging_doctor.py 38
- 0153_add_chat_agent_instant_messaging_doctor_tool.py 41
- 0154_add_instant_messaging_doctor_demo_prompt.py 48
- 0155_add_contact_scaffold_demo_prompt.py 68
- 0156_add_telegrammer_identity_demo_prompts.py 77
- 0157_add_whatsapper_identity_demo_prompt.py 60
- 0158_redesign_messaging_demo_prompts.py 114
- 0159_add_zavuerer.py 38
- 0160_add_chat_agent_zavuerer_tool.py 41
- 0161_add_zavuerer_demo_prompts.py 47
- 0162_add_zavuerer_catalog_prompts.py 83
- 0163_add_zavuerer_get_key_wizard_prompt.py 82
- 0164_dedup_zavuerer_setup_wizards.py 47
- 0165_add_image_interpreter_triple_model_demo_prompt.py 65
- 0166_add_video_analyzer.py 45
- 0167_add_chat_agent_video_analyzer_tool.py 43
- 0168_add_video_analyzer_demo_prompt.py 65
- 0169_add_discoverer_cvemap_latest_demo_prompt.py 80
- 0170_add_nmapper.py 45
- 0171_add_chat_agent_nmapper_tool.py 43
- 0172_add_nmapper_demo_prompts.py 83
- 0173_add_unreal_scaffold_demo_prompt.py 116
- 0174_unreal_scaffold_build_project_tip.py 59
- 0175_prompt_category_and_dedup.py 117
- 0176_delete_duplicate_acpx_prompts.py 49
- 0177_add_stm32er_platformio_demo_prompt.py 83
- 0178_add_stm32_stepwise_blink_camera_prompts.py 171
- 0179_regroup_resort_prompts_no_gaps.py 80
- 0180_add_kalier_setup_wizard_prompt.py 177
- 0181_prompt_sort_rank.py 173
- 0182_add_step_by_step_section_openers.py 597
- 0183_standardize_security_recon_prompts.py 41
- 0184_standardize_prompt_params_batch2.py 30
- 0185_standardize_prompt_params_batch3.py 31
- 0186_add_chat_agent_flowcreator.py 102
- 0187_add_flowcreator_end_to_end_wizard_prompt.py 167
- 0188_add_pdfer.py 59
- 0189_add_chat_agent_pdfer_tool.py 51
- 0190_add_pdfer_demo_prompts.py 287
- 0191_add_latexer.py 67
- 0192_add_chat_agent_latexer_tool.py 51
- 0193_add_latexer_demo_prompts.py 259
- 0194_add_deep_research_demo_prompt.py 83
- 0195_add_netspeed_calculator.py 64
- 0196_add_chat_agent_netspeed_calculator_tool.py 56
- 0197_add_netspeed_calculator_demo_prompt.py 103
- 0198_add_pdfer_nuance_demo_prompt.py 162
- 0199_dedupe_llm_program_snippet_names.py 77
- 0200_whisperer_demo_prompt_sound_gate.py 132

agent/migrations/ · 0201–0213

13 files · 930 lines

2 agent rows · 3 catalog prompts · 1 tool rows · 7 schema & data

- 0201_add_voice_commands_section.py 287
- 0202_add_pptxer.py 64
- 0203_add_chat_agent_pptxer_tool.py 53
- 0204_add_pptxer_demo_prompts.py 169
- 0205_silence_window_default_3_5_seconds.py 72
- 0206_qwen35_cloud_model_tag_rename.py 50
- 0207_video_analyzer_content_prompts.py 44
- 0208_video_demo_config_models.py 25
- 0209_retire_qwen35_vision_model.py 40
- 0210_strict_visual_analysis_prompt_contract.py 39
- 0211_compact_state.py 35
- 0212_compact_state_self_modify.py 23
- 0213_usage_ledger.py 29

Atlas IV — Presentation layer: first-party frontend

Scripts and stylesheets grouped by the page template that loads them (parsed from the templates).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 15

agent/static/agent/js/ · chat page (agent_page.html)

31 files · 16,396 lines

access_keys_wizard.js 406	avatar.js 522	mic_settings.js 197
agent_page_canvas.js 640	avatar_presence.js 570	model_brain_tuning.js 348
agent_page_chat.js 2.8k	avatar_size.js 286	model_capacity.js 492
agent_page_context.js 185	chat_dictation.js 249	pdf_context_progress.js 165
agent_page_dialogs.js 1.4k	chat_image_paste.js 390	release_notes_renderer.js 312
agent_page_init.js 1.9k	chat_page_runtime_poller.js 151	self_modify_switch.js 282
agent_page_layout.js 468	chat_table_contrast.js 146	skills_dialog.js 392
agent_page_markdown.js 262	compact_costs.js 258	tools_dialog.js 688
agent_page_pdf.js 286	contacts_dialog.js 384	usage_dashboard.js 273
agent_page_state.js 494	context_gauge.js 440	
agent_page_ui.js 518	external_mcps_dialog.js 545	

agent/static/agent/js/ · Agentic Control Panel

17 files · 11,470 lines

acp-agent-connectors.js 1.8k	acp-file-io.js 733	acp-session.js 114
acp-canvas-core.js 1.8k	acp-flow-snapshot.js 94	acp-undo-manager.js 125
acp-canvas-undo.js 1.2k	acp-globals.js 366	acp-validate.js 641
acp-connection-status.js 150	acp-layout.js 102	canvas_item_dialog.js 1.1k
acp-control-buttons.js 1.4k	acp-parametrizer-dialog.js 563	contextual_menus.js 710
acp-editor-tools.js 319	acp-running-state.js 372	

agent/static/agent/js/ · Prompt Flow Panel

2 files · 1,419 lines

prompt-flow-panel-model.js 173	prompt-flow-panel.js 1.2k

agent/static/agent/js/ · shared by several pages

6 files · 2,530 lines

checkbox_bulk_toggle.js 319	flow-canvas-interactions.js 146
dialog_policy.js 780	shared-runtime-dialogs.js 347
file_drop_router.js 876	ui_splitters.js 62

agent/static/agent/js/ · entry pages, PDF frame and indirect loads

3 files · 333 lines

agentic_control_panel.js 28	pdf_canvas_viewer.js 213	welcome_enter_default.js 92

agent/static/agent/css/ · chat page (agent_page.html)

14 files · 6,405 lines

access_keys_wizard.css 371	context_gauge.css 263	pdf_context_progress.css 27
agent_page.css 2.5k	external_mcps_dialog.css 689	skills_dialog.css 337
avatar.css 180	markdown_canvas.css 61	tools_dialog.css 559
chat_dictation.css 129	model_brain_tuning.css 327	usage_dashboard.css 101
contacts_dialog.css 538	model_capacity.css 313	

agent/static/agent/css/ · Prompt Flow Panel

1 file · 183 lines

prompt_flow_panel.css 183

agent/static/agent/css/ · shared by several pages

6 files · 4,024 lines

agentic_control_panel.css 2.9k	flow_canvas.css 58	ui_splitters.css 39
dialog_theme.css 795	ui_shell.css 182	ui_tokens.css 30

agent/static/agent/css/ · entry pages, PDF frame and indirect loads

5 files · 125 lines

admin_theme.css 41	login.css 14	welcome.css 13
entry_pages.css 38	pdf_canvas.css 19	

agent/static/ · images, avatar, PDF frame, sounds, video

10 files · 70 lines

img/avatar/ec_mc.jpg 540KB	img/Tlamatini.ico 38KB
img/avatar/ec_mo.jpg 543KB	pdf/canvas.html 52
img/avatar/eo_mc.jpg 534KB	sounds/hypervisor_alert.wav 215KB
img/avatar/eo_mo.jpg 537KB	sounds/notification.wav 279KB
img/spinner.svg 18	video/XAIHT-Tlamatini.mp4 10.8MB

Atlas V — Vendored third-party frontend and PDF.js

Pinned, offline copies served by WhiteNoise: no CDN at runtime.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 16

vendor/frontend

1 file · 269 lines

Vendored-frontend manifest (versions + integrity)

manifest.json	269

vendor/frontend/bootstrap

5 files · 36 lines

Bootstrap 5 (navbar, dropdowns, modals, grid)

dist/css/bootstrap.min.css	6
dist/css/bootstrap.min.css.map	1
dist/js/bootstrap.bundle.min.js	7
dist/js/bootstrap.bundle.min.js.map	1
LICENSE	21

vendor/frontend/dompurify

3 files · 210 lines

DOMPurify HTML sanitizer used by the Markdown canvas

dist/purify.min.js	7
dist/purify.min.js.map	1
LICENSE	202

vendor/frontend/highlightjs

17 files · 1,795 lines

highlight.js syntax highlighter, languages and theme

highlight.min.js	1.2k
languages/bash.min.js	20
languages/c.min.js	40
languages/cpp.min.js	47
languages/css.min.js	31
languages/ini.min.js	15
languages/java.min.js	38
languages/javascript.min.js	80
languages/kotlin.min.js	46
languages/python.min.js	41
languages/rust.min.js	28
languages/sql.min.js	17
languages/typescript.min.js	95
languages/xml.min.js	29
languages/yaml.min.js	25
LICENSE	29
styles/atom-one-dark.min.css	1

vendor/frontend/jquery

3 files · 23 lines

jQuery

dist/jquery.min.js	2
dist/jquery.min.map	1
LICENSE.txt	20

vendor/frontend/jquery-ui

2 files · 49 lines

jQuery UI (dialogs, resizing)

jquery-ui.min.js	6
LICENSE.txt	43

vendor/frontend/marked

1 file · 44 lines

Marked Markdown parser (license)

LICENSE	44

vendor/frontend/nunito

23 files · 191 lines

Nunito web font (site typography)

400.css	49
700.css	49
files/nunito-cyrillic-400-normal.woff	10KB
files/nunito-cyrillic-400-normal.woff2	8KB
files/nunito-cyrillic-700-normal.woff	10KB
files/nunito-cyrillic-700-normal.woff2	8KB
files/nunito-cyrillic-ext-400-normal.woff	14KB
files/nunito-cyrillic-ext-400-normal.woff2	11KB
files/nunito-cyrillic-ext-700-normal.woff	14KB
files/nunito-cyrillic-ext-700-normal.woff2	11KB
files/nunito-latin-400-normal.woff	20KB
files/nunito-latin-400-normal.woff2	16KB
files/nunito-latin-700-normal.woff	20KB
files/nunito-latin-700-normal.woff2	16KB
files/nunito-latin-ext-400-normal.woff	21KB
files/nunito-latin-ext-400-normal.woff2	16KB
files/nunito-latin-ext-700-normal.woff	21KB
files/nunito-latin-ext-700-normal.woff2	16KB
files/nunito-vietnamese-400-normal.woff	8KB
files/nunito-vietnamese-400-normal.woff2	6KB
files/nunito-vietnamese-700-normal.woff	8KB
files/nunito-vietnamese-700-normal.woff2	6KB
LICENSE	93

vendor/pdfjs

2 files · 178 lines

PDF.js license and pinned version

LICENSE	177
VERSION	1

vendor/pdfjs/build

2 files · 93,350 lines

PDF.js core library and worker

pdf.mjs	28k
pdf.worker.mjs	65k

vendor/pdfjs/cmaps

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

78-EUC-H.bcmap	2KB	Adobe-GB1-UCS2.bcmap	33KB
78-EUC-V.bcmap	173B	Adobe-Japan1-0.bcmap	225B
78-H.bcmap	2KB	Adobe-Japan1-1.bcmap	226B
78-RKSJ-H.bcmap	2KB	Adobe-Japan1-2.bcmap	233B
78-RKSJ-V.bcmap	173B	Adobe-Japan1-3.bcmap	242B
78-V.bcmap	169B	Adobe-Japan1-4.bcmap	337B
78ms-RKSJ-H.bcmap	3KB	Adobe-Japan1-5.bcmap	430B
78ms-RKSJ-V.bcmap	290B	Adobe-Japan1-6.bcmap	485B
83pv-RKSJ-H.bcmap	905B	Adobe-Japan1-UCS2.bcmap	40KB
90ms-RKSJ-H.bcmap	721B	Adobe-Korea1-0.bcmap	241B
90ms-RKSJ-V.bcmap	290B	Adobe-Korea1-1.bcmap	386B
90msp-RKSJ-H.bcmap	715B	Adobe-Korea1-2.bcmap	391B
90msp-RKSJ-V.bcmap	291B	Adobe-Korea1-UCS2.bcmap	23KB
90pv-RKSJ-H.bcmap	982B	B5-H.bcmap	1KB
90pv-RKSJ-V.bcmap	260B	B5-V.bcmap	142B
Add-H.bcmap	2KB	B5pc-H.bcmap	1KB
Add-RKSJ-H.bcmap	2KB	B5pc-V.bcmap	144B
Add-RKSJ-V.bcmap	287B	CNS-EUC-H.bcmap	2KB
Add-V.bcmap	282B	CNS-EUC-V.bcmap	2KB
Adobe-CNS1-0.bcmap	317B	CNS1-H.bcmap	706B
Adobe-CNS1-1.bcmap	371B	CNS1-V.bcmap	143B
Adobe-CNS1-2.bcmap	376B	CNS2-H.bcmap	504B
Adobe-CNS1-3.bcmap	401B	CNS2-V.bcmap	93B
Adobe-CNS1-4.bcmap	405B	ETen-B5-H.bcmap	1KB
Adobe-CNS1-5.bcmap	406B	ETen-B5-V.bcmap	158B
Adobe-CNS1-6.bcmap	406B	ETenms-B5-H.bcmap	101B
Adobe-CNS1-UCS2.bcmap	40KB	ETenms-B5-V.bcmap	172B
Adobe-GB1-0.bcmap	217B	ETHK-B5-H.bcmap	4KB
Adobe-GB1-1.bcmap	250B	ETHK-B5-V.bcmap	158B
Adobe-GB1-2.bcmap	465B	EUC-H.bcmap	578B
Adobe-GB1-3.bcmap	470B	EUC-V.bcmap	170B
Adobe-GB1-4.bcmap	601B	Ext-H.bcmap	2KB
Adobe-GB1-5.bcmap	625B	Ext-RKSJ-H.bcmap	2KB

vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

Ext-RKSJ-V.bcmap	218B	Katakana.bcmap	100B
Ext-V.bcmap	215B	KSC-EUC-H.bcmap	2KB
GB-EUC-H.bcmap	549B	KSC-EUC-V.bcmap	164B
GB-EUC-V.bcmap	179B	KSC-H.bcmap	2KB
GB-H.bcmap	528B	KSC-Johab-H.bcmap	16KB
GB-V.bcmap	175B	KSC-Johab-V.bcmap	166B
GBK-EUC-H.bcmap	14KB	KSC-V.bcmap	160B
GBK-EUC-V.bcmap	180B	KSCms-UHC-H.bcmap	3KB
GBK2K-H.bcmap	19KB	KSCms-UHC-HW-H.bcmap	3KB
GBK2K-V.bcmap	219B	KSCms-UHC-HW-V.bcmap	169B
GBKp-EUC-H.bcmap	14KB	KSCms-UHC-V.bcmap	166B
GBKp-EUC-V.bcmap	181B	KSCpc-EUC-H.bcmap	2KB
GBpc-EUC-H.bcmap	557B	KSCpc-EUC-V.bcmap	166B
GBpc-EUC-V.bcmap	181B	LICENSE	36
GBT-EUC-H.bcmap	7KB	NWP-H.bcmap	3KB
GBT-EUC-V.bcmap	180B	NWP-V.bcmap	252B
GBT-H.bcmap	7KB	RKSJ-H.bcmap	534B
GBT-V.bcmap	176B	RKSJ-V.bcmap	170B
GBTpc-EUC-H.bcmap	7KB	Roman.bcmap	96B
GBTpc-EUC-V.bcmap	182B	UniCNS-UCS2-H.bcmap	47KB
H.bcmap	553B	UniCNS-UCS2-V.bcmap	156B
Hankaku.bcmap	132B	UniCNS-UTF16-H.bcmap	49KB
Hiragana.bcmap	124B	UniCNS-UTF16-V.bcmap	156B
HKdla-B5-H.bcmap	3KB	UniCNS-UTF32-H.bcmap	51KB
HKdla-B5-V.bcmap	148B	UniCNS-UTF32-V.bcmap	160B
HKdlb-B5-H.bcmap	2KB	UniCNS-UTF8-H.bcmap	52KB
HKdlb-B5-V.bcmap	148B	UniCNS-UTF8-V.bcmap	157B
HKgccs-B5-H.bcmap	2KB	UniGB-UCS2-H.bcmap	42KB
HKgccs-B5-V.bcmap	149B	UniGB-UCS2-V.bcmap	193B
HKm314-B5-H.bcmap	2KB	UniGB-UTF16-H.bcmap	43KB
HKm314-B5-V.bcmap	149B	UniGB-UTF16-V.bcmap	178B
HKm471-B5-H.bcmap	2KB	UniGB-UTF32-H.bcmap	45KB
HKm471-B5-V.bcmap	149B	UniGB-UTF32-V.bcmap	182B
HKscs-B5-H.bcmap	4KB	UniGB-UTF8-H.bcmap	46KB
HKscs-B5-V.bcmap	159B		

vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

UniGB-UTF8-V.bcmap	181B
UniJIS-UCS2-H.bcmap	25KB
UniJIS-UCS2-HW-H.bcmap	119B
UniJIS-UCS2-HW-V.bcmap	680B
UniJIS-UCS2-V.bcmap	664B
UniJIS-UTF16-H.bcmap	39KB
UniJIS-UTF16-V.bcmap	643B
UniJIS-UTF32-H.bcmap	40KB
UniJIS-UTF32-V.bcmap	677B
UniJIS-UTF8-H.bcmap	41KB
UniJIS-UTF8-V.bcmap	678B
UniJIS2004-UTF16-H.bcmap	39KB
UniJIS2004-UTF16-V.bcmap	647B
UniJIS2004-UTF32-H.bcmap	40KB
UniJIS2004-UTF32-V.bcmap	681B
UniJIS2004-UTF8-H.bcmap	41KB
UniJIS2004-UTF8-V.bcmap	682B
UniJISPro-UCS2-HW-V.bcmap	705B
UniJISPro-UCS2-V.bcmap	689B
UniJISPro-UTF8-V.bcmap	726B
UniJISX0213-UTF32-H.bcmap	40KB
UniJISX0213-UTF32-V.bcmap	684B
UniJISX02132004-UTF32-H.bcmap	40KB
UniJISX02132004-UTF32-V.bcmap	688B
UniKS-UCS2-H.bcmap	25KB
UniKS-UCS2-V.bcmap	178B
UniKS-UTF16-H.bcmap	26KB
UniKS-UTF16-V.bcmap	164B
UniKS-UTF32-H.bcmap	26KB
UniKS-UTF32-V.bcmap	168B
UniKS-UTF8-H.bcmap	27KB
UniKS-UTF8-V.bcmap	169B
V.bcmap	166B
WP-Symbol.bcmap	179B

vendor/pdfjs/iccs

2 files · 116 lines

PDF.js ICC color profile

CGATS001Compat-v2-micro.icc	8KB
LICENSE	116

vendor/pdfjs/standard_fonts

16 files · 390 lines

PDF.js standard fonts

FoxitDingbats.pfb	29KB
FoxitFixed.pfb	17KB
FoxitFixedBold.pfb	18KB
FoxitFixedBoldItalic.pfb	19KB
FoxitFixedItalic.pfb	18KB
FoxitSerif.pfb	19KB
FoxitSerifBold.pfb	19KB
FoxitSerifBoldItalic.pfb	20KB
FoxitSerifItalic.pfb	21KB
FoxitSymbol.pfb	16KB
LiberationSans-Bold.ttf	134KB
LiberationSans-BoldItalic.ttf	132KB
LiberationSans-Italic.ttf	158KB
LiberationSans-Regular.ttf	136KB
LICENSE_FOXIT	27
LICENSE_LIBERATION	363

vendor/pdfjs/wasm

13 files · 358 lines

PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS)

jbig2.wasm	102KB
jbig2_nowasm_fallback.js	15
LICENSE_JBIG2	196
LICENSE_OPENJPEG	39
LICENSE_PDFJS_JBIG2	13
LICENSE_PDFJS_OPENJPEG	22
LICENSE_PDFJS_QCMS	19
LICENSE_QCMS	21
openjpeg.wasm	246KB
openjpeg_nowasm_fallback.js	17
qcms_bg.wasm	94KB
quickjs-eval.js	16
quickjs-eval.wasm	458KB

vendor/pdfjs/web

84 files · 16,685 lines

PDF.js viewer and its toolbar icons

images/altText_add.svg	3
images/altText_disclaimer.svg	3
images/altText_done.svg	3
images/altText_spinner.svg	30
images/altText_warning.svg	3
images/annotation-check.svg	11
images/annotation-comment.svg	16
images/annotation-help.svg	26
images/annotation-insert.svg	10
images/annotation-key.svg	11
images/annotation-newparagraph.svg	11
images/annotation-noicon.svg	7
images/annotation-note.svg	42
images/annotation-paperclip.svg	6
images/annotation-paragraph.svg	16
images/annotation-pushpin.svg	7
images/checkmark.svg	5
images/comment-actionsButton.svg	3
images/comment-closeButton.svg	3
images/comment-editButton.svg	8
images/comment-popup-editButton.svg	5
images/cursor-editorFreeHighlight.svg	6
images/cursor-editorFreeText.svg	3
images/cursor-editorInk.svg	4
images/cursor-editorTextHighlight.svg	8
images/editor-toolbar-delete.svg	5
images/editor-toolbar-edit.svg	3
images/findbarButton-next.svg	3
images/findbarButton-previous.svg	3
images/gv-toolbarButton-download.svg	3
images/loading-icon.gif	2KB
images/loading.svg	1
images/messageBar_closingButton.svg	3
images/messageBar_info.svg	3
images/messageBar_warning.svg	3
images/pages_closeButton.svg	3
images/pages_selected.svg	7
images/pages_viewArrow.svg	3
images/pages_viewButton.svg	3
images/secondaryToolbarButton-documentProperties.svg	3
images/secondaryToolbarButton-firstPage.svg	3
images/secondaryToolbarButton-handTool.svg	3
images/secondaryToolbarButton-lastPage.svg	3
images/secondaryToolbarButton-rotateCcw.svg	3
images/secondaryToolbarButton-rotateCw.svg	3
images/secondaryToolbarButton-scrollHorizontal.svg	3
images/secondaryToolbarButton-scrollPage.svg	3
images/secondaryToolbarButton-scrollVertical.svg	3
images/secondaryToolbarButton-scrollWrapped.svg	3
images/secondaryToolbarButton-selectTool.svg	3
images/secondaryToolbarButton-spreadEven.svg	3
images/secondaryToolbarButton-spreadNone.svg	3

vendor/pdfjs/web *(continued)*

84 files · 16,685 lines

PDF.js viewer and its toolbar icons

images/secondaryToolbarButton-spreadOdd.svg	3
images/signature-properties-row-check.svg	4
images/toolbarButton-bookmark.svg	3
images/toolbarButton-currentOutlineItem.svg	3
images/toolbarButton-download.svg	4
images/toolbarButton-editorFreeText.svg	5
images/toolbarButton-editorHighlight.svg	6
images/toolbarButton-editorInk.svg	4
images/toolbarButton-editorSignature.svg	6
images/toolbarButton-editorStamp.svg	8
images/toolbarButton-menuArrow.svg	3
images/toolbarButton-menuArrowNova.svg	3
images/toolbarButton-openFile.svg	3
images/toolbarButton-pageDown.svg	3
images/toolbarButton-pageUp.svg	3
images/toolbarButton-presentationMode.svg	3
images/toolbarButton-print.svg	3
images/toolbarButton-search.svg	3
images/toolbarButton-secondaryToolbarToggle.svg	3
images/toolbarButton-signaturePropertiesError.svg	7
images/toolbarButton-signaturePropertiesVerified.svg	7
images/toolbarButton-viewAttachments.svg	3
images/toolbarButton-viewLayers.svg	3
images/toolbarButton-viewOutline.svg	3
images/toolbarButton-viewsManagerToggle.svg	3
images/toolbarButton-viewThumbnail.svg	3
images/toolbarButton-zoomIn.svg	3
images/toolbarButton-zoomOut.svg	3
images/treeitem-collapsed.svg	1
images/treeitem-expanded.svg	1
pdf_viewer.css	6.4k
pdf_viewer.mjs	9.8k

Atlas VI — Agent pool: every workflow agent template

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 17

agents/ · shared helpers
2 files · 198 lines
copied beside every pool agent: model settings (@config) and visual-error reporting

- model_settings.py 165
- visual_errors.py 33

Cleaner
3 files · 354 lines
Control Agents: The post-mortem janitor.

- __init__.py 9
- cleaner.py 335
- config.yaml 10

Croner
2 files · 421 lines
Control Agents: A clock-driven trigger. Wakes up at the configured HH:MM every day and starts its target_agents. Good for nightly…

- config.yaml 7
- croner.py 414

Ender
2 files · 689 lines
Control Agents: Terminates a flow gracefully.

- config.yaml 29
- ender.py 660

Sleeper
2 files · 396 lines · MT
Control Agents: A timed pause. Waits for a configured number of milliseconds, then starts everything in target_agents. Useful for…

- config.yaml 3
- sleeper.py 393

Starter
2 files · 520 lines
Control Agents: The entry point of every flow.

- config.yaml 25
- starter.py 495

Stopper
2 files · 504 lines
Control Agents: A surgical "kill the noisy neighbor" agent.

- config.yaml 53
- stopper.py 451

Asker
2 files · 503 lines · MT
Routing Agents: An interactive A/B chooser.

- asker.py 469
- config.yaml 34

Counter
2 files · 494 lines
Routing Agents: A persistent tally with threshold-based routing.

- config.yaml 44
- counter.py 450

Forker
2 files · 698 lines
Routing Agents: An automatic A/B router.

- config.yaml 42
- forker.py 656

Raiser
2 files · 697 lines
Routing Agents: An event-driven launcher.

- config.yaml 45
- raiser.py 652

AND
2 files · 559 lines
Logic Gates: A two-input AND gate. Fires its target_agents only when BOTH source_1 AND source_2 have produced their respective…

- and.py 542
- config.yaml 17

Barrier
3 files · 793 lines
Logic Gates: An N-input barrier (a generalized AND).

- barrier.py 507
- config.yaml 8
- test_barrier.py 278

OR
2 files · 533 lines
Logic Gates: A two-input OR gate. Fires its target_agents when EITHER source_1 OR source_2 produces its pattern, whichever…

- config.yaml 16
- or.py 517

Analyzer
2 files · 573 lines
Action Agents: A deterministic static-analysis and security scanner — it uses no LLM, so its output is reproducible.

- analyzer.py 540
- config.yaml 33

Apirer
2 files · 520 lines · MT
Action Agents: An HTTP/REST API client agent.

- apirer.py 510
- config.yaml 10

Arduiner
7 files · 1,793 lines · MT
Action Agents: Tlamatini's bridge to the Arduino CLI (https://arduino.github.io/arduino-cli/) — the official all-in-one tool whose…

- arduiner.py 1.5k
- ArduinoTemplateProject/ArduinoTemplateProject.ino 40
- ArduinoTemplateProject/README.md 53
- ArduinoTemplateProject/sketch.yaml 23
- ArduinoTemplateProject/src/Heartbeat.cpp 30
- ArduinoTemplateProject/src/Heartbeat.h 35
- config.yaml 125

AudioPlayer
2 files · 913 lines · MT
Action Agents: PLAYS an audio file through a system audio OUTPUT device (speakers / audio out) via soundfile + sounddevice — the…

- audioplayer.py 839
- config.yaml 74

Blenderer
2 files · 805 lines · MT
Action Agents: Drives a Blender instance through the OFFICIAL Blender MCP add-on's TCP socket (default localhost:9876 — the add-on…

- blenderer.py 742
- config.yaml 63

Camcorder
2 files · 718 lines · MT
Action Agents: Captures from a SYSTEM CAMERA (webcam) via OpenCV — distinct from Shoter, which captures the SCREEN.

- camcorder.py 674
- config.yaml 44

Crawler
2 files · 2,205 lines · MT
Action Agents: A developer-oriented web reader with built-in LLM analysis.

- config.yaml 39
- crawler.py 2.2k

De-Compresser
2 files · 874 lines · MT
Action Agents: Deterministic short-running archive worker.

- config.yaml 26
- de_compresser.py 848

Deleter
2 files · 793 lines · MT
Action Agents: Deletes files matching one or more patterns, with exclusions, recursion, and immediate/event modes. target_path is…

- config.yaml 29
- deleter.py 764

Discoverer
2 files · 1,455 lines · MT
Action Agents: Tlamatini's bridge to the ProjectDiscovery security-tool suite (https://github.com/projectdiscovery) for recon…

- config.yaml 114
- discoverer.py 1.3k

Dockerer
2 files · 522 lines · MT
Action Agents: A Docker / docker-compose front-end.

- config.yaml 3
- dockerer.py 519

Editor
2 files · 425 lines · MT
Action Agents: Makes a SURGICAL in-place edit to a single existing text file by replacing an EXACT string (old_string) with another…

- config.yaml 16
- editor.py 409

ESP32er
8 files · 1,838 lines · MT
Action Agents: Tlamatini's bridge to PlatformIO Core (https://platformio.org) — the open-source embedded build system whose pio CLI…

- config.yaml 109
- esp32er.py 1.4k
- ESP32TemplateProject/include/README.md 16
- ESP32TemplateProject/lib/README.md 35
- ESP32TemplateProject/platformio.ini 40
- ESP32TemplateProject/README.md 114
- ESP32TemplateProject/src/main.cpp 57
- ESP32TemplateProject/test/README.md 32

ESPHomer
8 files · 1,822 lines · MT
Action Agents: Tlamatini's bridge to ESPHome (https://esphome.io) — the system that turns ESP32 / ESP8266 / RP2040 / BK72xx boards…

- config.yaml 104
- esphomer.py 1.4k
- ESPHomeTemplateProject/.gitignore 8
- ESPHomeTemplateProject/common/base.yaml 32
- ESPHomeTemplateProject/README.md 140
- ESPHomeTemplateProject/secrets.yaml.example 15
- ESPHomeTemplateProject/tlamatini-light.yaml 47
- ESPHomeTemplateProject/tlamatini-sensor.yaml 70

Executer
2 files · 1,130 lines · MT
Action Agents: Runs an arbitrary shell command and triggers its target_agents when the command finishes.

- config.yaml 37
- executer.py 1.1k

File-Creator
2 files · 485 lines · MT
Action Agents: Writes a file with arbitrary content to a specified path, then triggers downstream agents (regardless of the write…

- config.yaml 22
- file_creator.py 463

File-Extractor
2 files · 877 lines · MT
Action Agents: The "give me the raw text" sibling of File-Interpreter.

- config.yaml 10
- file_extractor.py 867

File-Interpreter
2 files · 1,084 lines · MT
Action Agents: Reads and interprets documents — DOCX, PPTX, XLSX, PDF, TXT, TeX, CSV, HTML, RTF, and more — extracting text and…

- config.yaml 46
- file_interpreter.py 1.0k

Gitter
2 files · 560 lines · MT
Action Agents: A Git operations agent. Runs clone, pull, push, commit, checkout, branch, diff, log, status, or any custom git…

- config.yaml 27
- gitter.py 533

Globber
2 files · 407 lines · MT
Action Agents: Read-only FILE discovery by glob/filename pattern under a directory (the Claude-Glob equivalent) - returns matching…

- config.yaml 11
- globber.py 396

Googler
3 files · 3,586 lines
Action Agents: Performs block- and hang-proof indexed-web search, then either extracts readable text/raw HTML from the top results…

- config.yaml 208
- googler.py 2.0k
- googler_engines.py 1.4k

Grepper
2 files · 611 lines · MT
Action Agents: Read-only regex CONTENT search across a single file or a whole directory tree (the Claude-Grep equivalent) - returns…

- config.yaml 28
- grepper.py 583

Image-Interpreter
2 files · 1,096 lines · MT
Action Agents: TRIPLE-MODEL vision analyst.

- config.yaml 156
- image_interpreter.py 940

Instant Messaging Doctor
2 files · 758 lines · MT
Action Agents: A safe first-party messaging diagnostic agent for Telegrammer and Whatsapper.

- config.yaml 52
- instant_messaging_doctor.py 706

J-Decompiler
2 files · 525 lines · MT
Action Agents: A Java decompiler. Scans a directory (or wildcard list) for .class, .jar, .war, and .ear files and uses the bundled…

- config.yaml 11
- j_decompiler.py 514

Jenkinser
2 files · 512 lines · MT
Action Agents: Triggers a job on a Jenkins server.

- config.yaml 21
- jenkinser.py 491

Kalier
2 files · 807 lines · MT
Action Agents: Tlamatini's bridge to Kali Linux offensive-security tooling, built on the MCP-Kali-Server…

- config.yaml 104
- kalier.py 703

Keyboarder
3 files · 783 lines · MT
Action Agents: Checked Windows keyboard input, bound to one HWND/PID and stopped on foreground focus loss.

- config.yaml 26
- keyboarder.py 570
- keyboarder_input.py 187

Kuberneter
2 files · 428 lines · MT
Action Agents: A kubectl front-end. Runs commands like get, apply, logs, exec against a configured namespace, with arbitrary extra…

- config.yaml 17
- kuberneter.py 411

LaTeXer
6 files · 6,469 lines · MT
Action Agents: Tlamatini's LaTeX TYPESETTING agent — the typesetting sibling of PDFer.

- config.yaml 221
- latexer_artwork.py 273
- latexer_styles.py 154
- latexer.py 5.3k
- latexer_design.py 267
- STYLES.md 242

MCP Doctor
2 files · 704 lines · MT
Action Agents: A safe External MCP diagnostic and onboarding agent.

- config.yaml 10
- mcp_doctor.py 694

Mongoxer
2 files · 214 lines · MT
Action Agents: Executes a Python block against a MongoDB database using pymongo.

- config.yaml 18
- mongoxer.py 196

Mouser
3 files · 1,047 lines · MT
Action Agents: Mouse movement, clicks, drags, scrolling, window anchors, and reference-image matching.

- config.yaml 88
- mouser.py 783
- mouser_coordinates.py 176

Mover
2 files · 865 lines · MT
Action Agents: Moves or copies files with wildcard sources, exclusions, and optional recursion.

- config.yaml 14
- mover.py 851

NetSpeed-Calculator
2 files · 1,955 lines · MT
Action Agents: Measures THIS machine's real Internet connection and reports the answer with its error bar — download, upload…

- config.yaml 83
- netspeed_calculator.py 1.9k

Nmapper
2 files · 1,281 lines · MT
Action Agents: Tlamatini's LOCAL, USE-ONLY nmap bridge for pentesters / CTF recon.

- config.yaml 88
- nmapper.py 1.2k

PDFer
15 files · 10,824 lines · MT
Action Agents: Document composer for an answer, Markdown, HTML, plain text, images or existing PDFs.

- config.yaml 217
- pdfer_color.py 896
- pdfer_styles.py 104
- pdfer.py 1.9k
- pdfer_consult.py 378
- pdfer_tables.py 664
- pdfer_artwork.py 261
- pdfer_docmodel.py 777
- pdfer_theme.py 1.2k
- pdfer_atelier.py 1.0k
- pdfer_nuance.py 1.2k
- pdfer_typography.py 709
- pdfer_audit.py 494
- pdfer_ornament.py 702
- STYLES.md 239

Playwrighter
2 files · 1,111 lines · MT
Action Agents: A scripted, interactive browser-automation agent built on Playwright (Chromium/Firefox/WebKit).

- config.yaml 80
- playwrighter.py 1.0k

PPTXer
15 files · 11,401 lines · MT
Action Agents: Builds editable PowerPoint presentations from an answer, Markdown, outlines, or JSON, with embedded local/remote…

- config.yaml 179
- pptxer_diagram.py 433
- pptxer_media.py 693
- pptxer.py 1.2k
- pptxer_docmodel.py 731
- pptxer_nuance.py 887
- pptxer_audit.py 645
- pptxer_draw.py 866
- pptxer_render.py 944
- pptxer_build.py 1.5k
- pptxer_fonts.py 1.0k
- pptxer_theme.py 621
- pptxer_color.py 736
- pptxer_layout.py 853
- STYLES.md 100

Prompter
2 files · 473 lines · MT
Action Agents: Sends a configured prompt to an Ollama LLM and logs the response into a structured INI_SECTION_PROMPTER block.

- config.yaml 30
- prompter.py 443

Pser
2 files · 604 lines · MT
Action Agents: An LLM-powered process finder.

- config.yaml 32
- pser.py 572

Pythonxer
2 files · 875 lines · MT
Action Agents: Runs an inline Python script (provided as a YAML string) behind a STRICT correctness gate: it first compile()-parses…

- config.yaml 46
- pythonxer.py 829

Recorder
2 files · 1,041 lines · MT
Action Agents: Records AUDIO from a system input device (MICROPHONE) via sounddevice and saves a WAV (written with the stdlib wave…

- config.yaml 57
- recorder.py 984

Reviewer
2 files · 626 lines
Action Agents: An LLM-powered code reviewer.

- config.yaml 38
- reviewer.py 588

Scper
2 files · 529 lines · MT
Action Agents: Transfers a file to or from a remote host over SCP using a pre-configured SSH key.

- config.yaml 27
- scper.py 502

Shoter
2 files · 606 lines · MT
Action Agents: Captures the whole desktop by default (all_screens: true) and saves a PNG silently.

- config.yaml 21
- shoter.py 585

Sqler
2 files · 237 lines · MT
Action Agents: Executes a Python block against a Microsoft SQL Server instance using pyodbc.

- config.yaml 20
- sqler.py 217

Ssher
2 files · 470 lines · MT
Action Agents: Runs a shell command on a remote host over SSH using a pre-configured key.

- config.yaml 22
- ssher.py 448

STM32er
2 files · 2,936 lines · MT
Action Agents: Tlamatini's STM32 firmware agent — it programs the WHOLE ST 32-bit line, from the Blue Pill (STM32F103) up through…

- config.yaml 242
- stm32er.py 2.7k

Summarizer
2 files · 670 lines · MT
Action Agents: Two modes in one agent. Polling mode: continuously watches the logs of its source_agents and feeds new content to an…

- config.yaml 57
- summarizer.py 613

Talker
2 files · 1,629 lines · MT
Action Agents: TEXT-TO-SPEECH (TTS): SPEAKS text aloud through a system audio OUTPUT device (speakers) by driving an OLLAMA…

- config.yaml 151
- talker.py 1.5k

Unrealer
2 files · 1,033 lines · MT
Action Agents: Drives an Unreal Engine 5 editor instance through the Unreal MCP plugin's TCP protocol (default 127.0.0.1:55557 —…

- config.yaml 160
- unrealer.py 873

Video-Analyzer
5 files · 3,070 lines · MT
Action Agents: Video-Analyzer supports analysis_type: robotics (default), transcription, and summary.

- config.yaml 202
- video_analyzer.py 1.2k
- video_fetch.py 854
- README.md 241
- video_content.py 588

VideoPlayer
2 files · 1,043 lines · MT
Action Agents: PLAYS a video file (WITH audio) on a chosen DISPLAY (screen) — the on-screen sibling of AudioPlayer (speakers).

- config.yaml 69
- videoplayer.py 974

Whisperer
4 files · 2,230 lines · MT
Action Agents: Direct chat microphone: Mic beside Send starts host capture without an LLM decision and stops on the configured…

- chat_worker.py 232
- README.md 82
- config.yaml 182
- whisperer.py 1.7k

Windower
2 files · 963 lines · MT
Action Agents: The window manager of the desktop-UI trio (Windower = the window itself, Mouser = clicks inside it, Keyboarder =…

- config.yaml 77
- windower.py 886

Atlas VI — Agent pool: every workflow agent template (continued 2)

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 18

Emailer
2 files · 836 lines · MT

Notification Agents: Sends an SMTP email when triggered.

config.yaml 147	emailer.py 689

FlowHypervisor
4 files · 1,965 lines

Notification Agents: Watches a running flow using process state, logs and current agent contracts.

config.yaml 18	hypervisor_alert.wav 215KB
flowhypervisor.py 786	monitoring-prompt.pmt 1.2k

Monitor Netstat
2 files · 340 lines · MT

Notification Agents: The network-port version of Monitor-Log.

config.yaml 42	monitor_netstat.py 298

Monitor-Log
2 files · 462 lines · MT

Notification Agents: A pure log-file watcher with LLM event detection.

config.yaml 44	monitor_log.py 418

Notifier
2 files · 509 lines · MT

Notification Agents: The browser-notification agent.

config.yaml 17	notifier.py 492

RecMailer
2 files · 430 lines · MT

Notification Agents: An IMAP email receiver with LLM analysis.

config.yaml 63	recmailer.py 367

Telegrammer
7 files · 1,409 lines · MT

Notification Agents: The single Telegram send/receive agent using official Telegram surfaces only.

config.yaml 27	
guide_assets/telegram_01_botfather_search.jpg 72KB	
guide_assets/telegram_02_newbot_token.jpg 124KB	
guide_assets/telegram_03_start_bot_getupdates.jpg 116KB	
guide_assets/telegram_04_tlamatini_contacts.jpg 119KB	
HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md 303	
telegrammer.py 1.1k	

Whatsapper
8 files · 1,437 lines · MT

Notification Agents: The single WhatsApp send/receive agent with two explicit outbound identities.

config.yaml 62	
guide_assets/whatsapp_01_meta_create_app.jpg 90KB	
guide_assets/whatsapp_02_api_setup_keys.jpg 204KB	
guide_assets/whatsapp_03_test_recipient_send.jpg 249KB	
guide_assets/whatsapp_04_system_user_token.jpg 139KB	
guide_assets/whatsapp_05_tlamatini_contacts.jpg 104KB	
HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md 343	
whatsapper.py 1.0k	

Zavuerer
2 files · 864 lines · MT

Notification Agents: Tlamatini's bridge to Zavu (https://www.zavu.dev) — ONE unified API for SMS, WhatsApp, Telegram, Email and Voice.

config.yaml 68	zavuerer.py 796

FlowBacker
2 files · 478 lines

Utility Agents: A passive backup utility.

config.yaml 10	flowbacker.py 468

FlowCreator
6 files · 9,105 lines · MT

Utility Agents: Designs a workflow from your objective.

agentic_skill.md 2.7k	flow_catalog.json 5.2k	flowcreator.py 609
config.yaml 40	flow_knowledge.py 294	result_to_flw.py 237

Gateway Relayer
3 files · 935 lines

Utility Agents: A deterministic, no-LLM relay that bridges third-party webhook formats (e.g.

config.yaml 48	gateway_relayer.md 252	gateway_relayer.py 635

Gatewayer
4 files · 1,761 lines

Utility Agents: The inbound gateway. A long-running agent that listens for external events on either an HTTP webhook (default...

config.yaml 106	gatewayer.py 1.0k
gatewayer.md 173	gatewayer_explanation.md 464

NodeManager
5 files · 1,665 lines

Utility Agents: A long-running infrastructure registry.

config.yaml 81	node_manager.py 999	nodes_example.yaml 148
node_manager.md 358	nodes_example.json 79	

Parametrizer
2 files · 1,250 lines

Utility Agents: Carries structured results from one agent into another agent's configuration, one segment at a time.

config.yaml 11	parametrizer.py 1.2k

Kyber-Cipher
2 files · 594 lines · MT

Cryptography Agents: Encrypts a plaintext buffer with a CRYSTALS-Kyber public key.

config.yaml 14	kyber_cipher.py 580

Kyber-DeCipher
2 files · 539 lines · MT

Cryptography Agents: The inverse of Kyber-Cipher.

config.yaml 20	kyber_decipher.py 519

Kyber-KeyGen
2 files · 491 lines · MT

Cryptography Agents: Generates a CRYSTALS-Kyber post-quantum public/private key pair in base64.

config.yaml 8	kyber_keygen.py 483

TeleTlamatini
2 files · 1,364 lines

Multi-Channel Bridges: A long-running Telegram bot that bridges authorized Telegram users into the full Multi-Turn + Exec Report Tlamatini...

config.yaml 101	teletlamatini.py 1.3k

ACPXer
2 files · 957 lines

External Coding-Agent Driver: Drives one external coding-agent CLI session per run — Claude Code, Codex, Cursor, Gemini, Qwen, the Tlamatini...

acpxer.py 914	config.yaml 43

Atlas VII — Verification: unit, contract, visible and release tests

Every automated test runs headed and visible on the real desktop; screenshots are taken by Shoter.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 19

agent/ · unit and contract tests

160 files · 69,171 lines

160 modules, Django test runner; pin the contracts described in CLAUDE.md

test_access_key_wizard.py 145	test_googler_agent.py 502
test_agent_display_names.py 264	test_googler_dorks.py 513
test_agent_manifest.py 414	test_googler_resilience.py 800
test_agent_verdict.py 292	test_grepper_agent.py 172
test_agents_see_hidden_dirs.py 71	test_grepper_encodings.py 222
test_arduiner_agent.py 717	test_grepper_lines_mode.py 279
test_ask_execs_allowlist.py 226	test_image_interpreter_agent.py 401
test_audioplayer_agent.py 780	test_instant_messaging_doctor.py 171
test_binary_guard.py 445	test_j_decompiler_agent.py 252
test_blenderer_agent.py 577	test_js_gates.py 59
test_build_pip_quiet.py 205	test_kalier_agent.py 1.1k
test_build_root_assets.py 188	test_latexer_agent.py 1.3k
test_build_scripts.py 718	test_latexer_delivery_truth.py 65
test_camcorder_agent.py 467	test_latexer_layout_truth.py 59
test_cancellation.py 215	test_latexer_major_removal_and_window_repair.py 463
test_chain_readiness.py 327	test_latexer_model_repair_truth.py 54
test_chat_agent_run_wait.py 199	test_latexer_repair_ladder.py 538
test_chat_bridge_bots.py 234	test_latexer_styles.py 186
test_chat_history_window.py 94	test_latexer_suite.py 1.7k
test_chat_voice.py 491	test_latexer_verbatim_channel.py 325
test_checkbox_bulk_toggle.py 189	test_log_identity.py 349
test_command_watchdog.py 367	test_mcp_configured_endpoints.py 217
test_compact_mode_pingpong.py 117	test_model_brain.py 511
test_compact_mode_switch.py 467	test_model_capacity.py 455
test_console_colors.py 517	test_model_settings.py 220
test_console_shield.py 602	test_mover_file_safety.py 180
test_contacts.py 153	test_native_dialogs.py 294
test_context_governor.py 570	test_netspeed_calculator_agent.py 1.6k
test_context_real_tokens.py 690	test_nmapper_agent.py 268
test_context_restore_spinner.py 204	test_no_audio_in_tests.py 59
test_context_sidecar_timeout.py 257	test_ollama_catalog_from_server.py 281
test_crawler_agent.py 342	test_ollama_stop_limit.py 249
test_crawler_resilience.py 503	test_orphan_reaper.py 340
test_createsuperuser_wizard.py 68	test_parametrizer_mcp_doctor.py 145
test_ctrl_c_shutdown.py 215	test_password_quoting.py 601
test_db_backup_restore_wal.py 432	test_pdf_context.py 307
test_db_backup_safety.py 130	test_pdfer_agent.py 1.2k
test_de_compresser.py 844	test_pdfer_nuance_layout.py 654
test_deep_research_prompt.py 86	test_pdfer_styles.py 192
test_deleter_safety.py 127	test_playwrighter_agent.py 662
test_desktop_input_agents.py 365	test_pptxer_agent.py 1.3k
test_dialog_dismissal_policy.py 566	test_pptxer_styles.py 112
test_dialog_theme.py 766	test_pptxer_visibility.py 307
test_discoverer_agent.py 533	test_preserved_user_state.py 192
test_discoverer_thousand.py 141	test_program_name_collisions.py 186
test_django_port_config.py 254	test_prompt_catalog_contiguous.py 310
test_drag_divider_look.py 70	test_prompt_flow_panel.py 292
test_drop_message.py 330	test_prompt_flow_panel_carriage.py 94
test_editor_agent.py 181	test_prompt_flow_panel_runtime.py 198
test_embedding_memory_guard.py 638	test_prompt_flow_panel_websocket.py 173
test_esp32er_agent.py 767	test_prompt_shape_sentences.py 67
test_esphomer_agent.py 554	test_public_release_targets.py 486
test_exec_report_verdict.py 141	test_recorder_agent.py 617
test_execute_command_bounded.py 176	test_runtime_provisioner.py 498
test_executer_window_report.py 121	test_security_assets_carriage.py 139
test_external_mcp_add_flow.py 179	test_self_healing.py 259
test_external_mcp_e2e.py 470	test_self_knowledge_is_current.py 111
test_external_mcp_transports.py 294	test_self_modify_gate.py 459
test_external_mcp_universal.py 674	test_self_modify_switch.py 480
test_file_creator_append.py 241	test_self_update.py 157
test_file_drop_router.py 251	test_shoter_takes_screenshots.py 71
test_file_extractor_reader.py 104	test_sqlite_wal_mode.py 52
test_flow_contracts.py 227	test_status_vocabulary.py 569
test_flow_file_open.py 160	test_step_by_step_mode.py 209
test_flow_file_views.py 100	test_stm32er_agent.py 1.8k
test_flow_knowledge.py 348	test_talker_agent.py 1.3k
test_frontend_mutable_state.py 262	test_telegrammer_identity.py 214
test_gitter_custom_command.py 227	test_temp_dir_policy.py 479
test_globber_agent.py 156	test_tool_failure_recovery.py 86

agent/ · unit and contract tests *(continued)*

160 files · 69,171 lines

160 modules, Django test runner; pin the contracts described in CLAUDE.md

test_uninstall_processes.py 129	test_voice_commands_catalog.py 265
test_uninstaller_lifecycle.py 292	test_watchdog_foreground_exemption.py 672
test_uninstaller_mechanics.py 669	test_web_process_stays_lean.py 231
test_unrealer_agent.py 518	test_whatsapper_identity.py 202
test_usage.py 362	test_whisperer_agent.py 1.1k
test_version_guard.py 61	test_win_shim.py 404
test_video_analyzer_agent.py 357	test_windower_agent.py 662
test_video_analyzer_content.py 458	test_windows_app_registration.py 107
test_video_analyzer_fetch.py 594	test_zavuerer_agent.py 464
test_videoplayer_agent.py 758	tests.py 7.8k
test_visual_fatal_errors.py 246	tests_perf_3x.py 432

Tests/ · avatar, PDF canvas and requirement tests

13 files · 2,470 lines

avatar_dev_server/dev_settings.py 28	test_avatar_presence_visible.py 582
avatar_dev_server/development_test.py 50	test_avatar_visible.cjs 169
run_avatar_tests.py 128	test_pdf_canvas_assets.py 68
run_presence_tests.ps1 76	test_pdf_canvas_browser.py 738
test_about_window_name_visible.py 66	test_perf_3x_visual.py 216
test_avatar_animation.cjs 195	test_requirements_coverage.py 89
test_avatar_collectstatic.py 65	

AuxTests/

1 file · 156 lines

mypdf2.py 156	

Tlamatini/tests_e2e/ · visible end-to-end runs

12 files · 3,562 lines

headed Chrome against the real chat GUI

oob_child_helper.py 46	test_oob_namu_unit.py 189
README.md 79	test_prompts_catalog_visual.py 392
test_create_flow_visual.py 477	test_self_healing_visual.py 316
test_ctrl_c_quits_visible.py 187	test_voice_visual.py 321
test_db_backup_set_visible.py 415	Tlamatini-Overnight-100.py 297
test_oob_browser_visible.py 137	Tlamatini-Whatsapper-Daily-Tests.py 706

repository root · guard tests

4 files · 1,835 lines

private-data guard, author banner, performance

test_author_banner.py 95	test_perf_3x_visual.py 479
test_check_private_data.py 1.0k	test_private_data_guard.py 219

scripts/ · visible checks, release checks and tooling

65 files · 15,090 lines

**_visible.py, release_*_checks.py, setup cycles, vendoring, catalog and inventory tools*

acp_editor_visible.py 291	release_acp_runtime_checks.py 79
build_setup_full_payload.py 70	release_agent_catalog_checks.py 145
build_setup_validation.py 58	release_auth_checks.py 89
canvas_refresh_visible.py 556	release_commentary_checks.py 401
chat_composer_resize_checks.py 264	release_extended_checks.py 290
chat_composer_resize_visible.py 158	release_local_agent_checks.py 114
chat_composer_visible_window.py 83	release_mcp_checks.py 79
chat_microphone_visible.py 365	release_output_resize_checks.py 230
chat_viewport_visible_checks.py 156	release_prompt_runtime_checks.py 143
chat_views_frozen_visible.py 254	release_shell_file_checks.py 73
chat_views_visible.py 480	run_menu_state_checks.py 290
check_js_parse.mjs 43	setup_crash_agents_visible.py 275
check_requirements_coverage.py 280	setup_desktop_cycles.py 139
docked_avatar_resize_checks.py 178	setup_lifecycle_checks.py 389
dossier_visual_walkthrough_visible.py 230	setup_release_cycles.py 454
drag_divider_look_visible.py 467	setup_wizard_visible.py 274
file_drop_router_cases.mjs 455	skill_inventory.py 176
flow_canvas_mechanics_visible.py 398	sync_assistant_skills.py 143
flow_file_associations_test.ps1 120	tlamatini_clean_install.ps1 106
flow_files_visible.py 502	ui_sweep_resize_checks.py 68
installed_panels_visible.py 538	ui_sweep_visible.py 138
markdown_canvas_visible.py 573	update_flow_catalog.py 95
menu_browser_checks.py 525	usage_dashboard_browser_checks.py 83
menu_live_checks.py 145	usage_dashboard_fixture_checks.py 193
menu_reference_graph.mjs 95	usage_dashboard_visible.py 139
panel_search_title_visible.py 367	vendor_frontend.py 84
pptxer_visibility_gallery.py 94	vendor_pdfjs.py 57
prompt_flow_commentary_visible.py 175	verify_latexer_styles.py 246
prompt_flow_connections_visible.py 540	verify_pdfer_styles.py 151
prompt_flow_extension_visible.py 233	verify_pptxer_layout.py 163
prompt_flow_output_resize_visible.py 381	verify_pptxer_styles.py 132
prompt_flow_selection_visible.py 201	visual_fatal_dialog_visible.py 191
release_acp_editor_checks.py 186	

.claude/.../tlamatini-daily-chat-test/harness/

61 files · 24,887 lines

daily chat regression + feature labs (Playwright headed, Shoter screenshots)

_peek.py 26	grepper_lines_visible.py 234
_stage.ps1 75	grepper_login_probe.py 61
acp_backend_banner_test.py 358	latexer_openmp_e2e.py 445
acp_backend_banner_test.py.antes_shoter 362	latexer_stepbystep_5.py 860
acp_dialog_full_sweep.py 376	mcp_playwright_suite.py 218
acp_dialog_theme_visible.py 268	model_brain_visible.py 557
ask_execs_regression.py 676	monitor.py 177
ask_execs_regression.py.antes_shoter 679	ollama_remote_catalog_visible.py 504
bulk_toggle_behaviour.py 291	pdf_context_visible.py 423
bulk_toggle_visible.py 199	pdfer_nuance_visible.py 528
cancel_regression.py 571	playwrighter_run.py 163
cancel_regression.py.antes_shoter 575	pptxer_visible.py 780
compact_mode_visible.py 482	preflight.py 334
compact_pingpong_visible.py 341	qualify.py 188
compact_switch_visible.py 690	questions.py 393
config.py 132	README.md 118
context_gauge_100.py 500	requirements.txt 7
context_gauge_real_lab.py 507	run_test.py 726
context_gauge_visible.py 288	self_modify_visible.py 480
context_restore_spinner_visible.py 725	shoter_shot.py 99
cyber_watchdog_test.py 463	step_by_step_catalog.py 380
deepseek_remote_chat_visible.py 615	step_by_step_catalog.py.antes_shoter 381
dialog_policy_visible.py 492	stop_sequence_visible.py 581
dialog_theme_visible.py 255	talk_test.py 397
discoverer_1000.py 27	uninstaller_visible.py 465
discoverer_1000.py.antes_shoter 454	video_link_visible.py 368
drop_message_visible.py 669	voice_commands_visible.py 420
file_drop_visible.py 615	window-test-screen.py 1.5k
flowcreator_wizard_e2e.py 373	windower_focus.py 163
full_mode_visible.py 251	wrapped_questions.py 276
googler_dork_hunt.py 324	

.gemini/.../tlamatini-daily-chat-test/harness/

32 files · 11,504 lines

Gemini mirror of the daily chat harness

acp_backend_banner_test.py 358	flowcreator_wizard_e2e.py 373
acp_backend_banner_test.py.antes_shoter 362	googler_dork_hunt.py 324
acp_dialog_full_sweep.py 376	latexer_openmp_e2e.py 445
acp_dialog_theme_visible.py 268	latexer_stepbystep_5.py 860
ask_execs_regression.py 676	mcp_playwright_suite.py 218
ask_execs_regression.py.antes_shoter 679	playwrighter_run.py 163
bulk_toggle_behaviour.py 291	qualify.py 188
bulk_toggle_visible.py 199	questions.py 392
cancel_regression.py 571	README.md 118
cancel_regression.py.antes_shoter 575	requirements.txt 7
config.py 125	run_test.py 726
cyber_watchdog_test.py 463	shoter_shot.py 99
dialog_policy_visible.py 492	step_by_step_catalog.py 380
dialog_theme_visible.py 255	step_by_step_catalog.py.antes_shoter 381
discoverer_1000.py 27	talk_test.py 397
discoverer_1000.py.antes_shoter 454	wrapped_questions.py 262

Atlas VIII — Build, release, install, security and repository root

From source to Installer.exe, self-update and uninstall; guards that keep private data out of git.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 20

build and release tooling

25 files · 10,045 lines

PyInstaller build, inventories, versioning, release wrappers, dependency and private-data audits

.gitattributes	14	git_deny_go.py	154
.gitignore	459	package.json	29
audit_dependencies.py	184	pnpm-lock.yaml	578
build.py	2.2k	private_targets.example.json	43
build_all.cmd	101	pyinstaller_hooks/hook-numpy.py	158
build_complete_private_release.py	372	pyinstaller_hooks/hook-pymupdf.py	14
build_complete_public_release.py	949	pyinstaller_hooks/hook-torch.py	30
build_installer.py	568	regen_secrets.py	574
build_runtime_assets.py	472	requirements-esphome.txt	7
build_uninstaller.py	363	requirements.txt	224
check_private_data.py	721	uncommit-keys.bat	244
copy_source_assets.py	855	versioning.py	203
eslint.config.mjs	525		

install, update and launch

21 files · 5,345 lines

setup window, recovery, Windows integration, self-update swap, uninstall, launchers

apply_update.ps1	355	ollama_credits.py	386	setup_windows.py	271
backup_db.py	206	preserved_user_state.json	27	setup_wizard.py	483
CreateShortcut.json	3	register_flw.ps1	15	Tlamatini.ps1	69
CreateShortcut.ps1	264	register_fpmt.ps1	12	uninstall.py	1.5k
flow_file_associations.ps1	181	RemoveShortcut.ps1	59	uninstall_processes.py	147
freeingport8000.ps1	65	setup_logging.py	100	unregister_flw.ps1	15
install.py	854	setup_recovery.py	350	unregister_fpmt.ps1	12

root stdio MCP server

3 files · 1,764 lines

exposes every pool agent and ACPX to external MCP clients

.mcp.json	8	tlamatini_acpx.py	986	tlamatini_mcp_server.py	770

security/ · security arsenal

11 files · 2,763 lines

Active Defender, whitelist v2 (Controlled Folder Access), access tests

automated_tests_of_security_assets.py	128	test_windows_access.ps1	119
enable_tlamatini_v2.bat	734	tlamatini_defender.ps1	718
README.md	139	tlamatini_whitelist_v2.ps1	567
run_defender.bat	20	verify_agent_execution.py	132
sync_enable_launcher.py	65	windows_access_helpers.ps1	128
test_security_syntax.ps1	13		

CI and scanning policy

2 files · 193 lines

.github/workflows/name-guard.yml	99	.scanning/finding-policy.json	94

demo flows

4 files · 837 lines

ready-made .flw files for the Agentic Control Panel

demo_flows/demo1_globber_to_parametrizer_to_zavuerer.flw	135
demo_flows/demo2_apirer_to_parametrizer_to_zavuerer.flw	135
demo_flows/demo3_zavuerer_health_to_parametrizer_to_filecreator.flw	133
MCPMemoriesFlowCreation.flw	434

repository root · media, documents and license

9 files · 21 lines

ConfigureModels.png	146KB
LICENSE	21
OllamaPricing.png	178KB
OOB_shift_reaper-and-NAMU-Design.pdf	18KB
PromptDesigner.jpg	106KB
Tlamatini.ico	38KB
Tlamatini.jpg	15KB
tlamatini_app_summary.pdf	2.7MB
Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx	4.9MB

Atlas IX — Knowledge and governance

Documentation, change records, assistant onboarding, memory and the four tracked skill locations.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 21

repository root · Markdown and text documents

24 files · 16,393 lines

README, onboarding files for each assistant, design notes and session records

_acpx_pipeline_demo_report.md	65
ACPX.md	841
AGENTS.md	330
agents_descriptions.md	198
AvatarImprovementByClaude.md	416
BookOfTlamatini.md	4.6k
Claude-Desktop-KALI-MCP-Session.md	694
CLAUDE.md	1.2k
Codex2ClaudeRecommendations.md	624
DesignOfIncludingMemoryMCPS.txt	1.2k
Discoverier-new-agent.md	277
example_of_prompt_to_make_de-compresser_agent.txt	42
FirstFinalPlanToSpeedUp.md	774
GEMINI.md	999
KIMI.md	1.3k
latest-folding-context-session.md	4
MessagingConnectorAssistant_Design.md	134
PIVOT_CHANGES.md	511
README.md	943
test-reloaded-session.md	4
TestsVisiblesAndVisibleExecutionFromClaude2Codex.md	230
Tlamatini-Kali-Setup.md	413
TLAMATINI_MCP.md	210
VERSIONING.md	419

docs/ · feature guides

22 files · 3,876 lines

agent-coverage.md	117	model-configuration-verification.md	44
build-root-assets-verification.md	93	model_configuration.md	338
canvas-refresh.md	108	pdf-canvas.md	260
chat-microphone-design.md	432	prompting-flow-designer.md	109
companion-app-discovery.md	117	self-management-carriage.md	439
dependency-coverage-audit.md	126	setup-lifecycle-research.md	79
desktop-input-and-flow-contracts.md	127	setup-wizards.md	209
examples/prompting-kickoff.fpmt	26	stm32er_all_families_proposal.md	171
external_mcp_bulletproof_architecture.md	141	usage-dashboard.md	185
GUI-Manager-design.md	344	visual-analysis-errors.md	119
markdown-canvas.md	79	windows-flow-files.md	213

docs/claude/ · assistant onboarding (auto-imported)

10 files · 8,579 lines

acpx.md	456	exec-report.md	269	INDEX.md	75	recent-fixes.md	5.4k
agents.md	339	frontend.md	440	mcp-tools.md	222		
architecture.md	795	gotchas.md	305	multi-turn.md	304		

docs/changes/ · dated change records

18 files · 6,001 lines

2026-10-03-prompt-commentary-input.md	71
2026-10-03-prompt-commentary-input.patch	1.4k
2026-10-03-prompt-flow-documentation.md	59
2026-10-03-prompt-flow-documentation.patch	631
2026-10-04-commentary-graphical-redesign.md	55
2026-10-04-commentary-graphical-redesign.patch	2.0k
2026-10-04-prompt-flow-documentation.md	43
2026-10-04-release-validation.md	171
2026-10-04-run-output-resize.md	36
2026-10-04-run-output-resize.patch	834
2026-10-04-windows-flow-files.md	51
2026-10-07-latexer-verification.md	60
2026-10-07-pdf-mover-incident.md	87
2026-10-07-windows-access-verification.md	82
2026-10-10-composer-resize.md	80
2026-10-11-ui-sweep.md	146
2026-10-13-docked-avatar-divider.md	65
2026-10-16-v1.85.0.md	97

authoring guides

3 files · 2,046 lines

create a new agent, MCP/tool or skill

.agents/workflows/create_new_agent.md	749	.skills/create_new_skill.md	416
.mcps/create_new_mcp.md	881		

.claude/ · Claude Code skills, hooks and settings

11 files · 3,714 lines

canonical skill set; SessionStart hook

hooks/announce_skills.py	204
hooks/test_announce_skills.py	353
settings.json	16
skills/tlamatini-agent-creation/SKILL.md	928
skills/tlamatini-agent-naming/SKILL.md	91
skills/tlamatini-daily-chat-test/.gitignore	8
skills/tlamatini-daily-chat-test/SKILL.md	271
skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py	436
skills/tlamatini-self-modify-inclusion/SKILL.md	350
skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py	617
skills/tlamatini-self-update-inclusion/SKILL.md	440

.claude/memory/ · persistent assistant memory

83 files · 3,219 lines

feedback, project and user notes

feedback_agent_naming_conventions.md	33
feedback_developer_product_boundary.md	18
feedback_dont_overbuild_exec_safety.md	29
feedback_forbidden_headless_visible_tests.md	20
feedback_foreground_visible_windows.md	19
feedback_hard_real_scenario_tests.md	25
feedback_main_branch_only.md	40
feedback_package_json_version_bump.md	29
feedback_run_tlamatini_agents_visible.md	34
feedback_state_constraints_upfront.md	31
feedback_track_changes_pivot_file.md	27
feedback_update_agent_docs.md	27
feedback_user_owns_git.md	43
MEMORY.md	149
project_acpx_oneshot_prompt.md	46
project_acpx_skills_menu.md	58
project_acpx_toggle_skills.md	35
project_acpxer_added.md	31
project_agent_table_wiped_on_boot.md	71
project_arduiner_agent.md	35
project_ask_execs_feature.md	35
project_audioplayer_agent.md	31
project_build_concurrency_guard.md	32
project_build_tests_and_installer_enterkey.md	25
project_camcorder_agent.md	27
project_carried_python_for_agents.md	37
project_conjunction_parser_fix.md	26
project_daily_chat_test_skill.md	28
project_desktop_ui_lifecycle.md	29
project_director_virtuoso_demo_prompts.md	28
project_doc_refresh_2026_05_06.md	40
project_doc_refresh_2026_05_08.md	39
project_doc_refresh_2026_05_09.md	58
project_eight_fixes_2026_05_07.md	53
project_emailer_recmailer_oneshot.md	36
project_embedding_memory_guard.md	35
project_esp32er_agent.md	37
project_execute_command_bounded_fix.md	27
project_execute_file_foreground_fix.md	44
project_external_exec_safety_layer.md	33
project_flow_compiler_dialog_wins.md	29
project_ghost_distinfo_dependency_audit.md	56
project_kalier_agent.md	37
project_keyboarder_wrapped_2026_05_07.md	32
project_latexer_agent.md	76
project_living_canvas_dropped.md	29
project_mouser_wrapped_2026_05_07.md	37
project_native_picker_tcltk_fix.md	57
project_native_toast.md	31
project_netspeed_calculator_agent.md	89
project_numpy_pyinstaller.md	24
project_ollama_source_build_breaks_embeddings.md	31
project_pdfer_agent.md	78
project_planner_followup.md	31
project_playwrighter_agent.md	31
project_playwrighter_hold_open.md	56
project_prompt_catalog_mode_badges.md	42
project_prompt_flow_commentary_input.md	19
project_pythonxer_forkbomb_fix.md	46
project_pythonxer_strict_ruff_gate.md	36
project_quote_apostrophe_fix_2026_05_07.md	48
project_reaper_console_window_fix.md	36
project_recorder_agent.md	31
project_reviewer_analyzer_agents.md	33
project_reviewer_analyzer_demo_prompts.md	25
project_reviewer_committed_secrets_falsepos.md	31
project_secret_leak_recovery.md	33
project_stm32er_agent.md	35
project_stm32er_bootstrap_preflight.md	31

.claude/memory/ · persistent assistant memory *(continued)*

83 files · 3,219 lines

feedback, project and user notes

project_stm32er_demo_prompts.md	29	project_temp_templates_policy.md	39
project_stm32er_docs_libs_parametrizer.md	35	project_unity_mcp_declined.md	30
project_stm32er_hil_serial_proof_fix.md	27	project_unrealer_expanded_surface.md	101
project_stm32er_tests.md	27	project_versioning_2026_05_15.md	60
project_summarizer_oneshot_mode.md	49	project_videoplayer_agent.md	33
project_taskbar_flash_attention.md	30	project_windower_agent.md	37
project_teletlamatini_acpx.md	34	user_profile.md	18

.gemini/skills/ · Gemini mirror

8 files · 3,141 lines

tlamatini-agent-creation/SKILL.md	928
tlamatini-agent-naming/SKILL.md	91
tlamatini-daily-chat-test/.gitignore	8
tlamatini-daily-chat-test/SKILL.md	271
tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py	436
tlamatini-self-modify-inclusion/SKILL.md	350
tlamatini-self-update-inclusion/scripts/sweep_self_update.py	617
tlamatini-self-update-inclusion/SKILL.md	440

.codex/skills/ · Codex dossier and release skills

5 files · 462 lines

full-project-pdf-dossier/SKILL.md	116
overlap-safe-pptx-dossier/SKILL.md	128
tlamatini-release-validation/agents/openai.yaml	4
tlamatini-release-validation/references/acceptance-matrix.md	94
tlamatini-release-validation/SKILL.md	120

File index — 1735 tracked files

ID (click to see the tile) · path · [lines or size] · description extracted from the file itself. Grouped exactly like the atlas.

Atlas I — Server core: process, web tier and intelligence

Tlamatini/ · process entry — sheet 12

F1698 `Tlamatini/cat_art.py` [64 lines] *Determine the clear screen command based on the operating system*
F1703 `Tlamatini/manage.py` [1.7k lines] *Django's command-line utility for administrative tasks.*

Tlamatini/tlamatini/ · Django project — sheet 12

F1716 `Tlamatini/tlamatini/__init__.py` [10 lines] *Package marker for tlamatini/.*
F1717 `Tlamatini/tlamatini/asgi.py` [34 lines] *ASGI application: ProtocolTypeRouter sends HTTP to Django and WebSockets (AuthMiddlewareStack) to agent.routing.*
F1718 `Tlamatini/tlamatini/context_processors.py` [31 lines] *Defines static_version(), app_version().*
F1719 `Tlamatini/tlamatini/logging_filters.py` [31 lines] *Defines SuppressHttpGet200.*
F1720 `Tlamatini/tlamatini/middleware.py` [185 lines] *Wired to the console handler in settings.LOGGING ("tlamatini.request"), so everything logged here reaches BOTH the console and tlamatini.log (the...*
F1721 `Tlamatini/tlamatini/settings.py` [399 lines] *Django settings for tlamatini project.*
F1722 `Tlamatini/tlamatini/urls.py` [18 lines] *Module that sets urlpatterns using django, agent.views.*
F1723 `Tlamatini/tlamatini/wsgi.py` [28 lines] *Standard Django WSGI entry point (the app itself runs on ASGI/Daphne).*

agent/ · transport and web endpoints — sheet 12

F0424 `Tlamatini/agent/__init__.py` [26 lines] *Ensure absolute imports for generated protobuf modules resolve when code tries to import them as top-level names.*
F0425 `Tlamatini/agent/access_key_wizard.py` [721 lines] *Backend helpers for the graphical Access Keys Wizard.*
F0437 `Tlamatini/agent/admin.py` [31 lines] *Module importing django, models.*
F0700 `Tlamatini/agent/apps.py` [828 lines] *Companion-app discovery (Tlamatini-FlowPills) — process-local gate Dedicated to discovery publication and DELIBERATELY separate from...*
F0708 `Tlamatini/agent/chat_voice_consumer.py` [121 lines] *Authenticated direct dictation, isolated from model/chat orchestration.*
F0716 `Tlamatini/agent/constants.py` [156 lines] *Tlamatini speaks in the FIRST PERSON (Angela, 2026-10-09) Every fixed line below is a chat message FROM Tlamatini, and the chat...*
F0717 `Tlamatini/agent/consumers.py` [2.5k lines] *Defines AgentConsumer.*
F0718 `Tlamatini/agent/contacts.py` [210 lines] *Tlamatini Contacts book — resolve a person's NAME to their messaging handles.*
F0741 `Tlamatini/agent/flow_file_views.py` [50 lines] *Authenticated browser handoff and loopback instance identification.*
F0983 `Tlamatini/agent/model_brain_views.py` [133 lines] *HTTP surface of the MODEL BRAIN's Auto-tuning dialog (Config -> Models -> Save).*
F0987 `Tlamatini/agent/native_dialogs.py` [429 lines] *Tkinter-free native file/folder pickers for the Tlamatini server.*
F0996 `Tlamatini/agent/pdf_context_views.py` [40 lines] *Authenticated multipart preparation of a PDF selected in the browser canvas.*
F0999 `Tlamatini/agent/prompt_flow_panel_consumer.py` [93 lines] *Authenticated, connection-scoped playback; never infer completion from prose.*
F1017 `Tlamatini/agent/routing.py` [20 lines] *Module that sets websocket_urlpatterns using django, prompt_flow_panel_consumer, chat_voice_consumer.*
F1687 `Tlamatini/agent/urls.py` [219 lines] *Defines secure_get(), secure_post().*
F1690 `Tlamatini/agent/usage_views.py` [29 lines] *Authenticated, read-only usage; independent of the chat operation lock.*
F1691 `Tlamatini/agent/version.py` [365 lines] *Version resolution for Tlamatini.*
F1692 `Tlamatini/agent/views.py` [13k lines] *Defines home(), login_view(), welcome_view(), logout_view() and 176 more.*
F1696 `Tlamatini/agent/window_flash.py` [146 lines] *Flash the Tlamatini.exe console window's taskbar button + log an UPPERCASE attention banner when a browser surface needs the user.*

agent/templates/ · server-rendered pages — sheet 12

F1516 `Tlamatini/agent/templates/admin/base_site.html` [15 lines] *HTML template. Loads 1 scripts and 3 stylesheets.*
F1517 `Tlamatini/agent/templates/agent/agent_page.html` [916 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 56 scripts and 22 stylesheets.*
F1518 `Tlamatini/agent/templates/agent/agentic_control_panel.html` [335 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 26 scripts and 9 stylesheets.*
F1519 `Tlamatini/agent/templates/agent/login.html` [63 lines] *Page "Login - Tlamatini". Loads 2 scripts and 8 stylesheets.*
F1520 `Tlamatini/agent/templates/agent/prompt_flow_panel.html` [113 lines] *Shared policy first: Escape = Cancel; clicking outside keeps dialogs open. Loads 9 scripts and 10 stylesheets.*
F1521 `Tlamatini/agent/templates/agent/usage_dialog.html` [54 lines] *HTML template.*
F1522 `Tlamatini/agent/templates/agent/welcome.html` [42 lines] *Page "Welcome - Tlamatini". Loads 4 scripts and 9 stylesheets.*

agent/management/ · manage.py commands — sheet 12

F0757 `Tlamatini/agent/management/__init__.py` [10 lines] *Django management package for the agent app.*
F0758 `Tlamatini/agent/management/commands/acpx_lint.py` [123 lines] *Django management command to lint every SKILL.md package in agent/skills_pkg/.*
F0759 `Tlamatini/agent/management/commands/check_agent_runtimes.py` [108 lines] *Offline runtime-carriage check, executed in source and by the frozen build.*
F0760 `Tlamatini/agent/management/commands/check_prompt_flow_panel.py` [136 lines] *Offline panel checks for source and real frozen releases.*
F0761 `Tlamatini/agent/management/commands/startserver.py` [56 lines] *Defines Command.*

agent/ · intelligence core — sheet 12

F0439 `Tlamatini/agent/agent_verdict.py` [646 lines] *Deterministic verdict engine for wrapped-agent results.*
F0701 `Tlamatini/agent/cancellation.py` [199 lines] *agent/cancellation.py — the PER-RUN cancellation latch.*
F0702 `Tlamatini/agent/capability_registry.py` [703 lines] *Defines ToolCapability, ContextCapability, build_context_capabilities(), build_tool_capabilities() and 2 more.*
F0705 `Tlamatini/agent/chat_agent_registry.py` [2.3k lines] *Defines ChatWrappedAgentSpec, get_wrapped_agent_security_hints().*
F0706 `Tlamatini/agent/chat_agent_runtime.py` [612 lines] *Defines get_chat_runtime_root(), ensure_chat_runtime_root(), create_isolated_runtime_copy(), resolve_runtime_script_path() and 11 more.*
F0707 `Tlamatini/agent/chat_history_loader.py` [107 lines] *DB-backed chat history loader (safe, transparent)*
F0709 `Tlamatini/agent/chat_voice_runtime.py` [242 lines] *Direct resident Whisperer bridge.*
F0710 `Tlamatini/agent/chat_voice_settings.py` [70 lines] *Small, dependency-free contract shared by Django and carried dictation Python.*
F0713 `Tlamatini/agent/compact_mode.py` [684 lines] *compact_mode.py - the COMPACT MODE switch (Angela, 2026-10-02).*
F0714 `Tlamatini/agent/config.json` [301 lines] *Main configuration template: models, ports, timeouts, Model Brain, Compact mode, binary guard, ACPX; secrets are placeholders.*
F0715 `Tlamatini/agent/config_loader.py` [135 lines] *Defines find_config_path(), load_config(), get_config_value(), get_int_config_value() and 1 more.*
F0719 `Tlamatini/agent/context_baseline.py` [488 lines] *Tlamatini - the context gauge AT REST.*
F0720 `Tlamatini/agent/context_fitter.py` [759 lines] *Tlamatini - the CONTEXT FITTER: every request fits the model it is sent to.*
F0721 `Tlamatini/agent/context_governor.py` [2.0k lines] *Tlamatini - the CONTEXT GOVERNOR.*
F0732 `Tlamatini/agent/embedding_memory_guard.py` [433 lines] *Embedding-memory pre-flight guard for "Set directory as context".*
F0733 `Tlamatini/agent/exec_permission.py` [259 lines] *Ask-Execs permission broker.*
F0742 `Tlamatini/agent/global_execution_planner.py` [526 lines] *Defines GlobalPlanNode, GlobalExecutionPlan, build_global_execution_plan(), summarize_global_execution_plan() and 2 more.*
F0743 `Tlamatini/agent/global_state.py` [53 lines] *Defines GlobalState, get_request_state(), scoped_request_state().*
F0744 `Tlamatini/agent/gpu_perf.py` [420 lines] *GPU max-performance + Ollama-pinning startup hook for Tlamatini.*
F0753 `Tlamatini/agent/inet_determiner.py` [219 lines] *Defines determine_internet_required().*
F0754 `Tlamatini/agent/llm_timing.py` [160 lines] *Ollama call timing instrumentation.*
F0755 `Tlamatini/agent/local_toolcall_parser.py` [375 lines] *Recover a tool call that a LOCAL model emitted as PLAIN TEXT.*
F0762 `Tlamatini/agent/mcp_agent.py` [3.8k lines] *MCP Agent (mcp_agent.py)*
F0981 `Tlamatini/agent/model_brain.py` [549 lines] *MODEL BRAIN - Tlamatini configures herself for EACH model, from formal sources.*
F0982 `Tlamatini/agent/model_brain_chat.py` [178 lines] *The chat model the Model Brain configures (agent/model_brain.py).*
F0984 `Tlamatini/agent/model_profiles.json` [102 lines] *Model Brain knowledge base: sourced sampling/thinking profiles per model family.*
F0988 `Tlamatini/agent/ollama_stop.py` [67 lines] *Stop sequences every Ollama model will accept.*
F0994 `Tlamatini/agent/pdf_context.py` [202 lines] *PDF canvas ingestion: complete text and optional images for the normal RAG chain.*
F0995 `Tlamatini/agent/pdf_context_jobs.py` [113 lines] *Bounded background jobs for PDF extraction and Image-Interpreter analysis.*
F0997 `Tlamatini/agent/pdf_image_analysis.py` [38 lines] *PDF-specific adapter for the existing Image-Interpreter agent's vision pipeline.*
F0998 `Tlamatini/agent/prompt.pmt` [385 lines] *System prompt of the chat LLM: Tlamatini's identity, operating rules, tool-usage contract, Temp/Templates policy and the self-knowledge slot.*
F1000 `Tlamatini/agent/prompt_flow_panel_runtime.py` [151 lines] *Model adapter for a single prompt-flow-panel run, using the existing RAG stack.*
F1016 `Tlamatini/agent/rag_enhancements.py` [687 lines] *RAG Enhancement Module for Tlamatini Provides advanced metadata extraction, context optimization, and retrieval strategies.*
F1020 `Tlamatini/agent/self_healing.py` [523 lines] *agent/self_healing.py — Self-aware, NEVER-HANGING, self-healing resilience for Tlamatini's Multi-Turn model steps.*
F1684 `Tlamatini/agent/Tlamatini.md` [493 lines] *Tlamatini — Self-Knowledge: Open chooses a document.*
F1686 `Tlamatini/agent/tools.py` [5.2k lines] *Defines launch_in_new_terminal(), _ConfigRequirementAnalyzer, get_all_agents(), get_all_agent_processes() and 25 more.*
F1688 `Tlamatini/agent/usage_provider.py` [284 lines] *Bounded, read-only Ollama usage adapter.*
F1689 `Tlamatini/agent/usage_tracking.py` [92 lines] *Metadata-only usage ledger; no prompts, responses or credentials are stored.*
F1693 `Tlamatini/agent/visual_error_reporting.py` [29 lines] *Per-request visual-error reporting, independent of execution/recovery policy.*
F1694 `Tlamatini/agent/web_search_llm.py` [279 lines] *Updated web_search_llm.py to allow custom Ollama server IP and port*

agent/rag/ · retrieval-augmented generation — sheet 12

F1001 `Tlamatini/agent/rag/__init__.py` [39 lines] *Module that sets __all__ using factory, interface, chains.*
F1002 `Tlamatini/agent/rag/binary_guard.py` [516 lines] *Binary-content detection for the RAG context-loading pipeline.*
F1007 `Tlamatini/agent/rag/config.py` [445 lines] *The LLM's self-knowledge file.*
F1008 `Tlamatini/agent/rag/factory.py` [1.2k lines] *Defines get_system_context_sync(), get_files_context_sync(), build_prompt_only_chain(), build_retrieval_chain() and 3 more.*
F1009 `Tlamatini/agent/rag/interaction.py` [67 lines] *Defines save_context_blob(), load_context_blob(), show_rephrased_question().*
F1010 `Tlamatini/agent/rag/interface.py` [967 lines] *Defines get_program_by_name(), tokenCounterOfAsk(), is_valid_prompt(), ask_rag().*
F1011 `Tlamatini/agent/rag/loaders.py` [51 lines] *Defines report_oversized_docs().*
F1012 `Tlamatini/agent/rag/prompts.py` [33 lines] *Contextualization prompt for history-aware question rewriting*
F1013 `Tlamatini/agent/rag/retrieval.py` [114 lines] *Defines retrieve_documents().*
F1014 `Tlamatini/agent/rag/splitters.py` [13 lines] *Defines get_text_splitter().*
F1015 `Tlamatini/agent/rag/utils.py` [191 lines] *Scope header prepended to the user-loaded context blob before it is bound to the prompt's {context} placeholder (history-aware RAG chain) or folded...*

agent/rag/chains/ · answer chains — sheet 12

F1003 `Tlamatini/agent/rag/chains/base.py` [177 lines] *Defines GenerationCancelledException, Callbacks, summarize_or_none().*
F1004 `Tlamatini/agent/rag/chains/basic.py` [192 lines] *Defines BasicPromptOnlyChain.*
F1005 `Tlamatini/agent/rag/chains/history_aware.py` [585 lines] *Regex to strip code blocks (or "') so embedded code doesn't cause false-positive file-listing detection.*
F1006 `Tlamatini/agent/rag/chains/unified.py` [1.1k lines] *Defines wrap_loaded_context(), wrap_retrieved_context(), with_system_context(), history_summary_tail() and 3 more.*

agent/services/ · flow compiler and contracts — sheet 12

F1022 `Tlamatini/agent/services/__init__.py` [25 lines] *Pure format validators are also used before Django starts (Explorer opening).*
F1023 `Tlamatini/agent/services/agent_contracts.py` [503 lines] *Defines AgentContract, get_agent_contracts(), get_password_paths(), resolve_agent_type() and 5 more.*
F1024 `Tlamatini/agent/services/agent_paths.py` [174 lines] *Defines is_frozen_mode(), get_agent_app_dir(), get_app_base_dir(), get_agents_root() and 9 more.*
F1025 `Tlamatini/agent/services/filesystem.py` [141 lines] *Defines get_time_stamp(), generate_tree_view_content(), save_files_from_db().*
F1026 `Tlamatini/agent/services/flow_compiler.py` [441 lines] *Defines FlowCompileError, _QuotedStr, _AgentConfigYamlDumper, dump_agent_config_yaml() and 3 more.*
F1027 `Tlamatini/agent/services/flow_knowledge.py` [146 lines] *Export the installed agent contracts for standalone planning/monitoring agents.*
F1028 `Tlamatini/agent/services/flow_spec.py` [174 lines] *Defines FlowNode, FlowConnection, FlowSpec, normalize_flow_payload() and 1 more.*
F1029 `Tlamatini/agent/services/prompt_flow_panel.py` [335 lines] *Versioned .fpmt graph contract and deterministic prompt-flow-panel interpreter.*
F1030 `Tlamatini/agent/services/response_parser.py` [678 lines] *Full-answer debug dumps (the ENTIRE LLM response used to be printed up to 3x per turn below) are expensive and noisy on long answers.*

agent/imaging/ · image analysis — sheet 12

F0750 `Tlamatini/agent/imaging/converter.py` [25 lines] *Defines convert_image_to_base64().*
F0751 `Tlamatini/agent/imaging/image_interpreter.py` [399 lines] *Defines opus_analyze_image(), qwen_analyze_image().*
F0752 `Tlamatini/agent/imaging/screenshot.py` [257 lines] *screenshot.py - Capture the full screen and save as a .jpg file.*

agent/opus_client/ · Claude API client — sheet 12

F0989 `Tlamatini/agent/opus_client/claude_opus_client.py` [969 lines] *Claude Opus 4.5 Python Client A comprehensive client for interacting with Claude Opus 4.5 via the Anthropic API.*
F0990 `Tlamatini/agent/opus_client/examples.py` [9 lines] *Python module.*
F0991 `Tlamatini/agent/opus_client/README.md` [418 lines] *Claude Opus 4.5 Python Client: A comprehensive, production-ready Python client for interacting with Claude Opus 4.5 via the Anthropic API.*

agent/monitors/ · SQL monitor — sheet 12

F0986 `Tlamatini/agent/monitors/monitor_sql.py` [83 lines] *CONFIGURATION Windows typically uses the "ODBC Driver 17 for SQL Server" Ensure you have installed the driver from Microsoft.*

agent/doc_generation/ · project dossier generator — sheet 12

F0723 `Tlamatini/agent/doc_generation/complete_project_docs.py` [644 lines] *Complete project dossier: facts, orchestration and verification.*
F0724 `Tlamatini/agent/doc_generation/dossier_content.py` [2.5k lines] *The written content of the project dossier, shared by the PDF and the deck.*
F0725 `Tlamatini/agent/doc_generation/dossier_pdf.py` [1.5k lines] *The printed dossier: an A4 codex with a dark cover, dark chapter openers and ivory reading pages.*
F0726 `Tlamatini/agent/doc_generation/dossier_pptx.py` [1.2k lines] *The dossier deck: a 16:9 obsidian-and-jade presentation built from the same content as the PDF.*
F0727 `Tlamatini/agent/doc_generation/dossier_theme.py` [385 lines] *Shared visual identity of the project dossier (PDF + PPTX).*
F0728 `Tlamatini/agent/doc_generation/dossier_verify.py` [313 lines] *Re-open the finished dossier files and prove they are whole.*
F0729 `Tlamatini/agent/doc_generation/mardown_to_pdf.py` [119 lines] *Defines markdown_text_to_pdf(), main().*
F0730 `Tlamatini/agent/doc_generation/refresh_project_docs.py` [16 lines] *Module importing __future__, complete_project_docs.*
F0731 `Tlamatini/agent/doc_generation/test_output.pdf` [3KB] *PDF document: test output.*

Atlas II — Integration surfaces, platform and state

agent/ · context providers and external-MCP client — sheet 13

F0703 `Tlamatini/agent/chain_files_search_lcel.py` [791 lines] *Handle both relative import from the same directory (when used as module) and direct import (when run as script)*
F0704 `Tlamatini/agent/chain_system_lcel.py` [282 lines] *Handle both relative import (when used as module) and direct import (when run as script)*
F0711 `Tlamatini/agent/command_togen_pb2.txt` [32 lines] *Command used to regenerate the Files-Search protobuf/gRPC stubs.*
F0722 `Tlamatini/agent/context_sidecar_timeout.py` [163 lines] *A time limit for the context sidecars' own Ollama calls.*
F0734 `Tlamatini/agent/external_mcp_defaults.py` [245 lines] *Default External MCP servers — shipped with EVERY installation, INACTIVE.*
F0735 `Tlamatini/agent/external_mcp_manager.py` [2.7k lines] *External MCP client layer.*
F0736 `Tlamatini/agent/external_mcps.json` [4 lines] *External-MCP catalog (mcpServers shape) + active list; user state preserved across self-update.*
F0737 `Tlamatini/agent/filesearch.proto` [33 lines] *gRPC contract of the Files-Search MCP service.*
F0738 `Tlamatini/agent/filesearch_pb2.py` [57 lines] *Generated protocol buffer code.*
F0739 `Tlamatini/agent/filesearch_pb2_grpc.py` [152 lines] *Client and server classes corresponding to protobuf-defined services.*
F0763 `Tlamatini/agent/mcp_files_search_client.py` [462 lines] *Config loading utilities*
F0764 `Tlamatini/agent/mcp_files_search_server.py` [240 lines] *Defines get_application_root(), load_config(), FileSearcherServicer, serve().*
F0765 `Tlamatini/agent/mcp_system_client.py` [141 lines] *Defines MCPSystemClient, example().*
F0766 `Tlamatini/agent/mcp_system_server.py` [235 lines] *Defines MCPSystemHandler, system_handler(), main().*
F1019 `Tlamatini/agent/runtime_provisioner.py` [1.2k lines] *Runtime Provisioner — Tlamatini ALWAYS has node / npm / npx / pnpm / uv / uvx.*
F1695 `Tlamatini/agent/win_shim.py` [189 lines] *Windows command resolution — the ONE definition of "how do we spawn this?".*

agent/acpx/ · ACPX runtime — sheet 13

F0426 `Tlamatini/agent/acpx/__init__.py` [135 lines] *ACPX runtime for Tlamatini.*
F0427 `Tlamatini/agent/acpx/agent_registry.py` [393 lines] *ACP agent registry — the agent_id -> command map.*
F0428 `Tlamatini/agent/acpx/child_health.py` [299 lines] *ACPX child-health classification — did the external CLI actually DELIVER?*
F0429 `Tlamatini/agent/acpx/config.py` [549 lines] *ACPX plugin config — Python mirror of OpenClaw's extensions/acpx/src/config-schema.ts and config.ts.*
F0430 `Tlamatini/agent/acpx/permissions.py` [108 lines] *Permission gate for ACPX runtime.*
F0431 `Tlamatini/agent/acpx/runtime.py` [1.3k lines] *ACPX runtime — Python port of OpenClaw's BaseAcpxRuntime + AcpRuntime (extensions/acpx/src/runtime.ts).*
F0432 `Tlamatini/agent/acpx/service.py` [112 lines] *Django-side ACPX service — registers the runtime at startup and mirrors disk state into the AcpAgent table.*
F0433 `Tlamatini/agent/acpx/session_store.py` [145 lines] *ACP session store — Python port of OpenClaw's createFileSessionStore() + createResetAwareSessionStore() in extensions/acpx/src/runtime.ts.*
F0434 `Tlamatini/agent/acpx/tests.py` [1.6k lines] *Sanity tests for the ACPX runtime + Skill harness. [98 tests]*
F0435 `Tlamatini/agent/acpx/tools.py` [716 lines] *ACPX-related LangChain @tool functions exposed to the unified agent.*
F0436 `Tlamatini/agent/acpx/windows_spawn.py` [180 lines] *Windows spawn helpers — Python port of OpenClaw's applyWindowsSpawnProgramPolicy() / materializeWindowsSpawnProgram() /...*

agent/skills/ · skill harness — sheet 13

F1031 `Tlamatini/agent/skills/__init__.py` [29 lines] *Tlamatini skills package — runtime side.*
F1032 `Tlamatini/agent/skills/frontmatter.py` [186 lines] *SKILL.md frontmatter parser.*
F1033 `Tlamatini/agent/skills/harness.py` [603 lines] *SkillHarness — one skill invocation: contract validation, secret redaction, audit logging, and delivery of the skill's procedure to whoever will run...*
F1034 `Tlamatini/agent/skills/io_contract.py` [147 lines] *Input / output contract validation for skills.*
F1035 `Tlamatini/agent/skills/redaction.py` [234 lines] *Secret redaction for the skill boundary — the ONE definition of "is this input a credential, and what may leave the harness".*
F1036 `Tlamatini/agent/skills/registry.py` [295 lines] *Skill registry — discovers, parses, and caches all SKILL.md packages.*
F1037 `Tlamatini/agent/skills/validation.py` [335 lines] *The ONE validator for a SKILL.md package.*

agent/skills_pkg/ · SKILL.md packages — sheet 13

F1038 `Tlamatini/agent/skills_pkg/_meta/lint.py` [85 lines] *Lint every SKILL.md in agent/skills_pkg/.*
F1039 `Tlamatini/agent/skills_pkg/_meta/schema.json` [101 lines] *JSON document with keys: $schema, title, description, type, required, additionalProperties, properties.*
F1040 `Tlamatini/agent/skills_pkg/acp_router/SKILL.md` [106 lines] *Route plain-language requests for Claude Code, Cursor, Codex, Gemini, Qwen, Pi, Kiro, Kimi, iFlow, Factory Droid, Kilocode, OpenCode, Copilot into...*
F1041 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/external_mcp_catalog_format.md` [127 lines] *External MCP Catalog Format — Detailed Guide: The external MCP catalog lives in external_mcps.json next to config.json.*
F1042 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/llm_reflection_research.md` [112 lines] *LLM Reflection — Research Findings: LLM Reflection is a technique where language models evaluate and improve their own outputs through iterative...*
F1043 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/transport_guide.md` [143 lines] *Transport Configuration Reference: Tlamatini supports four MCP transport types via _SUPPORTED_TRANSPORTS*
F1044 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/troubleshooting.md` [164 lines] *Troubleshooting and Diagnostics: Run a static triage BEFORE activating a server*
F1045 `Tlamatini/agent/skills_pkg/adding_external_mcp/SKILL.md` [297 lines] *> The authoritative reference for adding a NEW external MCP server to Tlamatini universal MCP client layer.*
F1046 `Tlamatini/agent/skills_pkg/code_review/SKILL.md` [133 lines] *Review a git diff (or working-tree changes) like a senior engineer — correctness, security, performance, readability — and return a verdict plus...*
F1047 `Tlamatini/agent/skills_pkg/create_new_agent/SKILL.md` [142 lines] *The authoritative 8-step contract for scaffolding a NEW Tlamatini workflow agent end-to-end (backend script + config.yaml, connection-update view +...*
F1048 `Tlamatini/agent/skills_pkg/create_new_mcp/SKILL.md` [147 lines] *The authoritative reference for adding a NEW tool, MCP context provider, or BOTH to Tlamatini.*
F1049 `Tlamatini/agent/skills_pkg/flow_making/references/flw_schema.md` [89 lines] *.flw schema (schemaVersion 2) — the shape the canvas loader consumes: Source of truth: agent/static/agent/js/acp-file-io.js:: . . . and...*
F1050 `Tlamatini/agent/skills_pkg/flow_making/scripts/make_flow.py` [178 lines] *make_flow.py — one-shot driver for the flow-making skill.*
F1051 `Tlamatini/agent/skills_pkg/flow_making/scripts/result_to_flw.py` [237 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in...*
F1052 `Tlamatini/agent/skills_pkg/flow_making/SKILL.md` [164 lines] *Turn a natural-language objective into a downloadable .flw workflow by driving the FlowCreator engine (full 89-agent catalog), then emit a...*
F1053 `Tlamatini/agent/skills_pkg/github/SKILL.md` [78 lines] *Use the gh CLI for GitHub issues, PR status, CI/logs, comments, reviews, releases, and API queries.*
F1054 `Tlamatini/agent/skills_pkg/gmail/SKILL.md` [59 lines] *Read and send Gmail messages and threads via Gmail API.*
F1055 `Tlamatini/agent/skills_pkg/hello_world/SKILL.md` [54 lines] *Smoke-test skill that echoes its inputs and confirms the SkillHarness wiring is alive end-to-end.*
F1056 `Tlamatini/agent/skills_pkg/jira/SKILL.md` [65 lines] *Read and write Jira issues, comments, transitions via the Jira REST API v3.*
F1057 `Tlamatini/agent/skills_pkg/kali_pentest/SKILL.md` [128 lines] *Drive an authorized, scoped penetration-testing / recon / CTF workflow against a target through the Kalier agent and the MCP-Kali-Server —...*
F1058 `Tlamatini/agent/skills_pkg/notion/SKILL.md` [77 lines] *Use the Notion API to create, read, update Notion pages, data sources (databases), and blocks.*
F1059 `Tlamatini/agent/skills_pkg/roblox_studio/SKILL.md` [177 lines] *Build and edit in Roblox Studio via the Roblox Studio MCP the RIGHT way - preflight the Studio connection, do the whole build in a few big...*
F1060 `Tlamatini/agent/skills_pkg/security_audit/SKILL.md` [113 lines] *Run whichever SAST, secret-scanning, and dependency-audit tools are installed (bandit, semgrep, ruff, eslint, gitleaks, pip-audit) over a path, then...*
F1061 `Tlamatini/agent/skills_pkg/setup_new_acpx_key/SKILL.md` [274 lines] *Configure the API key (or other credential) for a registered ACPX agent_id...*
F1062 `Tlamatini/agent/skills_pkg/skill_creator/scripts/quick_validate.py` [63 lines] *Validate a single SKILL.md package directory.*
F1063 `Tlamatini/agent/skills_pkg/skill_creator/SKILL.md` [129 lines] *Create, edit, validate, and package new Tlamatini skills (SKILL.md packages).*
F1064 `Tlamatini/agent/skills_pkg/slack/SKILL.md` [60 lines] *Post messages, read channels, and manage threads via Slack Web API.*
F1065 `Tlamatini/agent/skills_pkg/summarize/SKILL.md` [60 lines] *Summarize a long text or file into a tight, faithful brief at a target word count.*
F1066 `Tlamatini/agent/skills_pkg/tlamatini_allowed_hosts_tighten/SKILL.md` [64 lines] *Tighten Django ALLOWED_HOSTS from the wide-open '*' default to a specific list, with a backup of settings.py.*
F1067 `Tlamatini/agent/skills_pkg/tlamatini_csrf_exempt_audit/SKILL.md` [100 lines] *Enumerate every @csrf_exempt-decorated view in Tlamatini/agent/views.py and classify whether each one really needs the exemption.*
F1068 `Tlamatini/agent/skills_pkg/tlamatini_exec_report_row_adder/SKILL.md` [85 lines] *Add a state-changing tool to _EXEC_REPORT_TOOLS in mcp_agent.py and the matching CSS rules so its operations appear in the chat-page Exec Report.*
F1069 `Tlamatini/agent/skills_pkg/tlamatini_flow_from_objective/SKILL.md` [126 lines] *Turn a one-sentence objective into a downloadable .flw workflow that wires the right Tlamatini visual agents and connections.*
F1070 `Tlamatini/agent/skills_pkg/tlamatini_flw_doctor/SKILL.md` [130 lines] *Validate a .flw workflow file: check connection topology, terminal agents, Parametrizer single-lane queue, missing connectors, dangling target_agents.*
F1071 `Tlamatini/agent/skills_pkg/tlamatini_new_acp_agent/SKILL.md` [146 lines] *Scaffold a new Tlamatini visual agent end-to-end across the 8 places the agent contract requires (script + config.yaml, view + url, migration, CSS...*
F1072 `Tlamatini/agent/skills_pkg/tlamatini_planner_trace_replay/SKILL.md` [85 lines] *Replay the most recent global execution planner trace from tlamatini.log and explain why each capability got the score it did.*
F1073 `Tlamatini/agent/skills_pkg/tlamatini_static_version_bumper/SKILL.md` [103 lines] *Bump STATIC_VERSION in tlamatini/settings.py so the chat / ACP frontend re-fetches CSS+JS bundles after a frontend change.*
F1074 `Tlamatini/agent/skills_pkg/todoist/SKILL.md` [58 lines] *Manage Todoist tasks and projects via the Todoist REST API v2.*
F1075 `Tlamatini/agent/skills_pkg/trello/SKILL.md` [57 lines] *Manage Trello boards, lists, and cards via the Trello REST API.*
F1076 `Tlamatini/agent/skills_pkg/weather/SKILL.md` [57 lines] *Look up current weather and short forecast for a location via Open-Meteo (no API key required).*

agent/ · platform, safety and lifecycle — sheet 13

F0438 `Tlamatini/agent/agent_manifest.py` [277 lines] *Companion-app discovery: the agents manifest + the HKCU discovery key.*
F0712 `Tlamatini/agent/command_watchdog.py` [592 lines] *Autonomous command watchdog for Tlamatini.*
F0740 `Tlamatini/agent/flow_file_open.py` [312 lines] *Bounded .flw / .fpmt opening across Explorer, startup, login and browser uploads.*

F0756 `Tlamatini/agent/log_identity.py` [358 lines] *Per-line USER attribution for tlamatini.log (Angela, 2026-08-13).*
F0992 `Tlamatini/agent/orphan_reaper.py` [887 lines] *Orphan-process reaper for Tlamatini.*
F0993 `Tlamatini/agent/path_guard.py` [407 lines] *path_guard.py — Centralized path validation for LLM-exposed tools.*
F1021 `Tlamatini/agent/self_update.py` [500 lines] *Tlamatini self-update — "About ▷ Check for updates".*
F1697 `Tlamatini/agent/windows_app_registration.py` [268 lines] *Register Tlamatini in Windows "Installed apps" / "Programs and Features".*

persistence core — sheet 13

F0985 `Tlamatini/agent/models.py` [296 lines] *Defines AgentMessage, LLMProgram, LLMSnippet, Prompt and 15 more.*
F1018 `Tlamatini/agent/run_db_wal_tests.ps1` [54 lines] *Tlamatini — VISIBLE test runner for the DB Backup / Set DB (WAL) fix.*
F1077 `Tlamatini/agent/sqlite_copy.py` [407 lines] *WAL-safe SQLite copying + sidecar hygiene — what "Backup database" and "Set DB" must use instead of a plain file copy.*
F1699 `Tlamatini/DB/Older/README.md` [60 lines] *DB / Older: This directory is the archive of previously-live db.sqlite3 files that the start-up swap-in has retired.*
F1700 `Tlamatini/DB/ToLoad/README.md` [63 lines] *DB / ToLoad: This directory is the drop zone for replacing Tlamatini's live SQLite database on the next start-up.*

Tlamatini/jd-cli/ · bundled Java decompiler — sheet 13

F1701 `Tlamatini/jd-cli/jd-cli.bat` [29 lines] *1. Resolve Java WITHOUT any hardcoded developer path. Prefer an ambient JAVA_HOME (manage.py pins it to the carried <install_dir>\jre in frozen. . .*
F1702 `Tlamatini/jd-cli/jd-cli.jar` [3.8MB] *jd-cli Java decompiler, run by the J-Decompiler agent and the decompile_java tool.*

agent/images/ · documentation media — sheet 13

F0745 `Tlamatini/agent/images/ACPXKeysConfigureWizard.jpg` [118KB] *Image (JPG): ACPXKeysConfigureWizard.*
F0746 `Tlamatini/agent/images/ConfigureModels.jpg` [44KB] *Image (JPG): ConfigureModels.*
F0747 `Tlamatini/agent/images/MenuConfig.jpg` [18KB] *Image (JPG): MenuConfig.*
F0748 `Tlamatini/agent/images/mockup.jpg` [34KB] *Image (JPG): mockup.*
F0749 `Tlamatini/agent/images/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

agent/TlamatiniSourceCode/ · self-modify snapshot slot — sheet 13

F1685 `Tlamatini/agent/TlamatiniSourceCode/README.md` [7 lines] *This folder contains the source code aimed to you in order to modify and improve yourself.*

agent/test_fixtures/ — sheet 13

F1585 `Tlamatini/agent/test_fixtures/talker_orpheus_tokens.txt` [1 lines] *Recorded Orpheus audio-token stream (one line of custom tokens) replayed by the Talker tests without a model.*

Atlas III — Persistence history: every Django migration

agent/migrations/ · 0001–0050 — sheet 14

F0767 `Tlamatini/agent/migrations/0001_initial.py` [135 lines] *Migration 0001: initial.*
F0768 `Tlamatini/agent/migrations/0002_populate_db.py` [542 lines] *Migration 0002: populate db.*
F0769 `Tlamatini/agent/migrations/0003_add_cleaner.py` [31 lines] *Migration 0003: add cleaner.*
F0770 `Tlamatini/agent/migrations/0004_add_deleter.py` [45 lines] *Migration 0004: add deleter.*
F0771 `Tlamatini/agent/migrations/0005_add_executer.py` [45 lines] *Migration 0005: add executer.*
F0772 `Tlamatini/agent/migrations/0006_add_notifier.py` [35 lines] *Migration 0006: add notifier.*
F0773 `Tlamatini/agent/migrations/0007_add_stopper.py` [35 lines] *Migration 0007: add stopper.*
F0774 `Tlamatini/agent/migrations/0008_add_recmailer.py` [35 lines] *Migration 0008: add recmailer.*
F0775 `Tlamatini/agent/migrations/0009_add_whatsapper.py` [35 lines] *Migration 0009: add whatsapper.*
F0776 `Tlamatini/agent/migrations/0010_add_pythonxer.py` [35 lines] *Migration 0010: add pythonxer.*
F0777 `Tlamatini/agent/migrations/0011_add_asker.py` [53 lines] *Migration 0011: add asker.*
F0778 `Tlamatini/agent/migrations/0012_repopulate_all_agents.py` [84 lines] *Migration 0012: repopulate all agents.*
F0779 `Tlamatini/agent/migrations/0013_add_forker.py` [53 lines] *Migration 0013: add forker.*
F0780 `Tlamatini/agent/migrations/0014_repopulate_all_agents.py` [84 lines] *Migration 0014: repopulate all agents.*
F0781 `Tlamatini/agent/migrations/0015_add_shoter.py` [56 lines] *Migration 0015: add shoter.*
F0782 `Tlamatini/agent/migrations/0016_repopulate_all_agents.py` [86 lines] *Migration 0016: repopulate all agents.*
F0783 `Tlamatini/agent/migrations/0017_add_sshер.py` [56 lines] *Migration 0017: add sshер.*
F0784 `Tlamatini/agent/migrations/0018_repopulate_all_agents.py` [86 lines] *Migration 0018: repopulate all agents.*
F0785 `Tlamatini/agent/migrations/0019_add_scper.py` [56 lines] *Migration 0019: add scper.*
F0786 `Tlamatini/agent/migrations/0020_repopulate_all_agents.py` [83 lines] *Migration 0020: repopulate all agents.*
F0787 `Tlamatini/agent/migrations/0021_add_telegramrx.py` [56 lines] *Migration 0021: add telegramrx.*
F0788 `Tlamatini/agent/migrations/0022_repopulate_all_agents.py` [83 lines] *Migration 0022: repopulate all agents.*
F0789 `Tlamatini/agent/migrations/0023_add_mongoxer.py` [51 lines] *Migration 0023: add mongoxer.*
F0790 `Tlamatini/agent/migrations/0024_repopulate_all_agents.py` [84 lines] *Migration 0024: repopulate all agents.*
F0791 `Tlamatini/agent/migrations/0025_add_telegramer.py` [56 lines] *Migration 0025: add telegramer.*
F0792 `Tlamatini/agent/migrations/0026_repopulate_all_agents.py` [84 lines] *Migration 0026: repopulate all agents.*
F0793 `Tlamatini/agent/migrations/0027_add_sqler.py` [50 lines] *Migration 0027: add sqler.*
F0794 `Tlamatini/agent/migrations/0028_repopulate_all_agents.py` [84 lines] *Migration 0028: repopulate all agents.*
F0795 `Tlamatini/agent/migrations/0029_add_prompter.py` [50 lines] *Migration 0029: add prompter.*
F0796 `Tlamatini/agent/migrations/0030_repopulate_all_agents.py` [84 lines] *Migration 0030: repopulate all agents.*
F0797 `Tlamatini/agent/migrations/0031_add_flowcreator.py` [50 lines] *Migration 0031: add flowcreator.*
F0798 `Tlamatini/agent/migrations/0032_repopulate_all_agents.py` [84 lines] *Migration 0032: repopulate all agents.*
F0799 `Tlamatini/agent/migrations/0033_add_gitter.py` [42 lines] *Migration 0033: add gitter.*
F0800 `Tlamatini/agent/migrations/0034_add_dockerer.py` [42 lines] *Migration 0034: add dockerer.*
F0801 `Tlamatini/agent/migrations/0035_add_pser.py` [42 lines] *Migration 0035: add pser.*
F0802 `Tlamatini/agent/migrations/0036_add_kuberneter.py` [42 lines] *Migration 0036: add kuberneter.*
F0803 `Tlamatini/agent/migrations/0037_add_apirer.py` [42 lines] *Migration 0037: add apirer.*
F0804 `Tlamatini/agent/migrations/0038_add_jenkinser.py` [42 lines] *Migration 0038: add jenkinser.*
F0805 `Tlamatini/agent/migrations/0039_add_crawler.py` [42 lines] *Migration 0039: add crawler.*
F0806 `Tlamatini/agent/migrations/0040_add_summarizer.py` [42 lines] *Migration 0040: add summarizer.*
F0807 `Tlamatini/agent/migrations/0041_add_flowhypervisor.py` [42 lines] *Migration 0041: add flowhypervisor.*
F0808 `Tlamatini/agent/migrations/0042_add_mouser.py` [42 lines] *Migration 0042: add mouser.*
F0809 `Tlamatini/agent/migrations/0043_agentmessage_conversation_user.py` [51 lines] *Migration 0043: agentmessage conversation user.*
F0810 `Tlamatini/agent/migrations/0044_add_counter.py` [43 lines] *Migration 0044: add counter.*
F0811 `Tlamatini/agent/migrations/0045_add_file_interpreter.py` [42 lines] *Migration 0045: add file interpreter.*
F0812 `Tlamatini/agent/migrations/0046_add_image_interpreter.py` [42 lines] *Migration 0046: add image interpreter.*
F0813 `Tlamatini/agent/migrations/0047_add_gatewayer.py` [42 lines] *Migration 0047: add gatewayer.*
F0814 `Tlamatini/agent/migrations/0048_add_gateway_relayer.py` [42 lines] *Migration 0048: add gateway relayer.*
F0815 `Tlamatini/agent/migrations/0049_add_node_manager.py` [42 lines] *Migration 0049: add node manager.*
F0816 `Tlamatini/agent/migrations/0050_add_file_creator.py` [42 lines] *Migration 0050: add file creator.*
F0980 `Tlamatini/agent/migrations/__init__.py` [9 lines] *Package marker for migrations/.*

agent/migrations/ · 0051–0100 — sheet 14

F0817 `Tlamatini/agent/migrations/0051_add_file_extractor.py` [42 lines] *Migration 0051: add file extractor.*
F0818 `Tlamatini/agent/migrations/0052_add_kyber_keygen.py` [42 lines] *Migration 0052: add kyber keygen.*
F0819 `Tlamatini/agent/migrations/0053_add_kyber_cipher.py` [42 lines] *Migration 0053: add kyber cipher.*
F0820 `Tlamatini/agent/migrations/0054_add_kyber_decipher.py` [42 lines] *Migration 0054: add kyber decipher.*
F0821 `Tlamatini/agent/migrations/0055_fix_kyber_cipher_names.py` [31 lines] *Migration 0055: fix kyber cipher names.*
F0822 `Tlamatini/agent/migrations/0056_add_parametrizer.py` [42 lines] *Migration 0056: add parametrizer.*
F0823 `Tlamatini/agent/migrations/0057_add_flowbacker.py` [42 lines] *Migration 0057: add flowbacker.*
F0824 `Tlamatini/agent/migrations/0058_add_barrier.py` [42 lines] *Migration 0058: add barrier.*
F0825 `Tlamatini/agent/migrations/0059_add_j_decompiler.py` [42 lines] *Migration 0059: add j decompiler.*
F0826 `Tlamatini/agent/migrations/0060_add_agent_parametrizer_tool.py` [45 lines] *Migration 0060: add agent parametrizer tool.*
F0827 `Tlamatini/agent/migrations/0061_add_agent_starter_tool.py` [45 lines] *Migration 0061: add agent starter tool.*
F0828 `Tlamatini/agent/migrations/0062_sync_agent_control_tools_and_prompts.py` [110 lines] *Migration 0062: sync agent control tools and prompts.*
F0829 `Tlamatini/agent/migrations/0063_add_agent_parametrizer_prompt.py` [46 lines] *Migration 0063: add agent parametrizer prompt.*
F0830 `Tlamatini/agent/migrations/0064_add_chat_agent_run_model.py` [35 lines] *Migration 0064: add chat agent run model.*
F0831 `Tlamatini/agent/migrations/0065_add_chat_wrapped_agent_tools.py` [82 lines] *Migration 0065: add chat wrapped agent tools.*
F0832 `Tlamatini/agent/migrations/0066_add_keyboarder.py` [42 lines] *Migration 0066: add keyboarder.*
F0833 `Tlamatini/agent/migrations/0067_add_multi_turn_demo_prompts.py` [47 lines] *Migration 0067: add multi turn demo prompts. Originally seeded three multi-turn demo prompts (local document demo, web research demo. . .*
F0834 `Tlamatini/agent/migrations/0068_add_googler_tool.py` [45 lines] *Migration 0068: add googler tool.*
F0835 `Tlamatini/agent/migrations/0069_add_googler_agent.py` [45 lines] *Migration 0069: add googler agent.*
F0836 `Tlamatini/agent/migrations/0070_add_teletlamatini.py` [45 lines] *Migration 0070: add teletlamatini.*
F0837 `Tlamatini/agent/migrations/0071_acpx_skills.py` [143 lines] *Migration 0071: acpx skills. Migration for ACPX + Skills models.*
F0838 `Tlamatini/agent/migrations/0072_add_acpx_demo_prompts.py` [274 lines] *Migration 0072: add acpx demo prompts. Seed four ACPX + Skills demo prompts that exercise every tool in the new ACPX/Skills. . .*
F0839 `Tlamatini/agent/migrations/0073_acpx_demo_gemini_uplift.py` [453 lines] *Migration 0073: acpx demo gemini uplift. ACPX demo prompts uplift — Gemini-led, more visually rimbombante.*
F0840 `Tlamatini/agent/migrations/0074_simplify_demo_prompts.py` [279 lines] *Migration 0074: simplify demo prompts. Plain-text-only versions of the seven ACPX demos.*
F0841 `Tlamatini/agent/migrations/0075_add_acpx_tool_surface.py` [66 lines] *Migration 0075: add acpx tool surface. Migration for the expanded ACPX tool surface.*
F0842 `Tlamatini/agent/migrations/0076_add_acpxer.py` [45 lines] *Migration 0076: add acpxer.*
F0843 `Tlamatini/agent/migrations/0077_add_whatstlamatini.py` [45 lines] *Migration 0077: add whatstlamatini.*
F0844 `Tlamatini/agent/migrations/0078_add_chat_agent_keyboarder_tool.py` [43 lines] *Migration 0078: add chat agent keyboarder tool.*
F0845 `Tlamatini/agent/migrations/0079_add_chat_agent_mouser_tool.py` [43 lines] *Migration 0079: add chat agent mouser tool.*
F0846 `Tlamatini/agent/migrations/0080_add_chat_agent_sleeper_tool.py` [43 lines] *Migration 0080: add chat agent sleeper tool.*
F0847 `Tlamatini/agent/migrations/0081_add_window_present_and_run_wait_tools.py` [55 lines] *Migration 0081: add window present and run wait tools.*
F0848 `Tlamatini/agent/migrations/0082_add_chat_agent_j_decompiler_tool.py` [43 lines] *Migration 0082: add chat agent j decompiler tool.*
F0849 `Tlamatini/agent/migrations/0083_add_de_compresser.py` [45 lines] *Migration 0083: add de compresser.*
F0850 `Tlamatini/agent/migrations/0084_add_chat_agent_de_compresser_tool.py` [43 lines] *Migration 0084: add chat agent de compresser tool.*
F0851 `Tlamatini/agent/migrations/0085_add_unrealer.py` [45 lines] *Migration 0085: add unrealer.*
F0852 `Tlamatini/agent/migrations/0086_add_chat_agent_unrealer_tool.py` [43 lines] *Migration 0086: add chat agent unrealer tool.*
F0853 `Tlamatini/agent/migrations/0087_add_unrealer_demo_prompt.py` [173 lines] *Migration 0087: add unrealer demo prompt. Seed one end-to-end Unreal MCP demo prompt that exercises the chat_agent_unrealer. . .*
F0854 `Tlamatini/agent/migrations/0088_add_reviewer.py` [45 lines] *Migration 0088: add reviewer.*
F0855 `Tlamatini/agent/migrations/0089_add_analyzer.py` [45 lines] *Migration 0089: add analyzer.*
F0856 `Tlamatini/agent/migrations/0090_add_reviewer_analyzer_demo_prompts.py` [228 lines] *Migration 0090: add reviewer analyzer demo prompts. Seed two fancy, single-skill demo prompts that showcase the v1.4.2 Reviewer. . .*
F0857 `Tlamatini/agent/migrations/0091_add_playwrighter.py` [45 lines] *Migration 0091: add playwrighter.*
F0858 `Tlamatini/agent/migrations/0092_add_chat_agent_playwrighter_tool.py` [43 lines] *Migration 0092: add chat agent playwrighter tool.*
F0859 `Tlamatini/agent/migrations/0093_add_windower.py` [45 lines] *Migration 0093: add windower.*
F0860 `Tlamatini/agent/migrations/0094_add_chat_agent_windower_tool.py` [43 lines] *Migration 0094: add chat agent windower tool.*
F0861 `Tlamatini/agent/migrations/0095_add_windower_playwrighter_demo_prompts.py` [273 lines] *Migration 0095: add windower playwrighter demo prompts. Seed four fancy demo prompts that showcase the Windower (Win32 window manager) and. . .*
F0862 `Tlamatini/agent/migrations/0096_add_director_virtuoso_demo_prompts.py` [227 lines] *Migration 0096: add director virtuoso demo prompts. Seed two ADVANCED demo prompts that go beyond the basic/medium Windower & Playwrighter. . .*
F0863 `Tlamatini/agent/migrations/0097_add_kalier.py` [45 lines] *Migration 0097: add kalier.*
F0864 `Tlamatini/agent/migrations/0098_add_chat_agent_kalier_tool.py` [43 lines] *Migration 0098: add chat agent kalier tool.*
F0865 `Tlamatini/agent/migrations/0099_add_kalier_demo_prompts.py` [272 lines] *Migration 0099: add kalier demo prompts. Seed three Catalog-of-Prompts demos for the Kalier agent (Kali Linux / MCP-Kali-Server). . .*
F0866 `Tlamatini/agent/migrations/0100_add_unrealer_extended_demo_prompts.py` [323 lines] *Migration 0100: add unrealer extended demo prompts. Seed three Catalog-of-Prompts demos that exercise the extended Unreal MCP command. . .*

agent/migrations/ · 0101–0150 — sheet 14

F0867 `Tlamatini/agent/migrations/0101_add_stm32er.py` [45 lines] *Migration 0101: add stm32er.*
F0868 `Tlamatini/agent/migrations/0102_add_chat_agent_stm32er_tool.py` [43 lines] *Migration 0102: add chat agent stm32er tool.*
F0869 `Tlamatini/agent/migrations/0103_add_stm32er_demo_prompts.py` [332 lines] *Migration 0103: add stm32er demo prompts. Seed three Catalog-of-Prompts demos for STM32F firmware programming through the wrapped. . .*
F0870 `Tlamatini/agent/migrations/0104_fix_stm32er_hil_serial_proof.py` [212 lines] *Migration 0104: fix stm32er hil serial proof. Fix the STM32 HIL OBSERVATORY demo (catalog prompt #65, seeded by 0103).*
F0871 `Tlamatini/agent/migrations/0105_add_esp32er.py` [45 lines] *Migration 0105: add esp32er.*
F0872 `Tlamatini/agent/migrations/0106_add_chat_agent_esp32er_tool.py` [43 lines] *Migration 0106: add chat agent esp32er tool.*
F0873 `Tlamatini/agent/migrations/0107_add_esp32er_demo_prompts.py` [349 lines] *Migration 0107: add esp32er demo prompts. Seed three Catalog-of-Prompts demos for ESP32 firmware programming through the wrapped. . .*
F0874 `Tlamatini/agent/migrations/0108_add_flow_making_demo_prompt.py` [118 lines] *Migration 0108: add flow making demo prompt. Seed one Catalog-of-Prompts demo for the flow-making skill — turning a plain objective. . .*
F0875 `Tlamatini/agent/migrations/0109_add_arduiner.py` [45 lines] *Migration 0109: add arduiner.*
F0876 `Tlamatini/agent/migrations/0110_add_chat_agent_arduiner_tool.py` [43 lines] *Migration 0110: add chat agent arduiner tool.*
F0877 `Tlamatini/agent/migrations/0111_add_arduiner_demo_prompts.py` [360 lines] *Migration 0111: add arduiner demo prompts. Seed three Catalog-of-Prompts demos for Arduino firmware programming through the wrapped. . .*
F0878 `Tlamatini/agent/migrations/0112_add_camcorder.py` [45 lines] *Migration 0112: add camcorder.*
F0879 `Tlamatini/agent/migrations/0113_add_chat_agent_camcorder_tool.py` [43 lines] *Migration 0113: add chat agent camcorder tool.*
F0880 `Tlamatini/agent/migrations/0114_add_recorder.py` [45 lines] *Migration 0114: add recorder.*
F0881 `Tlamatini/agent/migrations/0115_add_chat_agent_recorder_tool.py` [43 lines] *Migration 0115: add chat agent recorder tool.*
F0882 `Tlamatini/agent/migrations/0116_add_audioplayer.py` [45 lines] *Migration 0116: add audioplayer.*
F0883 `Tlamatini/agent/migrations/0117_add_chat_agent_audioplayer_tool.py` [43 lines] *Migration 0117: add chat agent audioplayer tool.*
F0884 `Tlamatini/agent/migrations/0118_add_videoplayer.py` [45 lines] *Migration 0118: add videoplayer.*
F0885 `Tlamatini/agent/migrations/0119_add_chat_agent_videoplayer_tool.py` [43 lines] *Migration 0119: add chat agent videoplayer tool.*
F0886 `Tlamatini/agent/migrations/0120_add_talker.py` [45 lines] *Migration 0120: add talker.*
F0887 `Tlamatini/agent/migrations/0121_add_chat_agent_talker_tool.py` [43 lines] *Migration 0121: add chat agent talker tool.*
F0888 `Tlamatini/agent/migrations/0122_add_talker_demo_prompt.py` [129 lines] *Migration 0122: add talker demo prompt. Seed a Catalog-of-Prompts demo for Talker — Tlamatini's TEXT-TO-SPEECH — run through the. . .*
F0889 `Tlamatini/agent/migrations/0123_add_whisperer.py` [45 lines] *Migration 0123: add whisperer.*
F0890 `Tlamatini/agent/migrations/0124_add_chat_agent_whisperer_tool.py` [43 lines] *Migration 0124: add chat agent whisperer tool.*
F0891 `Tlamatini/agent/migrations/0125_add_whisperer_demo_prompt.py` [116 lines] *Migration 0125: add whisperer demo prompt. Seed a Catalog-of-Prompts demo for Whisperer — Tlamatini's SPEECH-TO-TEXT — run through. . .*
F0892 `Tlamatini/agent/migrations/0126_add_blenderer.py` [45 lines] *Migration 0126: add blenderer.*
F0893 `Tlamatini/agent/migrations/0127_add_chat_agent_blenderer_tool.py` [43 lines] *Migration 0127: add chat agent blenderer tool.*
F0894 `Tlamatini/agent/migrations/0128_add_blenderer_demo_prompts.py` [125 lines] *Migration 0128: add blenderer demo prompts. Seed a Catalog-of-Prompts demo for Blenderer — Tlamatini's BLENDER bridge — run through. . .*
F0895 `Tlamatini/agent/migrations/0129_add_editor.py` [45 lines] *Migration 0129: add editor.*
F0896 `Tlamatini/agent/migrations/0130_add_chat_agent_editor_tool.py` [43 lines] *Migration 0130: add chat agent editor tool.*
F0897 `Tlamatini/agent/migrations/0131_add_editor_demo_prompts.py` [108 lines] *Migration 0131: add editor demo prompts. Seed a Catalog-of-Prompts demo for Editor - Tlamatini's surgical in-place file editor - . . .*
F0898 `Tlamatini/agent/migrations/0132_add_grepper.py` [45 lines] *Migration 0132: add grepper.*
F0899 `Tlamatini/agent/migrations/0133_add_chat_agent_grepper_tool.py` [43 lines] *Migration 0133: add chat agent grepper tool.*
F0900 `Tlamatini/agent/migrations/0134_add_grepper_demo_prompts.py` [97 lines] *Migration 0134: add grepper demo prompts. Seed a Catalog-of-Prompts demo for Grepper - Tlamatini's read-only regex content. . .*
F0901 `Tlamatini/agent/migrations/0135_add_globber.py` [45 lines] *Migration 0135: add globber.*
F0902 `Tlamatini/agent/migrations/0136_add_chat_agent_globber_tool.py` [43 lines] *Migration 0136: add chat agent globber tool.*
F0903 `Tlamatini/agent/migrations/0137_add_globber_demo_prompts.py` [97 lines] *Migration 0137: add globber demo prompts. Seed a Catalog-of-Prompts demo for Globber - Tlamatini's read-only filename pattern. . .*
F0904 `Tlamatini/agent/migrations/0138_add_esphomer.py` [45 lines] *Migration 0138: add esphomer.*
F0905 `Tlamatini/agent/migrations/0139_add_chat_agent_esphomer_tool.py` [43 lines] *Migration 0139: add chat agent esphomer tool.*
F0906 `Tlamatini/agent/migrations/0140_add_esphomer_demo_prompts.py` [220 lines] *Migration 0140: add esphomer demo prompts. Seed two Catalog-of-Prompts demos for ESPHome device programming through the wrapped. . .*
F0907 `Tlamatini/agent/migrations/0141_add_mcp_doctor.py` [38 lines] *Migration 0141: add mcp doctor.*
F0908 `Tlamatini/agent/migrations/0142_add_chat_agent_mcp_doctor_tool.py` [41 lines] *Migration 0142: add chat agent mcp doctor tool.*
F0909 `Tlamatini/agent/migrations/0143_add_mcp_doctor_demo_prompt.py` [68 lines] *Migration 0143: add mcp doctor demo prompt.*
F0910 `Tlamatini/agent/migrations/0144_insert_java17_maven_demo_prompt_at_5.py` [77 lines] *Migration 0144: insert java17 maven demo prompt at 5.*
F0911 `Tlamatini/agent/migrations/0145_insert_createsuperuser_wizard_prompt_at_1.py` [103 lines] *Migration 0145: insert createsuperuser wizard prompt at 1.*
F0912 `Tlamatini/agent/migrations/0146_update_createsuperuser_wizard_continuation.py` [43 lines] *Migration 0146: update createsuperuser wizard continuation.*
F0913 `Tlamatini/agent/migrations/0147_add_unreal_game_demo_prompts.py` [116 lines] *Migration 0147: add unreal game demo prompts.*
F0914 `Tlamatini/agent/migrations/0148_add_discoverer_demo_prompts.py` [87 lines] *Migration 0148: add discoverer demo prompts.*
F0915 `Tlamatini/agent/migrations/0149_add_discoverer.py` [41 lines] *Migration 0149: add discoverer.*
F0916 `Tlamatini/agent/migrations/0150_add_chat_agent_discoverer_tool.py` [43 lines] *Migration 0150: add chat agent discoverer tool.*

agent/migrations/ · 0151–0200 — sheet 14

F0917 `Tlamatini/agent/migrations/0151_retire_old_messaging_add_telegrammer.py` [102 lines] *Migration 0151: retire old messaging add telegrammer. Retire the old messaging agents and wire the two new official-only agents.*
F0918 `Tlamatini/agent/migrations/0152_add_instant_messaging_doctor.py` [38 lines] *Migration 0152: add instant messaging doctor.*
F0919 `Tlamatini/agent/migrations/0153_add_chat_agent_instant_messaging_doctor_tool.py` [41 lines] *Migration 0153: add chat agent instant messaging doctor tool.*
F0920 `Tlamatini/agent/migrations/0154_add_instant_messaging_doctor_demo_prompt.py` [48 lines] *Migration 0154: add instant messaging doctor demo prompt.*
F0921 `Tlamatini/agent/migrations/0155_add_contact_scaffold_demo_prompt.py` [68 lines] *Migration 0155: add contact scaffold demo prompt.*
F0922 `Tlamatini/agent/migrations/0156_add_telegrammer_identity_demo_prompts.py` [77 lines] *Migration 0156: add telegrammer identity demo prompts.*
F0923 `Tlamatini/agent/migrations/0157_add_whatsapper_identity_demo_prompt.py` [60 lines] *Migration 0157: add whatsapper identity demo prompt.*
F0924 `Tlamatini/agent/migrations/0158_redesign_messaging_demo_prompts.py` [114 lines] *Migration 0158: redesign messaging demo prompts.*
F0925 `Tlamatini/agent/migrations/0159_add_zavuerer.py` [38 lines] *Migration 0159: add zavuerer.*
F0926 `Tlamatini/agent/migrations/0160_add_chat_agent_zavuerer_tool.py` [41 lines] *Migration 0160: add chat agent zavuerer tool.*
F0927 `Tlamatini/agent/migrations/0161_add_zavuerer_demo_prompts.py` [47 lines] *Migration 0161: add zavuerer demo prompts.*
F0928 `Tlamatini/agent/migrations/0162_add_zavuerer_catalog_prompts.py` [83 lines] *Migration 0162: add zavuerer catalog prompts. Catalog-of-prompts examples for Zavuerer (agent #83).*
F0929 `Tlamatini/agent/migrations/0163_add_zavuerer_get_key_wizard_prompt.py` [82 lines] *Migration 0163: add zavuerer get key wizard prompt. One Catalog-of-Prompts example: a Step-by-Step, hold-your-hand wizard that walks a. . .*
F0930 `Tlamatini/agent/migrations/0164_dedup_zavuerer_setup_wizards.py` [47 lines] *Migration 0164: dedup zavuerer setup wizards. De-duplicate the Zavuerer catalog-of-prompts setup wizards.*
F0931 `Tlamatini/agent/migrations/0165_add_image_interpreter_triple_model_demo_prompt.py` [65 lines] *Migration 0165: add image interpreter triple model demo prompt. One Catalog-of-Prompts example for the upgraded TRIPLE-MODEL Image-Interpreter. . .*
F0932 `Tlamatini/agent/migrations/0166_add_video_analyzer.py` [45 lines] *Migration 0166: add video analyzer.*
F0933 `Tlamatini/agent/migrations/0167_add_chat_agent_video_analyzer_tool.py` [43 lines] *Migration 0167: add chat agent video analyzer tool.*
F0934 `Tlamatini/agent/migrations/0168_add_video_analyzer_demo_prompt.py` [65 lines] *Migration 0168: add video analyzer demo prompt. One Catalog-of-Prompts example for the new Video-Analyzer agent (#84).*
F0935 `Tlamatini/agent/migrations/0169_add_discoverer_cvemap_latest_demo_prompt.py` [80 lines] *Migration 0169: add discoverer cvemap latest demo prompt.*
F0936 `Tlamatini/agent/migrations/0170_add_nmapper.py` [45 lines] *Migration 0170: add nmapper.*
F0937 `Tlamatini/agent/migrations/0171_add_chat_agent_nmapper_tool.py` [43 lines] *Migration 0171: add chat agent nmapper tool.*
F0938 `Tlamatini/agent/migrations/0172_add_nmapper_demo_prompts.py` [83 lines] *Migration 0172: add nmapper demo prompts. Catalog-of-Prompts examples for the new Nmapper agent (#85) — the "copy → parametrize →. . .*
F0939 `Tlamatini/agent/migrations/0173_add_unreal_scaffold_demo_prompt.py` [116 lines] *Migration 0173: add unreal scaffold demo prompt.*
F0940 `Tlamatini/agent/migrations/0174_unreal_scaffold_build_project_tip.py` [59 lines] *Migration 0174: unreal scaffold build project tip.*
F0941 `Tlamatini/agent/migrations/0175_prompt_category_and_dedup.py` [117 lines] *Migration 0175: prompt category and dedup. Catalog-of-Prompts: CATEGORY grouping + DEDUP (Angela, 2026-07-14).*
F0942 `Tlamatini/agent/migrations/0176_delete_duplicate_acpx_prompts.py` [49 lines] *Migration 0176: delete duplicate acpx prompts. PHYSICALLY DELETE the 13 duplicate ACPX catalog prompts (Angela, 2026-07-14).*
F0943 `Tlamatini/agent/migrations/0177_add_stm32er_platformio_demo_prompt.py` [83 lines] *Migration 0177: add stm32er platformio demo prompt.*
F0944 `Tlamatini/agent/migrations/0178_add_stm32_stepwise_blink_camera_prompts.py` [171 lines] *Migration 0178: add stm32 stepwise blink camera prompts. Two STEP-BY-STEP LED-blink walkthroughs for the STM32er PlatformIO backend (Angela. . .*
F0945 `Tlamatini/agent/migrations/0179_regroup_resort_prompts_no_gaps.py` [80 lines] *Migration 0179: regroup resort prompts no gaps. RE-GROUP, RE-SORT and RE-NUMBER the Catalog of Prompts with NO GAPS (Angela, 2026-07-15. . .*
F0946 `Tlamatini/agent/migrations/0180_add_kalier_setup_wizard_prompt.py` [177 lines] *Migration 0180: add kalier setup wizard prompt. One STEP-BY-STEP SETUP WIZARD for Kalier's back end — installing and running the. . .*
F0947 `Tlamatini/agent/migrations/0181_prompt_sort_rank.py` [173 lines] *Migration 0181: prompt sort rank. Catalog of Prompts — sort_rank: decouple DISPLAY ORDER from idPrompt.*
F0948 `Tlamatini/agent/migrations/0182_add_step_by_step_section_openers.py` [597 lines] *Migration 0182: add step by step section openers. Catalog of Prompts — the NINE missing Step-by-Step section openers.*
F0949 `Tlamatini/agent/migrations/0183_standardize_security_recon_prompts.py` [41 lines] *Migration 0183: standardize security recon prompts.*
F0950 `Tlamatini/agent/migrations/0184_standardize_prompt_params_batch2.py` [30 lines] *Migration 0184: standardize prompt params batch2.*
F0951 `Tlamatini/agent/migrations/0185_standardize_prompt_params_batch3.py` [31 lines] *Migration 0185: standardize prompt params batch3.*
F0952 `Tlamatini/agent/migrations/0186_add_chat_agent_flowcreator.py` [102 lines] *Migration 0186: add chat agent flowcreator. FlowCreator becomes callable from CHAT: prompt in -> .flw file out.*
F0953 `Tlamatini/agent/migrations/0187_add_flowcreator_end_to_end_wizard_prompt.py` [167 lines] *Migration 0187: add flowcreator end to end wizard prompt. Catalog of Prompts — the FLOWCREATOR END-TO-END wizard (Angela, 2026-07-23).*
F0954 `Tlamatini/agent/migrations/0188_add_pdfer.py` [59 lines] *Migration 0188: add pdfer. Seed the PDFer workflow agent (Angela, 2026-07-26).*
F0955 `Tlamatini/agent/migrations/0189_add_chat_agent_pdfer_tool.py` [51 lines] *Migration 0189: add chat agent pdfer tool. Seed the Chat-Agent-PDFer wrapper Tool row (Angela, 2026-07-26).*
F0956 `Tlamatini/agent/migrations/0190_add_pdfer_demo_prompts.py` [287 lines] *Migration 0190: add pdfer demo prompts. Catalog of Prompts — the NEW 'Documents & PDF' section for PDFer (Angela, 2026-07-26).*
F0957 `Tlamatini/agent/migrations/0191_add_latexer.py` [67 lines] *Migration 0191: add latexer. Seed the LaTeXer workflow agent (Angela, 2026-08-05).*
F0958 `Tlamatini/agent/migrations/0192_add_chat_agent_latexer_tool.py` [51 lines] *Migration 0192: add chat agent latexer tool. Seed the Chat-Agent-LaTeXer wrapper Tool row (Angela, 2026-08-05).*
F0959 `Tlamatini/agent/migrations/0193_add_latexer_demo_prompts.py` [259 lines] *Migration 0193: add latexer demo prompts. Seed the LaTeXer Catalog-of-Prompts demos (Angela, 2026-08-05).*
F0960 `Tlamatini/agent/migrations/0194_add_deep_research_demo_prompt.py` [83 lines] *Migration 0194: add deep research demo prompt. Catalog of Prompts — the DEEP INTERNET RESEARCH demo (Angela, 2026-08-17).*
F0961 `Tlamatini/agent/migrations/0195_add_netspeed_calculator.py` [64 lines] *Migration 0195: add netspeed calculator. Seed the NetSpeed-Calculator Agent row (canvas agent #88).*
F0962 `Tlamatini/agent/migrations/0196_add_chat_agent_netspeed_calculator_tool.py` [56 lines] *Migration 0196: add chat agent netspeed calculator tool. Seed the Chat-Agent-NetSpeed-Calculator Tool row.*
F0963 `Tlamatini/agent/migrations/0197_add_netspeed_calculator_demo_prompt.py` [103 lines] *Migration 0197: add netspeed calculator demo prompt. Catalog of Prompts — the NETSPEED-CALCULATOR demo (Angela, 2026-08-23).*
F0964 `Tlamatini/agent/migrations/0198_add_pdfer_nuance_demo_prompt.py` [162 lines] *Migration 0198: add pdfer nuance demo prompt. Catalog of Prompts — the PDFer NUANCE demo (Angela, 2026-09-06).*
F0965 `Tlamatini/agent/migrations/0199_dedupe_llm_program_snippet_names.py` [77 lines] *Migration 0199: dedupe llm program snippet names. Repair the duplicate LLMProgram / LLMSnippet names an older build created.*
F0966 `Tlamatini/agent/migrations/0200_whisperer_demo_prompt_sound_gate.py` [132 lines] *Migration 0200: whisperer demo prompt sound gate. Retarget the TLAMATINI LISTENS demo (prompt 74) at the SOUND GATE (2026-09-11).*

agent/migrations/ · 0201–0213 — sheet 14

F0967 `Tlamatini/agent/migrations

F0973 `Tlamatini/agent/migrations/0207_video_analyzer_content_prompts.py` [44 lines] *Migration 0207: video analyzer content prompts. Append Video-Analyzer audio-track and summary examples to Media & Voice.*
F0974 `Tlamatini/agent/migrations/0208_video_demo_config_models.py` [25 lines] *Migration 0208: video demo config models. Let the seeded video demo follow Config > Models instead of retired tags.*
F0975 `Tlamatini/agent/migrations/0209_retire_qwen35_vision_model.py` [40 lines] *Migration 0209: retire qwen35 vision model. Replace the retired Qwen3.5 vision tag inside the Catalog-of-Prompts rows.*
F0976 `Tlamatini/agent/migrations/0210_strict_visual_analysis_prompt_contract.py` [39 lines] *Migration 0210: strict visual analysis prompt contract. Update obsolete seeded visual-result wording without replacing user prompts.*
F0977 `Tlamatini/agent/migrations/0211_compact_state.py` [35 lines] *Migration 0211: compact state. The Compact-mode switch (Angela, 2026-10-02).*
F0978 `Tlamatini/agent/migrations/0212_compact_state_self_modify.py` [23 lines] *Migration 0212: compact state self modify. The Self-modify switch (Angela, 2026-10-03).*
F0979 `Tlamatini/agent/migrations/0213_usage_ledger.py` [29 lines] *Migration 0213: usage ledger.*

Atlas IV — Presentation layer: first-party frontend

agent/static/agent/js/ · chat page (agent_page.html) — sheet 15

F1110 `Tlamatini/agent/static/agent/js/access_keys_wizard.js` [406 lines] *access_keys_wizard.js - graphical one-page key setup wizard*
F1126 `Tlamatini/agent/static/agent/js/agent_page_canvas.js` [640 lines] *agent_page_canvas.js – Canvas / code-editor operations*
F1127 `Tlamatini/agent/static/agent/js/agent_page_chat.js` [2.8k lines] *agent_page_chat.js – Chat messaging, WebSocket & form submit*
F1128 `Tlamatini/agent/static/agent/js/agent_page_context.js` [185 lines] *agent_page_context.js – Context management*
F1129 `Tlamatini/agent/static/agent/js/agent_page_dialogs.js` [1.4k lines] *agent_page_dialogs.js – jQuery UI dialogs & loader helpers*
F1130 `Tlamatini/agent/static/agent/js/agent_page_init.js` [1.9k lines] *agent_page_init.js – Initialization, event wiring & actions*
F1131 `Tlamatini/agent/static/agent/js/agent_page_layout.js` [468 lines] *agent_page_layout.js – Drag dividers, resize & title rotation*
F1132 `Tlamatini/agent/static/agent/js/agent_page_markdown.js` [262 lines] *Read-only Markdown presentation.*
F1133 `Tlamatini/agent/static/agent/js/agent_page_pdf.js` [286 lines] *PDF canvas lifecycle and request bridge.*
F1134 `Tlamatini/agent/static/agent/js/agent_page_state.js` [494 lines] *agent_page_state.js – Shared state & DOM element references*
F1135 `Tlamatini/agent/static/agent/js/agent_page_ui.js` [518 lines] *agent_page_ui.js – UI state helpers (enable/disable, busy, spinner)*
F1137 `Tlamatini/agent/static/agent/js/avatar.js` [522 lines] *Tlamatini chat-avatar engine - extracted from agent_page.html (2026-07-17).*
F1138 `Tlamatini/agent/static/agent/js/avatar_presence.js` [570 lines] *PRESENCE ENGINE — the talking head, composited on a 2D canvas. . . . WHAT THIS. . .*
F1139 `Tlamatini/agent/static/agent/js/avatar_size.js` [286 lines] *AVATAR SIZING — she is resizable, from 120 px up to most of the screen. . . .*
F1141 `Tlamatini/agent/static/agent/js/chat_dictation.js` [249 lines] *Direct Whisperer dictation; the existing chat form owns prompt submission.*
F1142 `Tlamatini/agent/static/agent/js/chat_image_paste.js` [390 lines] *chat_image_paste.js — screenshots into the chat box.*
F1143 `Tlamatini/agent/static/agent/js/chat_page_runtime_poller.js` [151 lines] *Polls /agent/check_chat_runtimes_status/ from the chat page (agent_page.html) and surfaces Asker A/B dialogs and Notifier toasts via. . .*
F1144 `Tlamatini/agent/static/agent/js/chat_table_contrast.js` [146 lines] *chat_table_contrast.js - every table in an answer stays READABLE (Angela Lopez Mendoza, 2026-10-01).*
F1146 `Tlamatini/agent/static/agent/js/compact_costs.js` [258 lines] *compact_costs.js — what each Configure row COSTS (Angela, 2026-10-02).*
F1147 `Tlamatini/agent/static/agent/js/contacts_dialog.js` [384 lines] *contacts_dialog.js — Config ▷ Contacts CRUD dialog*
F1148 `Tlamatini/agent/static/agent/js/context_gauge.js` [440 lines] *context_gauge.js — the context ring in the chat window (Angela López Mendoza, 2026-09-20 — Context Governor, step 1) Renders ONE row between the. . .*
F1151 `Tlamatini/agent/static/agent/js/external_mcps_dialog.js` [545 lines] *external_mcps_dialog.js — External ▷ MCPs menu*
F1154 `Tlamatini/agent/static/agent/js/mic_settings.js` [197 lines] *Browser preferences for direct dictation; microphone access stays in Whisperer.*
F1155 `Tlamatini/agent/static/agent/js/model_brain_tuning.js` [348 lines] *model_brain_tuning.js — the AUTO-TUNING dialog of the MODEL BRAIN (agent/model_brain.py), opened after Config ▷ Models ▷ Save.*
F1156 `Tlamatini/agent/static/agent/js/model_capacity.js` [492 lines] *model_capacity.js — the COMPACT MODE box, told to the user (Angela, 2026-10-01; the switch 2026-10-02).*
F1158 `Tlamatini/agent/static/agent/js/pdf_context_progress.js` [165 lines] *Accessible native modal; all behavior lives outside the HTML template.*
F1161 `Tlamatini/agent/static/agent/js/release_notes_renderer.js` [312 lines] *release_notes_renderer.js — renders GitHub RELEASE NOTES (Markdown + the raw HTML GitHub itself injects) into real HTML for the "About ▷ Check for. . .*
F1162 `Tlamatini/agent/static/agent/js/self_modify_switch.js` [282 lines] *self_modify_switch.js — the SELF-MODIFY box (Angela, 2026-10-03).*
F1164 `Tlamatini/agent/static/agent/js/skills_dialog.js` [392 lines] *skills_dialog.js — jQuery-UI dialogs for the ACPX-Skills menu*
F1165 `Tlamatini/agent/static/agent/js/tools_dialog.js` [688 lines] *Defines appendPrompt(), condenseWhitespace(), extractPromptTitle(), buildPromptPreview() and 12 more.*
F1167 `Tlamatini/agent/static/agent/js/usage_dashboard.js` [273 lines] *JavaScript module.*

agent/static/agent/js/ · Agentic Control Panel — sheet 15

F1111 `Tlamatini/agent/static/agent/js/acp-agent-connectors.js` [1.8k lines] *Agentic Control Panel - Agent Connection Updaters LOAD ORDER: #4 - Depends on: acp-session.js (getHeaders), acp-globals.js (ACP.connections)*
F1112 `Tlamatini/agent/static/agent/js/acp-canvas-core.js` [1.8k lines] *Agentic Control Panel - Canvas Core: Items, Connections, Selection, Drag & Drop LOAD ORDER: #7 - Depends on: acp-globals.js, acp-session.js. . .*
F1113 `Tlamatini/agent/static/agent/js/acp-canvas-undo.js` [1.2k lines] *Agentic Control Panel - Canvas Undo/Redo Helpers & Keyboard Handler LOAD ORDER: #8 - Depends on: acp-globals.js, acp-session.js. . .*
F1114 `Tlamatini/agent/static/agent/js/acp-connection-status.js` [150 lines] *"BACKEND IS DOWN" BANNER FOR THE ACP DESIGNER*
F1115 `Tlamatini/agent/static/agent/js/acp-control-buttons.js` [1.4k lines] *Agentic Control Panel - Control Panel Button Handlers (Start / Stop / Pause / Clear) LOAD ORDER: #6 - Depends on: acp-globals.js, acp-session.js. . .*
F1116 `Tlamatini/agent/static/agent/js/acp-editor-tools.js` [319 lines] *Loaded after the existing canvas modules: all editing goes through their APIs.*
F1117 `Tlamatini/agent/static/agent/js/acp-file-io.js` [733 lines] *Agentic Control Panel - File I/O: Save, Open, Close, Load Diagram LOAD ORDER: #9 - Depends on: acp-globals.js, acp-session.js, acp-canvas-core.js. . .*
F1118 `Tlamatini/agent/static/agent/js/acp-flow-snapshot.js` [94 lines] *Agentic Control Panel - Flow Snapshot / Contract Compiler bridge LOAD ORDER: after acp-canvas-core.js; runtime dependency on getHeaders().*
F1119 `Tlamatini/agent/static/agent/js/acp-globals.js` [366 lines] *Agentic Control Panel - Global State & DOM References LOAD ORDER: #1 - Must be loaded before all other acp-*.js files.*
F1120 `Tlamatini/agent/static/agent/js/acp-layout.js` [102 lines] *Agentic Control Panel - Layout, Divider, Agent List, Canvas Initialization LOAD ORDER: #10 - Depends on: ALL previous acp-*.js files*
F1121 `Tlamatini/agent/static/agent/js/acp-parametrizer-dialog.js` [563 lines] *Agentic Control Panel - Parametrizer Mapping Dialog LOAD ORDER: #11 - Depends on: acp-globals.js, acp-session.js*
F1122 `Tlamatini/agent/static/agent/js/acp-running-state.js` [372 lines] *Agentic Control Panel - Global Running State & Agent Status Polling LOAD ORDER: #5 - Depends on: acp-globals.js, acp-session.js, acp-undo-manager.js*
F1123 `Tlamatini/agent/static/agent/js/acp-session.js` [114 lines] *Agentic Control Panel - Session Management LOAD ORDER: #2 - Depends on: nothing (standalone)*
F1124 `Tlamatini/agent/static/agent/js/acp-undo-manager.js` [125 lines] *Agentic Control Panel - Undo/Redo Manager LOAD ORDER: #3 - Depends on: nothing (standalone class)*
F1125 `Tlamatini/agent/static/agent/js/acp-validate.js` [641 lines] *Agentic Control Panel - Flow Validation Logic LOAD ORDER: #7 - Depends on: acp-globals.js, acp-session.js, acp-control-buttons.js*
F1140 `Tlamatini/agent/static/agent/js/canvas_item_dialog.js` [1.1k lines] *Defines preRenderCanvasItemDialog(), renderCanvasItemDialog(), showDeploymentResultDialog(), _executeFlowCreator() and 6 more.*
F1149 `Tlamatini/agent/static/agent/js/contextual_menus.js` [710 lines] *Contextual Menus for Agentic Control Panel Handles right-click context menus and log viewer modal for canvas agents*

agent/static/agent/js/ · Prompt Flow Panel — sheet 15

F1159 `Tlamatini/agent/static/agent/js/prompt-flow-panel-model.js` [173 lines] *Exports window.PromptFlowPanelModel; 0 functions.*
F1160 `Tlamatini/agent/static/agent/js/prompt-flow-panel.js` [1.2k lines] *JavaScript module.*

agent/static/agent/js/ · shared by several pages — sheet 15

F1145 `Tlamatini/agent/static/agent/js/checkbox_bulk_toggle.js` [319 lines] *checkbox_bulk_toggle.js – SPACE-bar bulk check/uncheck of every checkbox the current text selection covers.*
F1150 `Tlamatini/agent/static/agent/js/dialog_policy.js` [780 lines] *DIALOG DISMISSAL POLICY (Angela, 2026-08-13; ESCAPE STANDARDISED 2026-08-16) ONE rule, enforced in ONE place, for EVERY dialog on EVERY page: A. . .*
F1152 `Tlamatini/agent/static/agent/js/file_drop_router.js` [876 lines] *file_drop_router.js — ONE smart listener for every file dropped on ANY Tlamatini page.*
F1153 `Tlamatini/agent/static/agent/js/flow-canvas-interactions.js` [146 lines] *Exports window.FlowCanvasInteractions; 0 functions.*
F1163 `Tlamatini/agent/static/agent/js/shared-runtime-dialogs.js` [347 lines] *Reusable Asker A/B dialog + Notifier toast renderers used by both agent_page.html (chat) and agentic_control_panel.html (ACP).*
F1166 `Tlamatini/agent/static/agent/js/ui_splitters.js` [62 lines] *Exports window.TlmSplitters; 0 functions.*

agent/static/agent/js/ · entry pages, PDF frame and indirect loads — sheet 15

F1136 `Tlamatini/agent/static/agent/js/agentic_control_panel.js` [28 lines] *Agentic Control Panel - LEGACY STUB This file has been split into smaller functional modules.*
F1157 `Tlamatini/agent/static/agent/js/pdf_canvas_viewer.js` [213 lines] *Offline PDF.js viewer. Loaded only inside agent/pdf/canvas.html.*
F1168 `Tlamatini/agent/static/agent/js/welcome_enter_default.js` [92 lines] *welcome_enter_default.js — ENTER is the default action on the welcome page. welcome.html renders → press Enter → you are in the chat.*

agent/static/agent/css/ · chat page (agent_page.html) — sheet 15

F1078 `Tlamatini/agent/static/agent/css/access_keys_wizard.css` [371 lines] *Graphical Access Keys Wizard [50 rule blocks]*
F1080 `Tlamatini/agent/static/agent/css/agent_page.css` [2.5k lines] *Stylesheet. [380 rule blocks]*
F1082 `Tlamatini/agent/static/agent/css/avatar.css` [180 lines] *Tlamatini chat-avatar - talking-head (blink + lip-sync), voice, bubble. [65 rule blocks]*
F1083 `Tlamatini/agent/static/agent/css/chat_dictation.css` [129 lines] *Stylesheet. [67 rule blocks]*
F1084 `Tlamatini/agent/static/agent/css/contacts_dialog.css` [538 lines] *contacts_dialog.css - Config > Contacts CRUD dialog Mirrors the External > MCPs native modal identity (emx-*) so the Contacts book feels native to. . . [69 rule blocks]*
F1085 `Tlamatini/agent/static/agent/css/context_gauge.css` [263 lines] *Context gauge — the ring in the chat window (Angela, 2026-09-20) A sibling row between the toolbar (#tools-div) and the message box, showing the. . . [36 rule blocks]*
F1088 `Tlamatini/agent/static/agent/css/external_mcps_dialog.css` [689 lines] *external_mcps_dialog.css - External > MCPs activation dialog Keeps the existing Tlamatini dark dialog identity while making the shell. . . [95 rule blocks]*
F1091 `Tlamatini/agent/static/agent/css/markdown_canvas.css` [61 lines] *Stylesheet. [42 rule blocks]*
F1092 `Tlamatini/agent/static/agent/css/model_brain_tuning.css` [327 lines] *model_brain_tuning.css — the Auto-tuning dialog of the MODEL BRAIN (Config ▷ Models ▷ Save). [62 rule blocks]*
F1093 `Tlamatini/agent/static/agent/css/model_capacity.css` [313 lines] *model_capacity.css — the Compact-mode badge, dialog body and notices (Angela, 2026-10-01). [48 rule blocks]*
F1095 `Tlamatini/agent/static/agent/css/pdf_context_progress.css` [27 lines] *Stylesheet. [21 rule blocks]*
F1097 `Tlamatini/agent/static/agent/css/skills_dialog.css` [337 lines] *skills_dialog.css — ACPX-Skills admin dialogs Three dialogs sharing one stylesheet: #skills-configure-dialog-message (checkbox grid; mirrors. . . [55 rule blocks]*
F1098 `Tlamatini/agent/static/agent/css/tools_dialog.css` [559 lines] *Stylesheet. [68 rule blocks]*
F1102 `Tlamatini/agent/static/agent/css/usage_dashboard.css` [101 lines] *Stylesheet. [111 rule blocks]*

agent/static/agent/css/ · Prompt Flow Panel — sheet 15

F1096 `Tlamatini/agent/static/agent/css/prompt_flow_panel.css` [183 lines] *Stylesheet. [164 rule blocks]*

agent/static/agent/css/ · shared by several pages — sheet 15

F1081 `Tlamatini/agent/static/agent/css/agentic_control_panel.css` [2.9k lines] *Existing styles [436 rule blocks]*
F1086 `Tlamatini/agent/static/agent/css/dialog_theme.css` [795 lines] *dialog_theme.css — THE ONE Tlamatini dialog identity Angela, 2026-08-12: every dialog in Tlamatini must look like the SAME piece of software. [129 rule blocks]*
F1089 `Tlamatini/agent/static/agent/css/flow_canvas.css` [58 lines] *Loaded after panel styles in both editors: common interaction states have one owner. [26 rule blocks]*
F1099 `Tlamatini/agent/static/agent/css/ui_shell.css` [182 lines] *Page chrome only. Diagram coordinates, content colors and dialog semantics belong to their existing owners. Load after page CSS, before dialog_theme. [90 rule blocks]*
F1100 `Tlamatini/agent/static/agent/css/ui_splitters.css` [39 lines] *One seam/grip treatment for every adjacent workspace pane. [22 rule blocks]*
F1101 `Tlamatini/agent/static/agent/css/ui_tokens.css` [30 lines] *Shared by the workspace, entry pages, dialogs, admin and isolated PDF frame. [1 rule blocks]*

agent/static/agent/css/ · entry pages, PDF frame and indirect loads — sheet 15

F1079 `Tlamatini/agent/static/agent/css/admin_theme.css` [41 lines] *Keep Django's native light/dark/auto switch and accessible admin mechanics. [17 rule blocks]*
F1087 `Tlamatini/agent/static/agent/css/entry_pages.css` [38 lines] *Stylesheet. [23 rule blocks]*
F1090 `Tlamatini/agent/static/agent/css/login.css` [14 lines] *Stylesheet. [2 rule blocks]*
F1094 `Tlamatini/agent/static/agent/css/pdf_canvas.css` [19 lines] *The PDF renderer lives in its own frame so PDF.js styles cannot affect chat. [17 rule blocks]*
F1103 `Tlamatini/agent/static/agent/css/welcome.css` [13 lines] *Stylesheet. [1 rule blocks]*

agent/static/ · images, avatar, PDF frame, sounds, video — sheet 15

F1104 `Tlamatini/agent/static/agent/img/avatar/ec_mc.jpg` [540KB] *Avatar portrait: eyes closed, mouth closed (blended by the presence compositor).*
F1105 `Tlamatini/agent/static/agent/img/avatar/ec_mo.jpg` [543KB] *Avatar portrait: eyes closed, mouth open (blended by the presence compositor).*
F1106 `Tlamatini/agent/static/agent/img/avatar/eo_mc.jpg` [534KB] *Avatar portrait: eyes open, mouth closed (blended by the presence compositor).*
F1107 `Tlamatini/agent/static/agent/img/avatar/eo_mo.jpg` [537KB] *Avatar portrait: eyes open, mouth open (blended by the presence compositor).*
F1108 `Tlamatini/agent/static/agent/img/spinner.svg` [18 lines] *SVG graphic: spinner.*
F1109 `Tlamatini/agent/static/agent/img/Tlamatini.ico` [38KB] *Tlamatini application icon.*
F1169 `Tlamatini/agent/static/agent/pdf/canvas.html` [52 lines] *Page "PDF canvas".*
F1170 `Tlamatini/agent/static/agent/sounds/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
F1171 `Tlamatini/agent/static/agent/sounds/notification.wav` [279KB] *Notification sound played by the chat/canvas pages.*
F1515 `Tlamatini/agent/static/agent/video/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

Atlas V — Vendored third-party frontend and PDF.js

vendor/frontend — sheet 16

F1202 `Tlamatini/agent/static/agent/vendor/frontend/manifest.json` [269 lines] *JSON document with keys: schema, packages, files.*

vendor/frontend/bootstrap — sheet 16

F1172 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css` [6 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.min.css.*
F1173 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css.map` [1 lines] *Source map of the vendored minified bundle.*
F1174 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js` [7 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.bundle.min.js.*
F1175 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
F1176 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/LICENSE` [21 lines] *Third-party license text: The MIT License (MIT)*

vendor/frontend/dompurify — sheet 16

F1177 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js` [7 lines] *Vendored DOMPurify HTML sanitizer used by the Markdown canvas: purify.min.js.*
F1178 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
F1179 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/LICENSE` [202 lines] *Third-party license text: Apache License*

vendor/frontend/highlightjs — sheet 16

F1180 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/highlight.min.js` [1.2k lines] *Vendored highlight.js syntax highlighter, languages and theme: highlight.min.js.*
F1181 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/bash.min.js` [20 lines] *Vendored highlight.js syntax highlighter, languages and theme: bash.min.js.*
F1182 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/c.min.js` [40 lines] *Vendored highlight.js syntax highlighter, languages and theme: c.min.js.*
F1183 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/cpp.min.js` [47 lines] *Vendored highlight.js syntax highlighter, languages and theme: cpp.min.js.*
F1184 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/css.min.js` [31 lines] *Vendored highlight.js syntax highlighter, languages and theme: css.min.js.*
F1185 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/ini.min.js` [15 lines] *Vendored highlight.js syntax highlighter, languages and theme: ini.min.js.*
F1186 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/java.min.js` [38 lines] *Vendored highlight.js syntax highlighter, languages and theme: java.min.js.*
F1187 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/javascript.min.js` [80 lines] *Vendored highlight.js syntax highlighter, languages and theme: javascript.min.js.*
F1188 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/kotlin.min.js` [46 lines] *Vendored highlight.js syntax highlighter, languages and theme: kotlin.min.js.*
F1189 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/python.min.js` [41 lines] *Vendored highlight.js syntax highlighter, languages and theme: python.min.js.*
F1190 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/rust.min.js` [28 lines] *Vendored highlight.js syntax highlighter, languages and theme: rust.min.js.*
F1191 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/sql.min.js` [17 lines] *Vendored highlight.js syntax highlighter, languages and theme: sql.min.js.*
F1192 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/typescript.min.js` [95 lines] *Vendored highlight.js syntax highlighter, languages and theme: typescript.min.js.*
F1193 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/xml.min.js` [29 lines] *Vendored highlight.js syntax highlighter, languages and theme: xml.min.js.*
F1194 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/yaml.min.js` [25 lines] *Vendored highlight.js syntax highlighter, languages and theme: yaml.min.js.*
F1195 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/LICENSE` [29 lines] *Third-party license text: BSD 3-Clause License*
F1196 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/styles/atom-one-dark.min.css` [1 lines] *Vendored highlight.js syntax highlighter, languages and theme: atom-one-dark.min.css.*

vendor/frontend/jquery — sheet 16

F1199 `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.js` [2 lines] *Vendored jQuery: jquery.min.js.*
F1200 `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.map` [1 lines] *Source map of the vendored minified bundle.*
F1201 `Tlamatini/agent/static/agent/vendor/frontend/jquery/LICENSE.txt` [20 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

vendor/frontend/jquery-ui — sheet 16

F1197 `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/jquery-ui.min.js` [6 lines] *Vendored jQuery UI (dialogs, resizing): jquery-ui.min.js.*
F1198 `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/LICENSE.txt` [43 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

vendor/frontend/marked — sheet 16

F1203 `Tlamatini/agent/static/agent/vendor/frontend/marked/LICENSE` [44 lines] *Third-party license text: License information*

vendor/frontend/nunito — sheet 16

F1204 `Tlamatini/agent/static/agent/vendor/frontend/nunito/400.css` [49 lines] *Vendored Nunito web font (site typography): 400.css.*
F1205 `Tlamatini/agent/static/agent/vendor/frontend/nunito/700.css` [49 lines] *Vendored Nunito web font (site typography): 700.css.*
F1206 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff` [10KB] *Nunito web-font file (cyrillic-400-normal).*
F1207 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff2` [8KB] *Nunito web-font file (cyrillic-400-normal).*
F1208 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff` [10KB] *Nunito web-font file (cyrillic-700-normal).*
F1209 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff2` [8KB] *Nunito web-font file (cyrillic-700-normal).*
F1210 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-400-normal).*
F1211 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-400-normal).*
F1212 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-700-normal).*
F1213 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-700-normal).*
F1214 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff` [20KB] *Nunito web-font file (latin-400-normal).*
F1215 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff2` [16KB] *Nunito web-font file (latin-400-normal).*
F1216 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff` [20KB] *Nunito web-font file (latin-700-normal).*
F1217 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff2` [16KB] *Nunito web-font file (latin-700-normal).*
F1218 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff` [21KB] *Nunito web-font file (latin-ext-400-normal).*
F1219 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff2` [16KB] *Nunito web-font file (latin-ext-400-normal).*
F1220 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff` [21KB] *Nunito web-font file (latin-ext-700-normal).*
F1221 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff2` [16KB] *Nunito web-font file (latin-ext-700-normal).*
F1222 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff` [8KB] *Nunito web-font file (vietnamese-400-normal).*
F1223 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff2` [6KB] *Nunito web-font file (vietnamese-400-normal).*
F1224 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff` [8KB] *Nunito web-font file (vietnamese-700-normal).*
F1225 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff2` [6KB] *Nunito web-font file (vietnamese-700-normal).*
F1226 `Tlamatini/agent/static/agent/vendor/frontend/nunito/LICENSE` [93 lines] *Third-party license text: Google Inc.*

vendor/pdfjs — sheet 16

F1400 `Tlamatini/agent/static/agent/vendor/pdfjs/LICENSE` [177 lines] *Third-party license text: Apache License*
F1417 `Tlamatini/agent/static/agent/vendor/pdfjs/VERSION` [1 lines] *Pinned PDF.js version: 6.3.289.*

vendor/pdfjs/build — sheet 16

F1227 `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.mjs` [28k lines] *Vendored PDF.js core library and worker: pdf.mjs.*
F1228 `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.worker.mjs` [65k lines] *Vendored PDF.js core library and worker: pdf.worker.mjs.*

vendor/pdfjs/cmaps — sheet 16

F1229 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-H.bcmap` [2KB] *PDF.js binary CMap 78-EUC-H (character-code to CID mapping for the PDF canvas).*
F1230 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-V.bcmap` [173B] *PDF.js binary CMap 78-EUC-V (character-code to CID mapping for the PDF canvas).*
F1231 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-H.bcmap` [2KB] *PDF.js binary CMap 78-H (character-code to CID mapping for the PDF canvas).*
F1232 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap 78-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1233 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-V.bcmap` [173B] *PDF.js binary CMap 78-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1234 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-V.bcmap` [169B] *PDF.js binary CMap 78-V (character-code to CID mapping for the PDF canvas).*
F1235 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-H.bcmap` [3KB] *PDF.js binary CMap 78ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1236 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 78ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1237 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/83pv-RKSJ-H.bcmap` [905B] *PDF.js binary CMap 83pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1238 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-H.bcmap` [721B] *PDF.js binary CMap 90ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1239 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 90ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1240 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-H.bcmap` [715B] *PDF.js binary CMap 90msp-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1241 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-V.bcmap` [291B] *PDF.js binary CMap 90msp-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1242 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-H.bcmap` [982B] *PDF.js binary CMap 90pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1243 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-V.bcmap` [260B] *PDF.js binary CMap 90pv-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1244 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-H.bcmap` [2KB] *PDF.js binary CMap Add-H (character-code to CID mapping for the PDF canvas).*
F1245 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Add-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1246 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-V.bcmap` [287B] *PDF.js binary CMap Add-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1247 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-V.bcmap` [282B] *PDF.js binary CMap Add-V (character-code to CID mapping for the PDF canvas).*
F1248 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-0.bcmap` [317B] *PDF.js binary CMap Adobe-CNS1-0 (character-code to CID mapping for the PDF canvas).*
F1249 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-1.bcmap` [371B] *PDF.js binary CMap Adobe-CNS1-1 (character-code to CID mapping for the PDF canvas).*
F1250 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-2.bcmap` [376B] *PDF.js binary CMap Adobe-CNS1-2 (character-code to CID mapping for the PDF canvas).*
F1251 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-3.bcmap` [401B] *PDF.js binary CMap Adobe-CNS1-3 (character-code to CID mapping for the PDF canvas).*
F1252 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-4.bcmap` [405B] *PDF.js binary CMap Adobe-CNS1-4 (character-code to CID mapping for the PDF canvas).*
F1253 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-5.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-5 (character-code to CID mapping for the PDF canvas).*
F1254 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-6.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-6 (character-code to CID mapping for the PDF canvas).*
F1255 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-CNS1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1256 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-0.bcmap` [217B] *PDF.js binary CMap Adobe-GB1-0 (character-code to CID mapping for the PDF canvas).*
F1257 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-1.bcmap` [250B] *PDF.js binary CMap Adobe-GB1-1 (character-code to CID mapping for the PDF canvas).*
F1258 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-2.bcmap` [465B] *PDF.js binary CMap Adobe-GB1-2 (character-code to CID mapping for the PDF canvas).*

F1259 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-3.bcmap` [470B] *PDF.js binary CMap Adobe-GB1-3 (character-code to CID mapping for the PDF canvas).*
F1260 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-4.bcmap` [601B] *PDF.js binary CMap Adobe-GB1-4 (character-code to CID mapping for the PDF canvas).*
F1261 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-5.bcmap` [625B] *PDF.js binary CMap Adobe-GB1-5 (character-code to CID mapping for the PDF canvas).*
F1262 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-UCS2.bcmap` [33KB] *PDF.js binary CMap Adobe-GB1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1263 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-0.bcmap` [225B] *PDF.js binary CMap Adobe-Japan1-0 (character-code to CID mapping for the PDF canvas).*
F1264 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-1.bcmap` [226B] *PDF.js binary CMap Adobe-Japan1-1 (character-code to CID mapping for the PDF canvas).*
F1265 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-2.bcmap` [233B] *PDF.js binary CMap Adobe-Japan1-2 (character-code to CID mapping for the PDF canvas).*
F1266 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-3.bcmap` [242B] *PDF.js binary CMap Adobe-Japan1-3 (character-code to CID mapping for the PDF canvas).*
F1267 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-4.bcmap` [337B] *PDF.js binary CMap Adobe-Japan1-4 (character-code to CID mapping for the PDF canvas).*
F1268 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-5.bcmap` [430B] *PDF.js binary CMap Adobe-Japan1-5 (character-code to CID mapping for the PDF canvas).*
F1269 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-6.bcmap` [485B] *PDF.js binary CMap Adobe-Japan1-6 (character-code to CID mapping for the PDF canvas).*
F1270 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-Japan1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1271 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-0.bcmap` [241B] *PDF.js binary CMap Adobe-Korea1-0 (character-code to CID mapping for the PDF canvas).*
F1272 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-1.bcmap` [386B] *PDF.js binary CMap Adobe-Korea1-1 (character-code to CID mapping for the PDF canvas).*
F1273 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-2.bcmap` [391B] *PDF.js binary CMap Adobe-Korea1-2 (character-code to CID mapping for the PDF canvas).*
F1274 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-UCS2.bcmap` [23KB] *PDF.js binary CMap Adobe-Korea1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1275 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-H.bcmap` [1KB] *PDF.js binary CMap B5-H (character-code to CID mapping for the PDF canvas).*
F1276 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-V.bcmap` [142B] *PDF.js binary CMap B5-V (character-code to CID mapping for the PDF canvas).*
F1277 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-H.bcmap` [1KB] *PDF.js binary CMap B5pc-H (character-code to CID mapping for the PDF canvas).*
F1278 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-V.bcmap` [144B] *PDF.js binary CMap B5pc-V (character-code to CID mapping for the PDF canvas).*
F1279 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-H.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-H (character-code to CID mapping for the PDF canvas).*
F1280 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-V.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-V (character-code to CID mapping for the PDF canvas).*
F1281 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-H.bcmap` [706B] *PDF.js binary CMap CNS1-H (character-code to CID mapping for the PDF canvas).*
F1282 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-V.bcmap` [143B] *PDF.js binary CMap CNS1-V (character-code to CID mapping for the PDF canvas).*
F1283 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-H.bcmap` [504B] *PDF.js binary CMap CNS2-H (character-code to CID mapping for the PDF canvas).*
F1284 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-V.bcmap` [93B] *PDF.js binary CMap CNS2-V (character-code to CID mapping for the PDF canvas).*
F1285 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-H.bcmap` [1KB] *PDF.js binary CMap ETen-B5-H (character-code to CID mapping for the PDF canvas).*
F1286 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-V.bcmap` [158B] *PDF.js binary CMap ETen-B5-V (character-code to CID mapping for the PDF canvas).*
F1287 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-H.bcmap` [101B] *PDF.js binary CMap ETenms-B5-H (character-code to CID mapping for the PDF canvas).*
F1288 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-V.bcmap` [172B] *PDF.js binary CMap ETenms-B5-V (character-code to CID mapping for the PDF canvas).*
F1289 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-H.bcmap` [4KB] *PDF.js binary CMap ETHK-B5-H (character-code to CID mapping for the PDF canvas).*
F1290 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-V.bcmap` [158B] *PDF.js binary CMap ETHK-B5-V (character-code to CID mapping for the PDF canvas).*
F1291 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-H.bcmap` [578B] *PDF.js binary CMap EUC-H (character-code to CID mapping for the PDF canvas).*
F1292 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-V.bcmap` [170B] *PDF.js binary CMap EUC-V (character-code to CID mapping for the PDF canvas).*
F1293 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-H.bcmap` [2KB] *PDF.js binary CMap Ext-H (character-code to CID mapping for the PDF canvas).*
F1294 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Ext-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1295 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-V.bcmap` [218B] *PDF.js binary CMap Ext-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1296 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-V.bcmap` [215B] *PDF.js binary CMap Ext-V (character-code to CID mapping for the PDF canvas).*
F1297 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-H.bcmap` [549B] *PDF.js binary CMap GB-EUC-H (character-code to CID mapping for the PDF canvas).*
F1298 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-V.bcmap` [179B] *PDF.js binary CMap GB-EUC-V (character-code to CID mapping for the PDF canvas).*
F1299 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-H.bcmap` [528B] *PDF.js binary CMap GB-H (character-code to CID mapping for the PDF canvas).*
F1300 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-V.bcmap` [175B] *PDF.js binary CMap GB-V (character-code to CID mapping for the PDF canvas).*
F1301 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBK-EUC-H (character-code to CID mapping for the PDF canvas).*
F1302 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-V.bcmap` [180B] *PDF.js binary CMap GBK-EUC-V (character-code to CID mapping for the PDF canvas).*
F1303 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-H.bcmap` [19KB] *PDF.js binary CMap GBK2K-H (character-code to CID mapping for the PDF canvas).*
F1304 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-V.bcmap` [219B] *PDF.js binary CMap GBK2K-V (character-code to CID mapping for the PDF canvas).*
F1305 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBKp-EUC-H (character-code to CID mapping for the PDF canvas).*
F1306 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-V.bcmap` [181B] *PDF.js binary CMap GBKp-EUC-V (character-code to CID mapping for the PDF canvas).*
F1307 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-H.bcmap` [557B] *PDF.js binary CMap GBpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1308 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-V.bcmap` [181B] *PDF.js binary CMap GBpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1309 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBT-EUC-H (character-code to CID mapping for the PDF canvas).*
F1310 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-V.bcmap` [180B] *PDF.js binary CMap GBT-EUC-V (character-code to CID mapping for the PDF canvas).*
F1311 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-H.bcmap` [7KB] *PDF.js binary CMap GBT-H (character-code to CID mapping for the PDF canvas).*
F1312 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-V.bcmap` [176B] *PDF.js binary CMap GBT-V (character-code to CID mapping for the PDF canvas).*
F1313 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBTpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1314 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-V.bcmap` [182B] *PDF.js binary CMap GBTpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1315 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/H.bcmap` [553B] *PDF.js binary CMap H (character-code to CID mapping for the PDF canvas).*
F1316 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hankaku.bcmap` [132B] *PDF.js binary CMap Hankaku (character-code to CID mapping for the PDF canvas).*
F1317 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hiragana.bcmap` [124B] *PDF.js binary CMap Hiragana (character-code to CID mapping for the PDF canvas).*
F1318 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-H.bcmap` [3KB] *PDF.js binary CMap HKdla-B5-H (character-code to CID mapping for the PDF canvas).*
F1319 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-V.bcmap` [148B] *PDF.js binary CMap HKdla-B5-V (character-code to CID mapping for the PDF canvas).*
F1320 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-H.bcmap` [2KB] *PDF.js binary CMap HKdlb-B5-H (character-code to CID mapping for the PDF canvas).*
F1321 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-V.bcmap` [148B] *PDF.js binary CMap HKdlb-B5-V (character-code to CID mapping for the PDF canvas).*
F1322 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-H.bcmap` [2KB] *PDF.js binary CMap HKgccs-B5-H (character-code to CID mapping for the PDF canvas).*
F1323 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-V.bcmap` [149B] *PDF.js binary CMap HKgccs-B5-V (character-code to CID mapping for the PDF canvas).*
F1324 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm314-B5-H (character-code to CID mapping for the PDF canvas).*
F1325 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-V.bcmap` [149B] *PDF.js binary CMap HKm314-B5-V (character-code to CID mapping for the PDF canvas).*
F1326 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm471-B5-H (character-code to CID mapping for the PDF canvas).*
F1327 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-V.bcmap` [149B] *PDF.js binary CMap HKm471-B5-V (character-code to CID mapping for the PDF canvas).*
F1328 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-H.bcmap` [4KB] *PDF.js binary CMap HKscs-B5-H (character-code to CID mapping for the PDF canvas).*
F1329 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-V.bcmap` [159B] *PDF.js binary CMap HKscs-B5-V (character-code to CID mapping for the PDF canvas).*
F1330 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Katakana.bcmap` [100B] *PDF.js binary CMap Katakana (character-code to CID mapping for the PDF canvas).*
F1331 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSC-EUC-H (character-code to CID mapping for the PDF canvas).*
F1332 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-V.bcmap` [164B] *PDF.js binary CMap KSC-EUC-V (character-code to CID mapping for the PDF canvas).*
F1333 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-H.bcmap` [2KB] *PDF.js binary CMap KSC-H (character-code to CID mapping for the PDF canvas).*
F1334 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-H.bcmap` [16KB] *PDF.js binary CMap KSC-Johab-H (character-code to CID mapping for the PDF canvas).*
F1335 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-V.bcmap` [166B] *PDF.js binary CMap KSC-Johab-V (character-code to CID mapping for the PDF canvas).*
F1336 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-V.bcmap` [160B] *PDF.js binary CMap KSC-V (character-code to CID mapping for the PDF canvas).*
F1337 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-H (character-code to CID mapping for the PDF canvas).*
F1338 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-HW-H (character-code to CID mapping for the PDF canvas).*
F1339 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-V.bcmap` [169B] *PDF.js binary CMap KSCms-UHC-HW-V (character-code to CID mapping for the PDF canvas).*
F1340 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-V.bcmap` [166B] *PDF.js binary CMap KSCms-UHC-V (character-code to CID mapping for the PDF canvas).*
F1341 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSCpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1342 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-V.bcmap` [166B] *PDF.js binary CMap KSCpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1343 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/LICENSE` [36 lines] *Third-party license text: %%Copyright*
F1344 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-H.bcmap` [3KB] *PDF.js binary CMap NWP-H (character-code to CID mapping for the PDF canvas).*
F1345 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-V.bcmap` [252B] *PDF.js binary CMap NWP-V (character-code to CID mapping for the PDF canvas).*
F1346 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-H.bcmap` [534B] *PDF.js binary CMap RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1347 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-V.bcmap` [170B] *PDF.js binary CMap RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1348 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Roman.bcmap` [96B] *PDF.js binary CMap Roman (character-code to CID mapping for the PDF canvas).*
F1349 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-H.bcmap` [47KB] *PDF.js binary CMap UniCNS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1350 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1351 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-H.bcmap` [49KB] *PDF.js binary CMap UniCNS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1352 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1353 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-H.bcmap` [51KB] *PDF.js binary CMap UniCNS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1354 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-V.bcmap` [160B] *PDF.js binary CMap UniCNS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1355 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-H.bcmap` [52KB] *PDF.js binary CMap UniCNS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1356 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-V.bcmap` [157B] *PDF.js binary CMap UniCNS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1357 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-H.bcmap` [42KB] *PDF.js binary CMap UniGB-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1358 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-V.bcmap` [193B] *PDF.js binary CMap UniGB-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1359 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-H.bcmap` [43KB] *PDF.js binary CMap UniGB-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1360 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-V.bcmap` [178B] *PDF.js binary CMap UniGB-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1361 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-H.bcmap` [45KB] *PDF.js binary CMap UniGB-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1362 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-V.bcmap` [182B] *PDF.js binary CMap UniGB-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1363 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-H.bcmap` [46KB] *PDF.js binary CMap UniGB-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1364 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-V.bcmap` [181B] *PDF.js binary CMap UniGB-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1365 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-H.bcmap` [25KB] *PDF.js binary CMap UniJIS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1366 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-H.bcmap` [119B] *PDF.js binary CMap UniJIS-UCS2-HW-H (character-code to CID mapping for the PDF canvas).*
F1367 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-V.bcmap` [680B] *PDF.js binary CMap UniJIS-UCS2-HW-V (character-code to CID mapping for the PDF canvas).*
F1368 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-V.bcmap` [664B] *PDF.js binary CMap UniJIS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1369 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-H.bcmap` [39KB] *PDF.js binary CMap UniJIS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1370 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-V.bcmap` [643B] *PDF.js binary CMap UniJIS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1371 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJIS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1372 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF32-V.bcmap` [677B] *PDF.js binary CMap UniJIS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1373 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF8-H.bcmap` [41KB] *PDF.js binary CMap UniJIS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1374 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF8-V.bcmap` [678B] *PDF.js binary CMap UniJIS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1375 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF16-H.bcmap` [39KB] *PDF.js binary CMap UniJIS2004-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1376 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF16-V.bcmap` [647B] *PDF.js binary CMap UniJIS2004-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1377 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJIS2004-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1378 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF32-V.bcmap` [681B] *PDF.js binary CMap UniJIS2004-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1379 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF8-H.bcmap` [41KB] *PDF.js binary CMap UniJIS2004-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1380 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS2004-UTF8-V.bcmap` [682B] *PDF.js binary CMap UniJIS2004-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1381 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UCS2-HW-V.bcmap` [705B] *PDF.js binary CMap UniJISPro-UCS2-HW-V (character-code to CID mapping for the PDF canvas).*
F1382 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UCS2-V.bcmap` [689B] *PDF.js binary CMap UniJISPro-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1383 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISPro-UTF8-V.bcmap` [726B] *PDF.js binary CMap UniJISPro-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1384 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX0213-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJISX0213-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1385 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX0213-UTF32-V.bcmap` [684B] *PDF.js binary CMap UniJISX0213-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1386 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX02132004-UTF32-H.bcmap` [40KB] *PDF.js binary CMap UniJISX02132004-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1387 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJISX02132004-UTF32-V.bcmap` [688B] *PDF.js binary CMap UniJISX02132004-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1388 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UCS2-H.bcmap` [25KB] *PDF.js binary CMap UniKS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1389 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UCS2-V.bcmap` [178B] *PDF.js binary CMap UniKS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1390 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF16-H.bcmap` [26KB] *PDF.js binary CMap UniKS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1391 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF16-V.bcmap` [164B] *PDF.js binary CMap UniKS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1392 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF32-H.bcmap` [26KB] *PDF.js binary CMap UniKS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1393 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF32-V.bcmap` [168B] *PDF.js binary CMap UniKS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1394 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF8-H.bcmap` [27KB] *PDF.js binary CMap UniKS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1395 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniKS-UTF8-V.bcmap` [169B] *PDF.js binary CMap UniKS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1396 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/V.bcmap` [166B] *PDF.js binary CMap V (character-code to CID mapping for the PDF canvas).*
F1397 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/WP-Symbol.bcmap` [179B] *PDF.js binary CMap WP-Symbol (character-code to CID mapping for the PDF canvas).*

vendor/pdfjs/iccs — sheet 16

F1398 `Tlamatini/agent/static/agent/vendor/pdfjs/iccs/CGATS001Compat-v2-micro.icc` [8KB] *ICC color profile used by PDF.js.*
F1399 `Tlamatini/agent/static/agent/vendor/pdfjs/iccs/LICENSE` [116 lines] *Third-party license text: CC0 1.0 Universal*

vendor/pdfjs/standard_fonts — sheet 16

F1401 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitDingbats.pfb` [29KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1402 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixed.pfb` [17KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1403 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedBold.pfb` [18KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1404 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedBoldItalic.pfb` [19KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1405 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitFixedItalic.pfb` [18KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1406 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSerif.pfb` [19KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1407 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSerifBold.pfb` [19KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1408 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSerifBoldItalic.pfb` [20KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1409 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSerifItalic.pfb` [21KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1410 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/FoxitSymbol.pfb` [16KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1411 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LiberationSans-Bold.ttf` [134KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1412 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LiberationSans-BoldItalic.ttf` [132KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1413 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LiberationSans-Italic.ttf` [158KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1414 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LiberationSans-Regular.ttf` [136KB] *Standard font shipped with PDF.js for PDFs that do not embed it.*
F1415 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LICENSE_FOXIT` [27 lines] *Third-party license text: // Copyright 2014 PDFium Authors.*
F1416 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LICENSE_LIBERATION` [363 lines] *Third-party license text: LICENSE AGREEMENT AND LIMITED PRODUCT WARRANTY*

vendor/pdfjs/wasm — sheet 16

F1418 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/jbig2.wasm` [102KB] *PDF.js WebAssembly decoder module.*
F1419 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/jbig2_nowasm_fallback.js` [15 lines] *Vendored PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS): jbig2_nowasm_fallback.js.*
F1420 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_JBIG2` [196 lines] *Third-party license text: // Copyright 2014 The PDFium Authors*
F1421 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_OPENJPEG` [39 lines] *Third-party license text: /*
F1422 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_JBIG2` [13 lines] *Third-party license text: Copyright 2026 Mozilla Foundation*
F1423 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_OPENJPEG` [22 lines] *Third-party license text: Copyright (c) 2024, Mozilla Foundation*
F1424 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_QCMS` [19 lines] *Third-party license text: MIT License*
F1425 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_QCMS` [21 lines] *Third-party license text: qcms*
F1426 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/openjpeg.wasm` [246KB] *PDF.js WebAssembly decoder module.*
F1427 `Tlamatini/agent/static/agent/vendor/pdfjs/w

F1479 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollWrapped.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollWrapped.*
F1480 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-selectTool.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton selectTool.*
F1481 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadEven.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadEven.*
F1482 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadNone.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadNone.*
F1483 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadOdd.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadOdd.*
F1484 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/signature-properties-row-check.svg` [4 lines] *PDF.js viewer icon: signature properties row check.*
F1485 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-bookmark.svg` [3 lines] *PDF.js viewer icon: toolbarButton bookmark.*
F1486 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-currentOutlineItem.svg` [3 lines] *PDF.js viewer icon: toolbarButton currentOutlineItem.*
F1487 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-download.svg` [4 lines] *PDF.js viewer icon: toolbarButton download.*
F1488 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorFreeText.svg` [5 lines] *PDF.js viewer icon: toolbarButton editorFreeText.*
F1489 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorHighlight.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorHighlight.*
F1490 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorInk.svg` [4 lines] *PDF.js viewer icon: toolbarButton editorInk.*
F1491 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorSignature.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorSignature.*
F1492 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorStamp.svg` [8 lines] *PDF.js viewer icon: toolbarButton editorStamp.*
F1493 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrow.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrow.*
F1494 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrowNova.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrowNova.*
F1495 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-openFile.svg` [3 lines] *PDF.js viewer icon: toolbarButton openFile.*
F1496 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageDown.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageDown.*
F1497 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageUp.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageUp.*
F1498 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-presentationMode.svg` [3 lines] *PDF.js viewer icon: toolbarButton presentationMode.*
F1499 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-print.svg` [3 lines] *PDF.js viewer icon: toolbarButton print.*
F1500 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-search.svg` [3 lines] *PDF.js viewer icon: toolbarButton search.*
F1501 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-secondaryToolbarToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton secondaryToolbarToggle.*
F1502 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesError.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesError.*
F1503 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesVerified.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesVerified.*
F1504 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewAttachments.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewAttachments.*
F1505 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewLayers.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewLayers.*
F1506 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewOutline.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewOutline.*
F1507 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewsManagerToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewsManagerToggle.*
F1508 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewThumbnail.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewThumbnail.*
F1509 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomIn.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomIn.*
F1510 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomOut.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomOut.*
F1511 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-collapsed.svg` [1 lines] *PDF.js viewer icon: treeitem collapsed.*
F1512 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-expanded.svg` [1 lines] *PDF.js viewer icon: treeitem expanded.*
F1513 `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.css` [6.4k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.css.*
F1514 `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.mjs` [9.8k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.mjs.*

Atlas VI — Agent pool: every workflow agent template

agents/ · shared helpers — sheet 17

F0572 `Tlamatini/agent/agents/model_settings.py` [165 lines] *Shared model registry for the Models dialog and standalone workflow agents.*
F0683 `Tlamatini/agent/agents/visual_errors.py` [33 lines] *Report a failed visual-analysis attempt without controlling recovery or retries.*

Cleaner — sheet 17

F0466 `Tlamatini/agent/agents/cleaner/__init__.py` [9 lines] *Package marker for cleaner/.*
F0467 `Tlamatini/agent/agents/cleaner/cleaner.py` [335 lines] *Cleaner Agent - Cleans up logs/pids of target agents and triggers restarts This agent is designed to run AFTER an Ender agent.*
F0468 `Tlamatini/agent/agents/cleaner/config.yaml` [10 lines] *Default config.yaml of the Cleaner agent: agents_to_clean, cleaned_agents, output_agents.*

Croner — sheet 17

F0473 `Tlamatini/agent/agents/croner/config.yaml` [7 lines] *Default config.yaml of the Croner agent: trigger_time, poll_interval.*
F0474 `Tlamatini/agent/agents/croner/croner.py` [414 lines] *Croner Agent - Deterministic Time/Pattern Trigger Agent Triggers target agents at a specific scheduled time, optionally requiring a specific pattern...*

Ender — sheet 17

F0487 `Tlamatini/agent/agents/ender/config.yaml` [29 lines] *Default config.yaml of the Ender agent: output_agents.*
F0488 `Tlamatini/agent/agents/ender/ender.py` [660 lines] *Ender Agent - No LLM, deterministic agent terminator This agent terminates all agents listed in target_agents when triggered.*

Sleeper — sheet 17

F0649 `Tlamatini/agent/agents/sleeper/config.yaml` [3 lines] *Default config.yaml of the Sleeper agent: duration_ms.*
F0650 `Tlamatini/agent/agents/sleeper/sleeper.py` [393 lines] *Sleeper Agent - Deterministic agent to wait and then trigger downstream Action: Triggered by upstream -> Wait -> Trigger downstream*

Starter — sheet 17

F0655 `Tlamatini/agent/agents/starter/config.yaml` [25 lines] *Default config.yaml of the Starter agent: exit_after_start.*
F0656 `Tlamatini/agent/agents/starter/starter.py` [495 lines] *Starter Agent - No LLM, deterministic agent starter This agent starts all agents connected to its output when executed.*

Stopper — sheet 17

F0659 `Tlamatini/agent/agents/stopper/config.yaml` [53 lines] *Default config.yaml of the Stopper agent: patterns, output_agents, poll_interval.*
F0660 `Tlamatini/agent/agents/stopper/stopper.py` [451 lines] *Stopper Agent - Single-threaded pattern-based agent terminator This agent monitors source agent log files for configurable patterns and terminates...*

Asker — sheet 17

F0455 `Tlamatini/agent/agents/asker/asker.py` [469 lines] *Asker Agent - Deterministic agent that asks the user to choose a path When started, writes ASKER_CHOICE_NEEDED to log.*
F0456 `Tlamatini/agent/agents/asker/config.yaml` [34 lines] *Default config.yaml of the Asker agent: target_agents_a, target_agents_b, legend_path_a, legend_path_b.*

Counter — sheet 17

F0469 `Tlamatini/agent/agents/counter/config.yaml` [44 lines] *Default config.yaml of the Counter agent: initial_value, threshold_value, target_agents_l, target_agents_g.*
F0470 `Tlamatini/agent/agents/counter/counter.py` [450 lines] *Counter Agent - Deterministic agent that maintains a persistent counter and routes to Path L (less than) or Path G (greater than or equal) based on...*

Forker — sheet 17

F0525 `Tlamatini/agent/agents/forker/config.yaml` [42 lines] *Default config.yaml of the Forker agent: pattern_a, pattern_b, target_agents_a, target_agents_b, poll_interval.*
F0526 `Tlamatini/agent/agents/forker/forker.py` [656 lines] *Forker Agent - Deterministic agent that monitors source agent logs and automatically routes to Path A or Path B based on pattern detection.*

Raiser — sheet 17

F0637 `Tlamatini/agent/agents/raiser/config.yaml` [45 lines] *Default config.yaml of the Raiser agent: pattern, poll_interval.*
F0638 `Tlamatini/agent/agents/raiser/raiser.py` [652 lines] *Raiser Agent - No LLM, deterministic event-driven agent launcher This agent monitors log files of source agents for a configurable pattern string...*

AND — sheet 17

F0444 `Tlamatini/agent/agents/and/and.py` [542 lines] *AND Agent - Deterministic AND gate logic Monitors two source log files for specific patterns.*
F0445 `Tlamatini/agent/agents/and/config.yaml` [17 lines] *Default config.yaml of the AND agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*

Barrier — sheet 17

F0459 `Tlamatini/agent/agents/barrier/barrier.py` [507 lines] *Barrier Agent - OS-process-level synchronization barrier for flow control Each source agent STARTS a separate barrier process ("input sub-process").*
F0460 `Tlamatini/agent/agents/barrier/config.yaml` [8 lines] *Default config.yaml of the Barrier agent: .*
F0461 `Tlamatini/agent/agents/barrier/test_barrier.py` [278 lines] *Test script for the Barrier agent.*

OR — sheet 17

F0595 `Tlamatini/agent/agents/or/config.yaml` [16 lines] *Default config.yaml of the OR agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*
F0596 `Tlamatini/agent/agents/or/or.py` [517 lines] *OR Agent - Deterministic OR gate logic Monitors two source log files for specific patterns.*

Analyzer — sheet 17

F0442 `Tlamatini/agent/agents/analyzer/analyzer.py` [540 lines] *Analyzer Agent - deterministic static-analysis / security scanner Action: Triggered by upstream -> run every installed scanner over target_path ->...*
F0443 `Tlamatini/agent/agents/analyzer/config.yaml` [33 lines] *Default config.yaml of the Analyzer agent: target_path, tools, min_severity, max_report_chars.*

Apirer — sheet 17

F0446 `Tlamatini/agent/agents/apirer/apirer.py` [510 lines] *Apirer Agent - HTTP/REST API Agent Action: Triggered by upstream -> Make HTTP request -> Log response -> Trigger downstream (always)*
F0447 `Tlamatini/agent/agents/apirer/config.yaml` [10 lines] *Default config.yaml of the Apirer agent: url, method, headers, body, expected_status, timeout.*

Arduiner — sheet 17

F0448 `Tlamatini/agent/agents/arduiner/arduiner.py` [1.5k lines] *Arduiner Agent - Arduino CLI (arduino-cli) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the arduino-cli...*
F0449 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/ArduinoTemplateProject.ino` [40 lines] *ArduinoTemplateProject.ino — Tlamatini Arduiner template sketch.*
F0450 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/README.md` [53 lines] *ArduinoTemplateProject: The bundled scaffold the Arduiner agent (Tlamatini) copies when you run action='create_project'.*
F0451 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/sketch.yaml` [23 lines] *sketch.yaml — Arduino CLI sketch project file (the Arduino-native peer of PlatformIO's platformio.ini).*
F0452 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.cpp` [30 lines] *Firmware source of the template project.*
F0453 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.h` [35 lines] *Heartbeat.h — a tiny, board-agnostic non-blocking LED blinker.*
F0454 `Tlamatini/agent/agents/arduiner/config.yaml` [125 lines] *Default config.yaml of the Arduiner agent: action, arduino_cli_executable, auto_bootstrap, arduino_cli_install_dir, auto_update, preflight, fqbn +16 more.*

AudioPlayer — sheet 17

F0457 `Tlamatini/agent/agents/audioplayer/audioplayer.py` [839 lines] *AudioPlayer Agent - Plays an audio FILE through a system OUTPUT device.*
F0458 `Tlamatini/agent/agents/audioplayer/config.yaml` [74 lines] *Default config.yaml of the AudioPlayer agent: audio_file, device_index, device_name, volume_percent, time_played, sample_rate.*

Blenderer — sheet 17

F0462 `Tlamatini/agent/agents/blenderer/blenderer.py` [742 lines] *Blenderer Agent — drives Blender via the OFFICIAL Blender MCP add-on's TCP socket protocol (localhost:9876 by default...*
F0463 `Tlamatini/agent/agents/blenderer/config.yaml` [63 lines] *Default config.yaml of the Blenderer agent: host, port, command, strict_json, params, connect_timeout, read_timeout.*

Camcorder — sheet 17

F0464 `Tlamatini/agent/agents/camcorder/camcorder.py` [674 lines] *Camcorder Agent - Camera capture agent (photo or video) via OpenCV Action: Triggered by upstream -> Open a system camera -> Take ONE photo (default)...*
F0465 `Tlamatini/agent/agents/camcorder/config.yaml` [44 lines] *Default config.yaml of the Camcorder agent: camera_index, capture_mode, video_duration_seconds, video_fps, resolution_width, resolution_height, warmup_seconds +1 more.*

Crawler — sheet 17

F0471 `Tlamatini/agent/agents/crawler/config.yaml` [39 lines] *Default config.yaml of the Crawler agent: url, urls, system_prompt, content_mode, include_headers, crawl_type, include_seed +9 more.*
F0472 `Tlamatini/agent/agents/crawler/crawler.py` [2.2k lines] *Crawler Agent - Web page crawler with RAW content capture and LLM analysis Action: Triggered by upstream -> Fetch URL -> Capture RAW HTTP response...*

De-Compresser — sheet 17

F0475 `Tlamatini/agent/agents/de_compresser/config.yaml` [26 lines] *Default config.yaml of the De-Compresser agent: input, output, passwordless.*
F0476 `Tlamatini/agent/agents/de_compresser/de_compresser.py` [848 lines] *De-Compresser Agent - Deterministic compression / decompression*

Deleter — sheet 17

F0477 `Tlamatini/agent/agents/deleter/config.yaml` [29 lines] *Default config.yaml of the Deleter agent: trigger_mode, target_path, files_to_delete, allow_directory_delete, recursive, filetype_exclusions, trigger_event_string +1 more.*
F0478 `Tlamatini/agent/agents/deleter/deleter.py` [764 lines] *Deleter Agent - Deterministic agent to delete files Triggers: Immediate or Event-based (Source Log) Action: Delete files based on patterns (supports...*

Discoverer — sheet 17

F0479 `Tlamatini/agent/agents/discoverer/config.yaml` [114 lines] *Default config.yaml of the Discoverer agent: tool, target, targets_file, json_output, output_dir, rate_limit, concurrency +34 more.*
F0480 `Tlamatini/agent/agents/discoverer/discoverer.py` [1.3k lines] *Discoverer Agent - ProjectDiscovery suite bridge (subfinder/httpx/naabu/katana/nuclei/cvemap) Action: Triggered by upstream -> resolve the requested...*

Dockerer — sheet 17

F0481 `Tlamatini/agent/agents/dockerer/config.yaml` [3 lines] *Default config.yaml of the Dockerer agent: command.*
F0482 `Tlamatini/agent/agents/dockerer/dockerer.py` [519 lines] *Dockerer Agent - Docker container management agent Action: Triggered by upstream -> Execute docker command -> Trigger downstream (on success or error)*

Editor — sheet 17

F0483 `Tlamatini/agent/agents/editor/config.yaml` [16 lines] *Default config.yaml of the Editor agent: file_path, old_string, new_string, old_string_b64, new_string_b64, replace_all.*
F0484 `Tlamatini/agent/agents/editor/editor.py` [409 lines] *Editor Agent - Surgical in-place find-and-replace on a single text file Action: Triggered by upstream -> edit file -> emit INI_SECTION_EDITOR ->...*

ESP32er — sheet 17

F0489 `Tlamatini/agent/agents/esp32er/config.yaml` [109 lines] *Default config.yaml of the ESP32er agent: action, pio_executable, auto_bootstrap, pio_install_method, pio_core_dir, auto_update, pip_install +13 more.*
F0490 `Tlamatini/agent/agents/esp32er/esp32er.py` [1.4k lines] *ESP32er Agent - PlatformIO Core (pio CLI) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the pio...*
F0491 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/include/README.md` [16 lines] *include/ — project header files: Put your own .h / .hpp files here.*
F0492 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/lib/README.md` [35 lines] *lib/ — private project libraries: Each subdirectory here is compiled as its own static library and linked in automatically.*
F0493 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/platformio.ini` [40 lines] *; ...*
F0494 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/README.md` [114 lines] *ESP32TemplateProject: A known-good ESP32 firmware baseline: it blinks the onboard LED and prints LED ON / LED OFF over serial at 115200 baud.*
F0495 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/src/main.cpp` [57 lines] *ESP32TemplateProject — the whole firmware.*
F0496 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/test/README.md` [32 lines] *test/ — unit tests: PlatformIO's test runner (Unity) picks up tests from this directory.*

ESPHomer — sheet 17

F0497 `Tlamatini/agent/agents/esphomer/config.yaml` [104 lines] *Default config.yaml of the ESPHomer agent: action, esphome_executable, auto_bootstrap, pip_install, auto_update, preflight, config_path +12 more.*
F0498 `Tlamatini/agent/agents/esphomer/esphomer.py` [1.4k lines] *ESPHomer Agent - ESPHome (esphome CLI) bridge (device YAML author/validate/compile/upload/observe) Action: Triggered by upstream -> resolve the...*
F0499 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/.gitignore` [8 lines] *Your real credentials — NEVER commit these.*
F0500 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/common/base.yaml` [32 lines] *Shared building blocks every device in this project pulls in with*
F0501 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/README.md` [140 lines] *ESPHomeTemplateProject: A known-good ESPHome smart-home baseline — two working devices, shared configuration, and credentials kept out of git.*
F0502 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/secrets.yaml.example` [15 lines] *...*
F0503 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-light.yaml` [47 lines] *Tlamatini ESPHome sample device — a phone-controlled light.*
F0504 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-sensor.yaml` [70 lines] *Tlamatini ESPHome sample device #2 — a sensor node, the "grown-up" shape.*

Executer — sheet 17

F0505 `Tlamatini/agent/agents/executer/config.yaml` [37 lines] *Default config.yaml of the Executer agent: script, non_blocking, execute_forked_window.*
F0506 `Tlamatini/agent/agents/executer/executer.py` [1.1k lines] *Executer Agent - Deterministic agent to execute a command Logs EXECUTION SUCCESS or EXECUTION FAILED based on result Always triggers downstream...*

File-Creator — sheet 17

F0507 `Tlamatini/agent/agents/file_creator/config.yaml` [22 lines] *Default config.yaml of the File-Creator agent: file_path, content, content_b64, append.*
F0508 `Tlamatini/agent/agents/file_creator/file_creator.py` [463 lines] *File-Creator Agent - Creates a file with specified content, triggers downstream agents, then stops Action: Triggered by upstream -> Write file ->...*

File-Extractor — sheet 17

F0509 `Tlamatini/agent/agents/file_extractor/config.yaml` [10 lines] *Default config.yaml of the File-Extractor agent: path_filenames, recursive, filetype_exclusions, line_numbers, offset, limit.*
F0510 `Tlamatini/agent/agents/file_extractor/file_extractor.py` [867 lines] *File-Extractor Agent - Extracts text content from files, triggers downstream agents, then stops Action: Triggered by upstream -> Read/extract...*

File-Interpreter — sheet 17

F0511 `Tlamatini/agent/agents/file_interpreter/config.yaml` [46 lines] *Default config.yaml of the File-Interpreter agent: path_filenames, recursive, filetype_exclusions, reading_type, llm.*
F0512 `Tlamatini/agent/agents/file_interpreter/file_interpreter.py` [1.0k lines] *File-Interpreter Agent - Document parsing and text/image extraction Hybrid deterministic/non-deterministic agent Action: Read files -> Extract text...*

Gitter — sheet 17

F0534 `Tlamatini/agent/agents/gitter/config.yaml` [27 lines] *Default config.yaml of the Gitter agent: repo_path, command, branch, commit_message, remote, custom_command.*
F0535 `Tlamatini/agent/agents/gitter/gitter.py` [533 lines] *Gitter Agent - Git operations agent Action: Triggered by upstream -> Execute git command -> Log output -> Trigger downstream*

Globber — sheet 17

F0536 `Tlamatini/agent/agents/globber/config.yaml` [11 lines] *Default config.yaml of the Globber agent: pattern, path, sort_by, max_results.*
F0537 `Tlamatini/agent/agents/globber/globber.py` [396 lines] *Globber Agent - Read-only filename pattern search (find files by glob) Action: Triggered by upstream -> glob -> emit INI_SECTION_GLOBBER -> Trigger...*

Googler — sheet 17

F0538 `Tlamatini/agent/agents/googler/config.yaml` [208 lines] *Default config.yaml of the Googler agent: query, preset, filetypes, filetype, sites, site, exclude_sites +36 more.*
F0539 `Tlamatini/agent/agents/googler/googler.py` [2.0k lines] *Googler Agent - resilient indexed-web search agent with content extraction Action: Triggered by upstream -> Search the engine chain -> Fetch top N...*
F0540 `Tlamatini/agent/agents/googler/googler_engines.py` [1.4k lines] *Googler resilience core: the part of Googler that must never hang and never lie.*

Grepper — sheet 17

F0541 `Tlamatini/agent/agents/grepper/config.yaml` [28 lines] *Default config.yaml of the Grepper agent: pattern, path, glob, case_insensitive, output_mode, max_results, start_line +2 more.*
F0542 `Tlamatini/agent/agents/grepper/grepper.py` [583 lines] *Grepper Agent - Read-only regex content search across a file or directory tree Action: Triggered by upstream -> search -> emit INI_SECTION_GREPPER...*

Image-Interpreter — sheet 17

F0543 `Tlamatini/agent/agents/image_interpreter/config.yaml` [156 lines] *Default config.yaml of the Image-Interpreter agent: images_pathfilenames, recursive, filetype_exclusions, interpreter_model_1, interpreter_model_2, merging_model, prompt_interpreter_model_1 +4 more.*
F0544 `Tlamatini/agent/agents/image_interpreter/image_interpreter.py` [940 lines] *Image-Interpreter Agent - TRIPLE-MODEL image analysis via LLM vision models Non-deterministic agent (uses LLMs) Action: Resolve image paths ->...*

Instant Messaging Doctor — sheet 17

F0545 `Tlamatini/agent/agents/instant_messaging_doctor/config.yaml` [52 lines] *Default config.yaml of the Instant Messaging Doctor agent: mode, platform, contact_name, message, telegram, whatsapp, template +10 more.*
F0546 `Tlamatini/agent/agents/instant_messaging_doctor/instant_messaging_doctor.py` [706 lines] *Instant Messaging Doctor Agent - Telegrammer/Whatsapper diagnostics*

J-Decompiler — sheet 17

F0547 `Tlamatini/agent/agents/j_decompiler/config.yaml` [11 lines] *Default config.yaml of the J-Decompiler agent: directory, recursive.*
F0548 `Tlamatini/agent/agents/j_decompiler/j_decompiler.py` [514 lines] *J-Decompiler Agent - Decompile .class, .jar, .war, .ear files using jd-cli Action: Triggered by upstream -> Decompile Java files -> Trigger downstream*

Jenkinser — sheet 17

F0549 `Tlamatini/agent/agents/jenkinser/config.yaml` [21 lines] *Default config.yaml of the Jenkinser agent: jenkins_url, job_name, user, api_token, parameters, use_parameters.*
F0550 `Tlamatini/agent/agents/jenkinser/jenkinser.py` [491 lines] *Jenkinser Agent - CI/CD Pipeline Trigger Action: Triggered by upstream -> Trigger Jenkins build -> Log result -> Trigger downstream (always)*

Kalier — sheet 17

F0551 `Tlamatini/agent/agents/kalier/config.yaml` [104 lines] *Default config.yaml of the Kalier agent: action, server_url, timeout, OOB_shift_reaper, hang_detect_idle_seconds, target, url +16 more.*
F0552 `Tlamatini/agent/agents/kalier/kalier.py` [703 lines] *Kalier Agent - MCP-Kali-Server bridge (AI-assisted penetration testing) Action: Triggered by upstream -> POST to the MCP-Kali-Server Flask API...*

Keyboarder — sheet 17

F0553 `Tlamatini/agent/agents/keyboarder/config.yaml` [26 lines] *Default config.yaml of the Keyboarder agent: stride_delay, typing_interval_ms, window_title, window_handle, window_match_index, input_mode, text +1 more.*
F0554 `Tlamatini/agent/agents/keyboarder/keyboarder.py` [570 lines] *Keyboarder Agent - Issues keyboard sequences simulating the user pressing keys*
F0555 `Tlamatini/agent/agents/keyboarder/keyboarder_input.py` [187 lines] *Checked Windows keyboard input without changing the clipboard.*

Kuberneter — sheet 17

F0556 `Tlamatini/agent/agents/kuberneter/config.yaml` [17 lines] *Default config.yaml of the Kuberneter agent: command, namespace, extra_args, custom_command.*
F0557 `Tlamatini/agent/agents/kuberneter/kuberneter.py` [411 lines] *Kuberneter Agent - Execute kubectl commands and trigger downstream Action: Triggered by upstream -> Execute kubectl command -> Trigger downstream...*

LaTeXer — sheet 17

F0564 `Tlamatini/agent/agents/latexer/config.yaml` [221 lines] *Default config.yaml of the LaTeXer agent: action, tex_path, project_dir, main_file, input_text, input_text_b64, recursive +55 more.*
F0565 `Tlamatini/agent/agents/latexer/latexer.py` [5.3k lines] *LaTeXer Agent - Tlamatini's LaTeX TYPESETTING agent (author + compile .tex -> PDF).*
F0566 `Tlamatini/agent/agents/latexer/latexer_artwork.py` [273 lines] *Original, deterministic TikZ artwork.*
F0567 `Tlamatini/agent/agents/latexer/latexer_design.py` [267 lines] *Portable styled LaTeX scaffolds, with separate document and Beamer recipes.*
F0568 `Tlamatini/agent/agents/latexer/latexer_styles.py` [154 lines] *LaTeXer's portable design catalogue.*

F0569 `Tlamatini/agent/agents/latexer/STYLES.md` [242 lines] *LaTeXer: the signature collection: 30 explicit visual identities, independent of the eight document templates.*

MCP Doctor — sheet 17

F0570 `Tlamatini/agent/agents/mcp_doctor/config.yaml` [10 lines] *Default config.yaml of the MCP Doctor agent: server_key, catalog_path, source_url, mode, include_catalog.*
F0571 `Tlamatini/agent/agents/mcp_doctor/mcp_doctor.py` [694 lines] *MCP Doctor Agent - External MCP catalog diagnostics and setup guidance*

Mongoxer — sheet 17

F0573 `Tlamatini/agent/agents/mongoxer/config.yaml` [18 lines] *Default config.yaml of the Mongoxer agent: mongo_connection, script.*
F0574 `Tlamatini/agent/agents/mongoxer/mongoxer.py` [196 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

Mouser — sheet 17

F0579 `Tlamatini/agent/agents/mouser/config.yaml` [88 lines] *Default config.yaml of the Mouser agent: movement_type, coordinate_space, capture_left, capture_top, capture_width, capture_height, image_width +16 more.*
F0580 `Tlamatini/agent/agents/mouser/mouser.py` [783 lines] *Mouser Agent - Mouse pointer movement agent Action: Triggered by upstream -> Move mouse (random or localized) -> Trigger downstream*
F0581 `Tlamatini/agent/agents/mouser/mouser_coordinates.py` [176 lines] *Physical desktop coordinates for Mouser (also copied to isolated runs).*

Mover — sheet 17

F0582 `Tlamatini/agent/agents/mover/config.yaml` [14 lines] *Default config.yaml of the Mover agent: trigger_mode, operation, source_files, destination_folder, recursive, filetype_exclusions, trigger_event_string +1 more.*
F0583 `Tlamatini/agent/agents/mover/mover.py` [851 lines] *Mover Agent - Deterministic agent to copy/move files Triggers: Immediate or Event-based (Source Log) Action: Move or Copy files based on patterns*

NetSpeed-Calculator — sheet 17

F0584 `Tlamatini/agent/agents/netspeed_calculator/config.yaml` [83 lines] *Default config.yaml of the NetSpeed-Calculator agent: action, providers, min_successful_providers, parallel_streams, test_duration_seconds, warmup_seconds, sample_interval_seconds +14 more.*
F0585 `Tlamatini/agent/agents/netspeed_calculator/netspeed_calculator.py` [1.9k lines] *NetSpeed-Calculator Agent — formal, multi-provider Internet throughput measurement.*

Nmapper — sheet 17

F0586 `Tlamatini/agent/agents/nmapper/config.yaml` [88 lines] *Default config.yaml of the Nmapper agent: action, target, targets_file, ports, top_ports, timing, min_rate +17 more.*
F0587 `Tlamatini/agent/agents/nmapper/nmapper.py` [1.2k lines] *Nmapper Agent - LOCAL, USE-ONLY nmap bridge for pentesters / CTF recon.*

PDFer — sheet 17

F0599 `Tlamatini/agent/agents/pdfer/config.yaml` [217 lines] *Default config.yaml of the PDFer agent: mode, input_text, input_file, images, input_pdfs, title, subtitle +45 more.*
F0600 `Tlamatini/agent/agents/pdfer/pdfer.py` [1.9k lines] *PDFer Agent - Tlamatini's DOCUMENT COMPOSER (the WRITE side of the document family).*
F0601 `Tlamatini/agent/agents/pdfer/pdfer_artwork.py` [261 lines] *Resolution-independent signature artwork, clipped to a text-free cover zone.*
F0602 `Tlamatini/agent/agents/pdfer/pdfer_atelier.py` [1.0k lines] *PDFer atelier — the ReportLab Platypus renderer that replaced xhtml2pdf.*
F0603 `Tlamatini/agent/agents/pdfer/pdfer_audit.py` [494 lines] *PDFer audit — checking the FILE ON DISK, not the renderer's opinion of it.*
F0604 `Tlamatini/agent/agents/pdfer/pdfer_color.py` [896 lines] *PDFer colour science — the pigment bench of the document composer.*
F0605 `Tlamatini/agent/agents/pdfer/pdfer_consult.py` [378 lines] *PDFer design consultation — asking Tlamatini's own model for an art direction.*
F0606 `Tlamatini/agent/agents/pdfer/pdfer_docmodel.py` [777 lines] *PDFer document model — content parsed into blocks a renderer can lay out.*
F0607 `Tlamatini/agent/agents/pdfer/pdfer_nuance.py` [1.2k lines] *PDFer nuance engine — reading the content BEFORE choosing how to dress it.*
F0608 `Tlamatini/agent/agents/pdfer/pdfer_ornament.py` [702 lines] *PDFer ornament — generated artwork, and the judgement about when to use it.*
F0609 `Tlamatini/agent/agents/pdfer/pdfer_styles.py` [104 lines] *Selectable visual identities, independent of the document's semantic nuance.*
F0610 `Tlamatini/agent/agents/pdfer/pdfer_tables.py` [664 lines] *PDFer table layout — the overlap fix, and why the old one could not work.*
F0611 `Tlamatini/agent/agents/pdfer/pdfer_theme.py` [1.2k lines] *PDFer themes — turning a nuance into a complete, legible design system.*
F0612 `Tlamatini/agent/agents/pdfer/pdfer_typography.py` [709 lines] *PDFer typography — the type case of the document composer.*
F0613 `Tlamatini/agent/agents/pdfer/STYLES.md` [239 lines] *PDFer: the signature collection: PDFer now offers 24 selectable visual identities alongside its 20 existing document themes.*

Playwrighter — sheet 17

F0614 `Tlamatini/agent/agents/playwrighter/config.yaml` [80 lines] *Default config.yaml of the Playwrighter agent: start_url, browser, headless, timeout_ms, nav_wait_until, user_agent, viewport_width +9 more.*
F0615 `Tlamatini/agent/agents/playwrighter/playwrighter.py` [1.0k lines] *Playwrighter Agent — scripted, interactive browser automation via Playwright.*

PPTXer — sheet 17

F0616 `Tlamatini/agent/agents/pptxer/config.yaml` [179 lines] *Default config.yaml of the PPTXer agent: input_text, input_file, input_format, title, subtitle, author, kicker +47 more.*
F0617 `Tlamatini/agent/agents/pptxer/pptxer.py` [1.2k lines] *PPTXer Agent — Tlamatini's PRESENTATION COMPOSER.*
F0618 `Tlamatini/agent/agents/pptxer/pptxer_audit.py` [645 lines] *pptxer_audit.py — DID THE DECK ACTUALLY COME OUT RIGHT?*
F0619 `Tlamatini/agent/agents/pptxer/pptxer_build.py` [1.5k lines] *pptxer_build.py — THE ASSEMBLY ENGINE.*
F0620 `Tlamatini/agent/agents/pptxer/pptxer_color.py` [736 lines] *pptxer_color.py — PPTXer's COLOUR SCIENCE.*
F0621 `Tlamatini/agent/agents/pptxer/pptxer_diagram.py` [433 lines] *pptxer_diagram.py — DIAGRAMS AS NATIVE, EDITABLE POWERPOINT SHAPES.*
F0622 `Tlamatini/agent/agents/pptxer/pptxer_docmodel.py` [731 lines] *pptxer_docmodel.py — CONTENT → DECK MODEL.*
F0623 `Tlamatini/agent/agents/pptxer/pptxer_draw.py` [866 lines] *pptxer_draw.py — GENERATED ARTWORK.*
F0624 `Tlamatini/agent/agents/pptxer/pptxer_fonts.py` [1.0k lines] *pptxer_fonts.py — PPTXer's TYPEFACE ENGINE.*
F0625 `Tlamatini/agent/agents/pptxer/pptxer_layout.py` [853 lines] *pptxer_layout.py — THE GEOMETRY SOLVER.*
F0626 `Tlamatini/agent/agents/pptxer/pptxer_media.py` [693 lines] *pptxer_media.py — MEDIA ACQUISITION AND PREPARATION.*
F0627 `Tlamatini/agent/agents/pptxer/pptxer_nuance.py` [887 lines] *pptxer_nuance.py — WHAT KIND OF DECK IS THIS?*
F0628 `Tlamatini/agent/agents/pptxer/pptxer_render.py` [944 lines] *pptxer_render.py — PPTXer LOOKS AT ITS OWN SLIDES.*
F0629 `Tlamatini/agent/agents/pptxer/pptxer_theme.py` [621 lines] *pptxer_theme.py — the DESIGN SYSTEM: nuance + seed colour → a complete, validated, machine-usable specification for every slide in the deck.*
F0630 `Tlamatini/agent/agents/pptxer/STYLES.md` [100 lines] *PPTXer presentation styles: PPTXer provides 36 named treatments: the original 24 content treatments and 12 additional visual styles.*

Prompter — sheet 17

F0631 `Tlamatini/agent/agents/prompter/config.yaml` [30 lines] *Default config.yaml of the Prompter agent: prompt, llm.*
F0632 `Tlamatini/agent/agents/prompter/prompter.py` [443 lines] *Prompter Agent - Sends a configured prompt to an Ollama LLM and logs the response Action: Triggered by upstream -> Read prompt from config -> Query. . .*

Pser — sheet 17

F0633 `Tlamatini/agent/agents/pser/config.yaml` [32 lines] *Default config.yaml of the Pser agent: likely_process_name, llm.*
F0634 `Tlamatini/agent/agents/pser/pser.py` [572 lines] *Pser Agent - Process finder agent with LLM-powered fuzzy matching Action: Triggered by upstream -> List processes (no admin) -> Ask LLM for best. . .*

Pythonxer — sheet 17

F0635 `Tlamatini/agent/agents/pythonxer/config.yaml` [46 lines] *Default config.yaml of the Pythonxer agent: script, execute_forked_window, ruff_blocking.*
F0636 `Tlamatini/agent/agents/pythonxer/pythonxer.py` [829 lines] *Pythonxer Agent - Deterministic agent to execute a Python script Validates with Ruff, executes the script, and triggers downstream agents ONLY if. . .*

Recorder — sheet 17

F0641 `Tlamatini/agent/agents/recorder/config.yaml` [57 lines] *Default config.yaml of the Recorder agent: device_index, device_name, record_seconds, sample_rate, channels, input_gain_percent, output_dir.*
F0642 `Tlamatini/agent/agents/recorder/recorder.py` [984 lines] *Recorder Agent - Microphone / audio-input capture agent via sounddevice Action: Triggered by upstream -> Open a system audio INPUT device (mic) ->. . .*

Reviewer — sheet 17

F0643 `Tlamatini/agent/agents/reviewer/config.yaml` [38 lines] *Default config.yaml of the Reviewer agent: repo_path, diff_ref, focus, max_diff_chars, llm.*
F0644 `Tlamatini/agent/agents/reviewer/reviewer.py` [588 lines] *Reviewer Agent - LLM-powered code review of a git diff Action: Triggered by upstream -> resolve git diff -> ask Ollama LLM to review it -> parse a. . .*

Scper — sheet 17

F0645 `Tlamatini/agent/agents/scper/config.yaml` [27 lines] *Default config.yaml of the Scper agent: user, ip, file, direction.*
F0646 `Tlamatini/agent/agents/scper/scper.py` [502 lines] *Scper Agent - Deterministic agent to send/receive files via SCP Connects to a remote host and transfers a file.*

Shoter — sheet 17

F0647 `Tlamatini/agent/agents/shoter/config.yaml` [21 lines] *Default config.yaml of the Shoter agent: output_dir, all_screens, filename.*
F0648 `Tlamatini/agent/agents/shoter/shoter.py` [585 lines] *Shoter Agent - Screenshot capture agent Action: Triggered by upstream -> Capture screenshot -> Save to numbered dir -> Trigger downstream*

Sqler — sheet 17

F0651 `Tlamatini/agent/agents/sqler/config.yaml` [20 lines] *Default config.yaml of the Sqler agent: sql_connection, script.*
F0652 `Tlamatini/agent/agents/sqler/sqler.py` [217 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

Sshер — sheet 17

F0653 `Tlamatini/agent/agents/ssher/config.yaml` [22 lines] *Default config.yaml of the Sshер agent: user, ip, script.*
F0654 `Tlamatini/agent/agents/ssher/ssher.py` [448 lines] *Sshер Agent - Deterministic agent to execute a command via SSH Connects to a remote host and runs the configured script.*

STM32er — sheet 17

F0657 `Tlamatini/agent/agents/stm32er/config.yaml` [242 lines] *Default config.yaml of the STM32er agent: action, stm32_backend, board, framework, environment, server_script, auto_bootstrap +50 more.*
F0658 `Tlamatini/agent/agents/stm32er/stm32er.py` [2.7k lines] *STM32er Agent - STM32 Template Project MCP-server bridge (firmware scaffold/build/flash/observe) Action: Triggered by upstream -> spawn the STM32. . .*

Summarizer — sheet 17

F0661 `Tlamatini/agent/agents/summarizer/config.yaml` [57 lines] *Default config.yaml of the Summarizer agent: input_text, target_words, system_prompt, llm, poll_interval.*
F0662 `Tlamatini/agent/agents/summarizer/summarizer.py` [613 lines] *Summarizer Agent - Log file monitoring and LLM-powered event detection Action: Started -> Continuously poll source agent logs -> Query LLM with. . .*

Talker — sheet 17

F0663 `Tlamatini/agent/agents/talker/config.yaml` [151 lines] *Default config.yaml of the Talker agent: input_text, ollama_url, ollama_token, model, language, voice, gender +20 more.*
F0664 `Tlamatini/agent/agents/talker/talker.py` [1.5k lines] *Talker Agent - TEXT-TO-SPEECH (TTS): speaks input_text aloud via OLLAMA.*

Unrealer — sheet 17

F0674 `Tlamatini/agent/agents/unrealer/config.yaml` [160 lines] *Default config.yaml of the Unrealer agent: host, port, command, params, connect_timeout, read_timeout.*
F0675 `Tlamatini/agent/agents/unrealer/unrealer.py` [873 lines] *Unrealer Agent — drives Unreal Engine via the Unreal MCP plugin's TCP socket protocol (127.0.0.1:55557 by default).*

Video-Analyzer — sheet 17

F0676 `Tlamatini/agent/agents/video_analyzer/config.yaml` [202 lines] *Default config.yaml of the Video-Analyzer agent: video_pathfilenames, analysis_type, audio_tracks, transcription, download, summary_prompt, summary_language +18 more.*
F0677 `Tlamatini/agent/agents/video_analyzer/README.md` [241 lines] *Video-Analyzer: robotics, transcription and summaries: analysis_type selects one of three tasks.*
F0678 `Tlamatini/agent/agents/video_analyzer/video_analyzer.py` [1.2k lines] *Video-Analyzer Agent - robotics verdict, video-track transcription, or summary.*
F0679 `Tlamatini/agent/agents/video_analyzer/video_content.py` [588 lines] *Video audio transcription and evidence-based summaries for standalone pools.*
F0680 `Tlamatini/agent/agents/video_analyzer/video_fetch.py` [854 lines] *Video-Analyzer URL intake: turn a web video link into a local media file.*

VideoPlayer — sheet 17

F0681 `Tlamatini/agent/agents/videoplayer/config.yaml` [69 lines] *Default config.yaml of the VideoPlayer agent: video_file, display_index, volume_percent, time_played, window_width, window_height, fullscreen +1 more.*
F0682 `Tlamatini/agent/agents/videoplayer/videoplayer.py` [974 lines] *VideoPlayer Agent - Plays a video FILE (with audio) on a chosen DISPLAY.*

Whisperer — sheet 17

F0692 `Tlamatini/agent/agents/whisperer/chat_worker.py` [232 lines] *Internal resident dictation worker under source/carried Python.*
F0693 `Tlamatini/agent/agents/whisperer/config.yaml` [182 lines] *Default config.yaml of the Whisperer agent: input_source, audio_file, record_seconds, silence_timeout_seconds, silence_gate, max_record_seconds, silence_threshold_db +26 more.*
F0694 `Tlamatini/agent/agents/whisperer/README.md` [82 lines] *Whisperer: workflow speech recognition and direct chat dictation: Whisperer records the configured host microphone or transcribes audio files.*
F0695 `Tlamatini/agent/agents/whisperer/whisperer.py` [1.7k lines] *Whisperer Agent - Self-contained SPEECH-TO-TEXT (STT / voice recognition) Action: Triggered by upstream OR run from chat -> get audio (either RECORD. . .*

Windower — sheet 17

F0696 `Tlamatini/agent/agents/windower/config.yaml` [77 lines] *Default config.yaml of the Windower agent: action, window_title, match_mode, match_index, pos_x, pos_y, width +4 more.*
F0697 `Tlamatini/agent/agents/windower/windower.py` [886 lines] *Windower Agent - Application window manager Action: Triggered by upstream -> locate a window by title and run a window lifecycle op (focus / move /. . .*

Emailer — sheet 18

F0485 `Tlamatini/agent/agents/emailer/config.yaml` [147 lines] *Default config.yaml of the Emailer agent: pattern, poll_interval, smtp, email.*
F0486 `Tlamatini/agent/agents/emailer/emailer.py` [689 lines] *Emailer Agent - No LLM, deterministic email notification agent This agent monitors log files of source agents for a configurable pattern string and. . .*

FlowHypervisor — sheet 18

F0521 `Tlamatini/agent/agents/flowhypervisor/config.yaml` [18 lines] *Default config.yaml of the FlowHypervisor agent: llm, monitoring_poll_time, user_instructions.*
F0522 `Tlamatini/agent/agents/flowhypervisor/flowhypervisor.py` [786 lines] *FlowHypervisor Agent - LLM-powered flow monitoring agent Watches all running agents' processes and log files, uses an LLM to detect anomalies, and. . .*
F0523 `Tlamatini/agent/agents/flowhypervisor/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
F0524 `Tlamatini/agent/agents/flowhypervisor/monitoring-prompt.pmt` [1.2k lines] *FlowHypervisor watchdog prompt: answers OK or ATTENTION NEEDED, with per-agent special notes and normal-behaviour lists.*

Monitor Netstat — sheet 18

F0577 `Tlamatini/agent/agents/monitor_netstat/config.yaml` [42 lines] *Default config.yaml of the Monitor Netstat agent: llm, target, system_prompt.*
F0578 `Tlamatini/agent/agents/monitor_netstat/monitor_netstat.py` [298 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

Monitor-Log — sheet 18

F0575 `Tlamatini/agent/agents/monitor_log/config.yaml` [44 lines] *Default config.yaml of the Monitor-Log agent: llm, target, system_prompt.*
F0576 `Tlamatini/agent/agents/monitor_log/monitor_log.py` [418 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

Notifier — sheet 18

F0593 `Tlamatini/agent/agents/notifier/config.yaml` [17 lines] *Default config.yaml of the Notifier agent: llm, target.*
F0594 `Tlamatini/agent/agents/notifier/notifier.py` [492 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

RecMailer — sheet 18

F0639 `Tlamatini/agent/agents/recmailer/config.yaml` [63 lines] *Default config.yaml of the RecMailer agent: poll_interval, max_checks, imap, llm, keywords_or_phrases, outcome_word, system_prompt.*
F0640 `Tlamatini/agent/agents/recmailer/recmailer.py` [367 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler*

Telegrammer — sheet 18

F0665 `Tlamatini/agent/agents/telegrammer/config.yaml` [27 lines] *Default config.yaml of the Telegrammer agent: mode, telegram, message, contact_name, rx_max_seconds, rx_from_chat_id, rx_match +2 more.*
F0666 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_01_botfather_search.jpg` [72KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0667 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_02_newbot_token.jpg` [124KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0668 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_03_start_bot_getupdates.jpg` [116KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0669 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_04_tlamatini_contacts.jpg` [119KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0670 `Tlamatini/agent/agents/telegrammer/HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md` [303 lines] *Telegrammer Setup: Send A Telegram Message From Tlamatini: This guide is for absolute beginners.*
F0671 `Tlamatini/agent/agents/telegrammer/telegrammer.py` [1.1k lines] *Telegrammer Agent — the ONE Telegram send/receive agent.*

Whatsapper — sheet 18

F0684 `Tlamatini/agent/agents/whatsapper/config.yaml` [62 lines] *Default config.yaml of the Whatsapper agent: mode, provider, whatsapp, message, contact_name, template, template_language +6 more.*
F0685 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_01_meta_create_app.jpg` [90KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0686 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_02_api_setup_keys.jpg` [204KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0687 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_03_test_recipient_send.jpg` [249KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0688 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_04_system_user_token.jpg` [139KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0689 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_05_tlamatini_contacts.jpg` [104KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F0690 `Tlamatini/agent/agents/whatsapper/HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md` [343 lines] *Whatsapper Setup: Send A WhatsApp Message From Tlamatini: This guide is for absolute beginners.*
F0691 `Tlamatini/agent/agents/whatsapper/whatsapper.py` [1.0k lines] *Whatsapper Agent — the ONE WhatsApp send/receive agent.*

Zavuerer — sheet 18

F0698 `Tlamatini/agent/agents/zavuerer/config.yaml` [68 lines] *Default config.yaml of the Zavuerer agent: action, zavu_api_key, zavu_base_url, to, contact_name, channel, text +4 more.*
F0699 `Tlamatini/agent/agents/zavuerer/zavuerer.py` [796 lines] *Zavuerer Agent - Zavu unified-messaging bridge (https://www.zavu.dev) Action: Triggered by upstream -> POST to the Zavu REST API (/v1/messages) with. . .*

FlowBacker — sheet 18

F0513 `Tlamatini/agent/agents/flowbacker/config.yaml` [10 lines] *Default config.yaml of the FlowBacker agent: target_directory.*
F0514 `Tlamatini/agent/agents/flowbacker/flowbacker.py` [468 lines] *FlowBacker Agent - Utility batch infrastructure backup agent Action: Triggered by upstream -> Copy session-id directory to target -> Trigger. . .*

FlowCreator — sheet 18

F0515 `Tlamatini/agent/agents/flowcreator/agentic_skill.md` [2.7k lines] *Tlamatini Flow Creation Skill: You are an expert flow designer for the Tlamatini platform.*
F0516 `Tlamatini/agent/agents/flowcreator/config.yaml` [40 lines] *Default config.yaml of the FlowCreator agent: flow_filename, prompt, output_dir, llm.*
F0517 `Tlamatini/agent/agents/flowcreator/flow_catalog.json` [5.2k lines] *Generated agent catalog (contracts + output fields) read by FlowCreator and Parametrizer.*
F0518 `Tlamatini/agent/agents/flowcreator/flow_knowledge.py` [294 lines] *Standalone contract-aware flow planning helpers; no Django or application imports.*
F0519 `Tlamatini/agent/agents/flowcreator/flowcreator.py` [609 lines] *FlowCreator Agent - Uses an LLM to design and create agent flows automatically Action: Read prompt + agentic_skill.md -> Query LLM -> Parse response. . .*
F0520 `Tlamatini/agent/agents/flowcreator/result_to_flw.py` [237 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in. . .*

Gateway Relayer — sheet 18

F0527 `Tlamatini/agent/agents/gateway_relayer/config.yaml` [48 lines] *Default config.yaml of the Gateway Relayer agent: listen_host, listen_port, listen_path, provider_mode, provider_secret, allowed_events, allowed_refs +13 more.*
F0528 `Tlamatini/agent/agents/gateway_relayer/gateway_relayer.md` [252 lines] *GatewayRelayer Agent - Detailed Source Code Summary: The GatewayRelayer is a long-running deterministic ingress relay agent that bridges third-party webhook. . .*
F0529 `Tlamatini/agent/agents/gateway_relayer/gateway_relayer.py` [635 lines] *GatewayRelayer Agent - Long-running deterministic ingress relay that bridges third-party webhook providers (e.g.*

Gatewayer — sheet 18

F0530 `Tlamatini/agent/agents/gatewayer/config.yaml` [106 lines] *Default config.yaml of the Gatewayer agent: listen_mode, http, folder_watch, auth, payload, queue, storage +3 more.*
F0531 `Tlamatini/agent/agents/gatewayer/gatewayer.md` [173 lines] *Detailed Source Code Summary: Gatewayer Agent Project: The Gatewayer Agent is an inbound gateway agent that receives external events via HTTP webhook or. . .*
F0532 `Tlamatini/agent/agents/gatewayer/gatewayer.py` [1.0k lines] *Gatewayer Agent - Inbound gateway: HTTP webhook / folder-drop ingress, validation, normalization, persistence, queuing, and downstream dispatch.*
F0533 `Tlamatini/agent/agents/gatewayer/gatewayer_explanation.md` [464 lines] *Gatewayer Agent — Deep-Dive Explanation & Usage Samples: Gatewayer is an *inbound gateway agent* — the front door of the Tlamatini multi-agent system.*

NodeManager — sheet 18

F0588 `Tlamatini/agent/agents/node_manager/config.yaml` [81 lines] *Default config.yaml of the NodeManager agent: inventory, discovery, heartbeat, probes, capabilities, selection, storage +3 more.*
F0589 `Tlamatini/agent/agents/node_manager/node_manager.md` [358 lines] *Overview: This project is a NodeManager Agent — a long-running infrastructure registry and node supervision agent that maintains a live registry of. . .*
F0590 `Tlamatini/agent/agents/node_manager/node_manager.py` [999 lines] *NodeManager Agent - Infrastructure registry and node supervision agent Action: Long-running agent that maintains a live registry of local/remote. . .*
F0591 `Tlamatini/agent/agents/node_manager/nodes_example.json` [79 lines] *JSON array of 11 items.*
F0592 `Tlamatini/agent/agents/node_manager/nodes_example.yaml` [148 lines] *HYPOTHETICAL NODES FILE FOR NODE MANAGER AGENT This file defines the inventory of nodes (machines/servers) that the NodeManager will monitor.*

Parametrizer — sheet 18

F0597 `Tlamatini/agent/agents/parametrizer/config.yaml` [11 lines] *Default config.yaml of the Parametrizer agent: source_agent, target_agent.*
F0598 `Tlamatini/agent/agents/parametrizer/parametrizer.py` [1.2k lines] *Parametrizer Agent - Utility Interconnection Agent Maps structured outputs from a source agent's log to a target agent's config.yaml Reads. . .*

Kyber-Cipher — sheet 18

F0558 `Tlamatini/agent/agents/kyber_cipher/config.yaml` [14 lines] *Default config.yaml of the Kyber-Cipher agent: kyber_variant, public_key, buffer.*
F0559 `Tlamatini/agent/agents/kyber_cipher/kyber_cipher.py` [580 lines] *Kyber-Cipher Agent - Encrypts a buffer using a CRYSTALS-Kyber public key*

Kyber-DeCipher — sheet 18

F0560 `Tlamatini/agent/agents/kyber_decipher/config.yaml` [20 lines] *Default config.yaml of the Kyber-DeCipher agent: kyber_variant, private_key, encapsulation, initialization_vector, cipher_text.*
F0561 `Tlamatini/agent/agents/kyber_decipher/kyber_decipher.py` [519 lines] *Kyber-DeCipher Agent - Decrypts a cipher text using a CRYSTALS-Kyber private key*

Kyber-KeyGen — sheet 18

F0562 `Tlamatini/agent/agents/kyber_keygen/config.yaml` [8 lines] *Default config.yaml of the Kyber-KeyGen agent: kyber_variant.*
F0563 `Tlamatini/agent/agents/kyber_keygen/kyber_keygen.py` [483 lines] *Kyber-KeyGen Agent - Generates CRYSTALS-Kyber public/private key pairs*

TeleTlamatini — sheet 18

F0672 `Tlamatini/agent/agents/teletlamatini/config.yaml` [101 lines] *Default config.yaml of the TeleTlamatini agent: telegram, password, tlamatini, completeness_check.*
F0673 `Tlamatini/agent/agents/teletlamatini/teletlamatini.py` [1.3k lines] *TeleTlamatini Agent — pure Telegram-bot bridge to the Tlamatini chat core.*

ACPXer — sheet 18

F0440 `Tlamatini/agent/agents/acpxer/acpxer.py` [914 lines] *ACPXer Agent - Visual ACPX Session Driver*
F0441 `Tlamatini/agent/agents/acpxer/config.yaml` [43 lines] *Default config.yaml of the ACPXer agent: agent_id, command, task, mode, cwd, idle_seconds, timeout_seconds +1 more.*

Atlas VII — Verification: unit, contract, visible and release tests

agent/ · unit and contract tests — sheet 19

F1523 `Tlamatini/agent/test_access_key_wizard.py` [145 lines] *Tests for the graphical Access Keys Wizard backend. [2 tests]*
F1524 `Tlamatini/agent/test_agent_display_names.py` [264 lines] *Pins the AGENT DISPLAY-NAME contract (Angela, 2026-07-26). [10 tests]*
F1525 `Tlamatini/agent/test_agent_manifest.py` [414 lines] *Tests for the companion-app discovery surface (Tlamatini-FlowPills PROP-001…003) [17 tests]*
F1526 `Tlamatini/agent/test_agent_verdict.py` [292 lines] *Tests for the deterministic verdict engine (agent/agent_verdict.py). [25 tests]*
F1527 `Tlamatini/agent/test_agents_see_hidden_dirs.py` [71 lines] *The file agents must see dot-directories, and still spare .git. [4 tests]*
F1528 `Tlamatini/agent/test_arduiner_agent.py` [717 lines] *Automated tests for the Arduiner workflow agent and its surrounding infrastructure. [41 tests]*
F1529 `Tlamatini/agent/test_ask_execs_allowlist.py` [226 lines] *Pins ANGELA'S Ask-Execs policy (2026-07-14). [8 tests]*
F1530 `Tlamatini/agent/test_audioplayer_agent.py` [780 lines] *Automated tests for the AudioPlayer workflow agent and its surrounding infrastructure. [44 tests]*
F1531 `Tlamatini/agent/test_binary_guard.py` [445 lines] *Coverage for the binary-content guard on the RAG context-loading chain. [46 tests]*
F1532 `Tlamatini/agent/test_blenderer_agent.py` [577 lines] *Automated tests for the Blenderer workflow agent and its surrounding infrastructure. [40 tests]*
F1533 `Tlamatini/agent/test_build_pip_quiet.py` [205 lines] *Guard: the build pipeline must NEVER print pip's self-upgrade nag. [4 tests]*
F1534 `Tlamatini/agent/test_build_root_assets.py` [188 lines] *Physical packaging regressions; run in a verified visible foreground console. [13 tests]*
F1535 `Tlamatini/agent/test_build_scripts.py` [718 lines] *Static completeness tests for the packaging pipeline — build.py, build_installer.py, build_uninstaller.py. [57 tests]*
F1536 `Tlamatini/agent/test_camcorder_agent.py` [467 lines] *Automated tests for the Camcorder workflow agent and its surrounding infrastructure. [22 tests]*
F1537 `Tlamatini/agent/test_cancellation.py` [215 lines] *Regression tests for the PER-RUN cancellation latch (agent/cancellation.py). [22 tests]*
F1538 `Tlamatini/agent/test_chain_readiness.py` [327 lines] *Regression pins for the PERMANENT CHAT WEDGE (found 2026-07-29, Angela). [15 tests]*
F1539 `Tlamatini/agent/test_chat_agent_run_wait.py` [199 lines] *Regression guard: chat_agent_run_wait must return AS SOON AS the child exits. [5 tests]*
F1540 `Tlamatini/agent/test_chat_bridge_bots.py` [234 lines] *Tests for the long-running chat-bridge bot — TeleTlamatini — focused on the post-"Ask Execs" adaptation (2026-06-04). [9 tests]*
F1541 `Tlamatini/agent/test_chat_history_window.py` [94 lines] *Regression tests for the conversation-memory window (chat_history_loader). [5 tests]*
F1542 `Tlamatini/agent/test_chat_voice.py` [491 lines] *Direct dictation regressions. [36 tests]*
F1543 `Tlamatini/agent/test_checkbox_bulk_toggle.py` [189 lines] *Guards the SPACE-bar bulk check/uncheck of selected checkboxes. [15 tests]*
F1544 `Tlamatini/agent/test_command_watchdog.py` [367 lines] *Hard, real-scenario tests for agent/command_watchdog.py. [15 tests]*
F1545 `Tlamatini/agent/test_compact_mode_pingpong.py` [117 lines] *Two chat pages on two models must not ping-pong (Angela, 2026-10-08). [4 tests]*
F1546 `Tlamatini/agent/test_compact_mode_switch.py` [467 lines] *The COMPACT MODE switch (Angela, 2026-10-02). [33 tests]*
F1547 `Tlamatini/agent/test_console_colors.py` [517 lines] *CONSOLE COLOURS - the window is painted by level, the log file never is (Angela, 2026-10-08). [33 tests]*
F1548 `Tlamatini/agent/test_console_shield.py` [602 lines] *Contract tests for the CONSOLE SHIELD (Angela, 2026-09-10). [28 tests]*
F1549 `Tlamatini/agent/test_contacts.py` [153 lines] *Tests for the Contacts book (agent/contacts.py) — name -> messaging handle. [11 tests]*
F1550 `Tlamatini/agent/test_context_governor.py` [570 lines] *Tests for the Context Governor — STEP 1, measurement only. [52 tests]*
F1551 `Tlamatini/agent/test_context_real_tokens.py` [690 lines] *Tests for the REAL context gauge (Angela, 2026-09-28). [46 tests]*
F1552 `Tlamatini/agent/test_context_restore_spinner.py` [204 lines] *A RESTORED CONTEXT MUST LOOK AS BUSY AS IT IS (2026-09-22). [5 tests]*
F1553 `Tlamatini/agent/test_context_sidecar_timeout.py` [257 lines] *The context sidecars' own Ollama calls are bounded (Angela, 2026-10-05). [16 tests]*
F1554 `Tlamatini/agent/test_crawler_agent.py` [342 lines] *Tests for the Crawler agent's recon / multi-seed / safety improvements. [42 tests]*
F1555 `Tlamatini/agent/test_crawler_resilience.py` [503 lines] *The Crawler must read the page it was given, never hang, and never lie (2026-09-28). [40 tests]*
F1556 `Tlamatini/agent/test_createsuperuser_wizard.py` [68 lines] *Tests for the create-superuser wizard catalog prompt (migration 0145). [4 tests]*
F1557 `Tlamatini/agent/test_ctrl_c_shutdown.py` [215 lines] *Ctrl+C MUST ALWAYS QUIT — source contract for the shutdown path. [11 tests]*
F1558 `Tlamatini/agent/test_db_backup_restore_wal.py` [432 lines] *DB ▷ Backup database and DB ▷ Set DB must work under WAL. [24 tests]*
F1559 `Tlamatini/agent/test_db_backup_safety.py` [130 lines] *The daily DB backup must refuse bad input and must never fail quietly. [7 tests]*
F1560 `Tlamatini/agent/test_de_compresser.py` [844 lines] *Automated tests for the De-Compresser workflow agent. [44 tests]*
F1561 `Tlamatini/agent/test_deep_research_prompt.py` [86 lines] *Tests for the Deep Internet Research catalog prompt (migration 0194). [4 tests]*
F1562 `Tlamatini/agent/test_deleter_safety.py` [127 lines] *Guard the Deleter against ever deleting the directory it was told to work IN. [9 tests]*
F1563 `Tlamatini/agent/test_desktop_input_agents.py` [365 lines] *Desktop-input regressions. [38 tests]*
F1564 `Tlamatini/agent/test_dialog_dismissal_policy.py` [566 lines] *DIALOG DISMISSAL POLICY - COVERAGE AUDIT (Angela, 2026-08-13) [35 tests]*
F1565 `Tlamatini/agent/test_dialog_theme.py` [766 lines] *DIALOG STANDARDIZATION CONTRACT (Angela, 2026-08-12) [42 tests]*
F1566 `Tlamatini/agent/test_discoverer_agent.py` [533 lines] *Automated tests for the Discoverer workflow agent and its surrounding wiring. [40 tests]*
F1567 `Tlamatini/agent/test_discoverer_thousand.py` [141 lines] *1000 data-driven tests for the Discoverer agent, runnable in the Tlamatini dev (python manage.py test agent.test_discoverer_thousand).*
F1568 `Tlamatini/agent/test_django_port_config.py` [254 lines] *Contract tests for the CONFIGURABLE WEB PORT — config.json → django_port. [24 tests]*
F1569 `Tlamatini/agent/test_drag_divider_look.py` [70 lines] *drag-divider has the same look and feel as #vertical-drag-divider (2026-10-11). [5 tests]*
F1570 `Tlamatini/agent/test_drop_message.py` [330 lines] *The chat card's DROP button (Angela Lopez Mendoza, 2026-09-30). [23 tests]*
F1571 `Tlamatini/agent/test_editor_agent.py` [181 lines] *HARD real-scenario tests for the Editor agent (surgical in-place find/replace). [15 tests]*
F1572 `Tlamatini/agent/test_embedding_memory_guard.py` [638 lines] *Tests for agent.embedding_memory_guard. [49 tests]*
F1573 `Tlamatini/agent/test_esp32er_agent.py` [767 lines] *Automated tests for the ESP32er workflow agent and its surrounding infrastructure. [43 tests]*
F1574 `Tlamatini/agent/test_esphomer_agent.py` [554 lines] *Automated tests for the ESPHomer workflow agent and its surrounding infrastructure. [41 tests]*
F1575 `Tlamatini/agent/test_exec_report_verdict.py` [141 lines] *Regression guards for the Exec Report SUCCESS/FAILURE verdict. [19 tests]*
F1576 `Tlamatini/agent/test_execute_command_bounded.py` [176 lines] *Hard regression tests for the bounded execute_command (2026-06-06). [8 tests]*
F1577 `Tlamatini/agent/test_executer_window_report.py` [121 lines] *Executer must report its forked window TRUTHFULLY (2026-10-09). [10 tests]*
F1578 `Tlamatini/agent/test_external_mcp_add_flow.py` [179 lines] *Certify the fix for: "I don't have a file-writing or shell tool bound this turn" when the user asks to add an MCP (e.g. [12 tests]*
F1579 `Tlamatini/agent/test_external_mcp_e2e.py` [470 lines] *End-to-end certification of the External MCPs pipeline: from the dropped JSON all the way to executing, diagnosing, and supervising a live MCP server. [10 tests]*
F1580 `Tlamatini/agent/test_external_mcp_transports.py` [294 lines] *End-to-end loopback tests for the External MCP network transports. [11 tests]*
F1581 `Tlamatini/agent/test_external_mcp_universal.py` [674 lines] *External MCP universal hardening tests. [39 tests]*
F1582 `Tlamatini/agent/test_file_creator_append.py` [241 lines] *Deterministic proof for File-Creator's append option (Angela, 2026-10-08). [17 tests]*
F1583 `Tlamatini/agent/test_file_drop_router.py` [251 lines] *Guards the page-wide file-drop router (Angela, 2026-10-14). [22 tests]*
F1584 `Tlamatini/agent/test_file_extractor_reader.py` [104 lines] *HARD tests for the File-Extractor Reader upgrade (line_numbers + offset/limit). [6 tests]*
F1586 `Tlamatini/agent/test_flow_contracts.py` [227 lines] *Defines FlowContractTests. [10 tests]*
F1587 `Tlamatini/agent/test_flow_file_open.py` [160 lines] *Run from a verified visible foreground console; no hidden test execution. [13 tests]*
F1588 `Tlamatini/agent/test_flow_file_views.py` [100 lines] *Run via manage.py test in a verified visible foreground console. [7 tests]*
F1589 `Tlamatini/agent/test_flow_knowledge.py` [348 lines] *Offline flow/catalog regressions. [32 tests]*
F1590 `Tlamatini/agent/test_frontend_mutable_state.py` [262 lines] *Defines FrontendMutableStateTests, PromptCatalogEndpointTests. [8 tests]*
F1591 `Tlamatini/agent/test_gitter_custom_command.py` [227 lines] *Gitter custom_command tokenization — Windows paths must survive. [23 tests]*
F1592 `Tlamatini/agent/test_globber_agent.py` [156 lines] *HARD real-scenario tests for the Globber agent (read-only filename glob search). [13 tests]*
F1593 `Tlamatini/agent/test_googler_agent.py` [502 lines] *Tests for the Googler agent's dork-search improvements. [41 tests]*
F1594 `Tlamatini/agent/test_googler_dorks.py` [513 lines] *Tests for Googler's Google-dork query builder (2026-08-23). [73 tests]*
F1595 `Tlamatini/agent/test_googler_resilience.py` [800 lines] *Googler must never hang, never lie, and never hammer (2026-09-28). [65 tests]*
F1596 `Tlamatini/agent/test_grepper_agent.py` [172 lines] *HARD real-scenario tests for the Grepper agent (read-only regex content search). [15 tests]*
F1597 `Tlamatini/agent/test_grepper_encodings.py` [222 lines] *Grepper must not go BLIND on non-UTF-8 text. [16 tests]*
F1598 `Tlamatini/agent/test_grepper_lines_mode.py` [279 lines] *HARD real-scenario tests for Grepper's output_mode: "lines" VERBATIM READ. [21 tests]*
F1599 `Tlamatini/agent/test_image_interpreter_agent.py` [401 lines] *Hard tests for the Image-Interpreter TRIPLE-MODEL pipeline (2026-07-04). [18 tests]*
F1600 `Tlamatini/agent/test_instant_messaging_doctor.py` [171 lines] *Instant Messaging Doctor contract and Parametrizer integration tests. [5 tests]*
F1601 `Tlamatini/agent/test_j_decompiler_agent.py` [252 lines] *Automated tests for the J-Decompiler agent + the decompile_java tool. [10 tests]*
F1602 `Tlamatini/agent/test_js_gates.py` [59 lines] *Process gates for the browser JavaScript – two silent, total failure modes. [2 tests]*
F1603 `Tlamatini/agent/test_kalier_agent.py` [1.1k lines] *Automated tests for the Kalier workflow agent and its surrounding infrastructure. [83 tests]*
F1604 `Tlamatini/agent/test_latexer_agent.py` [1.3k lines] *Automated tests for the LaTeXer workflow agent and its surrounding infrastructure. [100 tests]*
F1605 `Tlamatini/agent/test_latexer_delivery_truth.py` [65 lines] *LaTeXer must verify the delivered file before reporting a finished PDF. [4 tests]*
F1606 `Tlamatini/agent/test_latexer_layout_truth.py` [59 lines] *Large overfull TeX boxes must never receive the finished-document verdict. [5 tests]*
F1607 `Tlamatini/agent/test_latexer_major_removal_and_window_repair.py` [463 lines] *2026-10-08 – two fixes born from Angela's Podman cheat-sheet run (46.6 minutes). [37 tests]*
F1608 `Tlamatini/agent/test_latexer_model_repair_truth.py` [54 lines] *A repair must typeset the document, not print its source as a code listing. [3 tests]*
F1609 `Tlamatini/agent/test_latexer_repair_ladder.py` [538 lines] *Regression guards for the LaTeXer REPAIR LADDER (Layer 05). [48 tests]*
F1610 `Tlamatini/agent/test_latexer_styles.py` [186 lines] *Design invariants, caller contracts and copied-pool execution. [15 tests]*
F1611 `Tlamatini/agent/test_latexer_suite.py` [1.7k lines] *LaTeXer — the BIG suite: a fixed, permanent testing asset (150+ tests). [318 tests]*
F1612 `Tlamatini/agent/test_latexer_verbatim_channel.py` [325 lines] *Regression tests for the LaTeXer BYTE-EXACT (verbatim + base64) channel. [19 tests]*
F1613 `Tlamatini/agent/test_log_identity.py` [349 lines] *Behavioural tests for per-line USER attribution in tlamatini.log. [28 tests]*
F1614 `Tlamatini/agent/test_mcp_configured_endpoints.py` [217 lines] *Real nondefault MCP listeners and their configured clients, without inference. [8 tests]*
F1615 `Tlamatini/agent/test_model_brain.py` [511 lines] *MODEL BRAIN - every decision is formal, per model, and fail-open (Angela, 2026-10-08). [42 tests]*
F1616 `Tlamatini/agent/test_model_capacity.py` [455 lines] *COMPACT MODE - every request fits the model it is sent to (Angela, 2026-10-01). [46 tests]*
F1617 `Tlamatini/agent/test_model_settings.py` [220 lines] *Model selection across UI, standalone agents and isolated runtimes. [11 tests]*
F1618 `Tlamatini/agent/test_mover_file_safety.py` [180 lines] *Regression for the 2026-10-07 scalar-path Desktop deletion incident. [14 tests]*
F1619 `Tlamatini/agent/test_native_dialogs.py` [294 lines] *Tests for the tkinter-free native file/folder picker. [26 tests]*
F1620 `Tlamatini/agent/test_netspeed_calculator_agent.py` [1.6k lines] *Hard, real-scenario tests for the NetSpeed-Calculator agent (#88). [262 tests]*
F1621 `Tlamatini/agent/test_nmapper_agent.py` [268 lines] *Hard, real-code tests for the Nmapper agent (LOCAL, use-only nmap bridge) and its registration across the Tlamatini surfaces. [28 tests]*
F1622 `Tlamatini/agent/test_no_audio_in_tests.py` [59 lines] *A test run must NEVER make a sound on the developer's desktop. [4 tests]*
F1623 `Tlamatini/agent/test_ollama_catalog_from_server.py` [281 lines] *The Config -> Models dialog must ask the CONFIGURED Ollama, not the local one. [15 tests]*
F1624 `Tlamatini/agent/test_ollama_stop_limit.py` [249 lines] *No Ollama request may carry more than four stop sequences, and a failed chat-history summary must never fail the answer (Angela, 2026-10-03). [16 tests]*
F1625 `Tlamatini/agent/test_orphan_reaper.py` [340 lines] *Regression tests for agent.orphan_reaper. [25 tests]*
F1626 `Tlamatini/agent/test_parametrizer_mcp_doctor.py` [145 lines] *Verify the Parametrizer change Codex made for MCP Doctor works end to end. [4 tests]*
F1627 `Tlamatini/agent/test_password_quoting.py` [601 lines] *Password-quoting contract tests for Emailer and Recmailer. [28 tests]*
F1628 `Tlamatini/agent/test_pdf_context.py` [307 lines] *PDF upload permissions, extraction, user isolation and real consumer handoff. [17 tests]*
F1629 `Tlamatini/agent/test_pdfer_agent.py` [1.2k lines] *Automated tests for the PDFer workflow agent and its surrounding infrastructure. [82 tests]*
F1630 `Tlamatini/agent/test_pdfer_nuance_layout.py` [654 lines] *Regression guard for the PDFer nuance / typography / layout overhaul. [37 tests]*
F1631 `Tlamatini/agent/test_pdfer_styles.py` [192 lines] *Rendered regressions for PDFer's visual styles and protected reading areas. [11 tests]*
F1632 `Tlamatini/agent/test_playwrighter_agent.py` [662 lines] *Automated tests for the Playwrighter workflow agent. [60 tests]*
F1633 `Tlamatini/agent/test_pptxer_agent.py` [1.3k lines] *PPTXer — the agent that MEASURES ITS OWN SLIDES, and the tests that measure it. [96 tests]*
F1634 `Tlamatini/agent/test_pptxer_styles.py` [112 lines] *Style selection, user overrides, and long-content layout regressions. [7 tests]*
F1635 `Tlamatini/agent/test_pptxer_visibility.py` [307 lines] *Regression tests for real PPTX content preservation and bounded text. [23 tests]*
F1636 `Tlamatini/agent/test_preserved_user_state.py` [192 lines] *USER STATE MUST SURVIVE A REINSTALL (Angela, 2026-08-12) [10 tests]*
F1637 `Tlamatini/agent/test_program_name_collisions.py` [186 lines] *Two code blocks in ONE answer must never break each other's file. [11 tests]*
F1638 `Tlamatini/agent/test_prompt_catalog_contiguous.py` [310 lines] *Catalog-of-Prompts INVARIANTS. [15 tests]*
F1639 `Tlamatini/agent/test_prompt_flow_panel.py` [292 lines] *Run in a visible foreground console: python Tlamatini/agent/test_prompt_flow_panel.py. [29 tests]*
F1640 `Tlamatini/agent/test_prompt_flow_panel_carriage.py` [94 lines] *Packaging omission regressions; run in a verified visible foreground console. [3 tests]*
F1641 `Tlamatini/agent/test_prompt_flow_panel_runtime.py` [198 lines] *Run in a verified visible foreground console with -NoExit: python Tlamatini/manage.py test agent.test_prompt_flow_panel_runtime –noinput Adapter… [9 tests]*
F1642 `Tlamatini/agent/test_prompt_flow_panel_websocket.py` [173 lines] *Real ASGI routing/consumer/runner tests; model adapter is deterministic. [10 tests]*
F1643 `Tlamatini/agent/test_prompt_shape_sentences.py` [67 lines] *Offline prompt-shape regressions; no model or filesystem access is invoked. [6 tests]*
F1644 `Tlamatini/agent/test_public_release_targets.py` [486 lines] *test_public_release_targets.py – .private_targets.json is OPTIONAL and is NEVER a runtime dependency. [26 tests]*
F1645 `Tlamatini/agent/test_recorder_agent.py` [617 lines] *Automated tests for the Recorder workflow agent and its surrounding infrastructure. [37 tests]*
F1646 `Tlamatini/agent/test_runtime_provisioner.py` [498 lines] *Behavioural guards for the Runtime Provisioner and the shipped default MCPs. [46 tests]*
F1647 `Tlamatini/agent/test_security_assets_carriage.py` [139 lines] *Guard the Blue-hat security toolkit's CARRIAGE + EVIDENCE-carryover contracts. [15 tests]*
F1648 `Tlamatini/agent/test_self_healing.py` [259 lines] *Deterministic proof for the self-healing, NEVER-HANGING multi-turn redesign (Angela, 2026-07-06). [12 tests]*
F1649 `Tlamatini/agent/test_self_knowledge_is_current.py` [111 lines] *Keep agent/TLamatini.md (the injected {self_knowledge} system-prompt payload) from drifting behind source. [6 tests]*
F1650 `Tlamatini/agent/test_self_modify_gate.py` [459 lines] *test_self_modify_gate.py — "her source and her self-knowledge ship together, or not at all", and the DEFAULT build carries neither. [28 tests]*
F1651 `Tlamatini/agent/test_self_modify_switch.py` [480 lines] *The SELF-MODIFY switch (Angela, 2026-10-03). [35 tests]*
F1652 `Tlamatini/agent/test_self_update.py` [157 lines] *Tests for the self-update module (About ▷ Check for updates). [17 tests]*
F1653 `Tlamatini/agent/test_shoter_takes_screenshots.py` [71 lines] *GUARDA: en las pruebas, las fotos las toma SHOTER — nunca PIL.ImageGrab. [3 tests]*
F1654 `Tlamatini/agent/test_sqlite_wal_mode.py` [52 lines] *SQLite must stay in WAL mode. [3 tests]*
F1655 `Tlamatini/agent/test_status_vocabulary.py` [569 lines] *THE GUARD that ties the status vocabulary to the agents that emit it. [27 tests]*
F1656 `Tlamatini/agent/test_step_by_step_mode.py` [209 lines] *Deep certification of the Step-by-Step toolbar mode (step_by_step_enabled). [15 tests]*
F1657 `Tlamatini/agent/test_stm32er_agent.py` [1.8k lines] *Automated tests for the STM32er workflow agent and its surrounding infrastructure. [126 tests]*
F1658 `Tlamatini/agent/test_talker_agent.py` [1.3k lines] *Automated tests for the Talker workflow agent and its surrounding infrastructure. [78 tests]*
F1659 `Tlamatini/agent/test_telegrammer_identity.py` [214 lines] *Tests for the Telegrammer dual-identity ("send as me" vs "send as the bot") provider selection. [19 tests]*
F1660 `Tlamatini/agent/test_temp_dir_policy.py` [479 lines] *test_temp_dir_policy.py — the "temp stays inside Tlamatini" contract. [33 tests]*
F1661 `Tlamatini/agent/test_tool_failure_recovery.py` [86 lines] *Unit tests for the universal tool-failure classifier + self-correction. [20 tests]*
F1662 `Tlamatini/agent/test_uninstall_processes.py` [129 lines] *Actual owned-worker cleanup, scoped to a temporary installation. [5 tests]*
F1663 `Tlamatini/agent/test_uninstaller_lifecycle.py` [292 lines] *Uninstall regressions; run in a verified visible foreground console. [21 tests]*
F1664 `Tlamatini/agent/test_uninstaller_mechanics.py` [669 lines] *Guards for the Tlamatini Uninstaller's two safety mechanics (2026-09-13). [56 tests]*
F1665 `Tlamatini/agent/test_unrealer_agent.py` [518 lines] *Automated tests for the Unrealer workflow agent and its surrounding infrastructure. [46 tests]*
F1666 `Tlamatini/agent/test_usage.py` [362 lines] *Usage correctness, isolation, failure handling and source-carriage contracts. [27 tests]*
F1667 `Tlamatini/agent/test_version_guard.py` [61 lines] *Pin the ENGLISH version-metadata + update-detection expectations. [9 tests]*
F1668 `Tlamatini/agent/test_video_analyzer_agent.py` [357 lines] *Hard, real-scenario tests for the Video-Analyzer agent (#84). [29 tests]*
F1669 `Tlamatini/agent/test_video_analyzer_content.py` [458 lines] *Real media decode/sampling plus isolated ASR/LLM integration regressions. [26 tests]*
F1670 `Tlamatini/agent/test_video_analyzer_fetch.py` [594 lines] *Video-Analyzer web links: video_fetch.py, the chat request parser and carriage. [54 tests]*
F1671 `Tlamatini/agent/test_videoplayer_agent.py` [758 lines] *Automated tests for the VideoPlayer workflow agent and its surrounding infrastructure. [38 tests]*
F1672 `Tlamatini/agent/test_visual_fatal_errors.py` [246 lines] *Fatal analysis reporting must remain independent of Tlamatini recovery. [17 tests]*
F1673 `Tlamatini/agent/test_voice_commands_catalog.py` [265 lines] *VOICE COMMANDS — the catalog section added by migration 0201 (2026-09-12). [18 tests]*
F1674 `Tlamatini/agent/test_watchdog_foreground_exemption.py` [672 lines] *Complete automated tests for the generalized "eagle-eye" foreground-console exemption shared by command_watchdog and orphan_reaper. [28 tests]*
F1675 `Tlamatini/agent/test_web_process_stays_lean.py` [231 lines] *The frozen Django process must NOT drag in the transformers/torch ML stack. [10 tests]*
F1676 `Tlamatini/agent/test_whatsapper_identity.py` [202 lines] *Tests for the Whatsapper dual-identity ("send as me" vs the official business number) provider selection. [15 tests]*
F1677 `Tlamatini/agent/test_whisperer_agent.py` [1.1k lines] *Automated tests for the Whisperer workflow agent and its surrounding infrastructure. [72 tests]*
F1678 `Tlamatini/agent/test_win_shim.py` [404 lines] *Every Windows .cmd / .exe spawn scenario Tlamatini has to survive. [27 tests]*
F1679 `Tlamatini/agent/test_windower_agent.py` [662 lines] *Automated tests for the Windower workflow agent. [56 tests]*
F1680 `Tlamatini/agent/test_windows_app_registration.py` [107 lines] *Tests for agent/windows_app_registration.py (Installed-apps / ARP entry). [8 tests]*
F1681 `Tlamatini/agent/test_zavuerer_agent.py` [464 lines] *Automated tests for the Zavuerer workflow agent and its surrounding wiring. [30 tests]*
F1682 `Tlamatini/agent/tests.py` [7.8k lines] *Defines P0HardeningTests, P1HardeningTests, SetDirectoryAsContextPathTests, ContextDirectoryPickerViewTests and 79 more. [437 tests]*
F1683 `Tlamatini/agent/tests_perf_3x.py` [432 lines] *Automated regression tests for the 3X-speed surgical plan — L1 (Ollama serving layer) + L2 (orphan reaper). [24 tests]*

Tests/ · avatar, PDF canvas and requirement tests — sheet 19

F0403 `Tests/avatar_dev_server/dev_settings.py` [28 lines] *Isolated settings for the requested visible Django avatar tests only.*
F0404 `Tests/avatar_dev_server/development_test.py` [50 lines] *Real development Django server with an isolated database and no agent jobs.*
F0405 `Tests/run_avatar_tests.py` [128 lines] *One-command, VISIBLE avatar regression for the real development Django app.*
F0406 `Tests/run_presence_tests.ps1` [76 lines] *ONE COMMAND, ONE VISIBLE WINDOW, ONE REPORT.*
F0407 `Tests/test_about_window_name_visible.py` [66 lines] *Playwright test — Angela's name is visible in Tlamatini's About window.*
F0408 `Tests/test_avatar_animation.cjs` [195 lines] *Browser regression: run with node tests/test_avatar_animation.cjs.*
F0409 `Tests/test_avatar_collectstatic.py` [65 lines] *Verify real Django collectstatic preserves avatar assets byte-for-byte.*
F0410 `Tests/test_avatar_presence_visible.py` [582 lines] *THE AVATAR PRESENCE REGRESSION — VISIBLE, PERMANENT, AND HARD TO FOOL.*
F0411 `Tests/test_avatar_visible.cjs` [169 lines] *Visible real-Django avatar regression.*
F0412 `Tests/test_pdf_canvas_assets.py` [68 lines] *Check real Django/WhiteNoise MIME handling and collected PDF assets in isolation. [1 tests]*
F0413 `Tests/test_pdf_canvas_browser.py` [738 lines] *Real Chromium PDF canvas regression, isolated from RAG, accounts and databases. [11 tests]*
F0414 `Tests/test_perf_3x_visual.py` [216 lines] *VISUAL automated tests for the 3X-speed surgical plan (L1 + L2).*
F0415 `Tests/test_requirements_coverage.py` [89 lines] *Run visibly: python -m unittest discover -s Tests -p test_requirements_coverage.py -v [10 tests]*

AuxTests/ — sheet 19

F0212 `AuxTests/mypdf2.py` [156 lines] *Defines create_beautiful_pdf().*

Tlamatini/tests_e2e/ · visible end-to-end runs — sheet 19

F1704 `Tlamatini/tests_e2e/oob_child_helper.py` [46 lines] *Child process used by the OOB_shift_reaper unit test.*
F1705 `Tlamatini/tests_e2e/README.md` [79 lines] *tests_e2e — visible (headed) Playwright end-to-end suites: These drive a real, visible Chromium against a running Tlamatini server (they are NOT Django unit…*
F1706 `Tlamatini/tests_e2e/test_create_flow_visual.py` [477 lines] *Visible (HEADED) Playwright end-to-end suite for the 2026-07-06 Create-Flow overhaul.*
F1707 `Tlamatini/tests_e2e/test_ctrl_c_quits_visible.py` [187 lines] *VISIBLE end-to-end proof that Ctrl+C actually quits Tlamatini.*
F1708 `Tlamatini/tests_e2e/test_db_backup_set_visible.py` [415 lines] *Visible, dev-only Backup DB / Set DB round-trip regression test.*
F1709 `Tlamatini/tests_e2e/test_oob_browser_visible.py` [137 lines] *VISIBLE HEADED-BROWSER proof of the OOB_shift_reaper wiring, end-to-end.*
F1710 `Tlamatini/tests_e2e/test_oob_namu_unit.py` [189 lines] *OOB_shift_reaper + NAMU — deterministic unit proof of the FINAL design.*
F1711 `Tlamatini/tests_e2e/test_prompts_catalog_visual.py` [392 lines] *VISIBLE HEADED-BROWSER walk of the COMPLETE Catalog of Prompts (Angela, 2026-07-26).*
F1712 `Tlamatini/tests_e2e/test_self_healing_visual.py` [316 lines] *VISIBLE self-healing soak (Angela, 2026-07-06).*
F1713 `Tlamatini/tests_e2e/test_voice_visual.py` [321 lines] *Visible (HEADED) Playwright test for the VOICE feature (Config -> Voice).*
F1714 `Tlamatini/tests_e2e/Tlamatini-Overnight-100.py` [297 lines] *Tlamatini-Overnight-100.py – 100 messages, sent and verified while Angela sleeps.*
F1715 `Tlamatini/tests_e2e/Tlamatini-Whatsapper-Daily-Tests.py` [706 lines] *Tlamatini-Whatsapper-Daily-Tests.py – the definitive WhatsApp send tester.*

repository root · guard tests — sheet 19

F0399 `test_author_banner.py` [95 lines] *Automated guard: Angela López Mendoza's authorship must be present EVERYWHERE. [4 tests]*
F0400 `test_check_private_data.py` [1.0k lines] *test_check_private_data.py – 100+ automated tests for the god-of-gods auditor. [143 tests]*
F0401 `test_perf_3x_visual.py` [479 lines] *VISUAL performance dashboard for the 3X-speed surgical plan.*
F0402 `test_private_data_guard.py` [219 lines] *Automated tests for the PRIVATE DATA GUARD mechanism. [9 tests]*

scripts/ · visible checks, release checks and tooling — sheet 19

F0318 `scripts/acp_editor_visible.py` [291 lines] *Exercise the real ACP editor in visible Chrome on port 8001.*
F0319 `scripts/build_setup_full_payload.py` [70 lines] *Build the current complete payload in a disposable, private source snapshot.*
F0320 `scripts/build_setup_validation.py` [58 lines] *Freeze the current setup clients and attach the newly built full payload.*
F0321 `scripts/canvas_refresh_visible.py` [556 lines] *Canvas Refresh acceptance, on the real source page in visible Chrome only.*
F0322 `scripts/chat_composer_resize_checks.py` [264 lines] *Headed real-page layout checks.*
F0323 `scripts/chat_composer_resize_visible.py` [158 lines] *Composer geometry regression on the real source page and an isolated database.*
F0324 `scripts/chat_composer_visible_window.py` [83 lines] *Native Windows browser sizing: no viewport emulation or off-screen evidence.*
F0325 `scripts/chat_microphone_visible.py` [365 lines] *Visible real-template dictation checks with deterministic transport fixtures.*
F0326 `scripts/chat_viewport_visible_checks.py` [156 lines] *Native zoom and narrow-window checks, run in the visible source harness.*
F0327 `scripts/chat_views_frozen_visible.py` [254 lines] *Focused Views acceptance against a real frozen test instance on port 8878.*
F0328 `scripts/chat_views_visible.py` [480 lines] *Views acceptance on source/dev artifacts, never a rebuild or installed app.*
F0329 `scripts/check_js_parse.mjs` [43 lines] *Parse-gate every browser JS module with node –check.*
F0330 `scripts/check_requirements_coverage.py` [280 lines] *Static repository-wide Python dependency coverage; imports no application code.*
F0331 `scripts/docked_avatar_resize_checks.py` [178 lines] *Docked portrait regression checks, called only by the headed source harness.*
F0332 `scripts/dossier_visual_walkthrough_visible.py` [230 lines] *VISIBLE walkthrough of the regenerated project dossier (PDF + PPTX).*
F0333 `scripts/drag_divider_look_visible.py` [467 lines] *VISIBLE proof that #drag-divider has the same look and feel as #vertical-drag-divider.*
F0334 `scripts/file_drop_router_cases.mjs` [455 lines] *file_drop_router_cases.mjs — behaviour tests for static/agent/js/file_drop_router.js*
F0335 `scripts/flow_canvas_mechanics_visible.py` [398 lines] *Shared editor checks, invoked only by the verified visible Chrome harness.*
F0336 `scripts/flow_file_associations_test.ps1` [120 lines] *Run in a verified visible foreground PowerShell -NoExit console.*
F0337 `scripts/flow_files_visible.py` [502 lines] *Visible real-browser flow-file lifecycle checks; launch via PowerShell -NoExit.*
F0338 `scripts/installed_panels_visible.py` [538 lines] *Visible acceptance checks against actual frozen or isolated source Tlamatini.*
F0339 `scripts/markdown_canvas_visible.py` [573 lines] *Markdown canvas acceptance on the real source page, in visible Chrome only.*
F0340 `scripts/menu_browser_checks.py` [525 lines] *Real-template/browser state regressions.*
F0341 `scripts/menu_live_checks.py` [145 lines] *Live menu checks in the real application, through visible Chrome.*
F0342 `scripts/menu_reference_graph.mjs` [95 lines] *Run only in the verified visible test console.*
F0343 `scripts/panel_search_title_visible.py` [367 lines] *Real panel UI checks in visible Chrome and a verified foreground console.*
F0344 `scripts/pptxer_visibility_gallery.py` [94 lines] *Create an offline, searchable gallery of actual PowerPoint test renders.*
F0345 `scripts/prompt_flow_commentary_visible.py` [175 lines] *Static commentary / unchanged user-input regression in real visible Chrome.*
F0346 `scripts/prompt_flow_connections_visible.py` [540 lines] *Verify ACP/Prompt Flow connector parity in VISIBLE Chrome on port 8001.*
F0347 `scripts/prompt_flow_extension_visible.py` [233 lines] *Exercise the real Prompt Flow Panel file format in visible Chrome on port 8001.*
F0348 `scripts/prompt_flow_output_resize_visible.py` [381 lines] *Run output splitter regression in real visible Chrome.*
F0349 `scripts/prompt_flow_selection_visible.py` [201 lines] *Exercise Prompt Flow Panel selection and status colors in visible Chrome on port 8001.*
F0350 `scripts/release_acp_editor_checks.py` [186 lines] *Real ACP graphical editing checks shared by source and frozen acceptance.*

F0351 `scripts/release_acp_runtime_checks.py` [79 lines] *Start, pause, resume and stop a real harmless ACP workflow through its UI.*
F0352 `scripts/release_agent_catalog_checks.py` [145 lines] *Inspect every actual ACP agent and round-trip its file through the visible UI.*
F0353 `scripts/release_auth_checks.py` [89 lines] *Normal UI authentication and disposable nonstaff user lifecycle checks.*
F0354 `scripts/release_commentary_checks.py` [401 lines] *Shared real-UI rich-commentary acceptance for source and frozen runs.*
F0355 `scripts/release_extended_checks.py` [290 lines] *Real, headed UI acceptance cases; never inject application state or responses.*
F0356 `scripts/release_local_agent_checks.py` [114 lines] *Execute local file agents through the product runtime in source or frozen mode.*
F0357 `scripts/release_mcp_checks.py` [79 lines] *Read-only client probes inside the actual source/frozen Django shell.*
F0358 `scripts/release_output_resize_checks.py` [230 lines] *Real playback and complete divider checks for source and frozen acceptance.*
F0359 `scripts/release_prompt_runtime_checks.py` [143 lines] *Real model, scheduling, branching and cancellation through Prompt Flow UI.*
F0360 `scripts/release_shell_file_checks.py` [73 lines] *Exercise the installed Windows file association using actual ShellExecute.*
F0361 `scripts/run_menu_state_checks.py` [290 lines] *Deep menu suite: launch in a verified visible PowerShell -NoExit console.*
F0362 `scripts/setup_crash_agents_visible.py` [275 lines] *Real frozen-app crash campaign, from a verified visible -NoExit console.*
F0363 `scripts/setup_desktop_cycles.py` [139 lines] *Five real desktop lifecycle cases, started manually in a visible console.*
F0364 `scripts/setup_lifecycle_checks.py` [389 lines] *Focused real-filesystem/Windows checks; launch from a visible -NoExit console.*
F0365 `scripts/setup_release_cycles.py` [454 lines] *Visible, compiled setup validation.*
F0366 `scripts/setup_wizard_visible.py` [274 lines] *Visible source UI validation, NOT compiled release acceptance.*
F0367 `scripts/skill_inventory.py` [176 lines] *Generate the CURRENT skill inventory + version facts from Git and disk.*
F0368 `scripts/sync_assistant_skills.py` [143 lines] *Keep .gemini/skills/ in step with .claude/skills/.*
F0369 `scripts/tlamatini_clean_install.ps1` [106 lines] *Destructive reset for an explicitly authorized CLEAN INSTALL test.*
F0370 `scripts/ui_sweep_resize_checks.py` [68 lines] *Behavior checks run only in the verified, headed ui_sweep_visible session.*
F0371 `scripts/ui_sweep_visible.py` [138 lines] *Interactive source UI audit, from a verified visible PowerShell -NoExit console.*
F0372 `scripts/update_flow_catalog.py` [95 lines] *Regenerate/check the standalone agent catalog and its documentation inventory.*
F0373 `scripts/usage_dashboard_browser_checks.py` [83 lines] *Visible real-page checks; deterministic data cases are explicitly labelled.*
F0374 `scripts/usage_dashboard_fixture_checks.py` [193 lines] *Explicit synthetic-data UI cases, supplemental to the real-source checks.*
F0375 `scripts/usage_dashboard_visible.py` [139 lines] *Real source app + isolated database, in a verified visible foreground console.*
F0376 `scripts/vendor_frontend.py` [84 lines] *Reproduce local UI dependencies from version/integrity-pinned npm archives.*
F0377 `scripts/vendor_pdfjs.py` [57 lines] *Reproduce the offline PDF canvas assets from the pinned upstream npm archive.*
F0378 `scripts/verify_latexer_styles.py` [246 lines] *Compile real LaTeX, audit content/geometry, render with Poppler, build an atlas.*
F0379 `scripts/verify_pdfer_styles.py` [151 lines] *Build, measure and render every PDFer style, plus a browsable gallery and atlas.*
F0380 `scripts/verify_pptxer_layout.py` [163 lines] *Reproducible PPTXer stress decks and a browsable PowerPoint render gallery.*
F0381 `scripts/verify_pptxer_styles.py` [132 lines] *Render the twelve new PPTXer styles with complete 256-character fields.*
F0382 `scripts/visual_fatal_dialog_visible.py` [191 lines] *Visible component integration checks using the real dialog, poller and styles.*

.claude/. . . /tlamatini-daily-chat-test/harness/ — sheet 19

F0090 `.claude/skills/tlamatini-daily-chat-test/harness/_peek.py` [26 lines] *Module that sets p, n, raw, txt using re, sys.*
F0091 `.claude/skills/tlamatini-daily-chat-test/harness/_stage.ps1` [75 lines] *Stage the 2x2 test desktop for Angela.*
F0092 `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
F0093 `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
F0094 `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [376 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
F0095 `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [268 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
F0096 `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
F0097 `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
F0098 `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
F0099 `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
F0100 `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
F0101 `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
F0102 `.claude/skills/tlamatini-daily-chat-test/harness/compact_mode_visible.py` [482 lines] *VISIBLE proof: COMPACT MODE - one-shot questions work on the SMALL model the installed Tlamatini is configured with (Angela, 2026-10-01).*
F0103 `.claude/skills/tlamatini-daily-chat-test/harness/compact_pingpong_visible.py` [341 lines] *TWO CHAT PAGES, TWO MODELS - THE COMPACT-MODE VERDICT MUST NOT PING-PONG (Angela Lopez Mendoza, 2026-10-08)*
F0104 `.claude/skills/tlamatini-daily-chat-test/harness/compact_switch_visible.py` [690 lines] *VISIBLE proof: the COMPACT MODE checkbox (Angela, 2026-10-02).*
F0105 `.claude/skills/tlamatini-daily-chat-test/harness/config.py` [132 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
F0106 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_100.py` [500 lines] *100+ REAL prompts in a VISIBLE Chrome, watching the context gauge move.*
F0107 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_real_lab.py` [507 lines] *THE REAL CONTEXT GAUGE - VISIBLE LABORATORY (Angela, 2026-09-28)*
F0108 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_visible.py` [288 lines] *VISIBLE proof that the context gauge moves on a REAL request.*
F0109 `.claude/skills/tlamatini-daily-chat-test/harness/context_restore_spinner_visible.py` [725 lines] *context_restore_spinner_visible.py - VISIBLE regression runner (2026-09-22)*
F0110 `.claude/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
F0111 `.claude/skills/tlamatini-daily-chat-test/harness/deepseek_remote_chat_visible.py` [615 lines] *VISIBLE proof: the whole chat works against a REMOTE Ollama serving deepseek-coder.*
F0112 `.claude/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [492 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0113 `.claude/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [255 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0114 `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
F0115 `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
F0116 `.claude/skills/tlamatini-daily-chat-test/harness/drop_message_visible.py` [669 lines] *THE DROP BUTTON - VISIBLE END-TO-END TEST (Angela Lopez Mendoza, 2026-09-30)*
F0117 `.claude/skills/tlamatini-daily-chat-test/harness/file_drop_visible.py` [615 lines] *FILE DROP ROUTER - VISIBLE END-TO-END TEST (Angela, 2026-10-14)*
F0118 `.claude/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [373 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*
F0119 `.claude/skills/tlamatini-daily-chat-test/harness/full_mode_visible.py` [251 lines] *FULL MODE on a big cloud model - VISIBLE E2E (Angela Lopez Mendoza, 2026-10-01).*
F0120 `.claude/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
F0121 `.claude/skills/tlamatini-daily-chat-test/harness/grepper_lines_visible.py` [234 lines] *VISIBLE end-to-end proof that the modified Grepper did NOT break Tlamatini.*
F0122 `.claude/skills/tlamatini-daily-chat-test/harness/grepper_login_probe.py` [61 lines] *VISIBLE login probe - prints exactly where the chat page is lost.*
F0123 `.claude/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [445 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
F0124 `.claude/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [860 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
F0125 `.claude/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
F0126 `.claude/skills/tlamatini-daily-chat-test/harness/model_brain_visible.py` [557 lines] *MODEL BRAIN - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-08).*
F0127 `.claude/skills/tlamatini-daily-chat-test/harness/monitor.py` [177 lines] *LIVE TEST MONITOR - a window that REFRESHES ITSELF while the test runs.*
F0128 `.claude/skills/tlamatini-daily-chat-test/harness/ollama_remote_catalog_visible.py` [504 lines] *VISIBLE proof: Config > Models asks the CONFIGURED (remote) Ollama.*
F0129 `.claude/skills/tlamatini-daily-chat-test/harness/pdf_context_visible.py` [423 lines] *PDF AS CONTEXT - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-08)*
F0130 `.claude/skills/tlamatini-daily-chat-test/harness/pdfer_nuance_visible.py` [528 lines] *PDFer NUANCE / LAYOUT — THE VISIBLE TEST*
F0131 `.claude/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [163 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
F0132 `.claude/skills/tlamatini-daily-chat-test/harness/pptxer_visible.py` [780 lines] *PPTXer — THE VISIBLE TEST*
F0133 `.claude/skills/tlamatini-daily-chat-test/harness/preflight.py` [334 lines] *Make a visible test INVULNERABLE to peripheral failure.*
F0134 `.claude/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
F0135 `.claude/skills/tlamatini-daily-chat-test/harness/questions.py` [393 lines] *Question bank generator for the Tlamatini daily chat test.*
F0136 `.claude/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
F0137 `.claude/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
F0138 `.claude/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
F0139 `.claude/skills/tlamatini-daily-chat-test/harness/self_modify_visible.py` [480 lines] *The SELF-MODIFY box - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
F0140 `.claude/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [99 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
F0141 `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [380 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
F0142 `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
F0143 `.claude/skills/tlamatini-daily-chat-test/harness/stop_sequence_visible.py` [581 lines] *TOO MANY STOP SEQUENCES - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
F0144 `.claude/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
F0145 `.claude/skills/tlamatini-daily-chat-test/harness/uninstaller_visible.py` [465 lines] *uninstaller_visible.py — VISIBLE end-to-end test of the Tlamatini Uninstaller.*
F0146 `.claude/skills/tlamatini-daily-chat-test/harness/video_link_visible.py` [368 lines] *VIDEO LINK TRANSCRIPTION - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-11)*
F0147 `.claude/skills/tlamatini-daily-chat-test/harness/voice_commands_visible.py` [420 lines] *VISIBLE proof of the VOICE COMMANDS catalog section (Angela, 2026-09-12).*
F0148 `.claude/skills/tlamatini-daily-chat-test/harness/window-test-screen.py` [1.5k lines] *WINDOW TEST SCREEN - a graphical instrument panel Claude drives in real time.*
F0149 `.claude/skills/tlamatini-daily-chat-test/harness/windower_focus.py` [163 lines] *THE WINDOW IS BROUGHT FORWARD BY WINDOWER, TLAMATINI'S OWN AGENT*
F0150 `.claude/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [276 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

.gemini/. . . /tlamatini-daily-chat-test/harness/ — sheet 19

F0164 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
F0165 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
F0166 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [376 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
F0167 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [268 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
F0168 `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
F0169 `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
F0170 `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
F0171 `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
F0172 `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
F0173 `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
F0174 `.gemini/skills/tlamatini-daily-chat-test/harness/config.py` [125 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
F0175 `.gemini/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
F0176 `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [492 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0177 `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [255 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0178 `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
F0179 `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
F0180 `.gemini/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [373 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*
F0181 `.gemini/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
F0182 `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [445 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
F0183 `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [860 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
F0184 `.gemini/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
F0185 `.gemini/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [163 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
F0186 `.gemini/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
F0187 `.gemini/skills/tlamatini-daily-chat-test/harness/questions.py` [392 lines] *Question bank generator for the Tlamatini daily chat test.*
F0188 `.gemini/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
F0189 `.gemini/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
F0190 `.gemini/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
F0191 `.gemini/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [99 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
F0192 `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [380 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
F0193 `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
F0194 `.gemini/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
F0195 `.gemini/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [262 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

Atlas VIII — Build, release, install, security and repository root

build and release tooling — sheet 20

F0201 `.gitattributes` [14 lines] *Git attributes: line-ending and binary handling.*
F0203 `.gitignore` [459 lines] *Git ignore rules: Temp/, Templates/, databases, secrets (data.keys), build output, generated _version.py.*
F0211 `audit_dependencies.py` [184 lines] *Tlamatini dependency audit — run it on ANY interpreter, it changes nothing.*
F0216 `build.py` [2.2k lines] *build.py — Tlamatini Build Script*
F0217 `build_all.cmd` [101 lines] *build_all.cmd — Build Tlamatini end-to-end.*
F0218 `build_complete_private_release.py` [372 lines] *build_complete_private_release.py – KEYED (private) release builder.*
F0219 `build_complete_public_release.py` [949 lines] *build_complete_public_release.py – PUBLIC release builder (scrubbed + verified).*
F0220 `build_installer.py` [568 lines] *build_installer.py — Tlamatini Installer Build Script*
F0221 `build_runtime_assets.py` [472 lines] *Fail-closed runtime asset inventory shared by the application/installer builds.*
F0222 `build_uninstaller.py` [363 lines] *build_uninstaller.py — Tlamatini Uninstaller Build Script*
F0223 `check_private_data.py` [721 lines] *check_private_data.py – god-of-gods private-data leak auditor.*
F0228 `copy_source_assets.py` [855 lines] *copy_source_assets.py — generate the TlamatiniSourceCode self-modify snapshot.*
F0286 `eslint.config.mjs` [525 lines] *JavaScript module.*
F0292 `git_deny_go.py` [154 lines] *git_deny_go.py — autonomously guarantee the Go toolchain NEVER appears in git.*
F0302 `package.json` [29 lines] *Node tooling manifest (tlamatini): 3 dependencies, scripts lint, lint:fix, check-js-parse, test.*
F0304 `pnpm-lock.yaml` [578 lines] *pnpm lockfile pinning the JavaScript lint tooling.*
F0306 `private_targets.example.json` [43 lines] *JSON document with keys: _README, names, emails, phones, handles.*
F0308 `pyinstaller_hooks/hook-numpy.py` [158 lines] *Tlamatini custom PyInstaller hook for numpy.*
F0309 `pyinstaller_hooks/hook-pymupdf.py` [14 lines] *Bundle native MuPDF libraries used by PDF context in the frozen web process.*
F0310 `pyinstaller_hooks/hook-torch.py` [30 lines] *Prevent PyInstaller from collecting Torch assets for the frozen web app.*
F0312 `regen_secrets.py` [574 lines] *regen_secrets.py — toggle Tlamatini config files between two modes*
F0316 `requirements-esphome.txt` [7 lines] *Python dependency list: 1 pinned requirements (private ESPHome runtime).*
F0317 `requirements.txt` [224 lines] *Python dependency list: 88 pinned requirements.*
F1729 `uncommit-keys.bat` [244 lines] *uncommit-keys.bat - Angela's secret-leak seatbelt for the Tlamatini repo.*
F1735 `versioning.py` [203 lines] *Top-level versioning helper for Tlamatini's build scripts.*

install, update and launch — sheet 20

F0210 `apply_update.ps1` [355 lines] *Tlamatini Auto-Updater Runs OUTSIDE the install directory (a copy is placed under %LOCALAPPDATA%\Tlamatini\updater by self_update.py) so it can. . .*
F0214 `backup_db.py` [206 lines] *Daily backup of Tlamatini's database.*
F0229 `CreateShortcut.json` [3 lines] *JSON document with keys: InstallDir.*
F0230 `CreateShortcut.ps1` [264 lines] *Shortcut Creator for Tlamatini Reads the installation directory from CreateShortcut.json*
F0289 `flow_file_associations.ps1` [181 lines] *Per-user registration. Never modify UserChoice, its hash, or other applications.*
F0290 `freeingport8000.ps1` [65 lines] *PowerShell script.*
F0293 `install.py` [854 lines] *Version resolution . . . Read the version from the running .exe's Win32 ProductVersion (frozen. . .*
F0299 `ollama_credits.py` [386 lines] *ollama_credits.py - Zero-dependency Ollama Cloud credits/usage checker.*
F0305 `preserved_user_state.json` [27 lines] *JSON document with keys: _README, preserve, _notes.*
F0313 `register_flw.ps1` [15 lines] *Run visibly in PowerShell.*
F0314 `register_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*
F0315 `RemoveShortcut.ps1` [59 lines] *Shortcut Remover for Tlamatini Removes the desktop and local shortcuts created by CreateShortcut.ps1 and forces Windows Explorer to refresh so the. . .*
F0394 `setup_logging.py` [100 lines] *Private local setup transcripts, including for windowed executables.*
F0395 `setup_recovery.py` [350 lines] *Bounded, installation-scoped recovery for the standalone setup clients.*
F0396 `setup_windows.py` [271 lines] *Small, explicitly scoped Windows setup primitives; no application imports.*
F0397 `setup_wizard.py` [483 lines] *Shared, standalone presentation for the Windows setup tools.*
F0420 `Tlamatini.ps1` [69 lines] *Tlamatini PowerShell Script Executes the Django development server with –noreload flag and automatically opens the browser on the configured web. . .*
F1730 `uninstall.py` [1.5k lines] *uninstall.py — Tlamatini Uninstaller*
F1731 `uninstall_processes.py` [147 lines] *Installation-scoped process cleanup for the standalone Windows uninstaller.*
F1732 `unregister_flw.ps1` [15 lines] *Run visibly in PowerShell.*
F1733 `unregister_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*

root stdio MCP server — sheet 20

F0204 `.mcp.json` [8 lines] *JSON document with keys: mcpServers.*
F1724 `tlamatini_acpx.py` [986 lines] *Self-contained ACPX runtime for the Tlamatini MCP server.*
F1728 `tlamatini_mcp_server.py` [770 lines] *Tlamatini Agents — MCP server.*

security/ · security arsenal — sheet 20

F0383 `security/automated_tests_of_security_assets.py` [128 lines] *Non-admin regression checks, run only in a confirmed visible console.*
F0384 `security/enable_tlamatini_v2.bat` [734 lines] *Generated from tlamatini_whitelist_v2.ps1 + windows_access_helpers.ps1.*
F0385 `security/README.md` [139 lines] *Tlamatini Windows access and Blue-hat toolkit: Double-click enable_tlamatini_v2.bat when you want to apply Windows access settings, approve its UAC prompt. . .*
F0386 `security/run_defender.bat` [20 lines] *Default is report-only: no process kills and no firewall block additions.*
F0387 `security/sync_enable_launcher.py` [65 lines] *Regenerate the standalone enable launcher from its reviewed PowerShell sources.*
F0388 `security/test_security_syntax.ps1` [13 lines] *Parser only: no enablement or defender workloads are executed.*
F0389 `security/test_windows_access.ps1` [119 lines] *Non-admin behavior tests: every Windows-policy mutation below is a mock.*
F0390 `security/tlamatini_defender.ps1` [718 lines] *TLAMATINI DEFENDER - REPORT-ONLY BY DEFAULT, OPTIONAL RESPONSE (v2.2) Purpose: Real-time intrusion detection and automated defensive response.*
F0391 `security/tlamatini_whitelist_v2.ps1` [567 lines] *TLAMATINI SECURITY WHITELIST SCRIPT v2.3 - VERIFIED APPLICATION ACCESS Purpose: Adds Tlamatini to Windows security exclusions AND grants it. . .*
F0392 `security/verify_agent_execution.py` [132 lines] *Check real non-admin execution without running model jobs or applying policy.*
F0393 `security/windows_access_helpers.ps1` [128 lines] *Pure helper definitions.*

CI and scanning policy — sheet 20

F0202 `.github/workflows/name-guard.yml` [99 lines] *YAML document: keys name, on, permissions, concurrency, jobs.*
F0205 `.scanning/finding-policy.json` [94 lines] *JSON document with keys: bandit, semgrep.*

demo flows — sheet 20

F0231 `demo_flows/demo1_globber_to_parametrizer_to_zavuerer.flw` [135 lines] *Agentic flow (.flw) for the Agentic Control Panel with 5 nodes.*
F0232 `demo_flows/demo2_apirer_to_parametrizer_to_zavuerer.flw` [135 lines] *Agentic flow (.flw) for the Agentic Control Panel with 5 nodes.*
F0233 `demo_flows/demo3_zavuerer_health_to_parametrizer_to_filecreator.flw` [133 lines] *Agentic flow (.flw) for the Agentic Control Panel with 5 nodes.*
F0297 `MCPMemoriesFlowCreation.flw` [434 lines] *Agentic flow (.flw) for the Agentic Control Panel with 17 nodes.*

repository root · media, documents and license — sheet 20

F0227 `ConfigureModels.png` [146KB] *Image (PNG): ConfigureModels.*
F0296 `LICENSE` [21 lines] *MIT license of Tlamatini.*
F0300 `OllamaPricing.png` [178KB] *Image (PNG): OllamaPricing.*
F0301 `OOB_shift_reaper-and-NAMU-Design.pdf` [18KB] *PDF document: OOB shift reaper-and-NAMU-Design.*
F0307 `PromptDesigner.jpg` [106KB] *Image (JPG): PromptDesigner.*
F0418 `Tlamatini.ico` [38KB] *Tlamatini application icon.*
F0419 `Tlamatini.jpg` [15KB] *Image (JPG): Tlamatini.*
F1725 `tlamatini_app_summary.pdf` [2.7MB] *PDF document: tlamatini app summary.*
F1726 `Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx` [4.9MB] *Project presentation deck generated by the dossier generator.*

Atlas IX — Knowledge and governance

repository root · Markdown and text documents — sheet 21

F0206 `_acpx_pipeline_demo_report.md` [65 lines] *ACPX Pipeline Demo Report: - Session ID: c697c78913ea4ab4b308211d9649d8bd - Agent: gemini (Google Gemini CLI v0.37.2) - Transport: tui-repl - Working. . .*
F0207 `ACPX.md` [841 lines] *ACPX & Skills in Tlamatini — A complete guide for dummies: Document version: 1.0 Date: 2026-04-29 Status: Shipped in the current v1.85.0 release.*
F0208 `AGENTS.md` [330 lines] *Tlamatini instructions for Codex and every coding agent: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
F0209 `agents_descriptions.md` [198 lines] *Tlamatini — Agent Descriptions: This file is the authoritative source of human-readable descriptions for every workflow agent shown in the Agentic Control. . .*
F0213 `AvatarImprovementByClaude.md` [416 lines] *The Avatar — from a 150 ms metronome to a talking head: Date: 2026-09-11 · Baseline: v1.51.5 · Author of Tlamatini: Angela López Mendoza Result: 74 / 74. . .*
F0215 `BookOfTlamatini.md` [4.6k lines] *Tlamatini: Every agent in Tlamatini/agent/agents/ is intentionally provided as a plain-Python program so its operating code can be read, audited, edited. . .*
F0224 `Claude-Desktop-KALI-MCP-Session.md` [694 lines] *Claude Desktop ↔ Kali Linux MCP — Complete Setup Guide: Who this document is for: Anyone (human or Claude AI) setting up or maintaining the bridge between. . .*
F0225 `CLAUDE.md` [1.2k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
F0226 `Codex2ClaudeRecommendations.md` [624 lines] *Codex to Claude: Tlamatini skill audit and recommendations: Prepared by Codex on 2026-09-23 for Claude and Angela.*
F0234 `DesignOfIncludingMemoryMCPS.txt` [1.2k lines] *Tlamatini (2026/08/15 16:04:42.921)*
F0235 `Discoverier-new-agent.md` [277 lines] *Discoverer — New Agent Design (ProjectDiscovery suite bridge): Discoverer is a new Tlamatini workflow agent that runs the ProjectDiscovery security tool suite. . .*
F0287 `example_of_prompt_to_make_de-compresser_agent.txt` [42 lines] *Please read create_new_agent.md first and either analize the code of all of the agents in Tlamatini/agent/agents/* in order to you to understand how. . .*
F0288 `FirstFinalPlanToSpeedUp.md` [774 lines] *First Final Plan To Speed Up Tlamatini: Objective: implement one low-risk speedup batch that improves runtime speed without reducing Tlamatini's virtues. . .*
F0291 `GEMINI.md` [999 lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
F0294 `KIMI.md` [1.3k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access. . .*
F0295 `latest-folding-context-session.md` [4 lines] *10247944-d2ab-420e-b58c-1a7af83442e9*
F0298 `MessagingConnectorAssistant_Design.md` [134 lines] *MessagingConnectorAssistant — Design: Goal (Angela's): the user tells Tlamatini their phone number and *nothing else*; Tlamatini does every step to. . .*
F0303 `PIVOT_CHANGES.md` [511 lines] *Tlamatini — Change Pivot / Rollback Log: A dated, append-only log of surgical changes with the verbatim request and the exact before/after, so any single. . .*

F1734 `VERSIONING.md` [419 lines] *Tlamatini — Versioning: This document is the authoritative reference for how Tlamatini is versioned.*

docs/ · feature guides — sheet 21

F0236 `docs/agent-coverage.md` [117 lines] *Installed agent coverage: Generated by python scripts/update_flow_catalog.py; verify with –check.*
F0237 `docs/build-root-assets-verification.md` [93 lines] *Required runtime files: packaging repair and verification: Verified on 2026-09-27 in visible foreground PowerShell consoles, retained with -NoExit.*
F0238 `docs/canvas-refresh.md` [108 lines] *Refresh the open canvas file: Open chooses a document.*
F0257 `docs/chat-microphone-design.md` [432 lines] *Direct voice prompts: 1.*
F0268 `docs/companion-app-discovery.md` [117 lines] *Tlamatini — Companion-App Discovery Contract: A stable lookup surface that lets XAIHT companion apps (e.g.*
F0269 `docs/dependency-coverage-audit.md` [126 lines] *Python dependency coverage audit - 2026-09-27: The refreshed source audit covers 744 Python files and all 89 runnable agents.*
F0270 `docs/desktop-input-and-flow-contracts.md` [127 lines] *Desktop input and flow contracts: Implementation update, 2026-09-15.*
F0271 `docs/examples/prompting-kickoff.fpmt` [26 lines] *Example Prompt Flow Panel diagram (JSON format tlamatini-prompting-flow).*
F0272 `docs/external_mcp_bulletproof_architecture.md` [141 lines] *External MCPs — the bulletproof architecture: The design contract for Tlamatini's universal MCP _client_: the layer that lets her use the tools of any. . .*
F0273 `docs/GUI-Manager-design.md` [344 lines] *Mouser: read physical cursor and monitor layout without moving anything.*
F0274 `docs/markdown-canvas.md` [79 lines] *Markdown in the chat canvas: Views → Canvas keeps this document and its viewer alive while hiding the pane.*
F0275 `docs/model-configuration-verification.md` [44 lines] *Runtime and model configuration verification — 2026-09-20: Installed application: C:\Tlamatini\Tlamatini.exe, version 1.63.0.*
F0276 `docs/model_configuration.md` [338 lines] *Model configuration: Config → Models manages 38 model, engine and voice settings for core services and 21 model-backed agents.*
F0277 `docs/pdf-canvas.md` [260 lines] *PDF canvas and document context: Views → Canvas keeps this document and its viewer alive while hiding the pane.*
F0278 `docs/prompting-flow-designer.md` [109 lines] *Prompt Flow Panel: Open Panels → Prompt Flow Panel from chat, or File → Prompt Flow Panel from the Agentic Control Panel.*
F0279 `docs/self-management-carriage.md` [439 lines] *Self-modify and self-update carriage review: Views → Canvas and Views → Reset layout are ordinary chat capabilities in both frozen build modes.*
F0280 `docs/setup-lifecycle-research.md` [79 lines] *Windows setup: research and implementation decisions: Research date: 2026-10-11.*
F0281 `docs/setup-wizards.md` [209 lines] *Installation and removal windows: Status: shipped in the published v1.82.0 release (tag at 880a335e, 2026-10-12).*
F0282 `docs/stm32er_all_families_proposal.md` [171 lines] *Proposal — Widen STM32er to the ENTIRE ST 32-bit line (Blue Pill → STM32N6)*
F0283 `docs/usage-dashboard.md` [185 lines] *About Usage: Status: shipped in the published v1.78.0 release (2026-10-10).*
F0284 `docs/visual-analysis-errors.md` [119 lines] *Image and video failures, dialogs and recovery: Image/video analysis uses the configured model identities.*
F0285 `docs/windows-flow-files.md` [213 lines] *Windows flow files: Implemented 2026-10-04; shipped in v1.76.0.*

docs/claude/ · assistant onboarding (auto-imported) — sheet 21

F0258 `docs/claude/acpx.md` [456 lines] *Tlamatini — ACPX (Agent Communication Protocol eXtension): This file is the authoritative reference for what ACPX means in Tlamatini, the mechanics it. . .*
F0259 `docs/claude/agents.md` [339 lines] *Tlamatini — Agents (Creation, Catalog, FlowCreator, FlowHypervisor): All 21 model-backed agents resolve their registered YAML fields through the portable. . .*
F0260 `docs/claude/architecture.md` [795 lines] *Tlamatini — Architecture & Core Systems: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text comparison. . .*
F0261 `docs/claude/exec-report.md` [269 lines] *Tlamatini — Exec Report (Per-Agent Execution Tables on the Final Answer)*
F0262 `docs/claude/frontend.md` [440 lines] *Tlamatini — Frontend Architecture: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text comparison. . .*
F0263 `docs/claude/gotchas.md` [305 lines] *Tlamatini — Gotchas, Build/Lint, Roadmap, Work Style: The latest released version is v1.85.0. agent_page_canvas.js owns Refresh source access, complete-text. . .*
F0264 `docs/claude/INDEX.md` [75 lines] *docs/claude/ — Tlamatini AI-Assistant Docs Index: - v1.85.0 release record — Refresh, Views/Reset, centered avatar, implementation matrix, current counts and. . .*
F0265 `docs/claude/mcp-tools.md` [222 lines] *Tlamatini — Creating a New MCP or Tool: Wrapped chat resolves central model settings before explicit tool arguments.*
F0266 `docs/claude/multi-turn.md` [304 lines] *Tlamatini — Multi-Turn Mode, Create Flow, Parametrizer Sections: The microphone beside Send is an input path, available with the current chat modes.*
F0267 `docs/claude/recent-fixes.md` [5.4k lines] *Tlamatini — Recent Fixes / Gotchas (archived fix log): v1.85.0 is the latest released version (2026-10-16).*

docs/changes/ · dated change records — sheet 21

F0239 `docs/changes/2026-10-03-prompt-commentary-input.md` [71 lines] *2026-10-03 — Prompt Flow commentary/input separation: Source changes, uncommitted.*
F0240 `docs/changes/2026-10-03-prompt-commentary-input.patch` [1.4k lines] *Patch recorded together with the change note 2026-10-03-prompt-commentary-input.*
F0241 `docs/changes/2026-10-03-prompt-flow-documentation.md` [59 lines] *2026-10-03 — Prompt Flow documentation and process cleanup: Ok, now update all all all all all all, all the related hundreds of documents, all the mardown. . .*
F0242 `docs/changes/2026-10-03-prompt-flow-documentation.patch` [631 lines] *Patch recorded together with the change note 2026-10-03-prompt-flow-documentation.*
F0243 `docs/changes/2026-10-04-commentary-graphical-redesign.md` [55 lines] *2026-10-04 — Graphical rich-text User Commentary: Sorry, but still horrible your fucking User Commentary: -It cannot be resized, directly in the borders of. . .*
F0244 `docs/changes/2026-10-04-commentary-graphical-redesign.patch` [2.0k lines] *Patch recorded together with the change note 2026-10-04-commentary-graphical-redesign.*
F0245 `docs/changes/2026-10-04-prompt-flow-documentation.md` [43 lines] *Prompt Flow documentation and dossier refresh — 2026-10-04: The standing instruction is do not commit.*
F0246 `docs/changes/2026-10-04-release-validation.md` [171 lines] *Release validation and repairs — October 4, 2026: This is an uncommitted local release campaign against source and Windows frozen artifacts reporting version. . .*
F0247 `docs/changes/2026-10-04-run-output-resize.md` [36 lines] *Prompt Flow Run output resizing — 2026-10-04: The horizontal divider resizes Run output from 5% to 95% of the combined canvas/output pane height; fixed. . .*
F0248 `docs/changes/2026-10-04-run-output-resize.patch` [834 lines] *Patch recorded together with the change note 2026-10-04-run-output-resize.*
F0249 `docs/changes/2026-10-04-windows-flow-files.md` [51 lines] *Windows flow files — 2026-10-04 source implementation: The existing format is .flw (agent flows), not .fmt.*
F0250 `docs/changes/2026-10-07-latexer-verification.md` [60 lines] *LaTeXer delivery and real-chat verification — 2026-10-07: The installed Tlamatini chat produced a correct simple PDF through LaTeXer. . .*
F0251 `docs/changes/2026-10-07-pdf-mover-incident.md` [87 lines] *2026-10-07: installed PDF delivery and Desktop deletion incident: The installed application's log records LaTeXer delivering. . .*
F0252 `docs/changes/2026-10-07-windows-access-verification.md` [82 lines] *Windows access scripts and non-admin execution checks — 2026-10-07: The security/ changes prepare Windows exceptions for the operator to apply.*
F0253 `docs/changes/2026-10-10-composer-resize.md` [80 lines] *Composer resizing and viewport containment — 2026-10-10: Status: shipped in the published v1.78.0 release (commit 113eddc4, 2026-10-10).*
F0254 `docs/changes/2026-10-11-ui-sweep.md` [146 lines] *Whole-site appearance and resize sweep — 2026-10-11: Local source changes requested by Angela.*
F0255 `docs/changes/2026-10-13-docked-avatar-divider.md` [65 lines] *Docked avatar resizing from the composer divider: Date: 2026-10-13.*
F0256 `docs/changes/2026-10-16-v1.85.0.md` [97 lines] *v1.85.0 — Current release: Tlamatini v1.85.0 is the latest released version.*

authoring guides — sheet 21

F0421 `Tlamatini/.agents/workflows/create_new_agent.md` [749 lines] *How to create a new Tlamatini agent*
F0422 `Tlamatini/.mcps/create_new_mcp.md` [881 lines] *How to add a new MCP-backed context provider or unified-agent tool to Tlamatini without confusing the transport, DB, UI, and chain layers.*
F0423 `Tlamatini/.skills/create_new_skill.md` [416 lines] *Creating a New Skill (SKILL.md package) in Tlamatini: Authoritative, step-by-step guide for authoring a new Skill — including ACPX skills.*

.claude/ · Claude Code skills, hooks and settings — sheet 21

F0001 `.claude/hooks/announce_skills.py` [204 lines] *SessionStart hook – announce that the complete skill set (Claude Code skills + Tlamatini's SKILL.md packages) is loaded, so every session is. . .*
F0002 `.claude/hooks/test_announce_skills.py` [353 lines] *Automated tests for the SessionStart hook (announce_skills.py). [15 tests]*
F0086 `.claude/settings.json` [16 lines] *JSON document with keys: hooks.*
F0087 `.claude/skills/tlamatini-agent-creation/SKILL.md` [928 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered. . .*
F0088 `.claude/skills/tlamatini-agent-naming/SKILL.md` [91 lines] *The authoritative Tlamatini agent NAMING CONVENTION — invoke before adding, renaming, casing, displaying, or auditing any workflow agent (STM32er. . .*
F0089 `.claude/skills/tlamatini-daily-chat-test/.gitignore` [8 lines] *Per-run outputs (regenerated daily)*
F0151 `.claude/skills/tlamatini-daily-chat-test/SKILL.md` [271 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe. . .*
F0152 `.claude/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0153 `.claude/skills/tlamatini-self-modify-inclusion/SKILL.md` [350 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships. . .*
F0154 `.claude/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [617 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0155 `.claude/skills/tlamatini-self-update-inclusion/SKILL.md` [440 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a. . .*

.claude/memory/ · persistent assistant memory — sheet 21

F0003 `.claude/memory/feedback_agent_naming_conventions.md` [33 lines] *name: feedback_agent_naming_conventions description: CRITICAL — Tlamatini agent naming convention.*
F0004 `.claude/memory/feedback_developer_product_boundary.md` [18 lines] *Developer workflow is not product UX: Angela clarified this on 2026-09-27: she is the developer using this machine; the worldwide audience for her products is. . .*
F0005 `.claude/memory/feedback_dont_overbuild_exec_safety.md` [29 lines] *The whole multi-day external-exec safety hardening (gates/containment/_run_bounded/watcher daemon) was discarded by the user as not-working — don't. . .*
F0006 `.claude/memory/feedback_forbidden_headless_visible_tests.md` [20 lines] *All automated tests and diagnostics must remain visible on Angela's real desktop, with no headless exception.*
F0007 `.claude/memory/feedback_foreground_visible_windows.md` [19 lines] *Every Tlamatini execution must run in a visible forked foreground window; headless is forbidden.*
F0008 `.claude/memory/feedback_hard_real_scenario_tests.md` [25 lines] *User demands HARD, real-scenario automated tests — soft happy-path tests are unacceptable*
F0009 `.claude/memory/feedback_main_branch_only.md` [40 lines] *ABSOLUTE rule. Tlamatini is a solo project; NEVER create branches, NEVER suggest PRs, NEVER let a "Create PR" UI badge appear. Everything goes on. . .*
F0010 `.claude/memory/feedback_package_json_version_bump.md` [29 lines] *On release version bumps, also bump package.json \"version\" — user wants it tracked despite the git-tag-only contract*
F0011 `.claude/memory/feedback_run_tlamatini_agents_visible.md` [34 lines] *To show Tlamatini's desktop agents (Playwrighter headed, forked windows, Shoter/Mouser/Keyboarder) on the user's real screen, launch FOREGROUND with. . .*
F0012 `.claude/memory/feedback_state_constraints_upfront.md` [31 lines] *Surface hard platform/architectural constraints + real options UP FRONT as a decision for the user — never discover them by trial-and-error.*
F0013 `.claude/memory/feedback_track_changes_pivot_file.md` [27 lines] *Keep a pivot/changelog file recording the verbatim request + complete before/after of every change, so precise rollbacks never depend on git or on. . .*
F0014 `.claude/memory/feedback_update_agent_docs.md` [27 lines] *When adding or modifying workflow agents in Tlamatini, also update the agent documentation files*
F0015 `.claude/memory/feedback_user_owns_git.md` [43 lines] *Read-only git commands (status/log/diff/show/blame) are always allowed.*
F0016 `.claude/memory/MEMORY.md` [149 lines] *Image/video error reporting and recovery (2026-09-26): Image/video model failures accumulate in one shared, themed, non-modal fatal-error dialog with an. . .*
F0017 `.claude/memory/project_acpx_oneshot_prompt.md` [46 lines] *2026-05-04 fix for ACPX losing TUI agent responses; claude/gemini/cursor/qwen/codex now re-spawn per turn with prompt as CLI arg*
F0018 `.claude/memory/project_acpx_skills_menu.md` [58 lines] *2026-05-17 — Added \"ACPX-Skills\" navbar dropdown (Browse / Configure / Diagnostics / Reload).*
F0019 `.claude/memory/project_acpx_toggle_skills.md` [35 lines] *2026-05-06 - acpx_enabled WebSocket flag filters the 12-tool ACPX/Skill surface per-request via agent.acpx.filter_acpx_tools(); 21 SKILL.md packages. . .*
F0020 `.claude/memory/project_acpxer_added.md` [31 lines] *2026-05-03 added ACPXer (#59) — a workflow agent that drives one ACPX session lifecycle from the canvas; it deliberately mirrors the runtime. . .*
F0021 `.claude/memory/project_agent_table_wiped_on_boot.md` [71 lines] *apps.ready() DELETES the whole Agent table every startup and re-derives names with .title() — the real source of 'Pdfer' and 6 dead canvas. . .*
F0022 `.claude/memory/project_arduiner_agent.md` [35 lines] *Arduiner (#70) Arduino CLI bridge agent — built 2026-06-02, full canvas + Multi-Turn, ships ArduinoTemplateProject; not committed*
F0023 `.claude/memory/project_ask_execs_feature.md` [35 lines] *The \"Ask Execs\" per-tool Proceed/Deny permission prompt for Multi-Turn executions — architecture + contracts.*
F0024 `.claude/memory/project_audioplayer_agent.md` [31 lines] *AudioPlayer (#73) audio-playback workflow agent — soundfile+sounddevice, canvas + chat_agent_audioplayer*
F0025 `.claude/memory/project_build_concurrency_guard.md` [32 lines] *build.py error 'FileNotFoundError build/manage/warn-manage.txt' = TWO concurrent builds clobbering shared build/ dist/ work dirs; fixed with a PID. . .*
F0026 `.claude/memory/project_build_tests_and_installer_enterkey.md` [25 lines] *build-script contract tests (test_build_scripts.py, 28) + Enter-key triggers install/uninstall in the Tkinter GUIs*
F0027 `.claude/memory/project_camcorder_agent.md` [27 lines] *2026-06-03 added Camcorder (#71) webcam photo/video agent (canvas + chat_agent_camcorder)*
F0028 `.claude/memory/project_carried_python_for_agents.md` [37 lines] *Frozen installer now ships its OWN Python 3.12.10 for pool agents; agents ALWAYS use it (no system Python needed)*
F0029 `.claude/memory/project_conjunction_parser_fix.md` [26 lines] *2026-04-24 fix — _split_assignment_segments and _closes_outer_quote now split on and KEY= / with KEY=, not just ,/;. Root-cause of AngysBackInCUDA. . .*
F0030 `.claude/memory/project_daily_chat_test_skill.md` [28 lines] *The tlamatini-daily-chat-test Claude Code skill — Playwright/real-Chrome harness that asks 1000 curated questions to the Tlamatini chat daily and. . .*
F0031 `.claude/memory/project_desktop_ui_lifecycle.md` [29 lines] *2026-05-07 fix — Keyboarder/Mouser/Shoter purposes + prompt.pmt rule 11 codify open→focus→interact→close→handle-save-. . .*
F0032 `.claude/memory/project_director_virtuoso_demo_prompts.md` [28 lines] *2026-05-21 added two ADVANCED multi-agent demo prompts (slots 55/56) via migration 0096; catalog now runs 1-56, next free slot is 57*
F0033 `.claude/memory/project_doc_refresh_2026_05_06.md` [40 lines] *Comprehensive doc-refresh pass covering the last week of changes - ACPX toggle, Skills system, WhatsTlamatini, ACPXer, summarizer one-shot mode. . .*
F0034 `.claude/memory/project_doc_refresh_2026_05_08.md` [39 lines] *Cross-cutting doc audit and surgical fixes to CLAUDE.md, docs/claude/exec-report.md, docs/claude/frontend.md, and README.md to align with the last 2. . .*
F0035 `.claude/memory/project_doc_refresh_2026_05_09.md` [58 lines] *CLAUDE.md + docs/claude/* updated for Flow Compiler / Agent Contracts (commit 0bea21d), agents_descriptions.md authoritative tooltip source. . .*
F0036 `.claude/memory/project_eight_fixes_2026_05_07.md` [53 lines] *2026-05-07 batch fixing the "open notepad → type → wait → close" failure mode (15 iterations got force-stopped before Keyboarder ran)*
F0037 `.claude/memory/project_emailer_recmailer_oneshot.md` [36 lines] *Emailer/RecMailer now work standalone in Multi-Turn chat (one-shot send / one-shot check)*
F0038 `.claude/memory/project_embedding_memory_guard.md` [35 lines] *2026-05-12 — Embedding-memory pre-flight guard added (NVIDIA-GPU-only, fail-open) for the \"Set directory as context\" flow*
F0039 `.claude/memory/project_esp32er_agent.md` [37 lines] *ESP32er agent (#69) — PlatformIO pio CLI bridge, the direct-CLI sibling of STM32er*
F0040 `.claude/memory/project_execute_command_bounded_fix.md` [27 lines] *2026-06-06 execute_command now bounded (timeout + stdin=DEVNULL + kill-tree); fixes the copy-con hang*
F0041 `.claude/memory/project_execute_file_foreground_fix.md` [44 lines] *REAL root cause of 'execute_file window never opened + false OK'; 2026-05-29 made the foreground path reachable, 2026-05-30 fixed the LAUNCH. . .*
F0042 `.claude/memory/project_external_exec_safety_layer.md` [33 lines] *The Python-launch syntax gate + Job-Object containment safety layer, its coverage, and the outstanding Sqler/Mongoxer gap*
F0043 `.claude/memory/project_flow_compiler_dialog_wins.md` [29 lines] *Reverses the canvas-as-source-of-truth contract for connection fields; user-edited source_agents/target_agents/etc. survive Start.*
F0044 `.claude/memory/project_ghost_distinfo_dependency_audit.md` [56 lines] *site-packages carries ~30 GHOST dist-info dirs; pip's conflicts were mostly phantom. audit_dependencies.py + the numpy floor fix (2026-07-26)*
F0045 `.claude/memory/project_kalier_agent.md` [37 lines] *Kalier agent — Kali Linux / MCP-Kali-Server bridge added on canvas + Multi-Turn*
F0046 `.claude/memory/project_keyboarder_wrapped_2026_05_07.md` [32 lines] *2026-05-07 — Keyboarder + Shoter usable from Multi-Turn; chat_agent_keyboarder added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0078*
F0047 `.claude/memory/project_latexer_agent.md` [76 lines] *LaTeXer (#87) — native typesetting, 30 optional styles, engine-free catalogue, MiKTeX-backed compilation and portable pool helpers.*
F0048 `.claude/memory/project_living_canvas_dropped.md` [29 lines] *2026-04-29 — Living Canvas v0 commits (2fc441d, 0705a9c, d496cda) were force-reverted; feature was non-functional in production despite passing. . .*
F0049 `.claude/memory/project_mouser_wrapped_2026_05_07.md` [37 lines] *2026-05-07 — Mouser usable from Multi-Turn; chat_agent_mouser added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0079.*
F0050 `.claude/memory/project_native_picker_tcltk_fix.md` [57 lines] *Server file picker rewritten tkinter-free (Win32 ctypes); tkinter REMOVED from server build.*
F0051 `.claude/memory/project_native_toast.md` [31 lines] *Notifier toast/desktop-popup experiment was REMOVED entirely (never worked); only the Windows "Installed apps" registration was kept.*
F0052 `.claude/memory/project_netspeed_calculator_agent.md` [89 lines] *NetSpeed-Calculator (agent #88) — COMPLETE and wired across ~30 surfaces; the 4 endpoint bugs, the silent-zero fix, and the spaced-impostor Agent. . .*
F0053 `.claude/memory/project_numpy_pyinstaller.md` [24 lines] *Root cause and fix for "cannot load module more than once per process" at Tlamatini startup*
F0054 `.claude/memory/project_ollama_source_build_breaks_embeddings.md` [31 lines] *The \"llama-server binary not found\" / Nomic-Embed error is the broken C:\Development\ollama source build, NOT prompt size*
F0055 `.claude/memory/project_pdfer_agent.md` [78 lines] *PDFer document composer — 24 visual styles, 20 semantic themes, measured layouts, catalog mode and flow outputs*
F0056 `.claude/memory/project_planner_followup.md` [31 lines] *Fixed planner losing tool context on short follow-up messages, plus 5 other fixes from MXNet installation log analysis*
F0057 `.claude/memory/project_playwrighter_agent.md` [31 lines] *Playwrighter (#65) scripted-browser-automation agent — canvas + Multi-Turn, added 2026-05-20*
F0058 `.claude/memory/project_playwrighter_hold_open.md` [56 lines] *Playwrighter hold_open_seconds/hold_open_ms linger knob — fixes \"browser closes before I can see it*
F0059 `.claude/memory/project_prompt_catalog_mode_badges.md` [42 lines] *Prompt catalog cards now show mode badges (One-Shot / Multi-turn / ACPX) and auto-set the Multi-Turn + ACPX toolbar checkboxes when a prompt is. . .*
F0060 `.claude/memory/project_prompt_flow_commentary_input.md` [19 lines] *Preserve the annotation/input split, mixed-style graphical editing, file fidelity, 5–95% Run output resizing and source/release boundaries.*
F0061 `.claude/memory/project_pythonxer_forkbomb_fix.md` [46 lines] *Pythonxer crash (thousands of flashing console windows, machine restart) — fix = blocking syntax gate + blocking Ruff (non-zero on lint fail) +. . .*
F0062 `.claude/memory/project_pythonxer_strict_ruff_gate.md` [36 lines] *STRICT Pythonxer correctness gate (compile() floor + blocking Ruff) + LLM fix↔re-ruff→retry loop — the sanctioned minimal subset re-added 2026-05-29. . .*
F0063 `.claude/memory/project_quote_apostrophe_fix_2026_05_07.md` [48 lines] *2026-05-07 fix for the "Hi!, i'm tlamatini" bug — the LLM passed "Hi!, I'm Tlamatini" (doubled outer + SQL-doubled inner apostrophe) and it. . .*
F0064 `.claude/memory/project_reaper_console_window_fix.md` [36 lines] *Orphan reaper was killing Tlamatini's own console-window conhost (frozen onedir builds), closing the window and hanging the server; fixed + tests*
F0065 `.claude/memory/project_recorder_agent.md` [31 lines] *Recorder (#72) microphone/audio-capture agent added on canvas + Multi-Turn*
F0066 `.claude/memory/project_reviewer_analyzer_agents.md` [33 lines] *2026-05-19 — added Reviewer + Analyzer workflow agents (#63/#64) and code-review + security-audit SKILL.md packages, on both surfaces*
F0067 `.claude/memory/project_reviewer_analyzer_demo_prompts.md` [25 lines] *2026-05-20 added two fancy seeded demo prompts for Reviewer/Analyzer (idPrompt 26/27) via migration 0090; documents the prompts-catalog contiguity. . .*
F0068 `.claude/memory/project_reviewer_committed_secrets_falsepos.md` [31 lines] *2026-05-20 fix — Reviewer agent + code-review skill falsely reported working-tree API keys as \"committed\"; taught both commit-state precision +. . .*
F0069 `.claude/memory/project_secret_leak_recovery.md` [33 lines] *How Tlamatini commits can leak API keys, and the recovery recipe when it happens*
F0070 `.claude/memory/project_stm32er_agent.md` [35 lines] *STM32er (#68) agent bridging the STM32TemplateProjectMCP stdio server on canvas + Multi-Turn*
F0071 `.claude/memory/project_stm32er_bootstrap_preflight.md` [31 lines] *STM32er zero-config auto-bootstrap (download/install MCP) + critical-mission safety preflight (validate compiler/CubeIDE/driver/ST-LINK, fail-safe. . .*
F0072 `.claude/memory/project_stm32er_demo_prompts.md` [29 lines] *STM32er Catalog-of-Prompts demos — migration 0103 seeds 3 tiered STM32F firmware prompts at slots 63/64/65*
F0073 `.claude/memory/project_stm32er_docs_libs_parametrizer.md` [35 lines] *STM32er v1.9.0 alignment — docs/skills/prompt.pmt swept for bootstrap+preflight, parametrizer server_script field, requirements lib sweep (PyPDF2. . .*
F0074 `.claude/memory/project_stm32er_hil_serial_proof_fix.md` [27 lines] *STM32er HIL demo (#65) fix — F4-Discovery ST-LINK VCP is NOT routed to the MCU USART, so live-SWD-memory is the real HIL proof, not serial*
F0075 `.claude/memory/project_stm32er_tests.md` [27 lines] *STM32er agent test suite — agent/test_stm32er_agent.py, 85 tests covering compiler-find/compile/link/hex via a fake MCP stdio server*
F0076 `.claude/memory/project_summarizer_oneshot_mode.md` [49 lines] *2026-05-06 fix — chat_agent_summarize_text now actually accepts input_text/target_words; before this, the registry advertised it as a one-shot text. . .*
F0077 `.claude/memory/project_taskbar_flash_attention.md` [30 lines] *Taskbar-flash + uppercase log banner attention notice for Ask-Execs prompts and Notifier notifications (the toast successor)*
F0078 `.claude/memory/project_teletlamatini_acpx.md` [34 lines] *TeleTlamatini AND WhatsTlamatini carry acpx_enabled end-to-end (config default true); 2026-06-04 both also hardened for "Ask Execs" — ungated by. . .*
F0079 `.claude/memory/project_temp_templates_policy.md` [39 lines] *Temp + Templates dirs must live ONLY under the Tlamatini app root; never outside Tlamatini*
F0080 `.claude/memory/project_unity_mcp_declined.md` [30 lines] *2026-05-17 — Uniter agent (Unity MCP analogue of Unrealer) was analyzed but explicitly NOT built; functionality too limited to justify*
F0081 `.claude/memory/project_unrealer_expanded_surface.md` [101 lines] *Unrealer agent expanded from 28→53 Unreal-MCP commands (System/Level/Asset/Material); cross-repo fork relationship + forwarder hardening*
F0082 `.claude/memory/project_versioning_2026_05_15.md` [60 lines] *SemVer 2.0.0 versioning system with git-tag-derived versions, injected into build artefacts at build time.*
F0083 `.claude/memory/project_videoplayer_agent.md` [33 lines] *VideoPlayer (#74) video+audio playback agent — ffpyplayer+OpenCV, canvas + chat_agent_videoplayer*
F0084 `.claude/memory/project_windower_agent.md` [37 lines] *Windower (#65) Win32 window-manager agent — dual-surface (canvas + chat_agent_windower), ports Windows-MCP window subset*
F0085 `.claude/memory/user_profile.md` [18 lines] *Primary developer of Tlamatini; values robustness, comprehensive execution, and parallel work.*

.gemini/skills/ · Gemini mirror — sheet 21

F0161 `.gemini/skills/tlamatini-agent-creation/SKILL.md` [928 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered. . .*
F0162 `.gemini/skills/tlamatini-agent-naming/SKILL.md` [91 lines] *The authoritative Tlamatini agent NAMING CONVENTION — invoke before adding, renaming, casing, displaying, or auditing any workflow agent (STM32er. . .*
F0163 `.gemini/skills/tlamatini-daily-chat-test/.gitignore` [8 lines] *Per-run outputs (regenerated daily)*
F0196 `.gemini/skills/tlamatini-daily-chat-test/SKILL.md` [271 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe. . .*
F0197 `.gemini/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0198 `.gemini/skills/tlamatini-self-modify-inclusion/SKILL.md` [350 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships. . .*
F0199 `.gemini/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [617 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0200 `.gemini/skills/tlamatini-self-update-inclusion/SKILL.md` [440 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a. . .*

.codex/skills/ · Codex dossier and release skills — sheet 21

F0156 `.codex/skills/full-project-pdf-dossier/SKILL.md` [116 lines] *Use when asked to create or update a complete project PDF dossier, app summary, architecture report, or repository documentation PDF that must. . .*
F0157 `.codex/skills/overlap-safe-pptx-dossier/SKILL.md` [128 lines] *Use when asked to create or update a complete technical PPTX deck, especially a Tlamatini-style presentation, where slides must describe the whole. . .*
F0158 `.codex/skills/tlamatini-release-validation/agents/openai.yaml` [4 lines] *YAML document: keys interface.*
F0159 `.codex/skills/tlamatini-release-validation/references/acceptance-matrix.md` [94 lines] *Acceptance matrix: Apply this to the current build, using actual UI labels and endpoints found in source.*
F0160 `.codex/skills/tlamatini-release-validation/SKILL.md` [120 lines] *Validate a real Tlamatini Windows release through clean installation, administration, chat, Prompt Flow Panel, Agentic Control Panel, and lifecycle. . .*