TLAMATINI

Complete Project Dossier: what the system does, how it works, how to use it, complete tracked file tree, and effective line inventory

Measure	Value
Generated	April 19, 2026 12:07 AM UTC-0600
Current HEAD	6063109 - Updating documentation, by angelahack1
Tracked files	348
Workflow agents	57
Total effective lines	71,562
Total physical text lines	97,039

1. What Tlamatini Is

- Tlamatini is a local-first AI developer assistant built with Django, Django Channels, LangChain, LangGraph, FAISS/BM25 retrieval, and a large in-repository agent application.
- It combines a browser chat surface, a Retrieval-Augmented Generation stack, a Multi-Turn tool executor, MCP-backed context providers, wrapped chat-agent runtimes, and a visual Agentic Control Panel for workflow design.
- The platform is designed for development operations: codebase analysis, file and directory context, command execution, Python execution, screenshots, web/search helpers, notifications, DevOps tools, local model operation, and Windows packaging.

What the system does

- Answers codebase questions with loaded file or directory context.
- Uses hybrid retrieval to extract metadata, split content, rank source chunks, and respect context budgets.
- Runs checked Multi-Turn requests through request-scoped planning, capability selection, tool calls, observations, monitoring, and final synthesis.
- Launches wrapped copies of selected workflow agents in isolated runtime folders without mutating templates.
- Lets users design, validate, save, pause, resume, and stop visual workflows through the Agentic Control Panel.
- Turns successful Multi-Turn tool executions into starter `.flw` workflows that can be inspected and validated in ACP.
- Packages the project into a distributable Windows release with installer and uninstaller tooling.

How it works

- Browser UI sends chat and workflow requests through Django views and Channels WebSockets.
- RAG chains load selected file/directory context, retrieve relevant chunks, and build answer prompts.
- When Multi-Turn is enabled, the global planner selects context and tool stages before the executor binds only the relevant tools.
- Tool calls execute in the backend, append observations, and may create wrapped runtime copies under `agent/agents/pools/_chat_runs_/`.
- ACP flows deploy session-scoped pool instances, wire config values, validate NxN graph rules, and execute through Starter-driven flow semantics.
- Build scripts collect static assets, bundle Django/Python resources, add agent templates, and assemble `pkg.zip`, `Uninstaller.exe`, and `dist/Tlamatini_Release/`.

2. Architecture Layers

Layer	Role
Browser interfaces	Chat page plus Agentic Control Panel templates and JavaScript modules.
Django/Channels	Authentication, views, WebSockets, session state, message persistence, and ASGI startup.
RAG and context	Metadata extraction, text splitting, FAISS/BM25 retrieval, context budgeting, and fallback behavior.
Multi-Turn engine	Capability registry, global execution planner, explicit tool loop, answer parsing, and answer-success classification.
Tools and agents	Core tools, MCP context providers, wrapped chat-agent launchers, and 57 visual workflow agent templates.
Packaging	PyInstaller build scripts, shortcut registration, `.flw` association, installer, uninstaller, and release folder assembly.

How to use it

- Run from source: create a virtual environment, install requirements, migrate, create a superuser, collect static files, and start Django.
- Open `/agent/` for chat. Load a file or directory context before asking codebase-specific questions.
- Keep Multi-Turn unchecked for direct Q&A; enable Multi-Turn for tasks that need tools, wrapped agents, monitoring, or workflow seeding.
- Open `/agentic_control_panel/` to drag agents, connect them, configure each node, validate, start, pause/resume, stop, and save `.flw` workflows.
- Use `python build.py`, `python build_uninstaller.py`, and `python build_installer.py` only when producing a packaged Windows release.

Source-mode bootstrap commands

```
python -m venv venv
venv\Scripts\activate
pip install -r requirements.txt
python Tlamatini/manage.py migrate
python Tlamatini/manage.py createsuperuser
python Tlamatini/manage.py collectstatic --noinput
python Tlamatini/manage.py runserver --noreload
```

3. Agent Catalog and Runtime Model

Tlamatini currently exposes 57 workflow-agent templates.

Category	Representative agents
Control	starter, ender, stopper, cleaner, barrier, flowbacker
Execution and files	executer, pythonxer, pser, file_creator, file_extractor, file_interpreter, mover, deleter
DevOps and infra	gitter, dockerer, kuberneter, jenkinser, ssher, scper
Data and APIs	sqler, mongoxer, apirer, crawler, googler
Monitoring and routing	monitor_log, monitor_netstat, flowhypervisor, forker, asker, counter, and, or
Communication	notifier, emailer, recmailer, telegramer, telegramrx, whatsapper
Security and media	kyber_keygen, kyber_cipher, kyber_decipher, image_interpreter, shoter, j_decompiler
Workflow intelligence	flowcreator, gatewayer, gateway_relayer, node_manager, parametrizer, prompter, summarizer

All workflow agents follow a common deployment pattern: template directory, YAML configuration, session-scoped pool copy, PID/status/log files, target/source wiring, and optional reanimation state.

4. Repository Facts

Metric	Value
Tracked files in git	348
Workflow agents	57
Django migrations	69
Frontend JavaScript modules	24
Frontend CSS files	5
HTML templates	4
Python requirements	62
Binary/asset tracked files skipped from line count	14

Latest commits

Date	Commit	Subject
2026-04-19	6063109	Updating documentation, by angelahack1
2026-04-18	9249349	Implementing scrolling in agentic_control_panel.html's canvas, by angelahack1
2026-04-18	e99d2b8	Making Multi-turn execution tables persistent, by angelahack1
2026-04-18	fad8002	Just sompptx framing, by angelahack1
2026-04-17	4e2a51b	Documentation updates, with automation, by angelahack1
2026-04-17	3b6eb8e	Way too improving the execution chain with now "Exec report"!!, by angelahack1
2026-04-17	d46ddbb	Fixing some drawbacks in frozen Tlamatini's runtime execution.
2026-04-17	17d5760	Updating to a more graphical documentation
2026-04-17	d7a8e66	Update documentation with the laatest fixings, by angelahack1
2026-04-16	0249c76	Improving multiturn, tested for installing assets, and added a new video, by angelahack1

5. Effective Line Inventory by Language

Methodology: tracked text files only. Blank lines and comment-only lines are excluded. Python counts also remove module, class, and function docstrings detected through AST parsing.

Language	Files	Effective lines	Total lines	Share
Python	208	46,525	64,806	65.0%
JavaScript	24	10,440	13,240	14.6%
Markdown	13	8,403	10,608	11.7%
CSS	5	2,674	3,327	3.7%
Other text	3	778	955	1.1%
YAML	59	753	1,709	1.1%
HTML	4	594	612	0.8%
PowerShell	5	408	616	0.6%
JavaScript module	1	323	390	0.5%
Prompt template	2	272	341	0.4%
JSON	4	244	244	0.3%
Text	4	115	134	0.2%
Protocol Buffers	1	20	33	0.0%
Batch	1	13	24	0.0%

Total effective lines: 71,562

6. Largest Effective Source Files

Path	Language	Effective	Total
Tlamatini/agent/views.py	Python	5,862	8,411
README.md	Markdown	3,564	4,491
Tlamatini/agent/tools.py	Python	1,841	2,483
Tlamatini/agent/agents/flowcreator/agentic_skill.md	Markdown	1,694	1,889
Tlamatini/agent/tests.py	Python	1,666	2,042
Tlamatini/agent/static/agent/css/agentic_control_panel.css	CSS	1,581	2,059
Tlamatini/agent/static/agent/js/acp-canvas-core.js	JavaScript	1,233	1,538
Tlamatini/agent/consumers.py	Python	1,092	1,300
Tlamatini/agent/doc_generation/complete_project_docs.py	Python	1,040	1,191
Tlamatini/agent/static/agent/js/acp-agent-connectors.js	JavaScript	1,019	1,154
Tlamatini/agent/static/agent/js/acp-control-buttons.js	JavaScript	1,000	1,301
Tlamatini/agent/static/agent/css/agent_page.css	CSS	942	1,091
Tlamatini/agent/static/agent/js/canvas_item_dialog.js	JavaScript	898	1,165
Tlamatini/agent/agents/crawler/crawler.py	Python	881	1,261
Tlamatini/agent/static/agent/js/agent_page_chat.js	JavaScript	810	1,116
Tlamatini/agent/agents/parametrizer/parametrizer.py	Python	791	1,115
Tlamatini/agent/static/agent/js/acp-canvas-undo.js	JavaScript	769	880
Tlamatini/agent/agents/file_interpreter/file_interpreter.py	Python	749	969
Tlamatini/agent/agents/node_manager/node_manager.py	Python	719	950
Tlamatini/agent/rag/factory.py	Python	700	848
Tlamatini/agent/agents/gatewayer/gatewayer.py	Python	696	968
Tlamatini/.agents/workflows/create_new_agent.md	Markdown	690	910
CLAUDE.md	Markdown	637	821
Tlamatini/agent/agents/file_extractor/file_extractor.py	Python	588	775
Tlamatini/agent/static/agent/js/agent_page_init.js	JavaScript	584	658

7. Complete Tracked File Tree (Repository Appendix)

Tree appendix 1 of 6

```
Tlamatini/
|-- .gitignore
|-- build.py
|-- build_installer.py
|-- build_uninstaller.py
|-- CLAUDE.md
|-- CreateShortcut.json
|-- CreateShortcut.ps1
|-- eslint.config.mjs
|-- googler_mcp.py
|-- install.py
|-- LICENSE
|-- mouse_mover.py
|-- multi-turn-flowFMODInstallation.flw
|-- NEW_AGENT_RECOMMENDATIONS.md
|-- package.json
|-- prompts_example.txt
|-- README.md
|-- register_flw.ps1
|-- RemoveShortcut.ps1
|-- requirements.txt
|-- Tlamatini.ico
|-- Tlamatini.jpg
|-- Tlamatini.ps1
|-- tlamatini_app_summary.pdf
|-- Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx
|-- trigger_jenkins.py
|-- uninstall.py
|-- unregister_flw.ps1
|-- .codex/
|   `-- skills/
|       |-- full-project-pdf-dossier/
|       |   `-- SKILL.md
|       `-- overlap-safe-pptx-dossier/
|           `-- SKILL.md
|-- pyinstaller_hooks/
|   `-- hook-numpy.py
`-- Tlamatini/
    |-- cat_art.py
    |-- manage.py
    |-- .agents/
    |   `-- workflows/
    |       `-- create_new_agent.md
    |-- .mcps/
    |   `-- create_new_mcp.md
    |-- agent/
    |   |-- __init__.py
    |   |-- admin.py
    |   |-- apps.py
    |   |-- capability_registry.py
    |   |-- chain_files_search_lcel.py
    |   |-- chain_system_lcel.py
    |   |-- chat_agent_registry.py
    |   |-- chat_agent_runtime.py
    |   |-- chat_history_loader.py
    |   |-- command_togen_pb2.txt
    |   |-- config.json
    |   |-- config_loader.py
    |   |-- constants.py
    |   |-- consumers.py
    |   |-- filesearch.proto
    |   |-- filesearch_pb2.py
    |   |-- filesearch_pb2_grpc.py
    |   |-- global_execution_planner.py
    |   |-- global_state.py
    |   |-- inet_determiner.py
    |   |-- mcp_agent.py
    |   |-- mcp_files_search_client.py
    |   |-- mcp_files_search_server.py
    |   |-- mcp_system_client.py
    |   |-- mcp_system_server.py
    |   |-- models.py
    |   |-- path_guard.py
    |   |-- prompt.pmt
    |   |-- rag_enhancements.py
    |   |-- routing.py
```

Tree appendix 2 of 6

```
|   |-- tests.py
|   |-- tools.py
|   |-- urls.py
|   |-- views.py
|   |-- web_search_llm.py
|   |-- agents/
|   |   |-- and/
|   |   |   |-- and.py
|   |   |   `-- config.yaml
|   |   |-- apirer/
|   |   |   |-- apirer.py
|   |   |   `-- config.yaml
|   |   |-- asker/
|   |   |   |-- asker.py
|   |   |   `-- config.yaml
|   |   |-- barrier/
|   |   |   |-- barrier.py
|   |   |   |-- config.yaml
|   |   |   `-- test_barrier.py
|   |   |-- cleaner/
|   |   |   |-- __init__.py
|   |   |   |-- cleaner.py
|   |   |   `-- config.yaml
|   |   |-- counter/
|   |   |   |-- config.yaml
|   |   |   `-- counter.py
|   |   |-- crawler/
|   |   |   |-- config.yaml
|   |   |   `-- crawler.py
|   |   |-- croner/
|   |   |   |-- config.yaml
|   |   |   `-- croner.py
|   |   |-- deleter/
|   |   |   |-- config.yaml
|   |   |   `-- deleter.py
|   |   |-- dockerer/
|   |   |   |-- config.yaml
|   |   |   `-- dockerer.py
|   |   |-- emailer/
|   |   |   |-- config.yaml
|   |   |   `-- emailer.py
|   |   |-- ender/
|   |   |   |-- config.yaml
|   |   |   `-- ender.py
|   |   |-- executer/
|   |   |   |-- config.yaml
|   |   |   `-- executer.py
|   |   |-- file_creator/
|   |   |   |-- config.yaml
|   |   |   `-- file_creator.py
|   |   |-- file_extractor/
|   |   |   |-- config.yaml
|   |   |   `-- file_extractor.py
|   |   |-- file_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- file_interpreter.py
|   |   |-- flowbacker/
|   |   |   |-- config.yaml
|   |   |   `-- flowbacker.py
|   |   |-- flowcreator/
|   |   |   |-- agentic_skill.md
|   |   |   |-- config.yaml
|   |   |   `-- flowcreator.py
|   |   |-- flowhypervisor/
|   |   |   |-- config.yaml
|   |   |   |-- flowhypervisor.py
|   |   |   |-- hypervisor_alert.wav
|   |   |   `-- monitoring-prompt.pmt
|   |   |-- forker/
|   |   |   |-- config.yaml
|   |   |   `-- forker.py
|   |   |-- gateway_relayer/
|   |   |   |-- config.yaml
|   |   |   |-- gateway_relayer.md
|   |   |   `-- gateway_relayer.py
|   |   |-- gatewayer/
```

Tree appendix 3 of 6

```
|   |   |   |-- config.yaml
|   |   |   |-- gatewayer.md
|   |   |   |-- gatewayer.py
|   |   |   `-- gatewayer_explanation.md
|   |   |-- gitter/
|   |   |   |-- config.yaml
|   |   |   `-- gitter.py
|   |   |-- googler/
|   |   |   |-- config.yaml
|   |   |   `-- googler.py
|   |   |-- image_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- image_interpreter.py
|   |   |-- j_decompiler/
|   |   |   |-- config.yaml
|   |   |   `-- j_decompiler.py
|   |   |-- jenkinser/
|   |   |   |-- config.yaml
|   |   |   `-- jenkinser.py
|   |   |-- keyboarder/
|   |   |   |-- config.yaml
|   |   |   `-- keyboarder.py
|   |   |-- kuberneter/
|   |   |   |-- config.yaml
|   |   |   `-- kuberneter.py
|   |   |-- kyber_cipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_cipher.py
|   |   |-- kyber_decipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_decipher.py
|   |   |-- kyber_keygen/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_keygen.py
|   |   |-- mongoxer/
|   |   |   |-- config.yaml
|   |   |   `-- mongoxer.py
|   |   |-- monitor_log/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_log.py
|   |   |-- monitor_netstat/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_netstat.py
|   |   |-- mouser/
|   |   |   |-- config.yaml
|   |   |   `-- mouser.py
|   |   |-- mover/
|   |   |   |-- config.yaml
|   |   |   `-- mover.py
|   |   |-- node_manager/
|   |   |   |-- config.yaml
|   |   |   |-- node_manager.md
|   |   |   |-- node_manager.py
|   |   |   |-- nodes_example.json
|   |   |   `-- nodes_example.yaml
|   |   |-- notifier/
|   |   |   |-- config.yaml
|   |   |   `-- notifier.py
|   |   |-- or/
|   |   |   |-- config.yaml
|   |   |   `-- or.py
|   |   |-- parametrizer/
|   |   |   |-- config.yaml
|   |   |   `-- parametrizer.py
|   |   |-- prompter/
|   |   |   |-- config.yaml
|   |   |   `-- prompter.py
|   |   |-- pser/
|   |   |   |-- config.yaml
|   |   |   `-- pser.py
|   |   |-- pythonxer/
|   |   |   |-- config.yaml
|   |   |   `-- pythonxer.py
|   |   |-- raiser/
|   |   |   |-- config.yaml
|   |   |   `-- raiser.py
```

Tree appendix 4 of 6

```
|   |   |-- recmailer/
|   |   |   |-- config.yaml
|   |   |   `-- recmailer.py
|   |   |-- scper/
|   |   |   |-- config.yaml
|   |   |   `-- scper.py
|   |   |-- shoter/
|   |   |   |-- config.yaml
|   |   |   `-- shoter.py
|   |   |-- sleeper/
|   |   |   |-- config.yaml
|   |   |   `-- sleeper.py
|   |   |-- sqler/
|   |   |   |-- config.yaml
|   |   |   `-- sqler.py
|   |   |-- ssher/
|   |   |   |-- config.yaml
|   |   |   `-- ssher.py
|   |   |-- starter/
|   |   |   |-- config.yaml
|   |   |   `-- starter.py
|   |   |-- stopper/
|   |   |   |-- config.yaml
|   |   |   `-- stopper.py
|   |   |-- summarizer/
|   |   |   |-- config.yaml
|   |   |   `-- summarizer.py
|   |   |-- telegramer/
|   |   |   |-- config.yaml
|   |   |   `-- telegramer.py
|   |   |-- telegramrx/
|   |   |   |-- config.yaml
|   |   |   `-- telegramrx.py
|   |   `-- whatsapper/
|   |       |-- config.yaml
|   |       `-- whatsapper.py
|   |-- doc_generation/
|   |   |-- complete_project_docs.py
|   |   |-- mardown_to_pdf.py
|   |   |-- refresh_project_docs.py
|   |   `-- test_output.pdf
|   |-- images/
|   |   |-- mockup.jpg
|   |   |-- TlamatiniAbout.jpg
|   |   `-- XAIHT-Tlamatini.mp4
|   |-- imaging/
|   |   |-- converter.py
|   |   |-- image_interpreter.py
|   |   `-- screenshot.py
|   |-- management/
|   |   |-- __init__.py
|   |   `-- commands/
|   |       `-- startserver.py
|   |-- migrations/
|   |   |-- 0001_initial.py
|   |   |-- 0002_populate_db.py
|   |   |-- 0003_add_cleaner.py
|   |   |-- 0004_add_deleter.py
|   |   |-- 0005_add_executer.py
|   |   |-- 0006_add_notifier.py
|   |   |-- 0007_add_stopper.py
|   |   |-- 0008_add_recmailer.py
|   |   |-- 0009_add_whatsapper.py
|   |   |-- 0010_add_pythonxer.py
|   |   |-- 0011_add_asker.py
|   |   |-- 0012_repopulate_all_agents.py
|   |   |-- 0013_add_forker.py
|   |   |-- 0014_repopulate_all_agents.py
|   |   |-- 0015_add_shoter.py
|   |   |-- 0016_repopulate_all_agents.py
|   |   |-- 0017_add_ssher.py
|   |   |-- 0018_repopulate_all_agents.py
|   |   |-- 0019_add_scper.py
|   |   |-- 0020_repopulate_all_agents.py
|   |   |-- 0021_add_telegramrx.py
|   |   |-- 0022_repopulate_all_agents.py
```

Tree appendix 5 of 6

```
|   |   |-- 0023_add_mongoxer.py
|   |   |-- 0024_repopulate_all_agents.py
|   |   |-- 0025_add_telegramer.py
|   |   |-- 0026_repopulate_all_agents.py
|   |   |-- 0027_add_sqler.py
|   |   |-- 0028_repopulate_all_agents.py
|   |   |-- 0029_add_prompter.py
|   |   |-- 0030_repopulate_all_agents.py
|   |   |-- 0031_add_flowcreator.py
|   |   |-- 0032_repopulate_all_agents.py
|   |   |-- 0033_add_gitter.py
|   |   |-- 0034_add_dockerer.py
|   |   |-- 0035_add_pser.py
|   |   |-- 0036_add_kuberneter.py
|   |   |-- 0037_add_apirer.py
|   |   |-- 0038_add_jenkinser.py
|   |   |-- 0039_add_crawler.py
|   |   |-- 0040_add_summarizer.py
|   |   |-- 0041_add_flowhypervisor.py
|   |   |-- 0042_add_mouser.py
|   |   |-- 0043_agentmessage_conversation_user.py
|   |   |-- 0044_add_counter.py
|   |   |-- 0045_add_file_interpreter.py
|   |   |-- 0046_add_image_interpreter.py
|   |   |-- 0047_add_gatewayer.py
|   |   |-- 0048_add_gateway_relayer.py
|   |   |-- 0049_add_node_manager.py
|   |   |-- 0050_add_file_creator.py
|   |   |-- 0051_add_file_extractor.py
|   |   |-- 0052_add_kyber_keygen.py
|   |   |-- 0053_add_kyber_cipher.py
|   |   |-- 0054_add_kyber_decipher.py
|   |   |-- 0055_fix_kyber_cipher_names.py
|   |   |-- 0056_add_parametrizer.py
|   |   |-- 0057_add_flowbacker.py
|   |   |-- 0058_add_barrier.py
|   |   |-- 0059_add_j_decompiler.py
|   |   |-- 0060_add_agent_parametrizer_tool.py
|   |   |-- 0061_add_agent_starter_tool.py
|   |   |-- 0062_sync_agent_control_tools_and_prompts.py
|   |   |-- 0063_add_agent_parametrizer_prompt.py
|   |   |-- 0064_add_chat_agent_run_model.py
|   |   |-- 0065_add_chat_wrapped_agent_tools.py
|   |   |-- 0066_add_keyboarder.py
|   |   |-- 0067_add_multi_turn_demo_prompts.py
|   |   |-- 0068_add_googler_tool.py
|   |   |-- 0069_add_googler_agent.py
|   |   `-- __init__.py
|   |-- monitors/
|   |   `-- monitor_sql.py
|   |-- opus_client/
|   |   |-- claude_opus_client.py
|   |   |-- examples.py
|   |   `-- README.md
|   |-- rag/
|   |   |-- __init__.py
|   |   |-- config.py
|   |   |-- factory.py
|   |   |-- interaction.py
|   |   |-- interface.py
|   |   |-- loaders.py
|   |   |-- prompts.py
|   |   |-- retrieval.py
|   |   |-- splitters.py
|   |   |-- utils.py
|   |   `-- chains/
|   |       |-- base.py
|   |       |-- basic.py
|   |       |-- history_aware.py
|   |       `-- unified.py
|   |-- services/
|   |   |-- __init__.py
|   |   |-- answer_analizer.py
|   |   |-- filesystem.py
|   |   `-- response_parser.py
|   |-- static/
```

Tree appendix 6 of 6

```
|   |   `-- agent/
|   |       |-- css/
|   |       |   |-- agent_page.css
|   |       |   |-- agentic_control_panel.css
|   |       |   |-- login.css
|   |       |   |-- tools_dialog.css
|   |       |   `-- welcome.css
|   |       |-- img/
|   |       |   `-- spinner.svg
|   |       |-- js/
|   |       |   |-- acp-agent-connectors.js
|   |       |   |-- acp-canvas-core.js
|   |       |   |-- acp-canvas-undo.js
|   |       |   |-- acp-control-buttons.js
|   |       |   |-- acp-file-io.js
|   |       |   |-- acp-globals.js
|   |       |   |-- acp-layout.js
|   |       |   |-- acp-parametrizer-dialog.js
|   |       |   |-- acp-running-state.js
|   |       |   |-- acp-session.js
|   |       |   |-- acp-undo-manager.js
|   |       |   |-- acp-validate.js
|   |       |   |-- agent_page_canvas.js
|   |       |   |-- agent_page_chat.js
|   |       |   |-- agent_page_context.js
|   |       |   |-- agent_page_dialogs.js
|   |       |   |-- agent_page_init.js
|   |       |   |-- agent_page_layout.js
|   |       |   |-- agent_page_state.js
|   |       |   |-- agent_page_ui.js
|   |       |   |-- agentic_control_panel.js
|   |       |   |-- canvas_item_dialog.js
|   |       |   |-- contextual_menus.js
|   |       |   `-- tools_dialog.js
|   |       |-- sounds/
|   |       |   |-- hypervisor_alert.wav
|   |       |   `-- notification.wav
|   |       `-- video/
|   |           `-- XAIHT-Tlamatini.mp4
|   |-- telegram/
|   |   |-- AztecTlamatini.txt
|   |   |-- config.yaml
|   |   `-- telegram_receiver.py
|   `-- templates/
|       `-- agent/
|           |-- agent_page.html
|           |-- agentic_control_panel.html
|           |-- login.html
|           `-- welcome.html
|-- jd-cli/
|   |-- jd-cli.bat
|   `-- jd-cli.jar
`-- tlamatini/
    |-- __init__.py
    |-- asgi.py
    |-- context_processors.py
    |-- middleware.py
    |-- settings.py
    |-- urls.py
    `-- wsgi.py
```