TLAMATINI

Complete Project Dossier: what the system does, how it works, how to use it, complete tracked file tree, and effective line inventory

Measure	Value
Generated	April 17, 2026 11:50 PM UTC-0600
Current HEAD	3b6eb8e - Way too improving the execution chain with now "Exec report"!!, by angelahack1
Tracked files	347
Workflow agents	57
Total effective lines	71,382
Total physical text lines	96,784

1. What Tlamatini Is

- Tlamatini is a local-first AI developer assistant built with Django, Django Channels, LangChain, LangGraph, FAISS/BM25 retrieval, and a large in-repository agent application.
- It combines a browser chat surface, a Retrieval-Augmented Generation stack, a Multi-Turn tool executor, MCP-backed context providers, wrapped chat-agent runtimes, and a visual Agentic Control Panel for workflow design.
- The platform is designed for development operations: codebase analysis, file and directory context, command execution, Python execution, screenshots, web/search helpers, notifications, DevOps tools, local model operation, and Windows packaging.

What the system does

- Answers codebase questions with loaded file or directory context.
- Uses hybrid retrieval to extract metadata, split content, rank source chunks, and respect context budgets.
- Runs checked Multi-Turn requests through request-scoped planning, capability selection, tool calls, observations, monitoring, and final synthesis.
- Launches wrapped copies of selected workflow agents in isolated runtime folders without mutating templates.
- Lets users design, validate, save, pause, resume, and stop visual workflows through the Agentic Control Panel.
- Turns successful Multi-Turn tool executions into starter `.flw` workflows that can be inspected and validated in ACP.
- Packages the project into a distributable Windows release with installer and uninstaller tooling.

How it works

- Browser UI sends chat and workflow requests through Django views and Channels WebSockets.
- RAG chains load selected file/directory context, retrieve relevant chunks, and build answer prompts.
- When Multi-Turn is enabled, the global planner selects context and tool stages before the executor binds only the relevant tools.
- Tool calls execute in the backend, append observations, and may create wrapped runtime copies under `agent/agents/pools/_chat_runs_/`.
- ACP flows deploy session-scoped pool instances, wire config values, validate NxN graph rules, and execute through Starter-driven flow semantics.
- Build scripts collect static assets, bundle Django/Python resources, add agent templates, and assemble `pkg.zip`, `Uninstaller.exe`, and `dist/Tlamatini_Release/`.

2. Architecture Layers

Layer	Role
Browser interfaces	Chat page plus Agentic Control Panel templates and JavaScript modules.
Django/Channels	Authentication, views, WebSockets, session state, message persistence, and ASGI startup.
RAG and context	Metadata extraction, text splitting, FAISS/BM25 retrieval, context budgeting, and fallback behavior.
Multi-Turn engine	Capability registry, global execution planner, explicit tool loop, answer parsing, and answer-success classification.
Tools and agents	Core tools, MCP context providers, wrapped chat-agent launchers, and 57 visual workflow agent templates.
Packaging	PyInstaller build scripts, shortcut registration, `.flw` association, installer, uninstaller, and release folder assembly.

How to use it

- Run from source: create a virtual environment, install requirements, migrate, create a superuser, collect static files, and start Django.
- Open `/agent/` for chat. Load a file or directory context before asking codebase-specific questions.
- Keep Multi-Turn unchecked for direct Q&A; enable Multi-Turn for tasks that need tools, wrapped agents, monitoring, or workflow seeding.
- Open `/agentic_control_panel/` to drag agents, connect them, configure each node, validate, start, pause/resume, stop, and save `.flw` workflows.
- Use `python build.py`, `python build_uninstaller.py`, and `python build_installer.py` only when producing a packaged Windows release.

Source-mode bootstrap commands

```
python -m venv venv
venv\Scripts\activate
pip install -r requirements.txt
python Tlamatini/manage.py migrate
python Tlamatini/manage.py createsuperuser
python Tlamatini/manage.py collectstatic --noinput
python Tlamatini/manage.py runserver --noreload
```

3. Agent Catalog and Runtime Model

Tlamatini currently exposes 57 workflow-agent templates.

Category	Representative agents
Control	starter, ender, stopper, cleaner, barrier, flowbacker
Execution and files	executer, pythonxer, pser, file_creator, file_extractor, file_interpreter, mover, deleter
DevOps and infra	gitter, dockerer, kuberneter, jenkinser, ssher, scper
Data and APIs	sqler, mongoxer, apirer, crawler, googler
Monitoring and routing	monitor_log, monitor_netstat, flowhypervisor, forker, asker, counter, and, or
Communication	notifier, emailer, recmailer, telegramer, telegramrx, whatsapper
Security and media	kyber_keygen, kyber_cipher, kyber_decipher, image_interpreter, shoter, j_decompiler
Workflow intelligence	flowcreator, gatewayer, gateway_relayer, node_manager, parametrizer, prompter, summarizer

All workflow agents follow a common deployment pattern: template directory, YAML configuration, session-scoped pool copy, PID/status/log files, target/source wiring, and optional reanimation state.

4. Repository Facts

Metric	Value
Tracked files in git	347
Workflow agents	57
Django migrations	69
Frontend JavaScript modules	24
Frontend CSS files	5
HTML templates	4
Python requirements	62
Binary/asset tracked files skipped from line count	13

Latest commits

Date	Commit	Subject
2026-04-17	3b6eb8e	Way too improving the execution chain with now "Exec report"!!, by angelahack1
2026-04-17	d46ddbb	Fixing some drawbacks in frozen Tlamatini's runtime execution.
2026-04-17	17d5760	Updating to a more graphical documentation
2026-04-17	d7a8e66	Update documentation with the laatest fixings, by angelahack1
2026-04-16	0249c76	Improving multiturn, tested for installing assets, and added a new video, by angelahack1
2026-04-15	9abade4	Adding video links to README.md, by angelahack1
2026-04-15	c678d64	Just linting code, by angelahack1
2026-04-15	576fd61	Adding a proper log file for the entire appllication (tlamatini.log), some linting, and updated the documentation, by angelahack1
2026-04-15	12892f4	Just linting some code, by angelahack1
2026-04-14	504ca46	Improving the chat agentic paremetrizing of flow-creation under the chat, and added a multiturn fancy prompt example, by angelaha

5. Effective Line Inventory by Language

Methodology: tracked text files only. Blank lines and comment-only lines are excluded. Python counts also remove module, class, and function docstrings detected through AST parsing.

Language	Files	Effective lines	Total lines	Share
Python	208	46,433	64,687	65.0%
JavaScript	24	10,412	13,187	14.6%
Markdown	13	8,375	10,568	11.7%
CSS	5	2,644	3,286	3.7%
Other text	3	778	955	1.1%
YAML	59	753	1,709	1.1%
HTML	4	592	610	0.8%
PowerShell	5	408	616	0.6%
JavaScript module	1	323	390	0.5%
Prompt template	2	272	341	0.4%
JSON	4	244	244	0.3%
Text	4	115	134	0.2%
Protocol Buffers	1	20	33	0.0%
Batch	1	13	24	0.0%

Total effective lines: 71,382

6. Largest Effective Source Files

Path	Language	Effective	Total
Tlamatini/agent/views.py	Python	5,862	8,411
README.md	Markdown	3,550	4,471
Tlamatini/agent/tools.py	Python	1,841	2,483
Tlamatini/agent/agents/flowcreator/agentic_skill.md	Markdown	1,694	1,889
Tlamatini/agent/tests.py	Python	1,574	1,927
Tlamatini/agent/static/agent/css/agentic_control_panel.css	CSS	1,551	2,018
Tlamatini/agent/static/agent/js/acp-canvas-core.js	JavaScript	1,235	1,529
Tlamatini/agent/consumers.py	Python	1,092	1,300
Tlamatini/agent/doc_generation/complete_project_docs.py	Python	1,040	1,191
Tlamatini/agent/static/agent/js/acp-agent-connectors.js	JavaScript	1,019	1,154
Tlamatini/agent/static/agent/js/acp-control-buttons.js	JavaScript	1,000	1,301
Tlamatini/agent/static/agent/css/agent_page.css	CSS	942	1,091
Tlamatini/agent/static/agent/js/canvas_item_dialog.js	JavaScript	896	1,163
Tlamatini/agent/agents/crawler/crawler.py	Python	881	1,261
Tlamatini/agent/static/agent/js/agent_page_chat.js	JavaScript	810	1,116
Tlamatini/agent/agents/parametrizer/parametrizer.py	Python	791	1,115
Tlamatini/agent/static/agent/js/acp-canvas-undo.js	JavaScript	768	879
Tlamatini/agent/agents/file_interpreter/file_interpreter.py	Python	749	969
Tlamatini/agent/agents/node_manager/node_manager.py	Python	719	950
Tlamatini/agent/rag/factory.py	Python	700	848
Tlamatini/agent/agents/gatewayer/gatewayer.py	Python	696	968
Tlamatini/.agents/workflows/create_new_agent.md	Markdown	690	910
CLAUDE.md	Markdown	623	801
Tlamatini/agent/agents/file_extractor/file_extractor.py	Python	588	775
Tlamatini/agent/static/agent/js/agent_page_init.js	JavaScript	584	658

7. Complete Tracked File Tree (Repository Appendix)

Tree appendix 1 of 6

```
Tlamatini/
|-- .gitignore
|-- build.py
|-- build_installer.py
|-- build_uninstaller.py
|-- CLAUDE.md
|-- CreateShortcut.json
|-- CreateShortcut.ps1
|-- eslint.config.mjs
|-- googler_mcp.py
|-- install.py
|-- LICENSE
|-- mouse_mover.py
|-- NEW_AGENT_RECOMMENDATIONS.md
|-- package.json
|-- prompts_example.txt
|-- README.md
|-- register_flw.ps1
|-- RemoveShortcut.ps1
|-- requirements.txt
|-- Tlamatini.ico
|-- Tlamatini.jpg
|-- Tlamatini.ps1
|-- tlamatini_app_summary.pdf
|-- Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx
|-- trigger_jenkins.py
|-- uninstall.py
|-- unregister_flw.ps1
|-- .codex/
|   `-- skills/
|       |-- full-project-pdf-dossier/
|       |   `-- SKILL.md
|       `-- overlap-safe-pptx-dossier/
|           `-- SKILL.md
|-- pyinstaller_hooks/
|   `-- hook-numpy.py
`-- Tlamatini/
    |-- cat_art.py
    |-- manage.py
    |-- .agents/
    |   `-- workflows/
    |       `-- create_new_agent.md
    |-- .mcps/
    |   `-- create_new_mcp.md
    |-- agent/
    |   |-- __init__.py
    |   |-- admin.py
    |   |-- apps.py
    |   |-- capability_registry.py
    |   |-- chain_files_search_lcel.py
    |   |-- chain_system_lcel.py
    |   |-- chat_agent_registry.py
    |   |-- chat_agent_runtime.py
    |   |-- chat_history_loader.py
    |   |-- command_togen_pb2.txt
    |   |-- config.json
    |   |-- config_loader.py
    |   |-- constants.py
    |   |-- consumers.py
    |   |-- filesearch.proto
    |   |-- filesearch_pb2.py
    |   |-- filesearch_pb2_grpc.py
    |   |-- global_execution_planner.py
    |   |-- global_state.py
    |   |-- inet_determiner.py
    |   |-- mcp_agent.py
    |   |-- mcp_files_search_client.py
    |   |-- mcp_files_search_server.py
    |   |-- mcp_system_client.py
    |   |-- mcp_system_server.py
    |   |-- models.py
    |   |-- path_guard.py
    |   |-- prompt.pmt
    |   |-- rag_enhancements.py
    |   |-- routing.py
    |   |-- tests.py
```

Tree appendix 2 of 6

```
|   |-- tools.py
|   |-- urls.py
|   |-- views.py
|   |-- web_search_llm.py
|   |-- agents/
|   |   |-- and/
|   |   |   |-- and.py
|   |   |   `-- config.yaml
|   |   |-- apirer/
|   |   |   |-- apirer.py
|   |   |   `-- config.yaml
|   |   |-- asker/
|   |   |   |-- asker.py
|   |   |   `-- config.yaml
|   |   |-- barrier/
|   |   |   |-- barrier.py
|   |   |   |-- config.yaml
|   |   |   `-- test_barrier.py
|   |   |-- cleaner/
|   |   |   |-- __init__.py
|   |   |   |-- cleaner.py
|   |   |   `-- config.yaml
|   |   |-- counter/
|   |   |   |-- config.yaml
|   |   |   `-- counter.py
|   |   |-- crawler/
|   |   |   |-- config.yaml
|   |   |   `-- crawler.py
|   |   |-- croner/
|   |   |   |-- config.yaml
|   |   |   `-- croner.py
|   |   |-- deleter/
|   |   |   |-- config.yaml
|   |   |   `-- deleter.py
|   |   |-- dockerer/
|   |   |   |-- config.yaml
|   |   |   `-- dockerer.py
|   |   |-- emailer/
|   |   |   |-- config.yaml
|   |   |   `-- emailer.py
|   |   |-- ender/
|   |   |   |-- config.yaml
|   |   |   `-- ender.py
|   |   |-- executer/
|   |   |   |-- config.yaml
|   |   |   `-- executer.py
|   |   |-- file_creator/
|   |   |   |-- config.yaml
|   |   |   `-- file_creator.py
|   |   |-- file_extractor/
|   |   |   |-- config.yaml
|   |   |   `-- file_extractor.py
|   |   |-- file_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- file_interpreter.py
|   |   |-- flowbacker/
|   |   |   |-- config.yaml
|   |   |   `-- flowbacker.py
|   |   |-- flowcreator/
|   |   |   |-- agentic_skill.md
|   |   |   |-- config.yaml
|   |   |   `-- flowcreator.py
|   |   |-- flowhypervisor/
|   |   |   |-- config.yaml
|   |   |   |-- flowhypervisor.py
|   |   |   |-- hypervisor_alert.wav
|   |   |   `-- monitoring-prompt.pmt
|   |   |-- forker/
|   |   |   |-- config.yaml
|   |   |   `-- forker.py
|   |   |-- gateway_relayer/
|   |   |   |-- config.yaml
|   |   |   |-- gateway_relayer.md
|   |   |   `-- gateway_relayer.py
|   |   |-- gatewayer/
|   |   |   |-- config.yaml
```

Tree appendix 3 of 6

```
|   |   |   |-- gatewayer.md
|   |   |   |-- gatewayer.py
|   |   |   `-- gatewayer_explanation.md
|   |   |-- gitter/
|   |   |   |-- config.yaml
|   |   |   `-- gitter.py
|   |   |-- googler/
|   |   |   |-- config.yaml
|   |   |   `-- googler.py
|   |   |-- image_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- image_interpreter.py
|   |   |-- j_decompiler/
|   |   |   |-- config.yaml
|   |   |   `-- j_decompiler.py
|   |   |-- jenkinser/
|   |   |   |-- config.yaml
|   |   |   `-- jenkinser.py
|   |   |-- keyboarder/
|   |   |   |-- config.yaml
|   |   |   `-- keyboarder.py
|   |   |-- kuberneter/
|   |   |   |-- config.yaml
|   |   |   `-- kuberneter.py
|   |   |-- kyber_cipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_cipher.py
|   |   |-- kyber_decipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_decipher.py
|   |   |-- kyber_keygen/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_keygen.py
|   |   |-- mongoxer/
|   |   |   |-- config.yaml
|   |   |   `-- mongoxer.py
|   |   |-- monitor_log/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_log.py
|   |   |-- monitor_netstat/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_netstat.py
|   |   |-- mouser/
|   |   |   |-- config.yaml
|   |   |   `-- mouser.py
|   |   |-- mover/
|   |   |   |-- config.yaml
|   |   |   `-- mover.py
|   |   |-- node_manager/
|   |   |   |-- config.yaml
|   |   |   |-- node_manager.md
|   |   |   |-- node_manager.py
|   |   |   |-- nodes_example.json
|   |   |   `-- nodes_example.yaml
|   |   |-- notifier/
|   |   |   |-- config.yaml
|   |   |   `-- notifier.py
|   |   |-- or/
|   |   |   |-- config.yaml
|   |   |   `-- or.py
|   |   |-- parametrizer/
|   |   |   |-- config.yaml
|   |   |   `-- parametrizer.py
|   |   |-- prompter/
|   |   |   |-- config.yaml
|   |   |   `-- prompter.py
|   |   |-- pser/
|   |   |   |-- config.yaml
|   |   |   `-- pser.py
|   |   |-- pythonxer/
|   |   |   |-- config.yaml
|   |   |   `-- pythonxer.py
|   |   |-- raiser/
|   |   |   |-- config.yaml
|   |   |   `-- raiser.py
|   |   |-- recmailer/
```

Tree appendix 4 of 6

```
|   |   |   |-- config.yaml
|   |   |   `-- recmailer.py
|   |   |-- scper/
|   |   |   |-- config.yaml
|   |   |   `-- scper.py
|   |   |-- shoter/
|   |   |   |-- config.yaml
|   |   |   `-- shoter.py
|   |   |-- sleeper/
|   |   |   |-- config.yaml
|   |   |   `-- sleeper.py
|   |   |-- sqler/
|   |   |   |-- config.yaml
|   |   |   `-- sqler.py
|   |   |-- ssher/
|   |   |   |-- config.yaml
|   |   |   `-- ssher.py
|   |   |-- starter/
|   |   |   |-- config.yaml
|   |   |   `-- starter.py
|   |   |-- stopper/
|   |   |   |-- config.yaml
|   |   |   `-- stopper.py
|   |   |-- summarizer/
|   |   |   |-- config.yaml
|   |   |   `-- summarizer.py
|   |   |-- telegramer/
|   |   |   |-- config.yaml
|   |   |   `-- telegramer.py
|   |   |-- telegramrx/
|   |   |   |-- config.yaml
|   |   |   `-- telegramrx.py
|   |   `-- whatsapper/
|   |       |-- config.yaml
|   |       `-- whatsapper.py
|   |-- doc_generation/
|   |   |-- complete_project_docs.py
|   |   |-- mardown_to_pdf.py
|   |   |-- refresh_project_docs.py
|   |   `-- test_output.pdf
|   |-- images/
|   |   |-- mockup.jpg
|   |   |-- TlamatiniAbout.jpg
|   |   `-- XAIHT-Tlamatini.mp4
|   |-- imaging/
|   |   |-- converter.py
|   |   |-- image_interpreter.py
|   |   `-- screenshot.py
|   |-- management/
|   |   |-- __init__.py
|   |   `-- commands/
|   |       `-- startserver.py
|   |-- migrations/
|   |   |-- 0001_initial.py
|   |   |-- 0002_populate_db.py
|   |   |-- 0003_add_cleaner.py
|   |   |-- 0004_add_deleter.py
|   |   |-- 0005_add_executer.py
|   |   |-- 0006_add_notifier.py
|   |   |-- 0007_add_stopper.py
|   |   |-- 0008_add_recmailer.py
|   |   |-- 0009_add_whatsapper.py
|   |   |-- 0010_add_pythonxer.py
|   |   |-- 0011_add_asker.py
|   |   |-- 0012_repopulate_all_agents.py
|   |   |-- 0013_add_forker.py
|   |   |-- 0014_repopulate_all_agents.py
|   |   |-- 0015_add_shoter.py
|   |   |-- 0016_repopulate_all_agents.py
|   |   |-- 0017_add_ssher.py
|   |   |-- 0018_repopulate_all_agents.py
|   |   |-- 0019_add_scper.py
|   |   |-- 0020_repopulate_all_agents.py
|   |   |-- 0021_add_telegramrx.py
|   |   |-- 0022_repopulate_all_agents.py
|   |   |-- 0023_add_mongoxer.py
```

Tree appendix 5 of 6

```
|   |   |-- 0024_repopulate_all_agents.py
|   |   |-- 0025_add_telegramer.py
|   |   |-- 0026_repopulate_all_agents.py
|   |   |-- 0027_add_sqler.py
|   |   |-- 0028_repopulate_all_agents.py
|   |   |-- 0029_add_prompter.py
|   |   |-- 0030_repopulate_all_agents.py
|   |   |-- 0031_add_flowcreator.py
|   |   |-- 0032_repopulate_all_agents.py
|   |   |-- 0033_add_gitter.py
|   |   |-- 0034_add_dockerer.py
|   |   |-- 0035_add_pser.py
|   |   |-- 0036_add_kuberneter.py
|   |   |-- 0037_add_apirer.py
|   |   |-- 0038_add_jenkinser.py
|   |   |-- 0039_add_crawler.py
|   |   |-- 0040_add_summarizer.py
|   |   |-- 0041_add_flowhypervisor.py
|   |   |-- 0042_add_mouser.py
|   |   |-- 0043_agentmessage_conversation_user.py
|   |   |-- 0044_add_counter.py
|   |   |-- 0045_add_file_interpreter.py
|   |   |-- 0046_add_image_interpreter.py
|   |   |-- 0047_add_gatewayer.py
|   |   |-- 0048_add_gateway_relayer.py
|   |   |-- 0049_add_node_manager.py
|   |   |-- 0050_add_file_creator.py
|   |   |-- 0051_add_file_extractor.py
|   |   |-- 0052_add_kyber_keygen.py
|   |   |-- 0053_add_kyber_cipher.py
|   |   |-- 0054_add_kyber_decipher.py
|   |   |-- 0055_fix_kyber_cipher_names.py
|   |   |-- 0056_add_parametrizer.py
|   |   |-- 0057_add_flowbacker.py
|   |   |-- 0058_add_barrier.py
|   |   |-- 0059_add_j_decompiler.py
|   |   |-- 0060_add_agent_parametrizer_tool.py
|   |   |-- 0061_add_agent_starter_tool.py
|   |   |-- 0062_sync_agent_control_tools_and_prompts.py
|   |   |-- 0063_add_agent_parametrizer_prompt.py
|   |   |-- 0064_add_chat_agent_run_model.py
|   |   |-- 0065_add_chat_wrapped_agent_tools.py
|   |   |-- 0066_add_keyboarder.py
|   |   |-- 0067_add_multi_turn_demo_prompts.py
|   |   |-- 0068_add_googler_tool.py
|   |   |-- 0069_add_googler_agent.py
|   |   `-- __init__.py
|   |-- monitors/
|   |   `-- monitor_sql.py
|   |-- opus_client/
|   |   |-- claude_opus_client.py
|   |   |-- examples.py
|   |   `-- README.md
|   |-- rag/
|   |   |-- __init__.py
|   |   |-- config.py
|   |   |-- factory.py
|   |   |-- interaction.py
|   |   |-- interface.py
|   |   |-- loaders.py
|   |   |-- prompts.py
|   |   |-- retrieval.py
|   |   |-- splitters.py
|   |   |-- utils.py
|   |   `-- chains/
|   |       |-- base.py
|   |       |-- basic.py
|   |       |-- history_aware.py
|   |       `-- unified.py
|   |-- services/
|   |   |-- __init__.py
|   |   |-- answer_analizer.py
|   |   |-- filesystem.py
|   |   `-- response_parser.py
|   |-- static/
|   |   `-- agent/
```

Tree appendix 6 of 6

```
|   |       |-- css/
|   |       |   |-- agent_page.css
|   |       |   |-- agentic_control_panel.css
|   |       |   |-- login.css
|   |       |   |-- tools_dialog.css
|   |       |   `-- welcome.css
|   |       |-- img/
|   |       |   `-- spinner.svg
|   |       |-- js/
|   |       |   |-- acp-agent-connectors.js
|   |       |   |-- acp-canvas-core.js
|   |       |   |-- acp-canvas-undo.js
|   |       |   |-- acp-control-buttons.js
|   |       |   |-- acp-file-io.js
|   |       |   |-- acp-globals.js
|   |       |   |-- acp-layout.js
|   |       |   |-- acp-parametrizer-dialog.js
|   |       |   |-- acp-running-state.js
|   |       |   |-- acp-session.js
|   |       |   |-- acp-undo-manager.js
|   |       |   |-- acp-validate.js
|   |       |   |-- agent_page_canvas.js
|   |       |   |-- agent_page_chat.js
|   |       |   |-- agent_page_context.js
|   |       |   |-- agent_page_dialogs.js
|   |       |   |-- agent_page_init.js
|   |       |   |-- agent_page_layout.js
|   |       |   |-- agent_page_state.js
|   |       |   |-- agent_page_ui.js
|   |       |   |-- agentic_control_panel.js
|   |       |   |-- canvas_item_dialog.js
|   |       |   |-- contextual_menus.js
|   |       |   `-- tools_dialog.js
|   |       |-- sounds/
|   |       |   |-- hypervisor_alert.wav
|   |       |   `-- notification.wav
|   |       `-- video/
|   |           `-- XAIHT-Tlamatini.mp4
|   |-- telegram/
|   |   |-- AztecTlamatini.txt
|   |   |-- config.yaml
|   |   `-- telegram_receiver.py
|   `-- templates/
|       `-- agent/
|           |-- agent_page.html
|           |-- agentic_control_panel.html
|           |-- login.html
|           `-- welcome.html
|-- jd-cli/
|   |-- jd-cli.bat
|   `-- jd-cli.jar
`-- tlamatini/
    |-- __init__.py
    |-- asgi.py
    |-- context_processors.py
    |-- middleware.py
    |-- settings.py
    |-- urls.py
    `-- wsgi.py
```