

TLAMATINI

Complete Project Dossier: what the system does, how it works, how to use it, complete tracked file tree, and effective line inventory



Measure	Value
Generated	May 09, 2026 12:34 PM UTC-0600
Current HEAD	0bea21d - Implementing flow Compiler, agent'ss Contracts, and README update, by angelahack1
Tracked files	427
Workflow agents	60
Total effective lines	87,317
Total physical text lines	118,411

1. What Tlamatini Is

- Tlamatini is a local-first AI developer assistant built with Django, Django Channels, LangChain, LangGraph, FAISS/BM25 retrieval, and a large in-repository agent application.
- It combines a browser chat surface, a Retrieval-Augmented Generation stack, a Multi-Turn tool executor, MCP-backed context providers, wrapped chat-agent runtimes, and a visual Agentic Control Panel for workflow design.
- The platform is designed for development operations: codebase analysis, file and directory context, command execution, Python execution, screenshots, web/search helpers, notifications, DevOps tools, local model operation, and Windows packaging.

What the system does

- Answers codebase questions with loaded file or directory context.
- Uses hybrid retrieval to extract metadata, split content, rank source chunks, and respect context budgets.
- Runs checked Multi-Turn requests through request-scoped planning, capability selection, tool calls, observations, monitoring, and final synthesis.
- Launches wrapped copies of selected workflow agents in isolated runtime folders without mutating templates.
- Lets users design, validate, save, pause, resume, and stop visual workflows through the Agentic Control Panel.
- Turns successful Multi-Turn tool executions into starter `.flw` workflows that can be inspected and validated in ACP.
- Packages the project into a distributable Windows release with installer and uninstaller tooling.

How it works

- Browser UI sends chat and workflow requests through Django views and Channels WebSockets.
- RAG chains load selected file/directory context, retrieve relevant chunks, and build answer prompts.
- When Multi-Turn is enabled, the global planner selects context and tool stages before the executor binds only the relevant tools.
- Tool calls execute in the backend, append observations, and may create wrapped runtime copies under `agent/agents/pools/_chat_runs_`.
- ACP flows deploy session-scoped pool instances, wire config values, validate NxN graph rules, and execute through Starter-driven flow semantics.
- Build scripts collect static assets, bundle Django/Python resources, add agent templates, and assemble `pkg.zip`, `Uninstaller.exe`, and `dist/Tlamatini_Release/`.

2. Architecture Layers

Layer	Role
Browser interfaces	Chat page plus Agentic Control Panel templates and JavaScript modules.
Django/Channels	Authentication, views, WebSockets, session state, message persistence, and ASGI startup.
RAG and context	Metadata extraction, text splitting, FAISS/BM25 retrieval, context budgeting, and fallback behavior.
Multi-Turn engine	Capability registry, global execution planner, explicit tool loop, answer parsing, and answer-success classification.
Tools and agents	Core tools, MCP context providers, wrapped chat-agent launchers, and 57 visual workflow agent templates.
Packaging	PyInstaller build scripts, shortcut registration, `.flw` association, installer, uninstaller, and release folder assembly.

Design principles

- Evidence-first answers: Tlamatini grounds responses in selected project context and hybrid retrieval rather than freeform model memory.
- Explicit orchestration: checked Multi-Turn uses a visible tool loop, capability scoring, and staged planning instead of a single opaque call.
- Runtime isolation: wrapped chat-agent copies run in session-scoped folders so template agents remain pristine while live runs stay inspectable.
- Operator truth over vibes: Exec Report tables, tlamatini.log, skill audits, and ACPX transcripts make the system auditable after execution.

3. Installation, Configuration, and Everyday Use

Installation essentials

- Python 3.12.10 is the strongly recommended source-mode version in the README, and the codebase has been tested most deeply there.
- Source installs require a clone, virtual environment, dependency install from `requirements.txt`, migrations, a superuser, static collection, and then the web server.
- You can run either the checked-in cloud/back-end defaults from `Tlamatini/agent/config.json` or a local Ollama-backed configuration with matching model names.
- Packaged Windows installs create a default `user / changeme` account; manual source installs use your own `createsuperuser` account instead.

Configuration essentials

- Source mode resolves `Tlamatini/agent/config.json`; frozen builds resolve `config.json` next to the executable; `CONFIG\_PATH` overrides both.
- Core keys include `embedding-model`, `chained-model`, `ollama\_base\_url`, `ollama\_token`, `enable\_unified\_agent`, `unified\_agent\_model`, and `unified\_agent\_max\_iterations`.
- Multi-Turn is toggled from the chat toolbar, but it depends on the unified-agent configuration and the selected model/base-url pairing being valid.
- Image interpretation can run through Claude-backed cloud paths or Qwen/Ollama-backed local paths, and remote Ollama can be protected with a bearer token.

How to use it

- Run from source: create a virtual environment, install requirements, migrate, create a superuser, collect static files, and start Django.
- Open `/agent/` for chat. Load a file or directory context before asking codebase-specific questions.
- Keep Multi-Turn unchecked for direct Q&A; enable Multi-Turn for tasks that need tools, wrapped agents, monitoring, or workflow seeding.
- Open `/agentic\_control\_panel/` to drag agents, connect them, configure each node, validate, start, pause/resume, stop, and save `.flw` workflows.
- Use `python build.py`, `python build\_uninstaller.py`, and `python build\_installer.py` only when producing a packaged Windows release.

Source-mode bootstrap commands

```
python -m venv venv
venv\Scripts\activate
pip install -r requirements.txt
python Tlamatini/manage.py migrate
python Tlamatini/manage.py createsuperuser
python Tlamatini/manage.py collectstatic --noinput
python Tlamatini/manage.py runserver --noreload
```

4. Ollama Setup Without Administrative Rights

- Open a normal PowerShell window, not an elevated one, for the safest no-admin Windows installation path.
- Install into `%LOCALAPPDATA%\Programs\Ollama` with the official PowerShell installer script and then reopen PowerShell so PATH updates are visible.
- Verify the CLI with `ollama --version`, start `ollama serve` if the background service is not already active, and confirm `http://127.0.0.1:11434/api/tags` responds.
- Pull the default repository model tags exactly as written if you want the shipped config and agent templates to work unchanged.

No-admin Ollama commands and default model pulls

```
$env:OLLAMA_INSTALL_DIR = "$env:LOCALAPPDATA\Programs\ollama"
irm https://ollama.com/install.ps1 | iex
ollama --version
ollama serve
Invoke-WebRequest http://127.0.0.1:11434/api/tags -UseBasicParsing
ollama pull qwen3-embedding:8b
ollama pull glm-5:cloud
ollama pull qwen3.5:cloud
ollama pull gpt-oss:120b-cloud
ollama pull qwen3.5:397b-cloud
ollama pull llama3.2-vision:11b
```

5. Runtime, Release, and Operator Diagnostics

Running the application

- Development server: ``python Tlamatini/manage.py runserver --noreload``.
- Preferred async/dev bootstrap: ``python Tlamatini/manage.py startserver``, which starts MCP services before the Django server.
- Production-style ASGI endpoint: ``daphne -b 127.0.0.1 -p 8000 tlamatini.asgi:application``.
- Startup cleans pool state, repopulates the agent registry, launches MCP metrics/file-search servers, and then serves HTTP plus WebSocket traffic.

Release pipeline

- Release production is a three-step pipeline: ``build.py`` -> ``build_uninstaller.py`` -> ``build_installer.py``.
- The final distributable is the full ``dist/Tlamatini_Release/`` folder, not a stray executable copied outside its payload.
- Current ``build.py`` treats ``README.md`` and ``jd-cli/`` as required post-build assets and fails hard if those payloads are missing.
- Bundled support scripts cover shortcut creation/removal, ``.flw`` association, the PowerShell launcher, and Windows-specific installer ergonomics.

Exec Report

- Exec Report is a Multi-Turn-only transparency layer that appends one operation table per state-changing agent family to the final answer.
- Rows are recorded from the live tool-call stream rather than guessed from the LLM prose, so the report is the operational ground truth.
- Each row receives a SUCCESS/FAILURE verdict from raw tool returns, making long installs, deployments, and remediations inspectable after the fact.

ACPX and skills

- ACPX lets Tlamatini spawn external coding-agent CLIs such as Codex, Claude Code, Cursor, Gemini, Qwen, and others as managed child processes.
- It pairs those agents with markdown-driven ``SKILL.md`` packages, validated I/O contracts, permission gating, and append-only audit logs.
- Transport-aware drain rules and bounded event bodies reduce latency while protecting the LLM context budget during external-agent relays.
- The operator-facing references are ``README.md`` and ``ACPX.md``, while the implementation lives under ``agent/acpx/``, ``agent/skills/``, and ``agent/skills_pkg/``.

Application log

- The built-in ``tlamatini.log`` file captures both stdout and stderr through a tee stream initialized in ``manage.py`` before Django starts.
- In source mode the log sits next to ``manage.py``; in frozen mode it lives next to the executable.
- Immediate flush behavior makes the log the primary forensic artifact for startup problems, warnings, tracebacks, and runtime diagnostics.

6. Agent Catalog and Runtime Model

Tlmatini currently exposes 60 workflow-agent templates.

Category	Representative agents
Control	starter, ender, stopper, cleaner, barrier, flowbacker
Execution and files	executer, pythonxer, pser, file_creator, file_extractor, file_interpreter, mover, deleter
DevOps and infra	gitter, dockerer, kubernetes, jenkinser, ssher, scper
Data and APIs	sqler, mongoxer, apirer, crawler, googler
Monitoring and routing	monitor_log, monitor_netstat, flowhypervisor, forker, asker, counter, and, or
Communication	notifier, emailer, recmailer, telegramer, telegramrx, whatsapper
Security and media	kyber_keygen, kyber_cipher, kyber_decipher, image_interpreter, shoter, j_decompiler
Workflow intelligence	flowcreator, gatewayer, gateway_relayer, node_manager, parametrizer, prompter, summarizer

All workflow agents follow a common deployment pattern: template directory, YAML configuration, session-scoped pool copy, PID/status/log files, target/source wiring, and optional reanimation state.

7. Repository Facts and Git Changes

Metric	Value
Tracked files in git	427
Workflow agents	60
Django migrations	81
Frontend JavaScript modules	27
Frontend CSS files	5
HTML templates	4
Python requirements	62
Binary/asset tracked files skipped from line count	14

Latest commits

Date	Commit	Subject
2026-05-09	0bea21d	Implementing flow Compiler, agent'ss Contracts, and README update, by angelahack1
2026-05-08	1287e56	Enabling TeleTlamatini with ACPX execution chain, by Tlamatini's-AutoBot.
2026-05-08	88dd99b	Refactoring the grabbing of agents descriptions, adding tests accordingly, by Tlamatini's-AutoBot.
2026-05-08	5586cf8	Making ACPX disabled by default, by Tlamatini's-AutoBot.
2026-05-08	16b789a	Scrub API key placeholders into several fil, by Tlamatini's-AutoBot.
2026-05-07	84de29b	Improving autonomous action in Multi-turn mode, by angelahack1
2026-05-07	1bc0030	Just a little improvement, by Tlamatini's-AAutoBot.
2026-05-07	4eb6fc7	Enabling mouser agent to be used in Multi-turn, by Tlamatini's-AutoBot.
2026-05-07	8bb4047	Imrpoving disappearing boring log lines, by Tñamatini's-AutoBot.
2026-05-07	93804e7	Implementing Keyboarder/Shoter in Multi-turn, by Tlamatini's-AutoBot.

Git changes from the last 3 weeks

- ACPX advanced significantly during the last 3 weeks: runtime scaffolding, tool surface, skills, transport-aware execution, and enable/disable behavior were all touched.
- Windows deployment hardening continued with CreateShortcut fixes and improved behavior on restricted-policy machines.
- TeleTlamatini grew throughout the window, including agent/runtime updates, config movement, FlowCreator/ACPX integration, and related documentation changes.
- The most recent changes introduced a flow compiler / agent-contract direction, extending the system design beyond chat and visual orchestration alone.
- Multi-Turn behavior kept evolving across the period through quota tuning, execution-table persistence, autonomous-action improvements, and broader tool enablement.
- The operator surface evolved too: ACP/ACPX visual mechanics, canvas scrolling, icons, and page framing all received polish.
- Execution observability improved through persistent execution tables, summarizer work, and the broader reportability push around agent runs.
- Documentation itself changed during the week, so the regenerated dossier must be treated as part of the tracked operator surface.

3-week commit appendix 1 of 5

Date	Commit	Subject
2026-05-09	0bea21d	Implementing flow Compiler, agent'ss Contracts, and README update, by angelahack1
2026-05-08	1287e56	Enabling TeleTlamatini with ACPX execution chain, by Tlamatini's-AutoBot.
2026-05-08	88dd99b	Refactoring the grabbing of agents descriptions, adding tests accordingly, by Tlamatini's-AutoBot.
2026-05-08	5586cf8	Making ACPX disabled by default, by Tlamatini's-AutoBot.
2026-05-08	16b789a	Scrub API key placeholders into several fil, by Tlamatini's-AutoBot.
2026-05-07	84de29b	Improving autonomous action in Multi-turn mode, by angelahack1
2026-05-07	1bc0030	Just a little improvement, by Tlamatini's-AAutoBot.
2026-05-07	4eb6fc7	Enabling mouser agent to be used in Multi-turn, by Tlamatini's-AutoBot.
2026-05-07	8bb4047	Imrproving disappearing boring log lines, by Tñamatini's-AutoBot.
2026-05-07	93804e7	Implementing Keyboarder/Shoter in Multi-turn, by Tlamatini's-AutoBot.
2026-05-07	f7f4567	Fixing build.py, by Tlamatini's-AutoBot
2026-05-07	90ba76d	Erasing the stubborn line of HTTP GET from log, unless it throws an error, by Tlamatini's-AutoBot.

3-week commit appendix 2 of 5

Date	Commit	Subject
2026-05-06	172bdec	Just improving the visualization of diagrams in mark-down in Tlamatini's chat, by Tlamatini's-AutoBot.
2026-05-06	1bcc54d	Updating doc generation asset, and documentation, by Tlamatini's-AutoBot.
2026-05-06	df083e0	Updating prompts, skill, and general documentation by Tlamatini's-AutoBot.
2026-05-06	9205bb3	Erasing garbage, by Tlamatini's-AutoBot.
2026-05-06	166cb09	Way too improved ACPX scheme enabling/disabling it, and summarizer improved, by Tlamatini's-AutoBot.
2026-05-06	228529d	Optimization to CreateShortcut under non-resctricted machine, and creation of setting new api keys (setup_new_acpx_key), by Tlan
2026-05-05	e24222a	Refix CreateShortcut by Tlamatini's-Autobot.
2026-05-05	5e5abba	Fixing CreateShortcut, by Tlamatinis-Autobot
2026-05-05	c8214cd	Improving the mechanics under machines with restrictive policies, by Tlamatinis-AutoBot.
2026-05-05	37d21fb	Improving the icons, an the console window, and the web pages, by Tlamatini-AutoBot.
2026-05-04	7576c57	Fixing automated re-parametrization, by angelahack1
2026-05-04	2177f8b	Issuing some cleaning, by angelahack1

3-week commit appendix 3 of 5

Date	Commit	Subject
2026-05-04	840a040	Improving prompt.pmt for ACPX xcheme, by angelahack1
2026-05-04	a1c2a99	Improving damn a lot the ACPX x-agentic mechanics and the execution flow scheme, by angelahack1
2026-05-03	7130272	Implementing ACPXer agent!! in Tlamatini, by angelahack1
2026-05-03	7acc9b4	ACPX reliability pass: tool surface + transport-aware drain + docs
2026-05-03	f567b0d	Simplifying catalog of prompts content and improved, by angelahack1
2026-05-03	a1c4b30	ACPX runtime + Skills + secrets-toggle scaffolding
2026-04-30	e50709e	ACPX Implemented om Tlamatini!, by angelahack1
2026-04-28	1ad4fb0	Cleaning some k's, by angelahack1
2026-04-28	7ae69e5	TeleTlamatini updates: config, agent script, FlowCreator skill, views.
2026-04-28	c49a6ba	Drop OpenClaw comparison section from Gatewayer docs.
2026-04-28	147a784	Improving TeleTlamatini, by Tlamatini-auto-bot.
2026-04-28	09451c2	Just a couple of addings, by auto-bot-Tlamatini.

3-week commit appendix 4 of 5

Date	Commit	Subject
2026-04-27	4867781	Url intro in intro.
2026-04-27	e3677e9	Some adjustments to TeleTlmatini, by New Angy's bot!
2026-04-26	7b33f36	Just improving config.yaml in Tele-Tlmatini, by angelahack1
2026-04-26	0e59935	Implementing TeleTlmatini!, by angelahack1
2026-04-24	eb2eb55	Yaet another and another improvement lastly works for Multi-turn, by angelahack1.
2026-04-24	fd1fc52	Yaet another improvement lastly works for Multi-turn, by angelahack1.
2026-04-24	b4061b5	Improving tool quota limits on Multi-turn, by angelahack1
2026-04-23	4bc6576	Hope this improvement lastly works for Multi-turn....
2026-04-23	0c0f48d	Add name-guard workflow: auto-scrub disallowed name references
2026-04-23	ff324ed	Remove incorrect name reference from developer documentation
2026-04-22	0b62027	Just a KIMI.md to use Kimi in further changes and improvements.
2026-04-22	28e60c1	Upgrading to glm-5.1 preconfigured demo mode of Tlmatini.

3-week commit appendix 5 of 5

Date	Commit	Subject
2026-04-20	1edc78e	Adding a video of the first flow with Tlamatini.
2026-04-20	d08a3bc	Splitting CLAUDE.md in order to make it more eatable by LLMs.
2026-04-20	da626e8	Just linting.
2026-04-19	d230270	Added the video of Tlamatini uninstalling Poco and showing the power of execution report and flow discovery, by angelahack1
2026-04-19	162dd23	Udating PPTX and PDF general documentation, by angelahack1
2026-04-19	b7c0146	Updating documentation, by angelahack1
2026-04-18	63492f8	Implementing scrolling in agentic_control_panel.html's carvas, by angelahack1
2026-04-18	c5aefca	Making Multi-turn execution tables persistent, by angelahack1
2026-04-18	fa4d60f	Just somppts framing, by angelahack1

8. Effective Line Inventory by Language

Methodology: tracked text files only. Blank lines and comment-only lines are excluded. Python counts also remove module, class, and function docstrings detected through AST parsing.

Language	Files	Effective lines	Total lines	Share
Python	245	59,224	82,116	67.8%
JavaScript	27	11,098	14,053	12.7%
Markdown	47	10,045	12,799	11.5%
CSS	5	2,882	3,604	3.3%
YAML	63	911	2,057	1.0%
Other text	3	780	957	0.9%
HTML	4	614	632	0.7%
PowerShell	5	506	752	0.6%
Prompt template	2	403	477	0.5%
JSON	5	381	381	0.4%
JavaScript module	1	325	392	0.4%
Text	4	115	134	0.1%
Protocol Buffers	1	20	33	0.0%
Batch	1	13	24	0.0%

Total effective lines: 87,317

9. Largest Effective Source Files

Path	Language	Effective	Total
Tlmatini/agent/views.py	Python	6,226	8,964
Tlmatini/agent/tests.py	Python	3,886	4,963
Tlmatini/agent/tools.py	Python	2,201	3,094
Tlmatini/agent/agents/flowcreator/agent_skill.md	Markdown	1,778	1,981
Tlmatini/agent/static/agent/css/agent_control_panel.css	CSS	1,631	2,140
BookOfTlmatini.md	Markdown	1,456	2,010
Tlmatini/agent/doc_generation/complete_project_docs.py	Python	1,276	1,455
Tlmatini/agent/static/agent/js/acp-canvas-core.js	JavaScript	1,256	1,566
Tlmatini/agent/consumers.py	Python	1,095	1,307
Tlmatini/agent/static/agent/js/acp-agent-connectors.js	JavaScript	1,073	1,211
Tlmatini/agent/agents/whatstlmatini/whatstlmatini.py	Python	1,044	1,300
Tlmatini/agent/acpx/tests.py	Python	1,035	1,299
Tlmatini/agent/static/agent/js/acp-control-buttons.js	JavaScript	1,016	1,320
Tlmatini/agent/static/agent/css/agent_page.css	CSS	998	1,173
Tlmatini/agent/static/agent/js/agent_page_chat.js	JavaScript	947	1,303
Tlmatini/agent/static/agent/js/canvas_item_dialog.js	JavaScript	898	1,165
Tlmatini/agent/agents/crawler/crawler.py	Python	881	1,261
Tlmatini/agent/agents/teletlmatini/teletlmatini.py	Python	874	1,133
Tlmatini/agent/static/agent/js/acp-canvas-undo.js	JavaScript	805	916
Tlmatini/agent/acpx/runtime.py	Python	798	1,087
Tlmatini/agent/agents/parametrizer/parametrizer.py	Python	794	1,118
Tlmatini/agent/agents/file_interpreter/file_interpreter.py	Python	749	969
KIMI.md	Markdown	725	878
Tlmatini/agent/agents/node_manager/node_manager.py	Python	719	950
Tlmatini/agent/mcp_agent.py	Python	705	1,062

10. Complete Tracked File Tree (Repository Appendix)

Tree appendix 1 of 8

```
Tlamatini/
|-- .gitignore
|-- _acpx_pipeline_demo_report.md
|-- ACPX.md
|-- agents_descriptions.md
|-- BookOfTlamatini.md
|-- build.py
|-- build_installer.py
|-- build_uninstaller.py
|-- CLAUDE.md
|-- CreateShortcut.json
|-- CreateShortcut.ps1
|-- eslint.config.mjs
|-- install.py
|-- KIMI.md
|-- LICENSE
|-- package.json
|-- prompt_example_2_create_agent.txt
|-- README.md
|-- regen_secrets.py
|-- register_flw.ps1
|-- RemoveShortcut.ps1
|-- requirements.txt
|-- Tlamatini.ico
|-- Tlamatini.jpg
|-- Tlamatini.ps1
|-- tlamatini_app_summary.pdf
|-- Tlamatini_extended_Artificial_Intelligence_Humanly_Tempered.pptx
|-- uninstall.py
|-- unregister_flw.ps1
|-- .codex/
|   |-- skills/
|   |   |-- full-project-pdf-dossier/
|   |   |   |-- SKILL.md
|   |   |-- overlap-safe-pptx-dossier/
|   |   |   |-- SKILL.md
|   |-- .github/
|   |   |-- workflows/
|   |   |   |-- name-guard.yml
|   |-- docs/
|   |   |-- claude/
|   |   |   |-- acpx.md
|   |   |   |-- agents.md
|   |   |   |-- architecture.md
|   |   |   |-- exec-report.md
|   |   |   |-- frontend.md
|   |   |   |-- gotchas.md
|   |   |   |-- INDEX.md
|   |   |   |-- mcp-tools.md
|   |   |   |-- multi-turn.md
|   |-- pyinstaller_hooks/
|   |   |-- hook-numpy.py
|   |-- Tlamatini/
|   |   |-- cat_art.py
|   |   |-- manage.py
|   |   |-- .agents/
|   |   |   |-- workflows/
|   |   |   |   |-- create_new_agent.md
|   |   |-- .mcps/
|   |   |   |-- create_new_mcp.md
|   |   |-- agent/
|   |   |   |-- __init__.py
|   |   |   |-- admin.py
|   |   |   |-- apps.py
|   |   |   |-- capability_registry.py
|   |   |   |-- chain_files_search_lcel.py
|   |   |   |-- chain_system_lcel.py
|   |   |   |-- chat_agent_registry.py
|   |   |   |-- chat_agent_runtime.py
|   |   |   |-- chat_history_loader.py
|   |   |   |-- command_togen_pb2.txt
|   |   |   |-- config.json
|   |   |   |-- config_loader.py
|   |   |   |-- constants.py
|   |   |   |-- consumers.py
|   |   |   |-- filesearch.proto
```


Tree appendix 2 of 8

```
-- filesearch_pb2.py
-- filesearch_pb2_grpc.py
-- global_execution_planner.py
-- global_state.py
-- inet_determiner.py
-- mcp_agent.py
-- mcp_files_search_client.py
-- mcp_files_search_server.py
-- mcp_system_client.py
-- mcp_system_server.py
-- models.py
-- path_guard.py
-- prompt.pmt
-- rag_enhancements.py
-- routing.py
-- test_flow_contracts.py
-- tests.py
-- tools.py
-- urls.py
-- views.py
-- web_search_llm.py
-- acpx/
|   -- __init__.py
|   -- agent_registry.py
|   -- config.py
|   -- permissions.py
|   -- runtime.py
|   -- service.py
|   -- session_store.py
|   -- tests.py
|   -- tools.py
|   -- windows_spawn.py
-- agents/
|   -- acpxer/
|   |   -- acpxer.py
|   |   -- config.yaml
|   -- and/
|   |   -- and.py
|   |   -- config.yaml
|   -- apirer/
|   |   -- apirer.py
|   |   -- config.yaml
|   -- asker/
|   |   -- asker.py
|   |   -- config.yaml
|   -- barrier/
|   |   -- barrier.py
|   |   -- config.yaml
|   |   -- test_barrier.py
|   -- cleaner/
|   |   -- __init__.py
|   |   -- cleaner.py
|   |   -- config.yaml
|   -- counter/
|   |   -- config.yaml
|   |   -- counter.py
|   -- crawler/
|   |   -- config.yaml
|   |   -- crawler.py
|   -- croner/
|   |   -- config.yaml
|   |   -- croner.py
|   -- deleter/
|   |   -- config.yaml
|   |   -- deleter.py
|   -- dockerer/
|   |   -- config.yaml
|   |   -- dockerer.py
|   -- emailer/
|   |   -- config.yaml
|   |   -- emailer.py
|   -- ender/
|   |   -- config.yaml
|   |   -- ender.py
|   -- executer/
|   |   -- config.yaml
```

Tree appendix 3 of 8

```
-- executor.py
-- file_creator/
| |-- config.yaml
| |-- file_creator.py
-- file_extractor/
| |-- config.yaml
| |-- file_extractor.py
-- file_interpreter/
| |-- config.yaml
| |-- file_interpreter.py
-- flowbacker/
| |-- config.yaml
| |-- flowbacker.py
-- flowcreator/
| |-- agentic_skill.md
| |-- config.yaml
| |-- flowcreator.py
-- flowhypervisor/
| |-- config.yaml
| |-- flowhypervisor.py
| |-- hypervisor_alert.wav
| |-- monitoring-prompt.pmt
-- forker/
| |-- config.yaml
| |-- forker.py
-- gateway_relayer/
| |-- config.yaml
| |-- gateway_relayer.md
| |-- gateway_relayer.py
-- gatewayer/
| |-- config.yaml
| |-- gatewayer.md
| |-- gatewayer.py
| |-- gatewayer_explanation.md
-- gitter/
| |-- config.yaml
| |-- gitter.py
-- googler/
| |-- config.yaml
| |-- googler.py
-- image_interpreter/
| |-- config.yaml
| |-- image_interpreter.py
-- j_decompiler/
| |-- config.yaml
| |-- j_decompiler.py
-- jenkinser/
| |-- config.yaml
| |-- jenkinser.py
-- keyboarder/
| |-- config.yaml
| |-- keyboarder.py
-- kubernetes/
| |-- config.yaml
| |-- kubernetes.py
-- kyber_cipher/
| |-- config.yaml
| |-- kyber_cipher.py
-- kyber_decipher/
| |-- config.yaml
| |-- kyber_decipher.py
-- kyber_keygen/
| |-- config.yaml
| |-- kyber_keygen.py
-- mongoxer/
| |-- config.yaml
| |-- mongoxer.py
-- monitor_log/
| |-- config.yaml
| |-- monitor_log.py
-- monitor_netstat/
| |-- config.yaml
| |-- monitor_netstat.py
-- mouser/
| |-- config.yaml
| |-- mouser.py
```

Tree appendix 4 of 8

```

-- mover/
|   |-- config.yaml
|   |-- mover.py
-- node_manager/
|   |-- config.yaml
|   |-- node_manager.md
|   |-- node_manager.py
|   |-- nodes_example.json
|   |-- nodes_example.yaml
-- notifier/
|   |-- config.yaml
|   |-- notifier.py
-- or/
|   |-- config.yaml
|   |-- or.py
-- parametrizer/
|   |-- config.yaml
|   |-- parametrizer.py
-- prompter/
|   |-- config.yaml
|   |-- prompter.py
-- pser/
|   |-- config.yaml
|   |-- pser.py
-- pythonxer/
|   |-- config.yaml
|   |-- pythonxer.py
-- raiser/
|   |-- config.yaml
|   |-- raiser.py
-- recmailer/
|   |-- config.yaml
|   |-- recmailer.py
-- scper/
|   |-- config.yaml
|   |-- scper.py
-- shooter/
|   |-- config.yaml
|   |-- shooter.py
-- sleeper/
|   |-- config.yaml
|   |-- sleeper.py
-- sqler/
|   |-- config.yaml
|   |-- sqler.py
-- ssher/
|   |-- config.yaml
|   |-- ssher.py
-- starter/
|   |-- config.yaml
|   |-- starter.py
-- stopper/
|   |-- config.yaml
|   |-- stopper.py
-- summarizer/
|   |-- config.yaml
|   |-- summarizer.py
-- telegramer/
|   |-- config.yaml
|   |-- telegramer.py
-- telegramrx/
|   |-- config.yaml
|   |-- telegramrx.py
-- teletlatamini/
|   |-- config.yaml
|   |-- teletlatamini.py
-- whatsapper/
|   |-- config.yaml
|   |-- whatsapper.py
-- whatstlatamini/
|   |-- config.yaml
|   |-- whatstlatamini.py
-- doc_generation/
|   |-- complete_project_docs.py
|   |-- mardown_to_pdf.py
|   |-- refresh_project_docs.py

```

Tree appendix 5 of 8

```
-- test_output.pdf
-- images/
|  |-- mockup.jpg
|  |-- TlamatiniAbout.jpg
|  |-- XAIHT-Tlamatini.mp4
-- imaging/
|  |-- converter.py
|  |-- image_interpreter.py
|  |-- screenshot.py
-- management/
|  |-- __init__.py
|  |-- commands/
|  |  |-- acpx_lint.py
|  |  |-- startserver.py
-- migrations/
|  |-- 0001_initial.py
|  |-- 0002_populate_db.py
|  |-- 0003_add_cleaner.py
|  |-- 0004_add_deleter.py
|  |-- 0005_add_executor.py
|  |-- 0006_add_notifier.py
|  |-- 0007_add_stopper.py
|  |-- 0008_add_recmailer.py
|  |-- 0009_add_whatsapp.py
|  |-- 0010_add_pythonxer.py
|  |-- 0011_add_asker.py
|  |-- 0012_repopulate_all_agents.py
|  |-- 0013_add_forker.py
|  |-- 0014_repopulate_all_agents.py
|  |-- 0015_add_shoter.py
|  |-- 0016_repopulate_all_agents.py
|  |-- 0017_add_ssh.py
|  |-- 0018_repopulate_all_agents.py
|  |-- 0019_add_scper.py
|  |-- 0020_repopulate_all_agents.py
|  |-- 0021_add_telegramrx.py
|  |-- 0022_repopulate_all_agents.py
|  |-- 0023_add_mongoxer.py
|  |-- 0024_repopulate_all_agents.py
|  |-- 0025_add_telegramer.py
|  |-- 0026_repopulate_all_agents.py
|  |-- 0027_add_sqler.py
|  |-- 0028_repopulate_all_agents.py
|  |-- 0029_add_prompter.py
|  |-- 0030_repopulate_all_agents.py
|  |-- 0031_add_flowcreator.py
|  |-- 0032_repopulate_all_agents.py
|  |-- 0033_add_gitter.py
|  |-- 0034_add_dockerer.py
|  |-- 0035_add_pser.py
|  |-- 0036_add_kuberneter.py
|  |-- 0037_add_apirer.py
|  |-- 0038_add_jenkinser.py
|  |-- 0039_add_crawler.py
|  |-- 0040_add_summarizer.py
|  |-- 0041_add_flowhypervisor.py
|  |-- 0042_add_mouser.py
|  |-- 0043_agentmessage_conversation_user.py
|  |-- 0044_add_counter.py
|  |-- 0045_add_file_interpreter.py
|  |-- 0046_add_image_interpreter.py
|  |-- 0047_add_gatewayer.py
|  |-- 0048_add_gateway_relayer.py
|  |-- 0049_add_node_manager.py
|  |-- 0050_add_file_creator.py
|  |-- 0051_add_file_extractor.py
|  |-- 0052_add_kyber_keygen.py
|  |-- 0053_add_kyber_cipher.py
|  |-- 0054_add_kyber_decipher.py
|  |-- 0055_fix_kyber_cipher_names.py
|  |-- 0056_add_parametrizer.py
|  |-- 0057_add_flowbacker.py
|  |-- 0058_add_barrier.py
|  |-- 0059_add_j_decompiler.py
|  |-- 0060_add_agent_parametrizer_tool.py
|  |-- 0061_add_agent_starter_tool.py
```

Tree appendix 6 of 8

```
-- 0062_sync_agent_control_tools_and_prompts.py
-- 0063_add_agent_parametrizer_prompt.py
-- 0064_add_chat_agent_run_model.py
-- 0065_add_chat_wrapped_agent_tools.py
-- 0066_add_keyboarder.py
-- 0067_add_multi_turn_demo_prompts.py
-- 0068_add_googler_tool.py
-- 0069_add_googler_agent.py
-- 0070_add_teletlamatini.py
-- 0071_acpx_skills.py
-- 0072_add_acpx_demo_prompts.py
-- 0073_acpx_demo_gemini_uplift.py
-- 0074_simplify_demo_prompts.py
-- 0075_add_acpx_tool_surface.py
-- 0076_add_acpxer.py
-- 0077_add_whatstlamatini.py
-- 0078_add_chat_agent_keyboarder_tool.py
-- 0079_add_chat_agent_mouser_tool.py
-- 0080_add_chat_agent_sleeper_tool.py
-- 0081_add_window_present_and_run_wait_tools.py
-- __init__.py
-- monitors/
--   -- monitor_sql.py
-- opus_client/
--   -- claude_opus_client.py
--   -- examples.py
--   -- README.md
-- rag/
--   -- __init__.py
--   -- config.py
--   -- factory.py
--   -- interaction.py
--   -- interface.py
--   -- loaders.py
--   -- prompts.py
--   -- retrieval.py
--   -- splitters.py
--   -- utils.py
--   -- chains/
--     -- base.py
--     -- basic.py
--     -- history_aware.py
--     -- unified.py
-- services/
--   -- __init__.py
--   -- agent_contracts.py
--   -- agent_paths.py
--   -- answer_analyzer.py
--   -- filesystem.py
--   -- flow_compiler.py
--   -- flow_spec.py
--   -- response_parser.py
-- skills/
--   -- __init__.py
--   -- frontmatter.py
--   -- harness.py
--   -- io_contract.py
--   -- registry.py
-- skills_pkg/
--   -- _meta/
--     -- lint.py
--     -- schema.json
--   -- acp_router/
--     -- SKILL.md
--   -- github/
--     -- SKILL.md
--   -- gmail/
--     -- SKILL.md
--   -- hello_world/
--     -- SKILL.md
--   -- jira/
--     -- SKILL.md
--   -- notion/
--     -- SKILL.md
--   -- setup_new_acpx_key/
--     -- SKILL.md
```

Tree appendix 7 of 8

```
-- skill_creator/
|   |-- SKILL.md
|   |-- scripts/
|   |   |-- quick_validate.py
|   |-- slack/
|   |   |-- SKILL.md
|   |-- summarize/
|   |   |-- SKILL.md
|   |-- tlamadini_allowed_hosts_tighten/
|   |   |-- SKILL.md
|   |-- tlamadini_csrf_exempt_audit/
|   |   |-- SKILL.md
|   |-- tlamadini_exec_report_row_adder/
|   |   |-- SKILL.md
|   |-- tlamadini_flow_from_objective/
|   |   |-- SKILL.md
|   |-- tlamadini_flw_doctor/
|   |   |-- SKILL.md
|   |-- tlamadini_new_acp_agent/
|   |   |-- SKILL.md
|   |-- tlamadini_planner_trace_replay/
|   |   |-- SKILL.md
|   |-- tlamadini_static_version_bumper/
|   |   |-- SKILL.md
|   |-- todoist/
|   |   |-- SKILL.md
|   |-- trello/
|   |   |-- SKILL.md
|   |-- weather/
|   |   |-- SKILL.md
-- static/
|   |-- agent/
|   |   |-- css/
|   |   |   |-- agent_page.css
|   |   |   |-- agentic_control_panel.css
|   |   |   |-- login.css
|   |   |   |-- tools_dialog.css
|   |   |   |-- welcome.css
|   |   |-- img/
|   |   |   |-- spinner.svg
|   |   |   |-- Tlamatini.ico
|   |   |-- js/
|   |   |   |-- acp-agent-connectors.js
|   |   |   |-- acp-canvas-core.js
|   |   |   |-- acp-canvas-undo.js
|   |   |   |-- acp-control-buttons.js
|   |   |   |-- acp-file-io.js
|   |   |   |-- acp-flow-snapshot.js
|   |   |   |-- acp-globals.js
|   |   |   |-- acp-layout.js
|   |   |   |-- acp-parametrizer-dialog.js
|   |   |   |-- acp-running-state.js
|   |   |   |-- acp-session.js
|   |   |   |-- acp-undo-manager.js
|   |   |   |-- acp-validate.js
|   |   |   |-- agent_page_canvas.js
|   |   |   |-- agent_page_chat.js
|   |   |   |-- agent_page_context.js
|   |   |   |-- agent_page_dialogs.js
|   |   |   |-- agent_page_init.js
|   |   |   |-- agent_page_layout.js
|   |   |   |-- agent_page_state.js
|   |   |   |-- agent_page_ui.js
|   |   |   |-- agentic_control_panel.js
|   |   |   |-- canvas_item_dialog.js
|   |   |   |-- chat_page_runtime_poller.js
|   |   |   |-- contextual_menus.js
|   |   |   |-- shared-runtime-dialogs.js
|   |   |   |-- tools_dialog.js
|   |   |-- sounds/
|   |   |   |-- hypervisor_alert.wav
|   |   |   |-- notification.wav
|   |   |-- video/
|   |   |   |-- XAIHT-Tlamatini.mp4
-- telegram/
|   |-- AztecTlamatini.txt
```

Tree appendix 8 of 8

```
| | |-- config.yaml
| | |-- telegram_receiver.py
| |-- templates/
| | |-- agent/
| | | |-- agent_page.html
| | | |-- agentic_control_panel.html
| | | |-- login.html
| | | |-- welcome.html
|-- jd-cli/
| |-- jd-cli.bat
| |-- jd-cli.jar
|-- tlamatini/
| |-- __init__.py
| |-- asgi.py
| |-- context_processors.py
| |-- logging_filters.py
| |-- middleware.py
| |-- settings.py
| |-- urls.py
| |-- wsgi.py
```