

DECK INDEX • PART 1

01:

Paracetamol

02:

Aspirin

03:

Ibuprofen

04:

05:

06:

07:

08:

09:

10:

11:

12:

13:

14:

15:

YAADCARD.IN

PARACETAMOL

YAADCARD.IN

ASPIRIN

YAADCARD.IN

IBUPROFEN

YAADCARD.IN

MORPHINE

YAADCARD.IN

ATROPINE

YAADCARD.IN

ADRENALINE

YAADCARD.IN

INSULIN

YAADCARD.IN

PENICILLIN

YAADCARD.IN

AMOXICILLIN

YAADCARD.IN

YAADCARD

•

PHARMACOLOGY (DRUG NAMES & DOSAGES)

FLASH CARDS

PHARMACOLOGY (DRUG NAMES & DOSAGES)

yaadcard.in

▼ FOLD TOP ▼

▼ FOLD BOTTOM ▼

PRODUCT DESCRIPTION

Premium high-yield study deck engineered for quick revision and active recall. Contains concise cards covering major core concepts, visual diagrams, mathematical formulas, and memory mnemonics. Perfect for exam preparation, competitive tests, and classroom revision.

Pack Contents:

Premium Flashcards & reference insert

Subject:

Pharmacology (Drug Names & Dosages)

MRP:

₹250.00 (incl. of all taxes)

Support:

support@yaadcard.in

YAADCARD Publications

Made in India • Recyclable

METFORMIN

YAADCARD.IN

CIPROFLOXACIN

YAADCARD.IN

ATROPINE

Blocks acetylcholine receptors

Anticholinergic drug; the primary antidote for organophosphate/nerve agent poisoning.

Antidote for organophosphate poisoning
Causes tachycardia & pupil dilation

MORPHINE

Gold-standard opioid analgesic

Mu-receptor opioid agonist used for severe pain; a controlled, schedule-monitored substance.

Acts on mu-opioid receptors
Antidote: Naloxone reverses overdose

IBUPROFEN

Reversible COX inhibitor NSAID

Common NSAID for pain, fever, and inflammation with reversible COX-1/2 inhibition.

Dose: 200–400mg every 6–8h
Avoid in peptic ulcer disease

ASPIRIN

Irreversible COX inhibitor

NSAID with antiplatelet, analgesic, and anti-inflammatory effects at different doses.

Use	Dose
Antiplatelet	75-150mg
Analgesic	300–600mg

PARACETAMOL

Common fever & pain reliever

Antipyretic and analgesic acting via central COX inhibition; hepatotoxic in overdose.

Dose: 500mg–1g q6h, max 4g/day
Overdose antidote: N-acetylcysteine

DECK INDEX • PART 2

- 16: Salbutamol
- 17: Omeprazole
- 18: Diazepam
- 19: Lithium
- 20: Levodopa
- 21: Chloroquine
- 22: Streptomycin
- 23: Rifampicin
- 24: Isoniazid
- 25: Sulfonamides
- 26: Ether
- 27: Naloxone
- 28: Vitamin K
- 29: Vaccine

YAADCARD.IN

METFORMIN

First-line diabetes medication

Biguanide that reduces hepatic glucose output; standard first-line for Type 2 diabetes.

Class: Biguanide oral drug
Risk: Lactic acidosis (rare)

INSULIN

Master blood sugar hormone

Peptide hormone that lowers blood glucose; administered subcutaneously, not orally.

Route: Subcutaneous injection only
Discovered by Banting & Best

EPINEPHRINE

Drug of choice in anaphylaxis

Sympathomimetic hormone; first-line emergency treatment for severe allergic reactions.

IM dose: 0.3–0.5mg
Also used in cardiac arrest

CIPROFLOXACIN

Fluoroquinolone DNA blocker

Antibiotic that inhibits bacterial DNA gyrase, halting DNA replication.

Class: Fluoroquinolone antibiotic
Avoid in pregnancy, tendon risk

AMOXICILLIN

Common broad-spectrum penicillin

Widely prescribed penicillin-class antibiotic for common bacterial infections.

Typical dose: 500mg q8h
Class: Broad-spectrum penicillin

PENICILLIN

First antibiotic discovered

Beta-lactam antibiotic that inhibits bacterial cell wall synthesis.

Discovered by Alexander Fleming, 1928
Inhibits bacterial cell wall

WARFARIN YAADCARD.IN	HEPARIN YAADCARD.IN	DIGOXIN YAADCARD.IN	FUROSEMIDE YAADCARD.IN	SALBUTAMOL YAADCARD.IN	OMEPRAZOLE YAADCARD.IN
DIAZEPAM YAADCARD.IN	LITHIUM YAADCARD.IN	LEVODOPA YAADCARD.IN	CHLOROQUINE YAADCARD.IN	STREPTOMYCIN YAADCARD.IN	RIFAMPICIN YAADCARD.IN
ISONIAZID YAADCARD.IN	SULFONAMIDES YAADCARD.IN	ETHER YAADCARD.IN	NALOXONE YAADCARD.IN	VITAMIN K YAADCARD.IN	VACCINE YAADCARD.IN

OMEPRAZOLE Reduces stomach acid production Proton pump inhibitor that reduces gastric acid secretion for ulcers and reflux. Class: Proton pump inhibitor Used for GERD & ulcers	SALBUTAMOL Asthma rescue inhaler drug Beta-2 agonist bronchodilator used for rapid relief of asthma symptoms. Class: Beta-2 agonist Route: Inhaled bronchodilator	FUROSEMIDE Powerful loop diuretic Loop diuretic that inhibits the Na-K-2Cl cotransporter in the kidney. Class: Loop diuretic Risk: Hypokalemia (low potassium)	DIGOXIN Narrow safety-margin heart drug Cardiac glycoside that inhibits Na-K ATPase; has a narrow therapeutic index. Inhibits Na-K ATPase pump Narrow therapeutic index, toxic risk	HEPARIN Fast-acting injectable anticoagulant Anticoagulant that activates antithrombin III; given intravenously or subcutaneously. Route: IV or subcutaneous Antidote: Protamine sulfate	WARFARIN Oral blood-thinning agent Vitamin K antagonist anticoagulant; therapy monitored using the INR blood test. Monitored via INR levels Antidote: Vitamin K
RIFAMPICIN Key anti-TB drug Inhibits bacterial RNA polymerase; distinctively turns body fluids orange-red. Inhibits RNA polymerase enzyme Side effect: orange-red body fluids	STREPTOMYCIN First anti-tuberculosis drug Aminoglycoside antibiotic that was the first effective treatment against TB. Discovered by Selman Waksman, 1943 Class: Aminoglycoside antibiotic	CHLOROQUINE Classic antimalarial drug Antimalarial that works by inhibiting heme polymerization in the parasite. Inhibits heme polymerization Includes Hydroxychloroquine variant	LEVODOPA Parkinson's disease treatment Dopamine precursor combined with Carbidopa to treat Parkinson's disease. Combined with Carbidopa always Crosses blood-brain barrier, converts	LITHIUM Bipolar disorder mood stabilizer Mood stabilizer with a narrow therapeutic index requiring regular serum monitoring. Requires serum level monitoring Narrow therapeutic index drug	DIAZEPAM Common benzodiazepine sedative GABA-A receptor agonist used as an anxiolytic and anticonvulsant. Class: Benzodiazepine Acts on GABA-A receptors
VACCINE Trains immune system defense An attenuated or inactivated pathogen given to trigger active immune protection. Edward Jenner pioneered vaccines, 1796 Triggers active immunity response	VITAMIN K Warfarin overdose antidote Essential for synthesizing clotting factors; reverses warfarin's anticoagulant effect. Antidote for warfarin overdose Needed for clotting factor synthesis	NALOXONE Opioid overdose reversal drug Opioid receptor antagonist that rapidly reverses opioid overdose and respiratory depression. Reverses opioid overdose fast Blocks mu-opioid receptors	ETHER First public anesthetic The first anesthetic gas publicly demonstrated for surgical use. William Morton, 1846 First public surgical anesthetic	SULFONAMIDES First synthetic antimicrobials The first man-made class of antimicrobial drugs, predating modern antibiotics. Discovered by Gerhard Domagk, 1930s First synthetic antibacterial class	ISONIAZID First-line TB drug Anti-tuberculosis drug that inhibits mycolic acid synthesis in the bacterial wall. Inhibits mycolic acid synthesis Side effect: Peripheral neuropathy