HotspotQueryLanguage

Rules


- statement
- selectClause
- hsRankClause
- perCategoryClause
- catRankClause
- quantity
- percent
- whereClause
- aggregateExpression
- minFunc
- maxFunc
- avgFunc
- sumFunc
- countFunc
- arithExpression
- term
- factor
- signedAtom
- arithAtom
- signedNumber
- variable
- logicalExpression
- orOperand
- andOperand
- logicalAtom
- relationalExpression
- comparison
- arithCompare
- textCompare
- text
- inclusion
- numberList
- textList
- SELECT
- HOTSPOTS
- TOP
- RANKED
- OF
- PER
- GROUP_UNIT

```
statement Top
```

Text notation:

```
statement : selectClause hsRankClause perCategoryClause? whereClause? | LPAREN statement RPAREN (UNION |
INTERSECT) LPAREN statement RPAREN;
```

Visual notation:




selectClause Top

Text notation:

```
selectClause : SELECT TOP? (quantity | percent) HOTSPOTS? ;
```

Visual notation:



hsRankClause Top

Text notation:

hsRankClause : RANKED BY arithExpression (ASCENDING | DESCENDING)?;

- BY
- FROM
- WHERE
- AND
- OR
- NOT
- IN
- TRUE
- FALSE
- UNION
- INTERSECT
- ASCENDING
- DESCENDING
- MIN
- MAX
- AVG
- SUM
- COUNT
- A
- B
- 0
- D
- -
- .
- 6
- H
- _____
- 1
- 8.4
- N
- O
- P
- Q
- 11
- -
- U
- . . .
- . . .
- X
- Y
- Z


```
RANKED BY arithExpression ASCENDING DESCENDING
```

perCategoryClause Top

Text notation:

```
perCategoryClause : PER GROUP_UNIT (OF TOP? (quantity | percent) catRankClause)?;
```

Visual notation:



catRankClause

Top

Text notation:


```
catRankClause : RANKED BY aggregateExpression (ASCENDING | DESCENDING)?;
```

Visual notation:



quantity Top

```
Text notation:
   quantity : INTEGER | MULT ;
Visual notation:
      INTEGER
        MULT
percent
              Top
Text notation:
   percent : INTEGER PERCENT | NUMBER PERCENT ;
Visual notation:
                    PERCENT
       INTEGER
       NUMBER
                    PERCENT
whereClause
                   Top
Text notation:
   whereClause : WHERE logicalExpression ;
Visual notation:
                  logicalExpression
       WHERE
aggregateExpression
                             Top
Text notation:
   aggregateExpression : minFunc | maxFunc | avgFunc | sumFunc | countFunc ;
```



minFunc Top

Text notation:

```
minFunc : MIN LPAREN arithExpression RPAREN ;
```

Visual notation:



maxFunc Top

Text notation:

maxFunc : MAX LPAREN arithExpression RPAREN ;


Visual notation:



avgFunc Top

Text notation:

```
avgFunc : AVG LPAREN arithExpression RPAREN ;
Visual notation:
                LPAREN
                            arithExpression
                                                RPAREN
sumFunc
              Top
Text notation:
   sumFunc : SUM LPAREN arithExpression RPAREN ;
Visual notation:
                            arith Expression \\
                LPAREN
                                                RPAREN
countFunc
                 Top
Text notation:
   countFunc : COUNT LPAREN RPAREN ;
Visual notation:
                  LPAREN
                               RPAREN
arithExpression
                         Top
Text notation:
   arithExpression : term ((PLUS | MINUS) term)*;
Visual notation:
```




term Top

Text notation:

```
term : factor ((MULT | DIV) factor)*;
```


Visual notation:



factor Top

Text notation:

```
factor : signedAtom (POW signedAtom)*;
```




signedAtom Top

Text notation:

```
signedAtom : PLUS signedAtom | MINUS signedAtom | arithAtom ;
```

Visual notation:




arithAtom тор

Text notation:

```
arithAtom : signedNumber | variable | LPAREN arithExpression RPAREN ;
```


Visual notation:



signedNumber Top

Text notation:

```
signedNumber : (PLUS | MINUS)? (NUMBER | INTEGER) ;
```



variable Top

Text notation:

```
variable : ID ;
```

Visual notation:




logicalExpression Top

Text notation:

```
logicalExpression : orOperand (OR orOperand)*;
```


Visual notation:



orOperand Top

Text notation:

```
orOperand : andOperand (AND andOperand)*;
```




andOperand Top

Text notation:

```
andOperand : logicalAtom | NOT logicalAtom ;
```


Visual notation:




logicalAtom Top

Text notation:

```
logicalAtom : TRUE | FALSE | variable | relationalExpression | LPAREN logicalExpression RPAREN ;
```



```
relationalExpression
                               Тор
Text notation:
   relationalExpression : comparison | inclusion ;
Visual notation:
       comparison
        inclusion
comparison
                  Top
Text notation:
   comparison : arithCompare | textCompare ;
Visual notation:
       arithCompare
       textCompare
arithCompare
                     Top
Text notation:
   arithCompare : arithAtom ('=' | '!=' | '>' | '>=' | '<' | '<=') arithAtom ;</pre>
Visual notation:
```




textCompare Top

Text notation:

```
textCompare : text ('=' | '!=') text;
```


Visual notation:



text Top

Text notation:


```
text : TEXT | variable ;
```



inclusion Top Text notation: inclusion : variable NOT? IN (numberList | textList) ; Visual notation: numberList ΙN variable NOT textList numberList Top Text notation: numberList : LPAREN signedNumber (COMMA signedNumber)* RPAREN ; Visual notation: signedNumber **RPAREN** COMMA signedNumber textList Top

Text notation:

```
textList : LPAREN TEXT (COMMA TEXT)* RPAREN ;
```



SELECT Top

Text notation:

SELECT : S E L E C T ;

Visual notation:




HOTSPOTS Top

Text notation:

HOTSPOTS : *H O T S P O T S* ;


Visual notation:



ТОР Тор

Text notation:

TOP: $T \circ P$;



RANKED Top

Text notation:

RANKED: R A N K E D;

Visual notation:




OF Top

Text notation:

OF : 0 F ;

Visual notation:



PER Top

Text notation:

PER : P E R;


Visual notation:



GROUP_UNIT TOP

Text notation:

GROUP_UNIT: PIXEL | DETECTOR | PATTERN | FEMGROUP;



ВҮ Тор

Text notation:

BY: BY;

Visual notation:




FROM Top

Text notation:

FROM: F R O M;

Visual notation:



WHERE Top

Text notation:

WHERE: W H E R E;




AND Top

Text notation:

AND : A N D;

Visual notation:




OR Top

Text notation:

OR : O R ;

Visual notation:



NOT Top

Text notation:

NOT: N O T;

Visual notation:

IN Top

Text notation:

IN:IN;

Visual notation:



TRUE Top

Text notation:

TRUE : T R U E;

Visual notation:



FALSE Top

Text notation:

FALSE: F A L S E;

Visual notation:




UNION

Text notation:

UNION : U N I O N ;

Top




INTERSECT Top

Text notation:

INTERSECT : I N T E R S E C T ;

Visual notation:




ASCENDING Top

Text notation:

ASCENDING : A S C ;

Visual notation:



DESCENDING

Top

Text notation:

DESCENDING : D E S C ;

Visual notation:



MIN

Top

Text notation:

MIN : M I N ;




МАХ Тор

Text notation:

MAX : MAX;

Visual notation:



AVG Top

Text notation:

AVG : A V G ;

Visual notation:




SUM Top

Text notation:

SUM : *S U M* ;

Visual notation:




COUNT Top

- 4		
IAVt	notation	•

COUNT : C O U N T;

Visual notation:



А Тор

Text notation:

A : [aA];

Visual notation:



В Тор

Text notation:

B : [bB];

Visual notation:



C Top

Text notation:

C : [cC];



D	Тор
Text r	otation:
D	: [dD];
Visua	notation:
_	[dD] —
E	Тор
Text r	otation:
E	: [eE] ;
Visua	notation:
_	[eE] —
F	Тор
Text r	otation:
F	: [fF] ;
Visua	notation:
_	[fF]—
G	Тор
Text r	otation:
G	: [gG];

Visual no	notation:	
_[[gG] —	
Н то	Тор	
Text nota	otation:	
н:	: [hH] ;	
Visual no	notation:	
_[[hH] —	
I to	Тор	
Text nota	otation:	
I :	: [iI] ;	
Visual no	notation:	
_[[iI] —	
Ј то	Тор	
Text nota	etation:	
J :	: [jɔ] ;	
Visual no	notation:	
_[[[ij]	
К то	Тор	

	HotspotQueryLanguage.g4	
Text notation:		
K : [kK] ;		
Visual notation:		
[kK]		
L Тор		
Text notation:		
L : [1L] ;		
Visual notation:		
visual flotation.		
— [IL] —		
М Тор		
·		
Text notation:		
M : [mM] ;		
Visual notation:		
[mM]		
N Top		

Text notation:

N : [nN];



0	Тор
Text n	otation:
0	: [00];
Visual	notation:
	[oO]
Р	Тор
Text n	otation:
Р	: [pP];
Visual	notation:
	[pP] —
Q	Тор
Text n	otation:
Q	: [qQ] ;
Visual	notation:
	[qQ] —
R	Тор
Text n	otation:
R	: [rR] ;

١.	/isi	ıəl	n	٠ta	ti.	۸n	٠.
v	1151	uai	110	на		OΠ	۱.



S Тор

Text notation:

S: [sS];

Visual notation:



Т тор

Text notation:

T : [tT] ;

Visual notation:



U Тор

Text notation:

U : [uU] ;

Visual notation:



/ Top

	HotspotQueryLanguage.g4
Text notation:	
V : [vV] ;	
Visual notation:	
[vV]	
W Тор	
Text notation:	
W : [wW] ;	
Visual notation:	
[wW]	
Х Тор	
Text notation:	
X : [xX] ;	
Visual notation:	
[xX]	
Y Тор	
Text notation:	
Y : [yY] ;	

Text notation:
Z : [zZ];
Visual notation:
[ZZ]

Generated by: ANTLR 4 IDE. Copyright (c) 2013 Edgar Espina