

*****This document involves the topics for the Heart Health Analysis*****

Dataset: <https://www.kaggle.com/datasets/johnsmith88/heart-disease-dataset>

Basic Level Topics:

1. What is the average age of patients in the dataset?

- **Hint:** Use `data['age'].mean()` to calculate the average age.
- **How it helps:** Understanding the age distribution helps in targeting age-specific preventive measures.
- **Business Impact:** Identifying the age group most affected by heart disease can help the healthcare company design targeted wellness programs and allocate resources more effectively.

2. What is the gender distribution of patients?

- **Hint:** Use `data['sex'].value_counts()` to get the count of male and female patients.
- **How it helps:** Identifying if one gender is more prone to heart disease can guide gender-specific interventions.
- **Business Impact:** Tailoring health initiatives based on gender can lead to more effective prevention strategies and improve patient outcomes, potentially reducing healthcare costs.

3. What is the average resting blood pressure of patients?

- **Hint:** Use `data['trestbps'].mean()` to find the average blood pressure.
- **How it helps:** Monitoring blood pressure levels is crucial for early intervention.
- **Business Impact:** By understanding typical blood pressure levels, the company can better identify at-risk patients and recommend appropriate interventions, improving overall patient health and reducing emergency incidents.

4. How many patients have fasting blood sugar levels higher than 120 mg/dl?

- **Hint:** Use `data['fbs'].sum()` to count patients with high fasting blood sugar.
- **How it helps:** High fasting blood sugar is a known risk factor for heart disease.

- **Business Impact:** Identifying patients with high fasting blood sugar allows for targeted dietary and lifestyle recommendations, potentially preventing the progression of heart disease and associated costs.

5. **What are the different types of chest pain recorded in the dataset?**

- **Hint:** Use `data['cp'].unique()` to list the types of chest pain.
- **How it helps:** Different types of chest pain can indicate varying severity of heart conditions.
- **Business Impact:** Understanding chest pain types can help healthcare providers prioritize patient care and develop specialized treatment plans, improving patient satisfaction and outcomes.

6. **What is the maximum heart rate achieved by patients?**

- **Hint:** Use `data['thalach'].max()` to find the highest recorded heart rate.
- **How it helps:** Identifying extreme values helps in understanding patient stress levels.
- **Business Impact:** Knowing the limits of heart rate can aid in designing safer and more effective exercise programs for patients, reducing the risk of adverse events during physical activity.

7. **What percentage of patients experience exercise-induced angina?**

- **Hint:** Calculate the percentage using `data['exang'].mean() * 100`.
- **How it helps:** This metric helps in assessing exercise tolerance among patients.
- **Business Impact:** By identifying patients prone to exercise-induced angina, the company can offer tailored exercise regimens and monitoring solutions, enhancing patient safety and wellness.

8. **What is the average cholesterol level in the dataset?**

- **Hint:** Use `data['chol'].mean()` to find the average cholesterol level.
- **How it helps:** Cholesterol levels are critical indicators of heart health.
- **Business Impact:** Monitoring cholesterol levels enables the development of personalized dietary and medication plans, reducing the risk of heart disease and its associated treatment costs.

9. **How many patients have a resting electrocardiographic result of 2?**

- **Hint:** Use `data['restecg'].value_counts()[2]` to get the count.

- **How it helps:** Understanding ECG results aids in assessing heart conditions.
- **Business Impact:** Accurate ECG assessments help in early diagnosis and treatment, leading to better management of heart conditions and improved patient outcomes.

10. What is the distribution of the number of major vessels colored by fluoroscopy?

- **Hint:** Use `data['ca'].value_counts()` to get the distribution.
- **How it helps:** This helps in understanding the extent of coronary artery disease.
- **Business Impact:** Identifying the severity of artery blockage can guide the allocation of resources towards patients needing urgent interventions, improving the efficiency of healthcare delivery and patient care

Medium Level Topics:

1. What is the correlation between age and cholesterol levels?

- **Hint:** Use `data[['age', 'chol']].corr()` to find the correlation between age and cholesterol levels.
- **How it helps:** Understanding the relationship between age and cholesterol can highlight age groups that may need more frequent monitoring.
- **Business Impact:** Identifying age-related trends in cholesterol levels can help the company develop age-specific dietary recommendations and preventive measures.

2. What is the distribution of chest pain types across different age groups?

- **Hint:** Use `data.groupby('age')['cp'].value_counts().unstack().plot(kind='bar', stacked=True)` to visualize the distribution.
- **How it helps:** This analysis helps in understanding if certain age groups are more prone to specific types of chest pain.
- **Business Impact:** By identifying age-specific chest pain patterns, healthcare providers can tailor diagnostic and treatment protocols, improving patient care efficiency.

3. How does maximum heart rate vary with exercise-induced angina?

- **Hint:** Use `data.groupby('exang')['thalach'].mean()` to compare maximum heart rates for patients with and without exercise-induced angina.

- **How it helps:** Understanding this variation can guide recommendations for exercise intensity levels.
 - **Business Impact:** Tailoring exercise programs based on heart rate responses can enhance patient safety and effectiveness of fitness interventions, leading to better health outcomes.
4. **Is there a significant difference in resting blood pressure between male and female patients?**
- **Hint:** Use `data.groupby('sex')['trestbps'].mean()` and statistical tests like t-test for comparison.
 - **How it helps:** Identifying gender differences in blood pressure can inform gender-specific medical advice.
 - **Business Impact:** Offering personalized health recommendations based on gender differences can improve patient compliance and effectiveness of treatments.
5. **What is the relationship between fasting blood sugar levels and the presence of heart disease?**
- **Hint:** Use `pd.crosstab(data['fbs'], data['target']).plot(kind='bar', stacked=True)` to visualize the relationship.
 - **How it helps:** This helps in identifying whether high fasting blood sugar is a significant risk factor for heart disease.
 - **Business Impact:** Recognizing high blood sugar as a risk factor allows for early interventions and better management of diabetes and heart disease comorbidities, reducing long-term healthcare costs.
6. **How does the number of major vessels (ca) affect the target variable (heart disease presence)?**
- **Hint:** Use `pd.crosstab(data['ca'], data['target']).plot(kind='bar', stacked=True)` to analyze the impact.
 - **How it helps:** Understanding this relationship helps in identifying the severity of coronary artery disease.
 - **Business Impact:** Prioritizing patients with multiple vessel blockages for intensive care can improve treatment outcomes and resource allocation efficiency.
7. **What is the average oldpeak value for patients with different types of chest pain?**

- **Hint:** Use `data.groupby('cp')['oldpeak'].mean()` to find the average oldpeak values.
- **How it helps:** Oldpeak values indicate the severity of ST depression, helping in assessing the condition's seriousness.
- **Business Impact:** Accurate assessment of chest pain severity can improve diagnosis and treatment plans, enhancing patient care and reducing the likelihood of adverse events.

8. **Analyze the distribution of thalassemia types (thal) among patients with heart disease.**

- **Hint:** Use `pd.crosstab(data['thal'], data['target']).plot(kind='bar', stacked=True)` to visualize the distribution.
- **How it helps:** Understanding thalassemia distribution helps in assessing its impact on heart disease.
- **Business Impact:** Identifying thalassemia as a contributing factor can guide genetic counseling and specialized care for affected patients, improving health outcomes and patient satisfaction.

9. **What are the most common combinations of risk factors in patients with heart disease?**

- **Hint:** Use `data[data['target'] == 1].groupby(['cp', 'fbs', 'exang', 'thal']).size().reset_index(name='counts').sort_values(by='counts', ascending=False)` to find common risk factor combinations.
- **How it helps:** Identifying common risk factor combinations can help in understanding typical patient profiles.
- **Business Impact:** Developing targeted intervention strategies for common risk profiles can enhance the effectiveness of preventive measures and reduce the incidence of heart disease.

10. **Perform a pairwise comparison of clinical measurements for patients with and without heart disease.**

- **Hint:** Use `data[data['target'] == 1].describe()` and `data[data['target'] == 0].describe()` for comparison, followed by visualizations like pair plots.
- **How it helps:** Pairwise comparisons highlight key differences in clinical measurements.

- **Business Impact:** Understanding the distinguishing features of heart disease patients enables more accurate risk assessments and personalized treatment plans, improving overall patient outcomes and reducing healthcare costs.

Advanced Level Topics:

1. **What is the effect of combining multiple risk factors (age, cholesterol, blood pressure) on the likelihood of heart disease?**

- **Hint:** Use `sns.pairplot(data, hue='target', vars=['age', 'chol', 'trestbps'])` to visualize the interactions.
- **How it helps:** This helps in understanding how multiple factors together influence heart disease risk.
- **Business Impact:** Identifying the combined effect of multiple risk factors can lead to more comprehensive risk assessment tools, improving early detection and prevention strategies.

2. **Which clinical measurement has the strongest correlation with heart disease presence?**

- **Hint:** Use `data.corr()['target'].sort_values(ascending=False)` to find the strongest correlation.
- **How it helps:** Identifying the strongest predictor helps in focusing preventive measures on the most impactful factors.
- **Business Impact:** Prioritizing interventions based on the strongest predictors can enhance treatment efficacy and resource allocation, leading to better patient outcomes.

3. **Perform a logistic regression analysis to predict the presence of heart disease using all available features.**

- **Hint:** Use `LogisticRegression` from `sklearn` and fit the model using relevant features.
- **How it helps:** This analysis provides insights into the relative importance of each feature in predicting heart disease.
- **Business Impact:** Developing predictive models can help in early identification of at-risk patients, enabling timely interventions and reducing the incidence of severe cases.

4. **How do the values of the slope of the peak exercise ST segment (slope) vary with different chest pain types?**

- **Hint:** Use `data.groupby('cp')['slope'].value_counts().unstack().plot(kind='bar', stacked=True)` to visualize the variation.
- **How it helps:** Understanding the variation helps in associating chest pain types with specific ECG patterns.
- **Business Impact:** Identifying specific ECG patterns associated with chest pain types can improve diagnostic accuracy and personalized treatment plans.

5. **Analyze the survival rates of patients with different thalassemia types over a period.**

- **Hint:** Use `sns.lineplot(x='age', y='thal', hue='target', data=data)` to analyze survival rates.
- **How it helps:** This analysis helps in understanding the long-term impact of thalassemia on heart disease survival.
- **Business Impact:** Insights from survival rates can guide long-term care strategies and resource allocation for patients with thalassemia, improving patient outcomes and quality of life.