

CHANNEL OBJECT

The Broadcast Channel Object

You can have multiple Broadcast Channels, and each Channel can contain multiple Broadcast Messages. Channels are a way of grouping messages into categories, for example you might have a channel for "Game Updates & News" and another channel for "Events & Promotions".

Example Channel

```
1  {
2    "id": "043656f0-9c92-4737-b644-7d82860dec88",
3    "name": "Game Updates & News",
4    "description": "The latest updates and news from Space Blaster dev t
5    "created": "2025-09-22T14:30:02.437",
6    "formattedCreated": "9/22/2025 2:30:02 PM",
7    "responseLanguage": {
8      "iso": "EN",
9      "englishName": "English"
10   },
11   "broadcasts": 23,
12   "formattedBroadcasts": "23",
13   "lastBroadcast": "2025-09-24T14:30:02.437",
14   "formattedLastBroadcast": "9/24/2025 2:30:02 PM",
15   "allowRatings": true,
16   "anyUnreadMessages": true,
17   "dimensionlessMaxRatingValue": 4,
18   "ratingDimensions": {
19     "key1": { ... },
20     "key2": { ... }
21   },
22   "originalLanguage": {
23     "iso": "EN",
24     "englishName": "English"
25   }
26 }
```

Object Properties

id guid

A unique ID for this channel.

name string Translatable

A publicly facing name for this channel.

description string Translatable

A publicly facing description for this channel.

created datetime

The date and time this channel was first created.

formattedCreated string

The date and time this channel was first created, formatted to the specified requested culture.

responseLanguage Language

The language the channels properties are returned in - this will differ from original language if the request asks for content to be returned in a different language and the plan supports translations.

broadcasts int32

The total number of broadcast messages currently available in this channel.

formattedBroadcasts string

The total number of broadcast messages currently available in this channel, formatted to the specified requested culture.

lastBroadcast datetime?

The date and time of the last broadcast published to this channel.

formattedLastBroadcast string

The date and time of the last broadcast published to this channel, formatted to the specified requested culture.

allowRatings [bool](#)

If this channel supports rating of messages.

anyUnreadMessages [bool](#)

Indicates if this channel contains any unread messages by the current requester. Read about the [unread status](#).

dimensionlessMaxRatingValue [uint8](#)

If ratings are allowed for messages in this channel, this property shows what the maximum rating value for dimensionless ratings is. The minimum allowed rating value is always `0`.

ratingDimensions [Dictionary<string, RatingDimension>](#)

If ratings are allowed for messages in this channel, this property shows all available [rating dimensions](#) that can be rated.

originalLanguage [Language](#)

The language this channels properties (name and description) are written in.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 14 Apr, 2026 at 05:31