

DELETE A CLOUD SAVE

Overview

Use this end point to delete a cloud save. Deletions are instant and permanent.

If authenticating this request as a player, the authorised player can always delete blobs they've uploaded in their own player storage or a **game bucket**. Players cannot delete other players blobs. If authenticating with your game's secret key, you can delete any blob.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
1 | https://cloudsave.construct.net/delete.json
```

Authenticating The Request

This end point can be called by **signed in** players, or with **secret key** authentication.

Session Key Authentication

`sessionKey` `string` **Required**

The **session key** of the player you're making the request against.

Secret Key Authentication

`secret` `string` **Required**

Your games [secret API key](#).

Request Parameters

gameID [guid](#) [Required](#)

The ID of the game you are making this request against. You can find the ID of your game in your [Construct Game Services \(CGS\) account](#).

blobID [guid](#) [Required](#)

The ID of the cloud save blob you wish to delete.

Success Response

Successful responses always return a `HTTP 200` status code.

```
1 {  
2   "success": true,  
3   "formattingCulture": "en-us"  
4 }
```

Response Properties

success [bool](#)

If the request was successful or not.

formattingCulture [string](#)

If some return values are [culture specific](#), this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
1 {  
2   "success": false,  
3   "errorMessage": "Your request failed due to...",  
4   "helpURL": "https://www.construct.net/en/game-services/manuals/game-  
5   "shouldRetry": false  
6 }
```

Response Properties

success bool

If the request was successfull or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 5 Dec, 2025 at 11:57