

CREATE A TEAM

Overview

Create a new team in a leaderboard.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
1 | https://leaderboards.construct.net/createteam.json
```

Authenticating The Request

This end point is for `secret key` authenticated requests only. Signed in players cannot call this end point.

`secret` string **Required**

Your games `secret API key`.

Request Parameters

`gameID` guid **Required**

The ID of the game you are making this request against. You can find the ID of your game in your [Construct Game Services \(CGS\) account](#).

`leaderboardID` guid **Required**

The ID of the leaderboard you're deleting scores on.

teamName string **Required**

The name of this team. Team names do not need to be unique, and cannot exceed {Settings.Leaderboards.Teams.MaxTeamNameLength} characters in length.

culture string **Optional**

Optionally specify a **supported culture code** for rendering various properties. If not specified, the culture code from your games default language will be used.

Success Response

Successful responses always return a `HTTP 200` status code.

```
1 {  
2   "success": true,  
3   "team": { ... },  
4   "formattingCulture": "en-us"  
5 }
```

Response Properties

success bool

If the request was successful or not.

team ExpandedTeam

The team object returned in the request.

formattingCulture string

If some return values are **culture specific**, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
{  
  "success": false,
```

```
4 | "errorMessage": "Your request failed due to...",
5 | "helpURL": "https://www.construct.net/en/game-services/manuals/
6 | "shouldRetry": false
  | }
```

Response Properties

success bool

If the request was successful or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 4 Mar, 2026 at 15:24