

SCORE FORMATTING

All scores are submitted as int64's. There are three types of score formats:

- Numeric
- Time
- Currency

Each score format has formatting options allowing you to customise how the formatted score is returned in the responses.

Numeric Score Format

Currency Symbol

Appended in front of the score value, maximum length of 3 characters. With this value set to £, a score of 12 will render as "£12".

Suffix

Appended to the end of scores, maximum length of 32 characters. With this value set to Grog Tokens, a score of 12 will render as "12 Grog Tokens".

Subunits

The number of subunits this currency has. Most currencies have 100 subunits. Setting this to 100 and rendering a score of 500 will show as 5.00 - setting this to 0 and rendering a score of 500 will show as 500

Hide Subunits if Zero

If set, a score of \$10.00 will render as \$10

Hide thousands separator

If set, a score of \$1,000,000 will render as \$1000000/dd]

Time Score Format

The submitted score value is treated as milliseconds.

Friendly Mode

Renders a time of 1:30:29 as "1 hour, 30 minutes & 29 seconds".

If enabled, all other time score format options are disabled.

Score Accuracy

The accuracy to render times to. If scores never reach over 60 minutes, you can set this value to minutes.

Time Part Separator

The symbol between parts of a time. Defaults to : - 1:02:32

Hide Milliseconds

Set if millisecond accuracy is not required to be rendered on scores.

Currency Score Format

The submitted score value is treated as the smallest unit of the currency. For example, if you show your scores as USD a submitted score of 123 would represent \$1.23, or 123 cents.

Currency Symbol

Appended in front of the score value, maximum length of 3 characters. With this value set to £, a score of 12 will render as "£12".

Suffix

Appended to the end of scores, maximum length of 32 characters. With this value set to Grog Tokens, a score of 12 will render as "12

Grog Tokens".

Subunits

The number of subunits this currency has. Most currencies have 100 subunits. Setting this to 100 and rendering a score of 500 will show as 5.00 - setting this to 0 and rendering a score of 500 will show as 500

Hide Subunits if Zero

If set, a score of \$10.00 will render as \$10

Hide Thousands Separator

If set, a score of \$1,000,000 will render as \$1000000

Custom Format

You do not need to use these score formatters. If building your own solution the **score object** always returns the raw score value which you can manipulate to display however you wish.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 3 Nov, 2025 at 09:39