

RATING DIMENSION OBJECT

The Rating Dimension Object

It is possible to set up rating dimensions for rateable objects. A rating dimension allows players to vote on specific aspects of a rateable object. For example, if you have user submitted level designs represented with Cloud Saves, you may want players to be able to rate the Cloud Save in terms of creativity, graphics and gameplay instead of just a single generic rating.

Example Dimension

```
1  {
2    "id": "game-graphics",
3    "title": "How good are the graphics?",
4    "description": "On a scale 0-10 please rate the graphics in this game.",
5    "maxRating": 10,
6    "originalLanguage": {
7      "iso": "EN",
8      "englishName": "English"
9    },
10   "responseLanguage": {
11     "iso": "EN",
12     "englishName": "English"
13   }
14 }
```

Object Properties

id string

A unique string based ID for this dimension. ID's can only contain alphanumeric characters, dots or dashes and cannot exceed 50 characters in length.

title string Translatable

The title for this dimension.

description string Translatable

A description for this dimension.

maxRating uint8

The maximum value that a player can give for this dimension. The minimum permitted rating value is always 0. Set this value to 1 for boolean ratings (for example, "Would you recommend this? Yes or no."). The maximum permitted value is 255.

originalLanguage Language

The language the title and description are written in.

responseLanguage Language

The language this dimension is returned in - this will differ from original language if the request asks for content to be returned in a different language and the plan supports translations.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 26 Mar, 2026 at 11:04