

SET RANK LOGO

Overview

This end point allows you to set a logo for an existing **XP rank**.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
1 | https://xp.construct.net/setranklogo.json
```

Authenticating The Request

This end point is for **secret key** authenticated requests only. Signed in players cannot call this end point.

secret `string` **Required**

Your games **secret API key**.

Request Parameters

gameID `guid` **Required**

The ID of the game you are making this request against. You can find the ID of your game in your **Construct Game Services (CGS) account**.

rankID `guid` **Required**

The ID of the rank you want to set the logo for.

logo string

The base64 encoded logo picture data. You must specify this, **logoURL** or **logoData**.

logoURL url (string)

The absolute URL of the logo. You must specify this, **logo** or **logoData**.

File Data

This request additionally supports the posting of files. These files should be sent as **multipart/form-data**, with the corresponding keys.

logoData multipart/form-data

The binary data for the logo. You must specify this, **logo** or **logoURL**.

Success Response

Successful responses always return a **HTTP 200** status code.

```
1 | {  
2 |   "success": true,  
3 |   "formattingCulture": "en-us"  
4 | }
```

Response Properties

success bool

If the request was successful or not.

formattingCulture string

If some return values are **culture specific**, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return HTTP 4xx status codes.

```
1 | {  
2 |   "success": false,  
3 |   "errorMessage": "Your request failed due to...",  
4 |   "helpURL": "https://www.construct.net/en/game-services/manuals  
5 |   "shouldRetry": false  
6 | }
```

Response Properties

success bool

If the request was successful or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

This manual entry was last updated on 12 Mar, 2026 at 10:02

