

RANK OBJECT

The XP Rank Object

This object represents an XP rank. Ranks are achieved when the player reaches the required XP level.

Example Rank

```
1  {
2    "id": "da6e5c56-70ef-432b-8fe8-6f099587b924",
3    "atXP": 100000,
4    "logos": [
5      { ... },
6      { ... }
7    ],
8    "formattedAtXP": "20,674",
9    "title": "Four Star General",
10   "description": "The most accomplished of all generals.",
11   "originalLanguage": {
12     "iso": "EN",
13     "englishName": "English"
14   },
15   "responseLanguage": {
16     "iso": "EN",
17     "englishName": "English"
18   }
19 }
```

Object Properties

id guid

A unique ID for this rank.

atXP int64

The amount of XP required to reach this rank.

logos Array<Picture>

If this rank has a logo, a list of [picture objects](#). Each picture object is the same logo, but provided in different sizes. Sizes available are based on widths, and the widths **16, 32, 64, 96, 128, 256, 512** will be shown here along with the original logo size if it doesn't match a width in this list. Some sizes may not show if the width is less than the original logo width.

formattedAtXP string

The amount of XP required to reach this rank formatted to the requested formatting culture, formatted to the specified [requested culture](#).

title string

The title of this rank.

description string

The description of this rank.

originalLanguage Language

The language this ranks properties are written in.

responseLanguage Language

The language this ranks properties are returned in - this will differ from original language if the request asks for content to be returned in a different language and the plan supports translations.

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

