

IAnimationFrame Script Interface

The `IAnimationFrame` interface represents a single animation frame within an `IAnimation`. It derives from the `IImageInfo` script interface.

⚠️ Note that when accessing the origin, image points, or collision polygon points on `IAnimationFrame`, the positions are returned in normalized form, in the range 0-1, representing the position set in the editor. For example (0, 0) is the top-left point, (1, 1) is the bottom-right, and (0.5, 0.5) is the middle. This differs from the `ISpriteInstance` methods which return positions in layout co-ordinates based on the current location and orientation of the Sprite instance it is called on.

IAnimationFrame APIs

`duration`

A read-only number with the relative duration of this animation frame, i.e. 1 for standard speed, 2 for twice as long, etc.

`tag`

A string of the tag assigned for this frame in the Animation Editor.

`originX`

`originY`

`getOrigin()`

Read-only numbers with the normalized position of the origin within this animation frame, ranging from 0-1. The method returns both values at the same time.

`getImagePointCount()`

Return the number of image points on the animation frame.

`getImagePointX(nameOrIndex)`

`getImagePointY(nameOrIndex)`

`getImagePoint(nameOrIndex)`

Return the location of an image point on the animation frame in normalized co-ordinates, i.e. ranging from 0-1. Image points are identified either by a case-insensitive string of their name, or their index. If the image point is not found, this returns the origin instead. The `getImagePoint` variant returns `[x, y]`.

`getPolyPointCount()`

Return the number of collision polygon points on the animation frame.

`getPolyPointX(index)`

`getPolyPointY(index)`

`getPolyPoint(index)`

Return the location of a collision polygon point on the animation frame in normalized co-ordinates relative to the origin, by its zero-based index. The `getPolyPoint` variant returns `[x, y]`.



Note that the returned positions are both normalized and relative to the origin. For example when the origin is at (0.5, 0.5), a collision poly point in the top-left corner has the co-ordinates (-0.5, -0.5).

You are here:

Search this manual:

[Community Help](#)

[Contact Us](#)

