

DISCONNECT LOGIN PROVIDER

View online: <https://www.construct.net/en/game-services/manuals/game-services/authentication/api-end-points/login-providers/disconnect>

Overview

Disconnect a **login provider** from a users account. They will no longer be able to login with this login provider unless they **link it** again.

If this is the players only login provider, an error will be returned indicating that removing this login provider will make the account unrecoverable. Instead, consider **deleting the player**.

This response will return success if the login provider was successfully disconnected, or if the player did not have this login provider connected in the first place.

Request URL

All parameters in the request must be sent as a **POST** HTTP request. Make all requests to the following URL:

```
https://auth.construct.net/disconnect.json
```

Authenticating The Request

This end point is for **signed in** players only.

sessionKey string Required

The **session key** of the player you're making the request against.

Request Parameters

gameID **guid** Required

The ID of the game you are making this request against. You can find the ID of your game in your **Construct Game Services (CGS) account**.

provider string Required

The **login provider** you wish to disconnect (case insensitive). Must be one of

UsernamePassword , **Apple** , **BattleNet** , **Discord** , **Facebook** , **Github** , **Google** , **ItchIO** , **Microsoft** , **Patreon** , **Reddit** , **Steam** , **X** , **Yandex**

Success Response

Successful responses always return a `HTTP 200` status code.

```
{
  "success": true,
  "formattingCulture": "en-us"
}
```

Response Properties

success `bool`

If the request was successful or not.

formattingCulture `string`

If some return values are `culture specific`, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
{
  "success": false,
  "errorMessage": "Disconnecting this player's last login provider would make the account unrecoverable",
  "helpURL": "https://www.construct.net/en/game-services/manuals/game-services/authentication/api",
  "shouldRetry": false
}
```

Response Properties

success `bool`

If the request was successful or not.

errorMessage `string`

An error message with more detailed information on why the request failed.

helpURL `url (string)`

A link to documentation which should provide help with the error.

shouldRetry `bool`

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.