

GET ALL PLAYERS LOGIN PROVIDERS

View online: <https://www.construct.net/en/game-services/manuals/game-services/authentication/api-end-points/login-providers/get-login-providers>

Overview

Returns all the **login providers** currently connected to a player (all the login providers this player can use to sign into their player account with).

Request URL

All parameters in the request must be sent as a **POST** HTTP request. Make all requests to the following URL:

```
https://auth.construct.net/getconnectedloginproviders.json
```

Authenticating The Request

This end point is for **signed in** players only.

sessionKey string Required

The **session key** of the player you're making the request against.

Request Parameters

gameID **guid** Required

The ID of the game you are making this request against. You can find the ID of your game in your **Construct Game Services (CGS) account**.

Success Response

Successful responses always return a **HTTP 200** status code.

```
{
  "success": true,
  "connectedProviders": [
    { ... },
    { ... }
  ],
}
```

```
"formattingCulture": "en-us"
}
```

Response Properties

success **bool**

If the request was successful or not.

connectedProviders **Array<PlayerLoginProvider>**

A list of login providers this player is able to sign in with.

formattingCulture **string**

If some return values are **culture specific**, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return **HTTP 4xx** status codes.

```
{
  "success": false,
  "errorMessage": "Your request failed due to...",
  "helpURL": "https://www.construct.net/en/game-services/manuals/game-services/authentication/ap
  "shouldRetry": false
}
```

Response Properties

success **bool**

If the request was successful or not.

errorMessage **string**

An error message with more detailed information on why the request failed.

helpURL **url (string)**

A link to documentation which should provide help with the error.

shouldRetry **bool**

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.