UPDATE AN ACHIEVEMENT

View online: https://www.construct.net/en/game-services/manuals/game-services/achievements/api-end-points/achievements/update-achievement

Overview

This end point allows you to update properties on an existing achievement.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
https://achievements.construct.net/updateachievement.json
```

Authenticating The Request

This end point is for secret key authenticated requests only. Signed in players cannot call this end point.

secret string Required

Your games secret API key.

Request Parameters

gameID guid Required

The ID of the game you are making this request against. You can find the ID of your game in your Construct Game Services (CGS) account.

achievementID string Required

The unique ID of the achievement you want to delete.

description string

If specified, the new description of the achievement. Cannot exceed more than `512` characters long.

name string

If specified, the new name of the achievement. Must be at least `1` character long and no more than `128` characters long. Names do not need to be unique.

---

language string

If specified, the language ISO this achievements name and description are written in. Must be one of `AR`, `BG`, `CS`, `DA`, `DE`, `EL`, `EN`, `ES`, `ET`, `FI`, `FR`, `HE`, `HU`, `ID`, `IT`, `JA`, `KO`, `LT`, `LV`, `NB`, `NL`, `PL`, `PT`, `RO`, `RU`, `SK`, `SL`, `SV`, `TH`, `TR`, `UK`, `VI`, `ZH`. Defaults to your games language if not specified.

---

clientProgressAllowed bool

If specified and true, client authenticated requests can award and progress achievements. If specified and false, all awards + progress can only be made by requests using secret API keys.

---

incrementOnly bool

If true, negative values cannot be passed to award achievement end point.

---

isSecret bool

If specified and true, all requests to get or list this achievement will not return this achievement unless the request is authenticated with a secret API key.

---

maxUnlocks int32

If specified, the new maximum number of times this achievement can be unlocked. Defaults to `1` if not specified.

---

progressionRequired int64

If specified the new amount of progression required to unlock the achievement.

---

xpBonuses string

If specified the new XP bonus when the achievement is unlocked. Send a single `int` value to award the same XP every time this achievement is unlocked. If this achievement can be unlocked multiple times, you can send comma separated values such as `1=100,11=200,101=1000`. This awards `100` XP for the first 10 of this achievement awarded, `200` XP for the next 90 and so on.

---

unachievedLogo string

If setting an unachieved logo for this achievement, the base64 encoded logo picture data. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't

specify `unachievedLogoURL` or `unachievedLogoData`.

---

unachievedLogoURL url (string)

If setting an unachieved logo for this achievement, the absolute URL of the logo. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't specify `unachievedLogo` or `unachievedLogoData`.

---

achievedLogo string

If setting an achieved logo for this achievement, the base64 encoded logo picture data. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't specify `achievedLogoURL` or `achievedLogoData`.

---

achievedLogoURL url (string)

If setting an achieved logo for this achievement, the absolute URL of the logo. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't specify `achievedLogo` or `achievedLogoData`.

---

culture string Optional

Optionally specify a supported culture code for rendering various properties. If not specified, the culture code from your games default language will be used.

File Data

This request additionally supports the posting of files. These files should be sent as `multipart/form-data,` with the corresponding keys.

---

unachievedLogoData multipart/form-data

If setting an unachieved logo for this achievement, the binary data for the logo. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't specify `unachievedLogo` or `unachievedLogoURL`.

---

achievedLogoData multipart/form-data

If setting an achieved logo for this achievement, the binary data for the logo. `Gif`, `Jpeg`, `Png`, `WebP`, `SVG` with a maximum size of `500 KB`. If specified, you can't specify `achievedLogo` or `achievedLogoURL`.

Success Response

Successful responses always return a `HTTP 200` status code.

```
{
  "success": true,
  "achievement": { ... },
  "formattingCulture": "en-us"
}
```

Response Properties

success bool

If the request was successfull or not.

achievement Achievement

An Achievement object.

formattingCulture string

If some return values are culture specific, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
{
  "success": false,
  "errorMessage": "Invalid achievement ID.",
  "helpURL": "https://www.construct.net/en/game-services/manuals/game-services/achievements/api-
  "shouldRetry": false
}
```

Response Properties

success bool

If the request was successfull or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.