LINK LOGIN PROVIDER

View online: https://www.construct.net/en/game-services/manuals/game-services/authentication/api-end-points/login-providers/link-login-provider

Overview

If a player is signed in, you can link another login provider to this player which gives them more ways to sign-in to their account. Only one account per provider is permitted for player accounts - for example you can't tie multiple Steam accounts to the same player account.

The provider `UsernamePassword` is not supported for link requests. Use the set username password end point instead to set a new username/password or update the users username/password.

When you request a link, the parameter `redirectToURL` will be returned. Make the player visit this URL (for example in a new popup window). Then, with the `pollToken` parameter you can periodically call the link poll end point. Once the user completes the sign in process from `redirectToURL`, this end point will tell you that the link request completed succesfully, expired or requires further action.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
https://auth.construct.net/link.json
```

Authenticating The Request

This end point is for signed in players only.

sessionKey string Required

The session key of the player you're making the request against.

Request Parameters

gameID guid Required

The ID of the game you are making this request against. You can find the ID of your game in your Construct Game Services (CGS) account.

provider string Required

The login provider you wish to link (case insensitive) to this players account. Must be one of `Apple`, `BattleNet`, `Discord`, `Facebook`, `Github`, `Google`, `ItchIO`, `Microsoft`, `Patreon`, `Reddit`, `Steam`, `X`, `Yandex`. For `UsernamePassword`, use the Set Username and Password end point. For `Email` use the Set Email Address end point.

Success Response

Successful responses always return a `HTTP 200` status code.

```
{
  "success": true,
  "pollToken": "16114256-7ffc-45ea-a925-23f6076689cf",
  "redirectToURL": "https://...",
  "formattingCulture": "en-us"
}
```

Response Properties

---

success bool

If the request was successfull or not.

---

pollToken guid

A polling token to get the status of the user action. For sign in requests use this poll token on the sign in poll end point. For link requests use this poll token on the link poll end point.

---

redirectToURL url (string)

The URL to the external third party login provider to complete the sign-in or link request. This property will be null for the Email sign in method as no redirect is required.

---

formattingCulture string

If some return values are culture specific, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
{
  "success": false,
  "errorMessage": "You already have Discord as a sign-in method.",
  "helpURL": "https://www.construct.net/en/game-services/manuals/game-services/authentication/ap
```

```
  "shouldRetry": false
}
```

Response Properties

success bool

If the request was successfull or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.