CREATE A CLOUD SAVE

View online: https://www.construct.net/en/game-services/manuals/game-services/cloud-save/api-end-points/cloud-saves/create-cloud-save

Overview

Use this end point to upload a cloud save (and optionally an associated picture) to a players cloud save account or a game bucket. A cloud save can only have up to one associated picture.

If specifying a key for the cloud save that already exists, an error will return unless the original uploader of the blob is the authenticated user. In this case, the existing blob will be overwritten. If the blob being overwritten had a picture the picture will be deleted.

Supported picture file types and the minimum and maximum picture dimensions can be found in your account settings.

Request URL

All parameters in the request must be sent as a `POST` HTTP request. Make all requests to the following URL:

```
https://cloudsave.construct.net/create.json
```

Authenticating The Request

This end point can be called by signed in players, or with secret key authentication.

Session Key Authentication

sessionKey string Required

The session key of the player you're making the request against.

Secret Key Authentication

secret string Required

Your games secret API key.

Request Parameters

gameID guid Required

The ID of the game you are making this request against. You can find the ID of your game in your Construct Game Services (CGS) account.

---

key string Required

The key for the cloud save. Cannot exceed `256` characters in length, and must only contain alphanumeric and dot characters.

---

bucketID guid

If this cloud save is being uploaded to a bucket, provide the bucket ID here.

---

name string

An optional name for the cloud save - can be anything such as a file name. Cannot exceed `128` characters in length.

---

picture string

If uploading an associated picture at the same time, the base64 encoded picture being set. If specified, you can't specify `pictureURL` or `pictureData`.

---

pictureURL url (string)

If uploading an associated picture at the same time, the absolute URL of the picture being set. If specified, you can't specify `picture` or `pictureData`.

---

requestedLanguage Language Optional

Optionally specify a language for returning translatable properties into this language. If not specified, your games default language will be used.

---

culture string Optional

Optionally specify a supported culture code for rendering various properties. If not specified, the `requestedLanguage` default culture code will be used.

File Data

This request additionally supports the posting of files. These files should be sent as `multipart/form-data,` with the corresponding keys.

---

data multipart/form-data Required

The data of the cloud save.

pictureData multipart/form-data

If uploading an associated picture at the same time, the data of the picture. If specified, you can't specify `picture` or `pictureURL`.

Success Response

Successful responses always return a `HTTP 200` status code.

```
{
  "success": true,
  "blob": { ... },
  "formattingCulture": "en-us"
}
```

Response Properties

success bool

If the request was successfull or not.

blob Blob

The blob object returned from the query.

formattingCulture string

If some return values are culture specific, this property indicates what culture the values have been rendered as.

Failure Response

Unsuccessful responses always return `HTTP 4xx` status codes.

```
{
  "success": false,
  "errorMessage": "Your request failed due to...",
  "helpURL": "https://www.construct.net/en/game-services/manuals/game-services/cloud-save/api-er
  "shouldRetry": false
}
```

Response Properties

success bool

If the request was successfull or not.

errorMessage string

An error message with more detailed information on why the request failed.

helpURL url (string)

A link to documentation which should provide help with the error.

shouldRetry bool

Should the client wait a short period of time and retry the request. Usually this is false, but returns true if the request failed due to rate limiting.