
PCA explained variance (PC1, PC2)
Explained variance (%)
40
35
30
25
20
15
PC1
PC2


Top 20 loadings: PC1
imd_score
imd_employ_score
imd_income_score
rDERI_score_0_10
pct_limited_a_lot
imd_edu_score
pct_no_qual
imd_health_score
pct_disabled
pct_level4plus
imd_barriers_score
imd_crime_score
fuel_poverty_pct
pct_limited_a_little
dpi_score
crime_rate_per_1000_window_log1p
bb_q_dl_core
bb_q_ul_core
bb_q_sfu_core
−0.2
−0.1
0.0
0.1
0.2
0.3
loading


Top 20 loadings: PC2
bb_q_ul_core
crime_rate_per_1000_window_log1p
bb_q_sfu_core
bb_q_dl_core
pct_level4plus
dpi_score
imd_crime_score
pct_no_qual
fuel_poverty_pct
imd_score
imd_edu_score
imd_barriers_score
imd_health_score
pct_disabled
pct_limited_a_little
pct_limited_a_lot
imd_income_score
imd_employ_score
rDERI_score_0_10
−0.4
−0.3
−0.2
−0.1
0.0
0.1
0.2
0.3
0.4
loading


PCA PC1 (standardized features)
8
6
4
2
0
−2
−4
−6


PCA PC2 (standardized features)
4
2
0
−2
−4
−6
−8


PCA quadrants (sign of PC1 & PC2)
Q1 (+PC1,+PC2)
Q2 (-PC1,+PC2)
Q3 (-PC1,-PC2)
Q4 (+PC1,-PC2)


PCA scores (PC1 vs PC2)
PC1
PC2
Q1 (+PC1,+PC2)
Q2 (-PC1,+PC2)
Q3 (-PC1,-PC2)
Q4 (+PC1,-PC2)
−7.5
−5.0
−2.5
0.0
2.5
5.0
7.5
10.0
4
2
0
−2
−4
−6
−8
−10