90句教案.

① 制定学习计划，督促、检查为主，课上方法讲解，七级句讲解为辅
建议90句用完于托克和昭，会话延申可打其他
建议课程：1节.

② 学习方法：强调"不要模仿发音，需在理解意思的基础上复述"
理解含查，句子所对应的飞行阶段等 "图像记忆法"

③ 速记符号体系，可适当给学生速记符号
建议学生"首字母+符号"结合的方法
需强调在深刻理解句子的意义的基础上记一些关键单词.
"理解为主，速记为辅"
90句中不强调此能力，不重要.
建议学员在平时的练习中逐步构建属于自己的符号体系. 不需要盲目学习别人的.

建议符号：
(绝对通话同)

climb to : ↑
descend to : ↓
climbing to : ↑g
expedite climb : ↑↑
further climb : ↑↑
immediate climb : M↑
cruise : —
maintain : —

malfunction : X
Hold : O
reture : ↙
takeoff : ↗
fly direct to XXX : →XXX
ture left : ┐
ture right : ┌
right heading 330 : ┌330
go around : ↗
contact : C

PEPEC 900 句分级

序号	句子序号	句子内容	单词数	等级
1	1	Maintaining FL310.	2	2
2	114	Brakes released.	2	2
3	117	Request taxi.	2	2
4	128	Runway vacated. 脱离	2	2
5	151	Holding position.	2	2
6	213	Request de-icing.	2	2
7	218	Request backtrack. 调头	2	2
8	231	Looking out.	2	2
9	237	Squawk ident. 识别	2	2
10	238	Squawk standby.	2	2
11	273	Request vectors.	2	2
12	281	Transponder Charlie.	2	2
13	285	Negative ADS-B.	2	2
14	368	Negative RNAV. Region NAV 区域导航	2	2
15	429	Affirm RVSM. 缩小最低垂直间隔	2	2
16	437	CPDLC connected. 管制员飞行员数据链通讯	2	2
17	36	Maintain present speed.	3	2
18	55	Omit position reports. 省略位置报 Resume 恢复	3	2
19	65	No delay expected. 预计无延误	3	2
20	69	Ready for approach.	3	2
21	101	You are unreadable.	3	2
22	107	Stand by pushback.	3	2
23	115	Starting Number One.	3	2
24	116	Brakes set, disconnect.	3	2
25	135	Ready for departure.	3	2
26	152	Stopping! Engine fire.	3	2

27	180	Request low approach.	3	2
28	217	Request time check.	3	2
29	224	Continue present heading.	3	2
30	232	Traffic in sight.	3	2
31	240	Stopping squawk Charlie.	3	2
32	264	Resume normal speed.	3	2
33	265	No speed restrictions. 限制	3	2
34	306	Runway in sight. 见到	3	2
35	308	Passing outer marker.	3	2
36	311	Request visual approach.	3	2
37	356	Remain this frequency.	3	2
38	361	Request RNAV approach.	3	2
39	381	Wilco, words twice. 照办，重复两遍	3	2
40	602	Unable, TCAS RA. 不行，防撞决断咨的提示 TA：Traffic Advisory 咨询 RA：Resolution Advisory 决断咨询	3	2
41	100	I read you 5.	4	2
42	102	Can you speak slower?	4	2
43	103	How do you read?	4	2
44	108	Pushback at own discretion. 自行决定 推出	4	2
45	124	Holding, traffic in sight.	4	2
46	153	Request return to ramp. 停机坪 = Apron	4	2
47	171	Make a short approach.	4	2
48	183	Wind shear, going around.	4	2
49	229	Three sixty turn left.	4	2
50	230	Orbit left for delay.	4	2
51	234	Traffic passed and clear. 无影响	4	2
52	338	Increasing rate of climb.	4	2
53	367	RAIM alert, going around. 影响 go around = missed approach = overshoot 复飞	4	2
54	432	Unable RVSM due turbulence.	4	2
55	433	Ready to resume RVSM.	4	2
56	282	Transponder unserviceable.	2	3

ss
inoperative ≈ malfunction

57	8	Request further climb.	3	3
58	50	Request frequency change.	3	3
59	57	Resume position reporting.	3	3
60	220	Request departure instruction.	3	3
61	226	Confirm identification lost.	3	3
62	280	Advise transponder capability. 告知应答机有效	3	3
63	287	Stop ADS-B transmission. ADS-B 传输	3	3
64	313	Request holding instructions.	3	3
65	315	Request holding procedure.	3	3
66	109	Pushback approved, long pushback.	4	3
67	111	Pushback approved, facing west.	4	3
68	139	Ready for immediate departure.	4	3
69	140	Cleared for immediate takeoff.	4	3
70	169	Orbit right. Number Two.	4	3
71	192	Confirm PAPI light unserviceable. No contact at minimum 决断高不可见	4	3
72	215	De-icing completed. Request taxi.	4	3
73	233	Negative contact due IMC. 由于糟气象 无法看见	4	3
74	379	Roger, request continue approach.	4	3
75	880	Negative contact due visibility.	4	3
76	235	Squawk 7563.	2	3
77	297	Passing FL70.	2	3
78	3	Reaching FL190.	2	3
79	247	Fly heading 285.	3	3
80	309	Report MQR outbound. 外侧边界	3	3
81	236	Reset squawk 5101.	3	3
82	241	Affirm squawk 7500.	3	3
83	2	Descending to FL290.	3	3
84	333	Descend immediately FL250.	3	3
85	355	Monitor Tower 118.1.	3	3
86	242	Altimeter 1003 8000ft.	3	3

glide slope = glide path = 下滑道

87	222	Contact Arrival 118.050.	3	3
88	184	Going around localizer fluctuation. 航向道波动 fluctuation	4	3
89	286	Re-enter ADS-B aircraft identification. 重新输入	4	3
90	303	Established on the localizer.	4	3
91	63	Expected approach time 44.	4	3
92	245	Turn right 20 degrees.	4	3
93	269	Next report at IP.	4	3
94	275	Request 15 miles final.	4	3
95	304	Fully established Runway 24.	4	3
96	351	Expect descent after AK.	4	3
97	54	Next report at WXA.	4	3
98	93	Bay24, request start-up. 停机位	4	3
99	138	Lining up Runway 01C. RW01 Center 洞幺中跑道	4	3
100	244	Turn right heading 340.	4	3
101	248	Stop turn heading 070.	4	3
102	253	Indicated speed 270 knots. 指示	4	3
103	202	Confirm RVR Runway 27. Runway Visual Range 跑道视程	4	3
104	246	Leave BK heading 190.	4	3
105	11	Stop descent at FL210.	4	3
106	20	Expedite descent to FL180.	4	3
107	21	Expedite climb to FL190.	4	3
108	52	Contact Control on 118.9.	4	3
109	99	Radio check on 118.3.	4	3
110	239	Squawk Charlie and code 5120.	4	3
111	292	Heading 120, correction, 140.	4	3
112	387	Maintaining FL310 until advised.	4	3
113	410	Descending immediately to FL190.	4	3
114	4	Maintaining FL90 over WXJ.	4	3
115	6	Passing FL180 for FL310.	4	3
116	411	Leaving FL220 for FL190.	4	3

117	38	Reduce to minimum clean speed. 最小光洁速度.	5	3
118	39	Reduce to minimum approach speed.	5	3
119	70	Request leave the holding pattern. 退出等待.	5	3
120	90	Say again the initial altitude.	5	3
121	92	Destination Beijing, request departure information.	5	3
122	105	Stand 27, request pushback.	5	3
123	106	Pushback approved, Runway 31.	5	3
124	110	Pushback to taxiway A approved.	5	3
125	113	Ground, Cockpit. Ready for pushback.	5	3
126	127	Crossing Runway 24, wilco.	5	3
127	155	Negative intersection departure due performance. 减跑道离场	5	3
128	166	Number Two, traffic in sight.	5	3
129	172	Long final, airfield in sight. 长五边, 跑道可见.	5	3
130	173	Continue approach Runway 25.	5	3
131	175	Short final, request wind check.	5	3
132	178	Landing clearance canceled. Continue approach.	5	3
133	191	Confirm centerline taxiway lighting unserviceable.	5	3
134	270	Report required only at boundary. 边界	5	3
135	288	Stop squawk transmit ADS-B only.	5	3
136	310	Procedure turn completed, localizer established.	5	3
137	339	Unable expedite climb due weight.	5	3
138	354	Request change to London Control.	5	3
139	366	GPS primary lost, going around.	5	3
140	425	Confirm radar service is terminated. 终止	5	3
141	427	Confirm radar control is resumed. 恢复	5	3
142	430	Negative RVSM due equipment downgraded. 降级 ≈ degraded	5	3
143	431	Request clearance into RVSM airspace.	5	3
144	449	Our pressurization system has malfunctioned. 增压 depressurization 释压 unpressurized 未增压	5	3
145	464	Request further climb due wind-shear.	5	3
146	499	We have an electrical failure.	5	3

navigation accuracy 导航精度

147	635	GPS unreliable, terminating ADS-B transmissions.	5	3
148	826	Terrorists started to injure passengers.	5	3
149	854	Unable to comply, TCAS RA.	5	3
150	881	Unable, we are in IMC.	5	3
151	896	Transmission blocked, say again.	5	3
152	897	Standby, high pilot workload.	5	3
153	47	Request join downwind Runway 31.	5	3
154	61	Revised slot time at 56.	5	3
155	64	Revised expected approach time 54.	5	3
156	123	Hold short of Runway 24.	5	3
157	174	Runway 27, cleared to land.	5	3
~~158~~	207	Confirm threshold Runway 27 displaced.	5	3
159	225	Resume own navigation to BK.	5	3
160	254	Maintain 300 knots or less.	5	3
161	263	Increase speed by 10 knots.	5	3
162	268	Omit position reports until LN.	5	3
163	312	Cleared visual approach Runway 24.	5	3
164	349	Stop descent at 5000 feet.	5	3
165	37	Maintain 250 knots or greater.	5	3
166	137	Cancel SID, maintain runway heading.	5	3
167	164	Join right-hand downwind, Runway 34.	5	3
168	167	Straight-in visual approach, Runway 34.	5	3
169	200	Confirm visibility more than 1000 meters.	5	3
170	249	Request heading 180 due weather.	5	3
171	250	Confirm danger area 113 active	5	3
172	260	Do not exceed 280 knots.	5	3
173	261	Reduce speed to 240 knots.	5	3
174	283	ADS-B transmitter 1090 (ten-ninety) data link.	5	3
175	284	ADS-B receiver 1090 (ten-ninety) data link.	5	3
176	353	Contact Control 80 miles after BK.	5	3

177	72	Leave JFK VOR heading 210.	5	3
178	94	Startup approved, QNH 29.91.	5	3
179	187	After vacated contact Ground 121.6.	5	3
180	307	Number One, contact Tower 118.7.	5	3
181	319	Leaving BKM VOR heading 110.	5	3
182	402	Estimating crossing LV NDB 1123.	5	3
183	405	Report 25 miles from BKM VOR.	5	3
184	417	Request VMC descent to FL60.	5	3
185	350	Expedite descent until passing FL80.	5	3
186	407	Report crossing 270 radial BKM VOR.	5	3
187	436	At 144E (east) squawk 2000.	5	3
188	26	Leaving FL200, climbing to FL280.	5	3
189	205	Confirm stop-end RVR 150 meters.	5	3
190	23	Unable to expedite climb due weight.	6	3
191	30	Experiencing icing condition. Request further descent.	6	3
192	31	Icing condition encountered. Request further climb.	6	3
193	32	Experiencing severe turbulence. Request further descent.	6	3
194	49	Request taxi to south maintenance ramp.	6	3
195	56	Omit position reports on this frequency.	6	3
196	58	Delay not determined due runway obstruction.	6	3
197	59	Approach time not determined due weather.	6	3
198	89	Say again all before departure frequency.	6	3
199	112	Cancel pushback, we have maintenance problem.	6	3
200	120	Request taxi back for maintenance purpose.	6	3
201	144	The airbus on final in sight.	6	3
202	149	Take off immediately or vacate runway.	6	3
203	154	Tire burst, possible evacuation on runway.	6	3
204	157	Request intersection departure from C2.	6	3
205	181	Runway not in sight, going around.	6	3
206	182	No contact at minimum, going around.	6	3

207	189	Taxi to the end of Runway.	6	3
208	194	Flock of birds 3 miles final.	6	3
209	197	Is the weather improving or deteriorating?	6	3
210	201	Is mid-point RVR available?	6	3
211	216	Request start engine at the gate.	6	3
212	223	Request remote apron for maintenance purpose.	6	3
213	243	Negative squawk ident due transponder failure.	6	3
214	301	Airfield in sight, request visual approach.	6	3
215	325	Three sixty turn left for delay.	6	3
216	378	Disregard. We made the wrong transmission.	6	3
217	424	Confirm we are under radar control.	6	3
218	439	SELCAL CODE EFFG, request SELCAL check.	6	3
219	441	The air conditioning system has malfunctioned.	6	3
220	451	We have a cabin altitude problem.	6	3
221	484	Our operations manual forbids this procedure.	6	3
222	530	We are having flight control problems.	6	3
223	853	Request right turn for traffic avoidance.	6	3
224	856	Clear of conflict, request further instructions.	6	3
225	879	Unable to expedite climb due performance.	6	3
226	883	Unable noise abatement due company policy.	6	3
227	15	Descend at 2000 feet per minute.	6	3
228	28	Reaching 8000 feet, request further climb.	6	3
229	33	Reduce speed to Mach decimal 76.	6	3
230	34	Maintain Mach point 84 or greater.	6	3
231	35	Maintain Mach point 80 or less.	6	3
232	88	Say again all after 3000 feet.	6	3
233	125	Cross Runway 24, report runway vacated.	6	3
234	142	Cleared for takeoff, Runway 06, wilco.	6	3
235	266	Request speed 200 knots due configuration.	6	3
236	359	Expect commencing approach at time 50.	6	3

hail strike 鸟击
tail strike 擦机尾
鸟群
恶化 ≈get worse ≈worsen
中点
shut down 关车
停机位
远机位
机场
忽视（无视该错误信息）
选择呼叫 代码：EFFG
selective call
electrical sys. 电气系统
停止
避让交通
冲突已解除
降噪 政策
mach /mæk/
0.76马赫
≈airframe = 构型
开始

237	419	Request join airway A1 at DAPRO.	6	3
238	41	Maintain 160 knots until outer marker.	6	3
239	170	Number Two, follow airbus 320 ahead.	6	3
240	258	Cross CK at 35 or later.	6	3
241	259	Cross DG at 24 or earlier.	6	3
242	267	Request speed 250 knots due turbulence.	6	3
243	278	Confirm ILS frequency for Runway 17L.	6	3
244	299	Request straight-in ILS approach Runway 24.	6	3
245	24	Descending immediately to FL200 due traffic.	6	3
246	96	Start up at 35, QNH 997.	6	3
247	330	Cleared to JEMMY via BK 1A Arrival.	6	3
248	331	Descend to reach 5000 feet by BK.	6	3
249	363	Cleared for LDA approach Runway 24.	6	3
250	95	Startup approved, altimeter setting 29.91.	6	3
251	203	RVR Runway 27 is 600 meters.	6	3
252	296	Direct to JO, descend to FL50.	6	3
253	340	Climb to 6000 feet, follow KODAP 01 Departure.	6	3
254	5	Continue descent to 3000 feet, QNH 1012.	6	3
255	10	After passing CGO descend to FL80.	6	3
256	328	QNH1003, threshold elevation 196 feet.	6	3
257	12	Descending to reach FL150 by WXI.	6	3
258	382	Maintaining FL350, expect descent after BKM VOR.	6	3
259	345	Unable FL390 by boundary, request FL330.	6	3
260	409	Climb to FL220, report passing FL170.	6	3
261	60	Slot time not determined due flow control.	7	3
262	147	Request right turn when airborne due weather.	7	3
263	158	Request Takeoff Runway Available (TORA) from intersection C2.	7	3
264	196	Confirm airport rescue and fire facilities category.	7	3
265	209	Confirm the reason for our flight suspension.	7	3
266	211	Confirm the reason for impounding our aircraft.	7	3

267	212	Tow approved via A to remote apron.	7	3
268	214	Request frost removal only at the gate.	7	3
269	274	Unable to receive transmission on that frequency.	7	3
270	290	Unable identify the waypoint, request radar vectors.	7	3
271	348	We are far above profile. Request holding.	7	3
272	364	Unable RNAV due equipment, request conventional arrival.	7	3
273	377	Continue approach, prepare for possible go around.	7	3
274	380	Stand by. We are carrying out procedures.	7	3
275	414	Request to leave controlled airspace by descent.	7	3
276	415	Request to leave controlled airspace by climb.	7	3
277	438	Continue CPDLC make position report via CPDLC.	7	3
278	463	Our FMS has malfunctioned. Request radar vectors.	7	3
279	466	We cannot make RNP approach due equipment.	7	3
280	473	The flight path is unstable. Going around.	7	3
281	545	We are leaking fuel slowly. Request diversion.	7	3
282	612	Our instruments indicate excessive high cabin altitude.	7	3
283	613	Our instrument indicates abnormal cabin pressure differential.	7	3
284	791	Is the preceding aircraft crossing our altitude?	7	3
285	895	Unable CAT II approach due crew qualification.	7	3
286	48	Request taxi to holding point Runway 13.	7	3
287	122	Approaching holding point, request crossing Runway 24.	7	3
288	141	Runway 06, cleared for takeoff. Report airborne.	7	3
289	160	Request Takeoff DistanceAvailable (TODA) from intersection E3.	7	3
290	188	Taxi to Stand 27 via Taxiway A.	7	3
291	190	Confirm construction work adjacent to Gate 37.	7	3
292	227	Identified, position 50 miles east of BK.	7	3
293	262	Increase speed to 300 knots or greater.	7	3
294	276	Maintain 3000 feet until glide path interception.	7	3
295	406	Report 34 miles from Top of Descent.	7	3
296	40	Maintain 160 knots until 4 miles final.	7	3

fuel leakage 燃油泄露
fuel shortage 燃油短缺
fuel starvation 燃油枯竭
fuel exhaustion 燃油枯竭

297	133	Taxi to holding point C3, Runway 36.	7	3
298	143	Airborne, passing 500 feet for 4000 feet.	7	3
299	163	Airbus 330 heavy, 8000 feet, Information X.	7	3
300	165	Number Two, follow airbus 330 on base.	7	3
301	179	Behind the Boeing737, cleared to land.	7	3
302	195	Runway covered with patches of water, braking action medium.	7	3
303	204	Confirm touchdown RVR greater than 350 meters.	7	3
304	291	Right heading 120, my own terrain clearance.	7	3
305	318	Overhead YV, maintaining 3000 feet, entering hold.	7	3
306	321	Position 10 miles north east of LN.	7	3
307	322	Turn right heading180 for base leg.	7	3
308	375	Cleared for CAT II ILS approach Runway 24.	7	3
309	376	Join right hand downwind, visual approach Runway 24.	7	3
310	199	Confirm current RVR less than 400 meters.	7	3
311	347	After passing North Cross, descend to FL150.	7	3
312	97	Expect start up at 35, QNH 1030.	7	3
313	206	Confirm midpoint RVR more than 550 meters.	7	3
314	324	No ATC speed restrictions. Contact Tower 118.9.	7	3
315	337	Maintain own separation and VMC, descend to FL50.	7	3
316	391	Affirm, cross BKM VOR at or before 55	7	3
317	228	30 miles from touchdown, contact Approach 118.1.	7	3
318	334	Descend to altitude 12000 feet QNH 1000.	7	3
319	344	Climb to FL290, level at time 55.	7	3
320	9	Fly direct to SHA, not below FL180.	7	3
321	27	Maintaining own separation and VMC, descending to FL80.	7	3
322	104	QNH 997, I say again, QNH 997.	7	3
323	219	Unable BK-1A Departure due performance. Request BK-1B.	7	3
324	341	Passing altitude 2300 feet, climbing to FL80.	7	3
325	408	Report 28 miles DME 210 radial BKM VOR.	7	3
326	389	Affirm, cross BKM VOR at or above FL190	7	3

327	390	Negative, unable to cross BKM VOR below FL170.	7	3
328	22	Climb to FL280 expedite until passing FL180.	7	3
329	320	Leaving FL60, descending to 2500 feet, QNH1008.	7	3
330	422	If FL240 not available, we accept FL220.	7	3
331	145	Behind Airbus on short final, line up behind.	8	3
332	148	Take off immediately or hold short of runway.	8	3
333	176	Request low pass due unsafe landing gear indication.	8	3
334	208	The runway surface is damp. Braking action good.	8	3
335	289	Fly no further west of your current position.	8	3
336	360	Unable circling approach due company policy. Request diversion.	8	3
337	365	Unable RNAV, loss of RAIM, request NDB approach	8	3
338	400	Clear of weather, request to resume flight route.	8	3
339	440	CPDLC unserviceable, request to revert to voice communication.	8	3
340	450	We have difficulty in controlling the cabin pressure.	8	3
341	465	Unable to maintain altitude, request leaving RVSM airspace.	8	3
342	485	Our Aviation Authority does not permit this procedure.	8	3
343	489	All stations, transmitting blind due to receiver failure.	8	3
344	498	Sorry for blocking the frequency due microphone jammed.	8	3
345	562	Our left engine failed due to fuel starvation.	8	3
346	603	We are clear of conflict. Request further instructions.	8	3
347	684	We have an engine oil leak. Request diversion.	8	3
348	702	We are encountering moderate icing. Request immediate descent.	8	3
349	704	We are on emergency descent due severe icing.	8	3
350	738	Roger heavy rain. Request to terminate our approach.	8	3
351	758	There is an obstruction ahead. Confirm taxi instructions.	8	3
352	789	Unable circling approach due company policy. Request diversion.	8	3
353	833	What do the bomb-disposal experts suggest we do?	8	3
354	847	The conflicting traffic is military. Request avoiding action.	8	3
355	860	Some passengers have been scalded by hot drinks.	8	3
356	878	Confirm we have enough separation from preceding aircraft.	8	3

357	882	Unable, we are only authorized during daytime VMC.	8	3
358	888	Request runway change for departure due high crosswind.	8	3
359	893	We had to overshoot because of wake turbulence.	8	3
360	16	Climbing at 1000 feet per minute or greater.	8	3
361	19	Descend to 3000 feet, information P is current.	8	3
362	43	Cancel speed restriction, continue descent to 7000 feet.	8	3
363	136	After departure, climb straight ahead until 3000 feet.	8	3
364	156	Affirm. We can accept intersection departure from C2.	8	3
365	159	Request Accelerate-Stop Distance Available (ASDA) from intersection D1.	8	3
366	130	Follow the greens to holding point Runway 05R.	8	3
367	162	Taxi via A2, backtrack and line-up Runway 18.	8	3
368	168	Extend downwind, Number Two, airbus 320 in sight.	8	3
369	255	Maintain 180 knots until 8 miles from touchdown.	8	3
370	257	Maintain speed 280 knots or greater for separation.	8	3
371	357	We can see the approach lights at 200 feet.	8	3
372	7	Cleared to enter controlled airspace not above FL100.	8	3
373	279	In case of going around, turn left heading 210.	8	3
374	45	Maintaining FL350, cleared to destination, flight planned route.	8	3
375	132	After landing Airbus320, cross Runway 24, report vacated.	8	3
376	256	Maintain Mach decimal 82, transition speed 310 knots.	8	3
377	327	Surveillance radar approach Runway 27, maintaining 2200 feet.	8	3
378	492	We are receiving an ELT signal on 121.5.	8	3
379	14	Climbing to FL290, to be level by 55.	8	3
380	186	Take first right. When vacated, contact Ground 118.35.	8	3
381	335	Descend to height 2000 feet QFE 997 hectopascals.	8	3
382	13	Unable to reach FL150 by ZHO due performance.	8	3
383	17	When ready, descend to FL210, level at PLT.	8	3
384	42	Descend to FL120, on speed conversion, 250 knots.	8	3
385	332	When ready, descend to FL200. Report leaving FL300.	8	3
386	346	Descend to FL100, cross YU FL150 or above.	8	3

387	25	When ready, climb to FL280, report leaving FL200.	8	3
388	44	LMN-02 Departure, passing 2500 feet climbing to 9000 feet.	8	3
389	46	Request radar vectors for visual approach Runway 22.	9	3
390	66	Delay not determined, numerous aircraft holding for weather improvement.	9	3
391	121	Negative. We need 10 minutes to cool the brakes.	9	3
392	150	Hold position, cancel takeoff, I say again, cancel takeoff.	9	3
393	193	The Runway light is too bright. Request dim it.	9	3
394	294	Confirm we are still above your minimum vectoring altitude.	9	3
395	326	Continue present heading, expect through the localizer for spacing.	9	3
396	370	Request hold for weather improvement, visibility below company minima.	9	3
397	394	Request lose time en route to finish the checklist.	9	3
398	395	Request parallel offset from current track due weather ahead.	9	3
399	453	We have a slow cabin decompression. Request immediate descent.	9	3
400	458	We have a problem with the avionics ventilation system.	9	3
401	462	There are unusual noises coming from the avionics bay.	9	3
402	496	Our data-link has malfunctioned. Request ATC clearance by voice.	9	3
403	564	We suspect there is contamination in our fuel tanks.	9	3
404	565	One of our hydraulic systems has exceeded temperature limits.	9	3
405	566	We have shut down one of the hydraulic systems.	9	3
406	590	We made the go around due to GPS error.	9	3
407	592	We made the go around due to CDU failure.	9	3
408	596	Our landing capability has degraded. Request terminate our approach.	9	3
409	611	Cabin altitude is increasing abnormally. Request to level off.	9	3
410	624	Request diversion to a nearby airport with foaming capability.	9	3
411	629	We have errors with our navigation. Request radar monitoring.	9	3
412	662	CPDLC has malfunctioned. We are reverting to voice communication.	9	3
413	664	CPDLC terminated due to failure, reverting to voice communication.	9	3
414	677	The windshield is cracked on the outside. Request descent.	9	3
415	683	We aborted takeoff due loss of engine oil pressure.	9	3
416	706	Rime ice was reported by previous aircraft during approach.	9	3

collide with 与…相撞 /kəlaɪd/

"Windshear Ahead!"

417	710	We made the go around due to wind-shear warning. 风切变警告	9	3
418	788	Unable visual approach due company policy. Request radar vectors.	9	3
419	824	Some of the hijackers are carrying sharp protruding weapons. 突出的	9	3
420	830	A suspicious suitcase was found during the cabin inspection. 检查	9	3
421	834	The cabin crew reports a passenger is behaving strangely.	9	3
422	840	We have navigation map drift. Request climb to MEA. 导航地图偏移	9	3
423	846	We almost had a mid-air collision with another aircraft. 空中相撞	9	3
424	849	The conflicting traffic is gray, possibly a military aircraft. 冲突的	9	3
425	859	Some passengers were injured because their seatbelts weren't fastened.	9	3
426	889	Request delay the approach due tail wind beyond limits. 顺风	9	3
427	890	Request holding instructions due weather near the runway threshold.	9	3
428	900	We had to go around due to unstable approach.	9	3
429	77	Gate 26, request clearance to London with information F.	9	3
430	86	Gate15, information C, ready to copy ATC clearance.	9	3
431	118	Taxi via taxiway C to holding point Runway 24.	9	3
432	119	Taxi to holding point Runway 24, traffic in sight.	9	3
433	421	Remain outside controlled airspace, expect further clearance at 55.	9	3
434	126	Unable to vacate via A2, request full length of runway. 请求全长跑道	9	3
435	131	Cross red stop-bar at A1, we understand stop-bar unserviceable.	9	3
436	177	Low pass approved Runway 27, not below 500 feet.	9	3
437	129	Giving way to B747 passing from left to right.	9	3
438	62	Expect hold at HUR VOR for 10 minutes due traffic.	9	3
439	392	Negative, unable to cross BKM VOR at 43 or later.	9	3
440	493	We are picking up a broadcast signal on 121.5. 提取	9	3
441	342	Climb to FL210, level restrictions of KODAP 01 Departure canceled.	9	3
442	343	Climb to FL 210, cross AU at FL100 or below.	9	3
443	91	Unable to cross LX FL150 due weight, maintaining FL130.	9	3
444	385	Continue climb to FL 290, cross BKM VOR not above FL 230.	9	3
445	388	Descend to FL170, cross BKM VOR at or above FL210.	9	3
446	51	15NM to HRB, FL290, tracking to JMU, squawking 6543.	9	3

suspect v./n.
suspective 了解的
suspicious 可疑的

MEA 最低航路高度

remain seated & fasten the seatbelts

gusty wind 阵风

remain this frequency 在该频率

Nautical Miles

447	210	Confirm our flight has been suspended due bio-hazards at destination.	10	3
448	302	When established on the localizer, descend on the glide path.	10	3
449	362	RNAV approach not available due FMS database. Request VOR approach.	10	3
450	373	Request to extend the holding pattern for accomplishing the checklist.	10	3
451	374	Request extended holding to burn fuel to reduce the weight.	10	3
452	461	We have severe vibration coming from the avionics ventilation fan.	10	3
453	474	We made a missed approach due to unstable ILS signals.	10	3
454	491	Our SELCAL has malfunctioned. We will continue monitoring your frequency.	10	3
455	497	My apologies, I wasn't aware the boom mike was transmitting.	10	3
456	514	We have had a bird strike. Our windshield has cracked.	10	3
457	543	Some of our fuel pumps have low pressure. Request descent.	10	3
458	570	Two of our hydraulic systems have failed. Request immediate diversion.	10	3
459	587	We made the go around due to navigation accuracy downgrade.	10	3
460	588	We made the go around due to FMS position error.	10	3
461	591	We made the go around due to lateral deviation exceedance.	10	3
462	594	We no longer have altitude warning. Request leaving RVSM airspace.	10	3
463	606	Our engine parameters are unstable. Request stop climb at FL220.	10	3
464	610	We are reading high engine vibration. Request to delay takeoff.	10	3
465	634	ADS-B equipment degradation, will advise when able to resume operations.	10	3
466	640	Our airspeed is unreliable. Request radar vectors for long final.	10	3
467	652	Many passengers have suffered from smoke inhalation. Request medical services.	10	3
468	721	We have encountered severe clear air turbulence. Request immediate descent.	10	3
469	757	There are red lights ahead of us. Confirm taxi instructions.	10	3
470	774	We have a suspicious bag on board. Request bomb squad.	10	3
471	775	The passengers are evacuating. The bomb is still on board.	10	3
472	783	Request a large airspace to maneuver due flight control problems.	10	3
473	790	Are we being vectored too close to the parallel aircraft?	10	3
474	828	Terrorists are threatening to start killing passengers and the crew.	10	3
475	875	A crew member is incapacitated. Request diversion and medical assistance.	10	3
476	885	Is there a frequency change at this compulsory reporting point?	10	3

477	185	Follow the standard missed approach procedure, climbing to 3000 feet.	10	3
478	277	NOTAM says glide slope for Runway15 is unserviceable, confirm.	10	3
479	413	Remain outside controlled airspace, expect joining clearance at time 55.	10	3
480	221	When airborne, track extended center-line, cleared for takeoff, Runway 18.	10	3
481	352	Continue approach Runway 36R, maintain visual separation with preceding traffic.	10	3
482	398	Cleared offset 25 miles left of track for 30 minutes.	10	3
483	76	Information P received, stand 03, ready to copy ATC clearance.	10	3
484	416	Descending to 5000 feet QNH 1014, report passing 7000 feet.	10	3
485	397	Proceed offset 10 miles right of track until abeam BKM VOR.	10	3
486	399	Offset canceled, turn right to rejoin the A1 before BKM VOR.	10	3
487	298	Descending to 4000 feet QNH1005, expect ILS approach Runway24.	10	3
488	305	Cleared VOR-DME approach Runway 24, descending to 3000 feet QNH1007.	10	3
489	386	Negative, unable cross BKM VOR at or above FL230 due performance.	10	3
490	272	Traffic indication at our 1 o’clock, 4 miles, same altitude, converging.	11	3
491	393	Request lose time en route due landing delay at destination airport.	11	3
492	452	Our cabin rate of climb has red-lined. Request immediate descent.	11	3
493	495	Our data-link has malfunctioned. Request re-release the flight plan by voice.	11	3
494	501	Request diversion to the nearest suitable airport due AC BUS failure.	11	3
495	503	We have a problem with the aircraft battery. Request priority landing.	11	3
496	598	We performed the go-around because we had a ground proximity warning.	11	3
497	615	Cockpit oxygen cylinder pressure is low. Request to return for landing.	11	3
498	623	We cannot extend the left landing gear. Request foaming the runway.	11	3
499	627	I think we blew a nose wheel tyre. Request holding position.	11	3
500	628	We no longer have airspeed and altitude on our primary displays.	11	3
501	631	We made the go around because the GPWS warning was triggered.	11	3
502	633	Our ADS-B transmitter appears to be malfunctioning. Terminating further ADS-B transmissions.	11	3
503	641	We made the go-around because the radio altimeter triggered flare mode.	11	3
504	698	We heard an explosion from the cabin. Request to stop climb.	11	3
505	709	We have a “Wind-shear Ahead” warning. Request to delay our approach.	11	3
506	753	Request immediate one eighty turn to the right due volcanic ash.	11	3

507	797	Request offset 10 miles left to avoid the reported strong downdraft.	11	3
508	848	Does the flight path of the unknown aircraft converge with ours?	11	3
509	862	We overran the runway end. We are evacuating. Request emergency services.	11	3
510	161	Line up and wait. Understand one aircraft to depart from A2.	11	3
511	793	I see wild fire at my 10 o'clock, about 8 miles.	11	3
512	252	50 miles right of track approved, when able, proceed direct TB.	11	3
513	336	Descend to 8000 feet at 1000 feet per minute or greater.	11	3
514	358	Cleared VOR approach Runway 36, followed by circling to Runway 18.	11	3
515	369	Proceed to AK, hold as published, expect approach clearance at 30	11	3
516	483	Our Airline policy does not allow us to perform CAT IIIC approach.	11	3
517	528	Request descent to 10000 feet to ventilate the aircraft due smoke.	11	3
518	850	We have traffic indication at 2 o'clock, 300 feet above our level.	11	3
519	98	Expect departure at 49, start up at own discretion, QNH 1004.	11	3
520	146	After departure, turn left heading 190, Runway 24R, cleared for takeoff.	11	3
521	372	Holding northwest of W VOR FL120, what is the delay for approach?	11	3
522	29	Cancel SID, track direct to LLK, climb to and maintain FL110.	11	3
523	84	Recleared to destination via B213, WHA, R343, rest of route unchanged.	11	3
524	300	Cleared straight-in ILS approach Runway 24, descend to 3000 feet, QNH1011.	11	3
525	329	Precision radar approach Runway 27 heading 260, descending to 2500 feet, QNH1014.	11	3
526	53	Position OBLIK at 0646, maintaining FL310, estimating ZF 0658, WUH next.	11	3
527	404	BKM 47, FL170 descending to FL120, abeam NLD VOR at 55.	11	3
528	448	Many passengers are suffering from smoke inhalation. Request medical assistance on arrival.	12	3
529	455	We are now depressurized and will fly a more shallow descent profile.	12	3
530	460	The avionics ventilation is unserviceable. Request diversion to the closest suitable airport.	12	3
531	467	Our navigation accuracy is low. Request to climb to minimum safe altitude.	12	3
532	477	We have lost our flight plan after a flight management computer reset.	12	3
533	482	We do not meet GPS approach requirement due to flight crew qualifications.	12	3
534	486	We are unable to conform to the noise abatement procedure due performance.	12	3
535	494	Our satellite phone is unserviceable. We are unable to call company operations.	12	3
536	502	We are not supplying power to our DC BUS. Request priority landing.	12	3

537	522	The APU is still on fire. We are evacuating. Request emergency services.	12	3
538	535	We cannot fully extend the flaps. Request the longest runway for landing.	12	3
539	558	Request climb for dumping fuel and vectors to the fuel dump zone.	12	3
540	567	The backup hydraulic system is operational but we still want to divert.	12	3
541	581	I had to abort takeoff because I didn't receive any airspeed indication.	12	3
542	593	We made the go around because we exceeded the vertical deviation limit.	12	3
543	636	Our ADS-B has malfunctioned. Is there any weather advisory at our destination?	12	3
544	637	We made an overshoot because our ADS-B indicated a possible runway incursion.	12	3
545	657	We are expediting descent to enable a windmill startup. Request further descent.	12	3
546	686	Engine Number One has a temperature problem. Request holding to perform checklist.	12	3
547	722	Request a general heading of 050 due to multiple cells ahead.	12	3
548	777	Request a remote apron for parking our aircraft due bomb on board.	12	3
549	800	Request immediate one-eighty turn to the right due to possible hail ahead.	12	3
550	831	The air marshal is searching the aircraft interior for any suspicious articles.	12	3
551	844	The cabin crew have used up all the portable extinguishers. Request diversion.	12	3
552	852	We have a possible traffic conflict ahead. Request radar vectors for avoidance.	12	3
553	857	We have injuries resulting from our TCAS maneuver. Request ambulance on arrival.	12	3
554	864	We will reach our minimum fuel if we are delayed any further.	12	3
555	867	We are declaring fuel emergency. Request priority landing Runway 03R.	12	3
556	870	The military aircraft is commanding us to land at the airfield below.	12	3
557	872	We are being escorted towards the national boundary by two military aircraft.	12	3
558	884	Did the previous controller tell you about our problem during radar handoff?	12	3
559	396	Request parallel offset from current airway for 30 minutes due icing condition.	12	3
560	295	Right heading 040 until passing FL70 then track direct to BK.	12	3
561	667	We are at bay15. We have an APU fire. Request fire services.	13	3
562	719	We won't have to deviate if you allow us to climb to FL430.	13	3
563	443	All our air conditioning packs have malfunctioned. Request rapid descent to MEA .	12	4
564	705	We are encountering clear ice. Request immediate right turn to heading 130.	12	4
565	83	Recleared to destination via ZF01 Departure, Runway 36R, rest of clearance unchanged.	12	4
566	384	Descend to and maintain FL 270. Do not exceed Mach number decimal 79.	12	4

567	18	Right heading 330, descending to 3000 feet, cleared for ILS approach Runway 36R.	12	4
568	423	Cleared to leave A1 via BKM VOR, maintain FL230 while in controlled airspace.	12	4
569	403	Passing POU at 43, maintaining FL310, estimating MLT at 55, next NLD.	12	4
570	251	Your radar vector appears to be taking us to the prohibited area, confirm.	13	4
571	476	The DME indication is not correct. Confirm the DME is still in service.	13	4
572	479	We need to reconfigure the flight management computers for approach. Request holding instructions.	13	4
573	487	We are not qualified for CAT IIIB approach and auto-land. Request diversion.	13	4
574	513	There was a fire from the avionics bay. Request radar vectors for final.	13	4
575	527	We have smoke coming from our avionics bay. We are disembarking the passengers.	13	4
576	531	Our flight control computers are not functioning well. We are having difficulty maintaining.	13	4
577	539	Request vectors for long final. We are controlling the airplane with mechanical backup.	13	4
578	544	We have a problem with fuel temperature. Request holding position on the taxiway.	13	4
579	557	We are too heavy for landing. Request fuel-dump at the fuel dumping area.	13	4
580	561	We are indicating fuel filter clog. Request descent and to maintain high speed.	13	4
581	573	We still have only one hydraulic system. Request the longest runway for landing.	13	4
582	579	Our pitot static heating system has failed. We might have an altitude error.	13	4
583	589	We made the go around due to map drift on our navigation display.	13	4
584	597	Request to climb to minimum safe altitude due to malfunction of navigation computers.	13	4
585	607	Our oil pressure reading is lower than normal. Request hold at present position.	13	4
586	608	The oil temperature is higher than normal. We are monitoring other engine parameters.	13	4
587	632	We have to recalibrate our instruments. Request to level off and maintain heading.	13	4
588	639	Our airspeed is unreliable. Request climb to minimum safe altitude to perform checklist.	13	4
589	643	Our weather radar has malfunctioned. What is the highest available level for cruise?	13	4
590	673	We had a smoke warning from the forward cargo hold. We are evacuating.	13	4
591	674	We have a cargo smoke warning. We are disembarking passengers. Request fire services.	13	4
592	676	The cockpit windshield has cracked. Request descent to FL220.	13	4
593	678	Neither of us can see through our windshield. Does your airport permit auto-land?	13	4
594	680	Our engine control has malfunctioned. We cannot get much thrust. Request immediate descent.	13	4
595	685	We have a low oil pressure warning from engine Number Two. Request diversion.	13	4
596	712	We are unsure of our position due heavy fog. We are holding position.	13	4

597	735	We were struck by hail. Our airframe is severely damaged. Request emergency services.	13	4
598	741	Request holding instructions. We' ll attempt another approach when the rain showers become lighter.	13	4
599	746	Runway is covered with patches of ice. Braking action is medium to poor.	13	4
600	762	We are stopping taxi. The boarding bridge is not at its designated position.	13	4
601	780	We cannot get good climb profile due engine problems. Request maintain runway heading.	13	4
602	784	My apologies for the deviation due the wrong altitude setting. Request further instructions.	13	4
603	785	My apologies for the level deviation. We were caught in a strong updraft.	13	4
604	832	Some explosives were discovered behind a panel near the back of the cabin.	13	4
605	877	Confirm we are being vectored to fly overhead the airport for right downwind.	13	4
606	894	Not ready for immediate takeoff due possible wake turbulence from departing heavy aircraft.	13	4
607	456	Request descent rate less than 500 feet per minute due to unpressurized cabin.	13	4
608	271	We have traffic at our 12 o' clock, 5 miles, 500 feet below, climbing.	13	4
609	605	We are having abnormal engine indications. Request to reduce speed to 250 knots.	13	4
610	488	Our VHF number One receiver has failed. We are no longer monitoring 121.5.	13	4
611	563	We are near the freezing temperature of jet fuel. Request descent to FL 390.	13	4
612	134	Behind Boeing747 passing left to right, taxi to holding point A1 Runway 24.	13	4
613	67	Cleared to exit the hold, fly direct to ML. Contact Approach on 128.35.	13	4
614	87	Cleared to destination, BK02 RNAV Departure, initially 3000 feet, departure frequency 125.4, squawk 3311.	13	4
615	198	Thicker patches of fog exist further along the runway. RVR significantly reduced.	14	4
616	469	Inertial reference system has failed. We are navigating on raw data. Request conventional approach.	14	4
617	478	We need a few minutes to reprogram the flight management computers. Request radar vectors.	14	4
618	480	We are now flying with basic navigation due to systems failure. Request radar vectors.	14	4
619	490	All of our VHF transmitters have failed, now transmitting on HF radio. Please respond.	14	4
620	512	We had an electrical fire from the galley, now extinguished. Request return to land.	14	4
621	519	We cannot extinguish the engine fire. Request priority landing and emergency services on arrival.	14	4
622	526	We have smoke coming from our avionics bay. We are evacuating. Request fire trucks.	14	4
623	541	We have a problem with yaw damping. The aircraft is oscillating severely. Request diversion.	14	4
624	572	Request the longest runway and vectors for a wide downwind due to hydraulic failure.	14	4
625	582	We have an error in our airspeed. Request to climb to minimum safe altitude.	14	4

626	584	We have a master caution. I will notify you if a diversion is required.	14	4
627	585	Some of our instruments are not indicating correctly. Request level off to perform checklist.	14	4
628	595	We have autopilot disconnection. We are no longer RVSM qualified. Request leaving RVSM airspace.	14	4
629	600	We have conflicting traffic at eleven o’ clock, 8 miles, climbing. Request vectors for avoidance.	14	4
630	622	We have exhausted all options. We will land without the nose gear fully locked.	14	4
631	630	Our inertial reference system has failed, unable GPS approach. Request ILS or VOR approach.	14	4
632	642	Our weather radar has failed and we are in IMC. Request return for landing.	14	4
633	644	Our weather radar has failed. How did the preceding aircraft deviate from the weather?	14	4
634	688	We have performed our procedures but engine vibration still exists. Request diversion.	14	4
635	691	Engine Number Three has smoke coming out of the pylon section. We are evacuating.	14	4
636	695	Our left engine has ingested FOD. We are shutting down engines and holding position.	14	4
637	703	We made a diversion due to reports of freezing rain at our original destination.	14	4
638	707	We cannot continue holding in icing conditions. Request descent immediately and cancel speed restrictions.	14	4
639	711	We have received information of a new volcanic eruption. Will it affect our route?	14	4
640	752	A Pilot overflying reported seeing virga above the runways. Request to terminate our approach.	14	4
641	772	Our cabin crew will direct all passengers to stay outside the runway after evacuation.	14	4
642	787	We were not informed of a frequency change. I will now monitor your frequency.	14	4
643	801	We have three serious and five minor injuries on board. Request ambulances on arrival.	14	4
644	804	A stressed passenger attempted to open an emergency exit. Request airport security on arrival.	14	4
645	805	We have a hostage situation. Request stair vehicles on standby to disembark the passengers.	14	4
646	808	A pregnant passenger is in severe pain. Request priority landing and ambulance on arrival.	14	4
647	811	We have an 8-month old infant with head injuries. Request ambulance on arrival.	14	4
648	818	We have a hijack situation on board. Can our destination airport provide armed intervention?	14	4
649	825	There is a stand-off in the cabin. Some of the hijackers are carrying blades.	14	4
650	835	A bomb has exploded and the cabin is full of smoke. Request emergency descent.	14	4
651	836	We are evacuating on the runway. Be advised the bomb is still on board.	14	4
652	898	Are you banning us from entry because of our airline or our aircraft type?	14	4

weather advisory 天气通告

653	720	The thunderstorms will last for about 40 minutes according to the weather update. Request diversion. "One Fife Zero West"	14	4
654	435	At 150W(west) contact San Francisco Radio, primary 3494, secondary 11342.	14	4
655	383	Climb to and maintain FL310. Maintain Mach number decimal 81 or greater until BKM VOR.	14	4
656	412	Request clearance to enter controlled airspace northeast of BKM VOR at FL240 at time 43. avoid / clear } terrain 越障	14	4
657	420	Cleared to destination airport via DAPRO, flight planned route, FL240, join A1 at FL240.	14	4
658	418	Descending to FL60, maintain VMC FL90 to FL70, report traffic in sight at FL80.	14	4
659	293	We are too low to the surrounding terrain. Confirm we are still being radar vectored.	15	4
660	444	We had a malfunction of one air conditioning pack. Request descent to a lower level.	15	4
661	447	We have unusual smell from air conditioning packs. Request stop climb at 7000 feet. 蒙皮热交换器 & 吹风扇	15	4
662	459	We have an avionics ventilation problem. The skin heat-exchangers and blower fan have failed.	15	4
663	468	We have a navigation map shift, unable to perform the RNAV approach. Request radar vectors. ignited 点燃 /ɪgˈnaɪtɪd/	15	4
664	504	One of our transformers has failed. I'll let you know if a diversion is required. 变压器	15	4
665	524	A passenger ignited the lavatory waste bin. Advise the airport police to await our arrival. 等待	15	4
666	529	We had emptied most of our fire extinguishers, but the cabin fire is still on. fire engine 消防车	15	4
667	537	Request high speed approach. Part of our flight control surfaces have separated from the wing.	15	4
668	554	We might have a fuel leak near the wing root. Request fire trucks on arrival. 翼根处	15	4
669	556	We are evacuating. Advise emergency personnel that fuel odors are still present in the cabin. 味道 /ˈəʊdəs/	15	4
670	559	We need about 18 minutes to jettison fuel before coming in for the approach. 放油 = dump fuel	15	4
671	574	Our left engine anti-ice system has failed. Request immediate climb to leave the icing area.	15	4
672	575	We must descend immediately to exit icing conditions. Our right engine bleed air has failed. 引气	15	4
673	583	We have master warning lights in the cockpit. Request landing at the nearest suitable airport.	15	4
674	586	Two of our display units have failed. We are no longer RNP qualified. Request diversion.	15	4
675	616	We are holding at present position. It appears one of the over-wing exits has unlocked. 机翼上方的出口	15	4
676	620	Our brakes have seized. The tyres might burst during touchdown. Request fire trucks on arrival. 刹住	15	4
677	626	The tyres are deflated. We will have to hold at present position for maintenance inspection. inflate 充气	15	4
678	656	Our APU bleed air malfunctioned during engine startup. We are calling the ground staff, standby. deflate 漏气	15	4
679	726	We made the go-around because strong convective currents on short final made our approach unstable. 强对流气流	15	4
680	759	The NOTAM says this part of the taxiway is closed during this period, please verify.	15	4

681	779	We have veered off the runway due asymmetric thrust. We are evacuating. Request emergency assistance.	15	4
682	782	The center of gravity is disturbed. We will relocate passengers prior to approach. Request holding.	15	4
683	786	We used too much speed brakes and penetrated our level. Did we cause any conflict?	15	4
684	807	We have a passenger with a suspected heart attack. Request diversion to a suitable airport.	15	4
685	829	The air marshal and passengers have restrained five suspects. The situation is now under control.	15	4
686	841	Our cargo manifest shows that there are 80 kilograms of lithium batteries on board.	15	4
687	851	We have a possible traffic conflict at 10 o’ clock, converging with our flight path.	15	4
688	858	Some of the cabin crew are injured. They were serving meals during the TCAS maneuver.	15	4
689	871	The military aircraft has made an abrupt maneuver indicating we may continue on this heading.	15	4
690	892	Sorry, there was a problem with my audio equipment. How do you read me now?	15	4
691	508	If there is no airport within 100 miles, we have to make a forced landing.	15	4
692	599	We have conflicting traffic at one o’ clock, 6 miles, descending. Request heading 130 for avoidance.	15	4
693	323	Reduce to minimum approach speed, turn right heading 230, cleared for ILS approach Runway 27.	15	4
694	445	We have lost electrical power to the cabin air compressor. Request immediate descent to 10,000 feet.	15	4
695	71	After passing SY VOR, leave the hold on heading 250, cleared for VOR approach Runway 06.	15	4
696	79	Cleared to destination via ZAM, flight planned route, D03 Departure, cruising level 230, squawk 3763	15	4
697	314	Hold over BKM VOR at FL100, inbound track 280 degrees, left hand pattern, outbound time 1 minute.	15	4
698	471	The ILS signal seems to be very unstable. Did any other pilot report a similar situation?	16	4
699	475	The ILS signal was unstable. Request approach to another runway or request another type of approach.	16	4
700	506	We are operating with only the emergency generator. Request track direct to final, Runway 26.	16	4
701	533	The aircraft has a tendency to roll to the right. I need additional airspace to maneuver.	16	4
702	601	Traffic at our twelve o’ clock, 10 miles, climbing. Should we expedite our descent to cross altitudes?	16	4
703	645	We do not have that route in our database. Which heading should we maintain for now?	16	4
704	647	We have a navigation malfunction. Request diversion to a suitable airport that has less complex terrain.	16	4
705	708	We have a “Wind-shear Ahead” warning message. Request to delay takeoff or change to another runway.	16	4

706	717	I apologize for the level bust, but we needed the altitude loss to recover from wind-shear.	16	4
707	739	Request to cancel our approach. The runway is not long enough and there are water patches.	16	4
708	743	We have observed blowing sand in the vicinity of the airport. How long will this last?	16	4
709	756	Lining up Runway 35. Runway lights are too bright. Request to dim the runway lights.	16	4
710	802	One passenger is having difficulty breathing. Request descent to a lower level to reduce cabin altitude.	16	4
711	863	We veered off the runway. We are evacuating near the runway and rapid exit J5.	16	4
712	73	Cleared to LHR, hold at LHR as published. Maintain 8000 feet. Expect further clearance at 18.	16	4
713	507	We are flying with batteries only. Is there any airport available within 25 minutes of flying?	17	4
714	511	We have cut off the electrical system to the cabin and the onboard fire is under control.	17	4
715	560	We cannot shut off the fuel dump valve. Request radar vectors for short final, Runway 17.	17	4
716	661	We are leaking bleed air. Request turn right heading 095 to avoid the icing area.	17	4
717	672	Smoke is coming from the cabin floor. We are performing an evacuation. All slides have been deployed.	17	4
718	713	We had a rapid airspeed decay due turbulence. Request immediate descent to FL390.	17	4
719	778	We have had a tail strike. Request to stop climb at 3000 feet and return for landing.	18	4
720	671	We have an abnormal noise coming from one of our cabin doors. Request rapid descent to 5000 feet.	19	4
721	401	Climb to and maintain FL290, re-cleared to track direct to BKM VOR, the rest unchanged.	21	4
722	536	We have asymmetric flaps. Airplane is rolling to the left. Request holding to solve the problem.	16	5
723	568	Our hydraulic systems have a malfunction. Request descent to lower levels to extend flaps in advance.	16	5
724	576	Both our windshield heating systems have failed. Ice is obstructing our view. Request latest airport weather.	16	5
725	679	Our thrust lever is not responsive. We cannot reduce thrust on engine Number One. Request holding.	16	5
726	681	We have a thrust reverser opened in flight. We cannot maintain this level. Request immediate descent.	16	5
727	694	The uncontained engine failure has caused parts of the fuselage to be damaged. Request emergency descent.	16	5
728	701	Ice is accumulating rapidly on the wings and fuselage. Request emergency descent to 6000 feet.	16	5
729	732	The latest SIGMET says a super-cell thunderstorm is developing at our destination. Is our flight affected?	16	5

730	740	Request to cancel our approach. Braking action is poor and we’ re concerned about hydroplaning during rollout.	16	5
731	763	We are shutting down our engines. There are boxes blown by the wind toward our aircraft.	16	5
732	766	The tow bar has been bent. Our maintenance crew will inspect our nose wheel. Holding position.	16	5
733	776	A passenger has assembled a bomb in the lavatory. He is making threats. Request emergency services.	16	5
734	798	Request diversion. The latest weather at our destination suggests snow storm will last for 5 hours.	16	5
735	814	An elderly passenger has passed away. We will continue to our destination. Request ambulance on arrival.	16	5
736	873	We are heading 085. This heading allows us to quickly exit the prohibited airspace.	16	5
737	887	Unable to reduce speed below mach decimal 74. You can vector us if you’ d like.	16	5
738	509	We have less than 10 minutes of battery power left. We are preparing for ditching procedure.	16	5
739	540	Request return to FL250.We just had an air-upset situation and lost a lot of altitude.	16	5
740	426	Radar service is terminated due technical failure. Maintain Mach number decimal 81 or less for separation.	17	5
741	515	The windshield suddenly had electrical arcing. We need to pull the circuit breakers and delay the approach.	17	5
742	521	The APU fire seems to be extinguished. Request fire trucks on standby and stairs vehicle to disembark the passengers.	17	5
743	538	Request immediate climb above the minimum safe altitude to perform the checklist due to run-away trim condition.	17	5
744	621	We made the go-around because our landing gear wouldn't extend normally. Request holding pattern to perform checklist.	17	5
745	700	Some passengers have cuts and burn wounds due onboard explosion. Request diversion and medical services upon arrival.	17	5
746	716	We are flying near our maximum altitude. We cannot maintain airspeed in this turbulence. Request immediate descent.	17	5
747	718	We encountered heavy rain and had a temporary flame out on our right engine. Request immediate climb.	17	5
748	731	We can see dust swirls approaching the airport and we’ re concerned about low level wind-shear. Request holding.	17	5
749	742	We have received reports of freezing rain ranging from ground up to 5000 feet. Request diversion.	17	5

750	751	The hurricane has gathered in strength and will affect all airports at the south coast. Request diversion.	17	5
751	771	We have discovered leakage of dangerous goods in the cargo hold. Can you alert hazardous material specialists?	17	5
752	794	I have heard an aircraft in distress but no one's responding. I can help relay his message.	17	5
753	799	Our radar shows a strong echo from the thunderstorm ahead. Request immediate right turn to avoid it.	17	5
754	803	A passenger activated the overhead emergency oxygen generator. Request airport security on arrival to detain this individual.	17	5
755	838	We only have standby magnetic compass due instrument failure. Now heading 245. Request navigation assistance.	17	5
756	899	Our aircraft has the required certification and is approved by your Civil Aviation Authority for scheduled flight.	17	5
757	454	Our cabin altitude at one time had reached 16000 feet. Some passengers have symptoms of hypoxia.	18	5
758	470	The Morse code for the VOR is different from the approach chart. Confirm the VOR is fully operational.	18	5
759	500	One of our generators has failed. At present moment, we are still able to continue to our destination.	18	5
760	532	Our pitch control has malfunctioned. We cannot move the elevators. We are flying the airplane with only trim.	18	5
761	552	The fuel leak has stopped. But if a fire starts at any time, I will order an evacuation.	18	5
762	578	We performed the missed approach because my windshield wiper became inoperative and I could not see very well.	18	5
763	580	We made the overshoot because of a stall warning, probably caused by a defective angle of attack probe.	18	5
764	618	We have an indication that the nose wheel did not extend properly. Request low pass for visual check.	18	5
765	646	We do not have that runway in our database. Request delay our descent while we program the CDU.	18	5
766	651	We cannot provide oxygen to the passengers as we are not sure where the smoke is coming from.	18	5
767	666	Another aircraft has seen a lot of smoke coming from our APU. We are evacuating. Request emergency services.	18	5

768	669	A passenger has opened an over-wing emergency exit. The slide has deployed. Request to cancel our slot time.	18	5
769	690	We've made a visual inspection of engine Number Two from the cabin. The engine cowling has fallen off.	18	5
770	729	The latest weather says that frontal weather and freezing rain is now stationary over the airport. Request diversion.	18	5
771	750	The weather forecast says that the typhoon along our route will be intensifying. Request change our airway clearance.	18	5
772	764	We had difficulty starting up our engines due strong tailwind. Request to change our pushback position facing west.	18	5
773	770	Our airplane nose has now lifted off the ground due to improper load and balance. Request ground maintenance.	18	5
774	815	We found a passenger unconscious from a drug overdose in the lavatory. Request police and ambulance on arrival.	18	5
775	816	The sick passenger's condition has improved. We no longer require the diversion. Request to continue to our destination.	18	5
776	820	I can see the area outside of the cockpit. There are two hijack suspects standing in the aisle.	18	5
777	827	We will remain on the runway. The hijackers have taken four hostages to the rear of the cabin.	18	5
778	837	We are unsure of our position due to navigation failure. If any station can hear me, please respond.	18	5
779	842	A ramp inspection discovered crates of lithium batteries in the cargo hold. We are verifying. Request delay pushback.	18	5
780	868	We have been intercepted by a military aircraft. It is rocking its wings to indicate we should follow.	18	5
781	874	If we continue to make orbits we will exceed our duty time limit by the time we land.	18	5
782	886	Unable speed 180 knots. We need to maintain a good speed in clean configuration due icing.	18	5
783	442	We have only one air conditioning pack operational. Request a new cruising level below FL300.	19	5
784	472	The approach lights for Runway 36L are a bit different from those shown on the airport diagram.	19	5
785	516	The cockpit side window is not sealed properly. Request reduce to minimum speed and descend to 4000 feet.	19	5
786	542	We have lost electrical power to some of the flight control actuators. Request delay our descent to perform checklist.	19	5

787	547	Our cabin crew reports that we have fuel leak from the right wing. Request diversion to closest suitable airport.	19	5
788	569	Our hydraulic fluid is dangerously low, possibly due to a leak. Request descent to lower levels to extend flaps.	19	5
789	604	About twenty passengers and crew members were injured during the TCAS maneuver. Request diversion and medical assistance on arrival. 续航	19	5
790	614	Our fuel endurance is 48 minutes. We must leave the hold otherwise we will be at minimum fuel.	19	5
791	625	We applied maximum braking when we rejected takeoff. Request fire services to escort the aircraft back to the apron.	19	5
792	638	We made a go-around due to head-up display problem. We'll inform you when we are ready for the approach.	19	5
793	653	There was heavy smoke in the cabin before we ventilated the aircraft. Request medical assistance for passengers after landing.	19	5
794	655	We are no longer getting bleed air from the right engine. Request immediate descent to leave the icing area.	19	5
795	658	We are unable to restart engine number one with bleed air. Request high speed for a windmill air start.	19	5
796	660	We have no bleed air coming from either engines or APU. Request rapid descent to 10,000 feet.	19	5
797	663	Disregard my last CPDLC request for climb. We have a system problem and will maintain present level for now.	19	5
798	668	We have a generator failure and cannot start our APU at this altitude. Request descent to perform APU startup.	19	5
799	675	We have smoke coming from our avionics bay. Advise the fire fighters that it might be an electrical fire.	19	5
800	687	Our EGT continues to be above the maximum limit. Request descent. We might shut down engine Number Two shortly.	19	5
801	689	The engine vibration is now causing the airplane to shake violently. We are shutting down our engine Number Three.	19	5
802	692	Ground vehicle has collided with our engine nacelle. Maintenance work is needed before flight. Request cancel our airway clearance.	19	5

803	727	There was temperature inversion when we descended through 3000 feet. Our airspeed dropped suddenly by 25 knots.	19	5
804	745	Heavy blowing snow is expected to last for another 30 minutes. Request to terminate approach and holding instructions.	19	5
805	747	Ice patches are covering the runway mostly along the runway edge. Uncontaminated runway width is about 30 meters.	19	5
806	749	We have a visual on a tornado at our 10 o’ clock, about 2 miles. Request immediate right turn.	19	5
807	755	We are landing into the sun in heavy haze. Can you turn on the approach lights to maximum intensity?	19	5
808	765	Another aircraft has collided with us. I’ ll command an evacuation as soon as we both turn off our engines.	19	5
809	769	The flaps were extended inadvertently and hit the fuel truck. We are disembarking all onboard personnel. Request fire services.	19	5
810	810	The purser told me the injured passenger has blood type O. Maybe this information is useful to the paramedics.	19	5
811	428	Radar control is resumed, track direct to BKM VOR and increase speed to Mach number decimal 84.	20	5
812	505	Electrical system has a serious malfunction. Request radar vectors to an airport that’ s within 20 minutes of flight time.	20	5
813	517	We had to go around due pilot seat moving. We’ ll try to reset the circuit breaker before making another approach.	20	5
814	520	We have an APU fire warning. Can you verify if there is smoke coming from the back of the plane?	20	5
815	534	We have finished the checklist but still cannot retract some of the speed brakes. Request the longest runway for landing.	20	5
816	548	We have already shut down engine Number One, but it is still leaking fuel near the pylon. Request emergency services.	20	5
817	550	We need to continue to run the engines at our present location for a few minutes, will advise you shortly.	20	5
818	555	We have fumes in the cabin, possibly due to a fuel leak. We are anticipating an immediate evacuation after landing.	20	5
819	670	A passenger tried to unlock the cabin door in flight, the cabin crew restrained him. Request airport police on arrival.	20	5
820	724	There is heavy drifting fog. We think it is no longer safe to taxi. Request to hold at present position.	20	5

821	728	We performed the missed approach below the minimum because of advection fog. We could no longer see the runway lights.	20	5
822	737	We have had a lightning strike. So far no system seems to be affected. We will continue to our destination.	20	5
823	813	Many passengers and crew were injured due severe turbulence. We will advise the number and severity of injuries when able.	20	5
824	845	Request passenger stairs connect immediately after we stop on the runway. We want to disembark passengers as quickly as possible.	20	5
825	876	They have revived the unconscious passenger by CPR procedure. It looks like he’ ll be fine. Request to cancel the diversion.	20	5
826	68	Approach clearance canceled, turn left direct to DA, climb to 4000 feet, hold as published, expect further clearance at time 50.	20	5
827	510	We have switched off most of our electrical systems for smoke procedure. Request vectors for a long final, Runway 15.	21	5
828	609	Engine indicates high EGT at idle power setting. We need to have partial thrust in the descent. Request an early descent.	21	5
829	619	We have lost our braking. We used thrust reversers to stop the aircraft. Request ground services to chock the nose wheel.	21	5
830	682	We still cannot retract the thrust reverser. Our approach speed will be higher than normal. Request vectors for the longest Runway.	21	5
831	697	We have abnormal noise coming from the mid section of our fuselage, somewhere near the ceiling. Request descent and reduce speed.	21	5
832	730	We can’ t find any gaps for at least 100 miles in the squall line covering our arrival route. Request diversion.	21	5
833	736	We have just encountered a lightning strike. Some of our instruments have erroneous indications. Request diversion to the nearest suitable airport.	21	5
834	781	We made a very hard landing. We’ ll need maintenance inspection before our next flight. Suggest you check the runway touchdown zone.	21	5
835	792	I can read you, but I’ m not sure you can hear me. I will squawk ident to comply with your instructions.	21	5

836	796	The aircraft in distress says he will attempt to force land in an area about ten miles Northeast of his position.	21	5
837	819	We can see two masked men with sharp weapons on our cockpit door surveillance camera. They are kicking the cockpit door.	21	5
838	822	A terrorist is trying to access the cockpit. He is about 30 years old. He is wearing a hat and backpack.	21	5
839	855	We nearly collided with that aircraft. We had very little vertical separation. Do you know the flight number of that aircraft?	21	5
840	891	Unable, an immediate right turn might not give us enough terrain clearance. Our turn radius is 4 miles at this speed.	21	5
841	481	We have multiple failures on the inertial reference system. We are no longer able to fly oceanic route. Request return for landing.	22	5
842	523	We had a cargo smoke warning. Advise the ground handlers NOT to open our cargo door until the passengers have all disembarked.	22	5
843	577	We had electrical arcing on the windshield and pulled the circuit breakers according to the checklist. Will advise when ready for approach.	22	5
844	617	It seems some of the spoilers cannot be retracted. We have to re-calculate our landing distance before we start our approach, standby.	22	5
845	649	The NOTAM says the ILS is unserviceable, but we are still picking up the Morse Code, confirm it is still in operation.	22	5
846	654	The aircraft is depressurized. We are descending. Confirm 10,000 feet is enough to clear terrain until we reach our alternate.	22	5
847	696	There is a huge gaping hole in the aisle, somehow the cabin floor has been punctured. We are re-seating passengers. Request holding.	22	5
848	715	The airplane began to buffet when climbing through FL380. We had to stop climb immediately to increase airspeed.	22	5
849	767	The tug has swung around and collided with our forward fuselage. We are shutting down engines. Request stairs vehicle and shuttle bus.	22	5
850	773	The outer main landing gear might have rolled over runway lights when we made the one eighty turn. Request personnel to inspect.	22	5
851	806	We have a passenger with severe hyperventilation. He has received first aid but his condition is not	22	5

		improving. Request ambulance on arrival.		
852	809	There was a fight onboard among a few passengers. One of them is now bleeding seriously. Request police and ambulances on arrival.	22	5
853	823	The purser reports there are over ten hijackers onboard. They are threatening to kill passengers if we don’ t fly to another destination. 乘务长	22	5
854	865	We are declaring minimum fuel. We will have less than 30 minutes endurance by the time we get to our destination. 续航	22	5
855	869	I’ m trying to identify the type and nationality of the military aircraft. So far, no response on 121.5.	22	5
856	457	We are now ventilating with ram air. /ræm ɛr/ It is best that our rate of descent does not exceed 600 feet per minute. 冲压空气	23	5
857	518	We have already discharged the engine extinguishers. The fire warning light is still on. Do you have a visual on our left engine? 解放	23	5
858	725	Frontal weather is quickly moving in from the west. If the holding is more than 10 minutes, we will have to divert.	23	5
859	748	A dissipating thunderstorm is ahead of us. 消散中的 We are near the zero-degree isotherm. Request deviate an additional 10 miles to the right. 等温线	23	5
860	446	We just had a smoke emergency. We need to depressurize the airplane to let in fresh air. Request rapid descent to 8000 feet. 引入	24	5
861	525	We have smoke coming out of our avionics bay. It is out of control. Request proceed direct to final and cancel all speed restrictions. 取消速度限制	24	5
862	549	The ground crew reports that we are leaking a bit of fuel from the bottom of the right engine nacelle. We are delaying taxi. 吊架	24	5
863	553	We have leaked a large amount of fuel onto the apron. Request fire trucks on standby and the stairs vehicle to disembark the passengers. Extended-range Twin-engine Operational Performance Standards	24	5
864	650	We have an engine failure. Following ETOPS procedure, request descent to FL200, maintain high speed and proceed direct to alternate airport. 指双发飞机在单发失效情况下，能够在规定时间内飞抵最近的备降机场的能力	24	5
865	659	Both engine bleed air systems have failed and we are relying on APU bleed for air conditioning. Request descent to 14, 000 feet. /rɪ'laɪ/	24	5
866	665	We just had an APU fire warning, and discharged the fire extinguisher, Request visual check if there is smoke coming	24	5

		from our tail section.		
867	699	We are unsure about the cause of the explosion. There are injuries in the cabin. We’ ll give you an update as soon as possible.	24	5
868	714	We had to descend immediately due to wind-shear at our cruise level. We didn’ t have time to request descent as the frequency was busy.	24	5
869	733	Request to continue our flight. Our ETA is in two hours and maybe the airport will have the runways cleared of snow by then.	24	5
870	768	A catering truck collided with our aft fuselage. There are fumes in the cabin and we are quickly disembarking all passengers. Request fire services.	24	5
871	812	A passenger is unconscious after suffering from seizure. The cabin crew is giving her first aid. We will advise if we require a diversion.	24	5
872	821	One of the terrorists is about forty-year old. He is about 180 cm tall, wearing a brown shirt and dark pants.	24	5
873	843	We had a smoke warning in the cargo hold. We have discharged the fire extinguisher. We are concerned about lithium batteries in that compartment.	24	5
874	81	Cleared via ZF-01 Departure, initial altitude 5000 feet. Departure frequency 125.9. Cruising level 6563	25	5
875	693	The Number Two engine has been shut down. We are no longer able to maintain level flight. Request descent to FL200.	25	5
876	723	We have stopped on Runway 23 and will remain on the runway due heavy fog. I say again, we are still on the runway.	25	5
877	839	We are unsure of our position due FMS failure. Last known position five miles north of FUPAD, now heading 165 for weather avoidance.	25	5
878	861	We have about thirty injured persons on board, four are very serious. Can you deliver this message to the medical staff that are standing by?	25	5
879	866	We are declaring fuel emergency. Our endurance is 1 hour 58 minutes. We are 1 hour 30 minutes from the closest alternate airport.	25	5
880	546	We have a severe fuel leak situation, unable to reach the closest airport. You can expect us to make a forced landing near our present location.	26	5

881	551	The ground crew reports that we are leaking a significant amount of fuel from the bottom of Number Three engine. We have just shut it down.	26	5
882	571	Our ram air turbine is not providing any hydraulic pressure. We are still operating on one hydraulic system only. Request diversion to the nearest suitable airport.	26	5
883	744	A sandstorm is forecast to reach the airport within 20 minutes. We won’ t get airborne by then. Request cancel startup and tow back to the gate.	26	5
884	760	The follow-me vehicle is leading us to taxiway L3. Our wings will not clear the other airplanes on this narrow taxiway. We are stopping.	26	5
885	761	We are stopping. The ground marshaller is still guiding us in, but I think my engine will hit the boarding bridge if we taxi any further.	26	5
886	817	We received an emergency call from the cabin, but now nobody is responding. We can hear shouting and disturbance. Our cabin crew might be under duress.	26	5
887	317	Hold at 20 DME of ST VOR, FL100, inbound track 260 degrees, left turns, limiting outbound distance 24 DME.	27	5
888	648	Our oxygen pressure is dropping rapidly. Request to fly heading 050 and descent to FL180 to escape from the mountainous area.	27	5
889	371	Hold at BKM VOR FL250, right hand pattern, expect further clearance at 23, landing delay at destination airport 30 minutes.	28	5
890	734	We had to make a quick heading change due ice pellets. You didn’ t answer our request so we squawked 7700 and made the heading change.	28	5
891	75	Cleared to the 180 radial of PER VOR at 15 DME. Hold south, left hand pattern, outbound time 2 minutes, expect approach clearance at 37	29	5
892	74	Hold south of AMS VOR at 9000 feet, inbound track 270 degrees, left hand pattern, outbound time 1 minute. Expect further clearance at 46	30	5
893	795	Message relay: The aircraft in distress will ditch in the ocean. His present coordinate is One Eight Degrees, One Five Minutes, North, One Six Zero Degrees, Five Two Minutes East.	30	5
894	85	Cleared to destination via flight planned route, initial climb to 2700 feet, request level change en-route, departure frequency 120.3, squawk 0722.	31	5
895	754	We have entered volcanic ash. Our radios and engines are not working properly, now heading 235, and descending to FL 220, squawking 7700.	31	5

896	78	Cleared to destination, flight planned route, cruising level 330, departure Runway 04, initial altitude 7000 feet. HZ01 Departure, squawk 2563, departure frequency 124.35.	38	5
897	316	Hold on the 265 radial of BKM VOR between 25 and 30 miles DME, FL100, inbound track 085, right hand pattern, expected approach time 1022.	39	5
898	434	Position 42N (North) 165E (East) at 0800, FL390, estimating 44N 180E at 0900 45N 170W next.	39	5
899	82	Cleared to destination via flight plan route. Departure Runway 36L. HZ-01D Departure. Initial altitude 5000 feet. Cruising level 330. Departure frequency 119.45, squawk 5667.	41	5
900	80	Cleared to destination via flight planned route, Runway 36R, LKO-01 Departure, initially climb to 4500 feet, cruising level 310, when airborne contact 119.7, squawk 2515.	43	5