

Report from Jan 12, 2026, 8:38:24 PM

<https://synapse26.live/>

Analyze



Discover what your real users are experiencing

ⓘ No Data



Diagnose performance issues



Performance



Accessibility



Best Practices




SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



PageSpeed Insights

[Copy Link](#)

[Docs](#)

 Mobile

 Desktop

▲ First Contentful Paint

3.9 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric.](#)

▲ Largest Contentful Paint

7.9 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](#)

● Total Blocking Time

0 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the](#)

● Cumulative Layout Shift

0.004

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift](#)

milliseconds. [Learn more about the Total Blocking Time metric.](#)

[about the Cumulative Layout Shift metric.](#)

▲ Speed Index

6.0 s


Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric.](#)

📅 Captured at Jan 12, 2026 at 8:38 PM
GMT+5:30

👤 Single page session
📶 Slow 4G throttling

🖥️ Emulated Moto G Power with Lighthouse
13.0.1

🕒 Initial page load
🔄 Using HeadlessChromium 137.0.7151.119 with
lr



Show audits relevant to: **All** FCP LCP CLS

INSIGHTS

▲ Improve image delivery — Est savings of 1,030 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) **LCP** **FCP** **Unscored**

URL	Resource Size	Est Savings
synapse26.live 1st Party	1,044.0 KiB	1,030.5 KiB

Synapse

```

```

...img/synapse_nobg.png (synapse26.live)

230.1 KiB

229.5 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

177.0 KiB

This image file is larger than it needs to be (750x435) for its displayed dimensions (105x35). Use responsive images to reduce the image download size.

227.5 KiB

Mavericks

```

```

...img/mavericksr.png (synapse26.live)

181.1 KiB

180.5 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

114.4 KiB

This image file is larger than it needs to be (640x640) for its displayed dimensions (105x35). Use responsive images to reduce the image download size.

179.5 KiB

Miramar - Desert

```

```

...img/miramar.jpg (synapse26.live)

159.1 KiB

156.3 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

84.9 KiB

	This image file is larger than it needs to be (720x633) for its displayed dimensions (132x132). Use responsive images to reduce the image download size.	153.0 KiB
Erangel - Green Landscape		
<code></code>	<code>...img/erangle.jpg (synapse26.live)</code>	145.1 KiB 142.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	79.1 KiB
	This image file is larger than it needs to be (679x597) for its displayed dimensions (132x132). Use responsive images to reduce the image download size.	138.8 KiB
Sanhok - Jungle		
<code></code>	<code>...img/sanhok.jpg (synapse26.live)</code>	110.9 KiB 108.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	43.4 KiB
	This image file is larger than it needs to be (687x604) for its displayed dimensions (132x132). Use responsive images to reduce the image download size.	106.3 KiB
Rondo - Urban Arena		
<code></code>	<code>...img/rondo.jpg (synapse26.live)</code>	104.7 KiB 101.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	60.8 KiB
	This image file is larger than it needs to be	

	(554x487) for its displayed dimensions (132x132). Use responsive images to reduce the image download size.		97.9 KiB
MAMC			
<pre> </pre>	...img/mamclogo_nobg.png (synapse26.live)	91.1 KiB	90.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		82.9 KiB
	This image file is larger than it needs to be (217x233) for its displayed dimensions (120x40). Use responsive images to reduce the image download size.		82.5 KiB
			
KRAFTON			
<pre> </pre>	...img/krafton.webp (synapse26.live)	12.5 KiB	12.4 KiB
	This image file is larger than it needs to be (1200x491) for its displayed dimensions		12.4 KiB

(117x48). Use responsive images to reduce the image download size.

```
KRAFTON

|
```

...img/KRAFTONL.jpg (synapse26.live) 9.3 KiB 9.2 KiB

This image file is larger than it needs to be (757x411) for its displayed dimensions (74x40). Use responsive images to reduce the image download size. 9.2 KiB

▲ Use efficient cache lifetimes — Est savings of 735 KiB ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP Unscored

✓ Show 3rd-party resources (1)

Request	Cache TTL	Transfer Size
synapse26.live 1st Party		1,076 KiB
...img/synapse_nobg.png (synapse26.live)	4h	231 KiB
...img/mavericksr.png (synapse26.live)	4h	182 KiB
...img/miramar.jpg (synapse26.live)	4h	160 KiB
...img/erangle.jpg (synapse26.live)	4h	146 KiB
...img/sanhok.jpg (synapse26.live)	4h	112 KiB
...img/rondo.jpg (synapse26.live)	4h	106 KiB
...img/mamclogo_nobg.png (synapse26.live)	4h	92 KiB
...img/krafton.webp (synapse26.live)	4h	14 KiB
...css/style.css (synapse26.live)	4h	13 KiB
...img/KRAFTONL.jpg (synapse26.live)	4h	10 KiB

...js/main.js (synapse26.live)	4h	5 KiB
...css/responsive.css (synapse26.live)	4h	4 KiB
...img/bgmi-character.svg (synapse26.live)	4h	2 KiB
Cloudflare Utility		7 KiB
/beacon.min.js/vcd15cbe... (static.cloudflareinsights.com)	1d	7 KiB

▲ Forced reflow ^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored


Source	Total reflow time
...js/main.js:146:29 (synapse26.live)	54 ms
[unattributed]	15 ms

▲ Network dependency tree ^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **504 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the

page preconnected to.
no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.
No additional origins are good candidates for preconnecting

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP

Unscored

URL	Transfer Size	Duration
synapse26.live 1st Party	16.8 KiB	880 ms
...css/style.css (synapse26.live)	12.9 KiB	360 ms
...css/responsive.css (synapse26.live)	4.0 KiB	520 ms

Font display — Est savings of 20 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible.
swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

FCP Unscored

URL	Est Savings
Cloudflare CDN Cdn	
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	20 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	20 ms

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms
Element render delay	2,300 ms



KRAFTON X SYNAPSE BGMI BATTLE 2026

`<h1 class="hero-title">`

Layout shift culprits

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused CSS — Est savings of 18 KiB


Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). LCP FCP Unscored

URL	Transfer Size	Est Savings
Cloudflare CDN Cdn	18.3 KiB	18.2 KiB
...css/all.min.css (cdnjs.cloudflare.com)	18.3 KiB	18.2 KiB

■ Image elements do not have explicit [width](#) and [height](#)




Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL		
synapse26.live 1st Party		
	Mavericks Logo 	...img/mavericksr.png (synapse26.live)
Mavericks Logo alt="Mavericks Logo">		...img/mavericksr.png (synapse26.live)
	Synapse Logo 	...img/synapse_nobg.png (synapse26.live)
Synapse Logo alt="Synapse Logo">		...img/synapse_nobg.png (synapse26.live)
KRAFTON alt="KRAFTON" loading="lazy" class="sponsor-logo-krafton" onerror="this.onerror=null; this.src='data:image/svg+xml;utf8,<svg xmlns="http://www...'">		...img/KRAFTONL.jpg (synapse26.live)

```
body > section#about > div > img

```



MAMC Logo

```

```

```
...img/bgmi-
character.svg (synapse26.live)
```

```
...
img/mamclogo_nobg.png (synapse26.live
)
```

■ Minify CSS — Est savings of 3 KiB



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) LCP

FCP Unscored

URL	Transfer Size	Est Savings
synapse26.live 1st Party	12.9 KiB	2.7 KiB
...css/style.css (synapse26.live)	12.9 KiB	2.7 KiB

○ Avoid non-composited animations — 4 animated elements found



More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Image elements do not have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements

```
body > section#about > div > img  

```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ARIA

▲ `[aria-hidden="true"]` elements contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

Failing Elements

x HOME TEAMS STANDINGS SCHEDULE WATCH

```
<nav class="main-nav" id="mainNav" role="navigation" aria-label="Primary Site Navigation" aria-hidden="true">
```

x

```
<button type="button" class="nav-close" id="navClose" aria-label="Close menu" aria-controls="mainNav">
```

HOME

```
<a role="menuitem" href="index.html" class="nav-link active">
```

TEAMS

```
<a role="menuitem" href="teams.html" class="nav-link">
```

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

#Synapse2026 #MavericksMAMC

```
<p style="margin-top: 15px; font-size: 0.8rem; color: var(--text-muted);">
```

PARTNER INSTITUTIONS Organized by Mavericks Gaming Society of Maulana Azad Med...

```
<footer class="site-footer">
```

© 2026 Synapse MAMC. Building medical gaming legacy.

<p>

PARTNER INSTITUTIONS Organized by Mavericks Gaming Society of Maulana Azad Med...

<footer class="site-footer">

These are opportunities to improve the legibility of your content.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

PARTNER INSTITUTIONS

<h4>

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

▲ Document does not have a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Failing Elements



html

<html lang="en" class="">

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19)

Show

NOT APPLICABLE (36)

Show



Best Practices

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio



TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate clickjacking with XFO or CSP ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

PASSED AUDITS (12) Show

NOT APPLICABLE (2) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements

```
body > section#about > div > img  

```

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing

Document has a `<title>` element

Document has a meta description

Page has successful HTTP status code

Links have descriptive text

Links are crawlable

● robots.txt is valid



● Document has a valid [hreflang](#)



NOT APPLICABLE (1)

Hide

○ Document has a valid [rel=canonical](#)



More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

 for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).