



Jing-Zhang Standing for People - Centennial Jing-Zhang AI Innovation Belt






Zhongzhiyuan




Origin Cmty




Three key areas

Dazhongsi






Land Use Structure



Land use



Transport, Slow Mobility & Blue-Green System



Transport and blue-green






Fig 6 Physical placement of the 12 AI scenario cards







Fig 7 Site anchors and scenario placement in the key areas




Normative Street-Section Study - street width derived from the adopted D/H standard (not measured) (v1.12)



All four panels share the same building height (H=24 m) and the same scale; only the street width D changes.  
H comes from the placeholder value in package geometry (all 104 footprints at 24 m / 6 storeys; no variation) and the road layer carries no width field; so this is not an as-built survey but a normative judgement, from Ashihara Yoshinori: The Aesthetics of the Street (D/H=1.1-1.2) and Jan Gehl, Life Between Buildings (20-25 m social distance ceiling). Redraw once official controls and surveyed sections exist.

Fig 8 Normative sections: widths derived from D/H=1:1-1:2 and the 20-25 m social distance; building height uses the placeholder 24 m in package geometry, not a surveyed cross-section





Core metrics

|              |           |
|--------------|-----------|
| Site area    | 1141.3 ha |
| Green ratio  | 21.8%     |
| Public ratio | 3.9%      |
| Building     | 97.8 ha   |
| Key areas    | 3         |

metrics from geometry - v1.12  
provisional - pending official data

provisional boundary - for display and discussion only

Core metrics (provisional)