

Supplementary Materials to: Modeling and Monitoring of Indoor Populations using Sparse Positioning Data

1 SUPPLEMENTARY EXPERIMENTS

The supplementary experiments consist of the experiments of the whole querying processing for BLD-2 (i.e., Figures 1-14), and the experiments of η 's effect for BLD-1 (i.e., Figures 15-17).

1.1 Evaluations of CMPP Processing

Query Instance. We generate query instances in the same way with that in the paper.

Performance Metrics. We use the same performance metrics with that in the paper.

Query Parameters. Besides the query parameters (i.e., r , θ , and Validity) in the paper, we supply the experimental results of η 's effect.

Table 1: Query parameter settings.

Parameter	Value
r (meter)	20, 40, 60 , 80
θ	2 , 4, 6, 8
Validity (second)	60, 120 , 180, 240
η	0.5 , 0.6, 0.7, 0.8

1.1.1 Effect of Query Range r . The query response time, F1-score, and memory usage for BLD-2 are reported in Figure 1, Figure 5, and Figure 9, respectively. They follow similar tendencies as that in BLD-1 (cf. Section 6.3.1 in the paper) and detailed interpretation could be found there.

1.1.2 Effect of Population Threshold θ . The query response time, F1-score, and memory usage for BLD-2 are shown in Figure 2, Figure 6, and Figure 10 respectively. The tendencies are similar to that in BLD-1 and the explanations could be found in Section 6.3.2 in the paper.

1.1.3 Effect of Confidence Threshold η . The query response time, F1-score, and memory usage for BLD-2 are shown in Figure 3, Figure 7, and Figure 11 respectively. Besides, the similar results for BLD-1 are complemented and reported in Figure 15, Figure 16, and Figure 17 respectively. Similar to θ , η as a parameter to define a populated partition, has no effect on the query efficiency and effectiveness.

1.1.4 Effect of Validity. The query response time, F1-score, and memory usage for BLD-2 are shown in Figure 4, Figure 8, and Figure 12 respectively. The tendencies are similar to that of BLD-1 and detailed explanations are available in Section 6.3.3 in the paper.

1.1.5 Effect of Caching Mechanism. The query response time and F1-score are reported in Figure 13 and Figure 14 respectively. Please refer to Section 6.3.4 in the paper for interpretations.

1.1.6 Summary. Overall, the results in BLD-2 are similar to that in BLD-1 and this further demonstrates the effectiveness and efficiency of CMPP query processing framework. Besides, similar to θ , varying η has almost no effect on the results of query processing. More detailed information are available in Section 6.3 in the paper.




Figure 1: Time vs r (BLD-2).




Figure 2: Time vs θ (BLD-2).




Figure 3: Time vs η (BLD-2).




Figure 4: Time vs Validity (BLD-2).




Figure 5: F1-score vs r (BLD-2).




Figure 6: F1-score vs θ (BLD-2).




Figure 7: F1-score vs η (BLD-2).




Figure 8: F1-score vs Validity (BLD-2).




Figure 9: Memory vs r (BLD-2).




Figure 10: Memory vs θ (BLD-2).




Figure 11: Memory vs η (BLD-2).




Figure 12: Memory vs Validity (BLD-2).




Figure 13: Time vs model (BLD-2).




Figure 14: F1-score vs model (BLD-2).




Figure 15: Time vs η (BLD-1).




Figure 16: F1-Score vs η (BLD-1).




Figure 17: Memory vs η (BLD-1).