



POWER BI SETTINGS

Global > Preview Features



Select **all available preview features** by default (these change with each monthly release)


Current File > Data Load



Make sure the following options are **NOT** selected:

- **Update or delete relationships when refreshing data**
- **Autodetect new relationships after data is loaded**
- **Time Intelligence > Auto date/time**

Current File > Regional Settings



Select **"English (United States)"** from the dropdown menu (this will align with the data in course project files)



HEY THIS IS IMPORTANT!


Options under **CURRENT FILE** need to be adjusted **every time you open a new Power BI workbook** (these settings do not persist across new .pbix files)

CHECKLIST

niedziela, 9 marca 2025 16:00


- zmienić ustawienia
- updating header name
- confirming/changing data types

Żeby przejść do Power Query editora





EKSTRAKcja TEKSTU Z PRZED KRESKI

HL-U509-R
HL-U509
SO-B909-M
SO-B909-L




-gotowa kolumna pojawia się na końcu




Żeby skoczyć pierwszą kreskę to wybrać powyższe

ZAMIANA 0 NA "NA"




KLIKNĄĆ NA TABELĘ



KIEDY NIE CHCEMY ŁADOWAĆ DO BAZY JAKIEŚ TABEL

-odklikujemy enable load




POKAZANIE BŁĘDÓW W CAŁYM DATASECIE, BO DEFAULTOWO POKAZUJE TYLKO 1000




ROZWIĄZYWANIE BŁĘDÓW:


-można defaultowo kliknąć podpowiedź:



-można kliknąć keep errors i pokażą się konkretne błędy:




123 CustomerKey	Prefix	FirstName	LastName	BirthDate	MaritalStatus	Gender	EmailAddress
Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty
100% 100% -	100% 100% -	60% 0% 40%	0% 0% 100%	0% 0% 100%	60% 0% 40%	0% 0% 100%	0% 0% 100%
2 distinct, 0 unique	1 distinct, 0 unique	1 distinct, 0 unique	2 distinct, 0 unique	1 distinct, 0 unique	1 distinct, 0 unique	1 distinct, 0 unique	1 distinct, 0 unique
1 Error	m			01.01.1900			
2 Error	m			01.01.1900			
3 Error	m			01.01.1900			
4 Error				null			
5 Error				null			




-bądź ręcznie kliknąć remove errors/ remove empty

123 CustomerKey	Prefix	FirstName	LastName
Valid Error Empty	Valid Error Empty	Valid Error Empty	Valid Error Empty
100% 0% 0%	99% 0% 1%	100% 0% 0%	100% 0% 0%
18148 distinct, 18148 unique	18148 distinct, 18148 unique	18148 distinct, 18148 unique	18148 distinct, 18148 unique
1			YANG
2			HUANG
3			TORRES
4			ZHU
5			JOHNSON
6			RUIZ
7			MEHTA
8			VERHOFF
9	11009 MR.	SHANNON	CARLSON
10	11010 MS.	JACQUELYN	SUAREZ
11	11011 MR.	CURTIS	LU
12	11012 MRS.	LAUREN	WALKER
13	11013 MR.	IAN	JENKINS


UWAGA ŻEBY NIE POMYLIĆ ADD COLUMN Z TRANSFORM- pierwsza dodaje nową kolumnę a druga zmieniającą, łatwiej do pomylenia








ZMIANA TEKSTU W KOLUMNIE



CLEAN UP DOMAIN NAME FROM EMAIL






Power BI Desktop Cheat Sheet

Download this in high resolution:

check the link in the description

YOUR CHEAT SHEET

Home Tab



Optimize Tab



Insert Tab







Table Tool




Modeling Tab




Format Tab




Filter/Task pane in Report view




View Tab




Column Tool




Measure Tool



Footer



DAX Query Tab



https://www.novypro.com/profile_about/rajmaradiya

Raj Maradiya

Download this in high resolution: check the link in the description

follow me for more content on Power BI