

MIDNIGHT SPLENDOR SWIMMING POOL TILE

—LET YOUR SPACE BREATHE THE RHYTHM OF THE SEA







STARWAVE SERIES

Starwave captures the poetic blend of starlight and ocean waves. The varying shades of blue reflect the shimmering light on the sea under the night sky — serene, mysterious, and full of vitality.

This series expresses the harmony between nature's calm and movement, bringing a sense of infinite depth and elegance to any space, like gazing into a starry sea.



300x300x5mm





STARWAVE SERIES



INDOOR AND
OUTDOOR



WALL&FLOOR



POOL



KITCHEN



BATHROOM




PORCELAIN


Chip Size:25x25x5mm Sheet Size:300x300x5mm

Material:Crystalline Glazed Porcelain


package:22Pcs/Box 9.5Kg/Sqm 2Sqm/Box



SP-MCS630503



SP-MCS630501




SP-MCS630502





STELLAR SERIES

Crystal Glaze Ceramic Mosaic is a refined decorative material that blends artistic texture with craftsmanship. During high-temperature firing, the crystal patterns naturally develop, making each piece unique. The controlled kiln process creates soft gradients and delicate luster on the surface, bringing a serene, elegant, and layered visual experience to any space.



306x306x6mm





STARWAVE SERIES



INDOOR AND
OUTDOOR



WALL&FLOOR



POOL



KITCHEN



BATHROOM



PORCELAIN


Chip Size:48x48x6mm Sheet Size:306x306x6mm

Material:Crystalline Glazed Porcelain


package:22Pcs/Box 12Kg/Sqm 2.06Sqm/Box



SP-MCS650721



SP-MCS650722



SP-MCS650723



STARWAVE SERIES



INDOOR AND
OUTDOOR



WALL&FLOOR



POOL



KITCHEN



BATHROOM




PORCELAIN

Chip Size:48x48x6mm Sheet Size:306x306x6mm

Material:Crystalline Glazed Porcelain

package:22Pcs/Box 12Kg/Sqm 2.06Sqm/Box




SP-MCS650724




SP-MCS650725



SP-MCS650726



SP-MCS650727



SP-MCS650728



SP-MCS650729

Chip Size:48x48x6mm

Sheet Size:306x306x6mm


Material:Crystalline Glazed Porcelain

package:20Pcs/Box

12Kg/Sqm 1.87Sqm/Box



SP-MCS650916



SP-MCS650911



STARWAVE SERIES



INDOOR AND
OUTDOOR



WALL&FLOOR



POOL



KITCHEN



BATHROOM




PORCELAIN

Chip Size:48x48x6mm

Sheet Size:306x306x6mm

Material:Crystalline Glazed Porcelain

package:20Pcs/Box 13Kg/Sqm 1.87Sqm/Box



SP-MCS650950


Chip Size:48x48x6mm

Sheet Size:306x306x6mm

Material:Crystalline Glazed Porcelain

package:22Pcs/Box


12Kg/Sqm 2.06Sqm/Box




SP-MCS650720




SP-MCS650730



SP-MCS650711



SP-MCS650731



SP-MCS650741



Test Report

No.	Test Items	Unit	Technical Requirements		Test Results	Verict
1	Chip Size (Premium Grade)	mm	Length	±0.05	0.02~0	Pass
		%	Thickness		+1	
2	Line	mm	-----		2.0~2.10	-----
3	Sheet Size	mm	-----		300~300.2	-----
4	Surface quality (Premium Grade)	-----	It should meet the requirement of the standards in Table 3 of clause 5.2		Conformed	Pass
5	Water absorption	%	Maximum 1.0		0.05	Pass
6	Resistance to thermal shock	-----	No burst or crack appears after the test		Conformed	Pass
7	Frost resistance	-----	No crack or peeling after the frost test		Conformed	Pass
8	Crazing resistance	-----	No crazing or peeling on the glazed surface after the crazing test.		Conformed	Pass
9	Resistance to household chemicals & swimming pool salts	-----	Minimum GB		Class GA	Pass
10	Color difference	-----	All the mosaic should be the same color basically		Conformed	Pass
11	Bond between mosaic and mounted tile underlay	-----	No falling off		Conformed	Pass
12	Exposure of mounted tile underlay	-----	The mounted tile underlay should not be exposed		Conformed	Pass
13	Resistance to staining	-----	Mininum class 3		Class 5	Pass



Test Report

No.	Test Items	Unit	Technical Requirements		Test Results	Verict
1	Chip Size (Premium Grade)	mm	Length	±0.05	0.02~0	Pass
		%	Thickness	±6	+1.7~+3.3	
2	Line	mm	-----		3.4~3.5	-----
3	Sheet Size	mm	-----		306~306.2	-----
4	Surface quality (Premium Grade)	-----	It should meet the requirement of the standards in Table 3 of clause 5.2		Conformed	Pass
5	Water absorption	%	Maximum 1.0		0.07	Pass
6	Resistance to thermal shock	-----	No burst or crack appears after the test		Conformed	Pass
7	Frost resistance	-----	No crack or peeling after the frost test		Conformed	Pass
8	Crazing resistance	-----	No crazing or peeling on the glazed surface after the crazing test.		Conformed	Pass
9	Resistance to household chemicals & swimming pool salts	-----	Minimum GB		Class GA	Pass
10	Color difference	-----	All the mosaic should be the same color basically		Conformed	Pass
11	Bond between mosaic and mounted tile underlay	-----	No falling off		Conformed	Pass
12	Exposure of mounted tile underlay	-----	The mounted tile underlay should not be exposed		Conformed	Pass
13	Resistance to staining	-----	Mininum class 3		Class 5	Pass

