

Test Report

Number: SZHH02248786

Applicant: ZHUZHOUYOUXIANHONGXIYUNJIWANGLUOYOUXIAN
GONGSI
NO.33, MINGLOU, LIANXING COMMUNITY,
LIANXING STREET, YOU COUNTY, ZHUZHOU
CITY, HUNAN PROVINCE, 412300, CN

Date: Sep 28, 2026

Attn: Zewen Deng

Sample Description:

Ten (10) pieces of submitted sample said to be :

Item Name	:	Toddler Tricycle
Item No.	:	UT301
Labelled Age Group	:	1-5 years old
Applicant Specified Age	:	From 1 to 5 years
Grading for Testing	:	
Packaging Provided by Applicant	:	Yes
Additional Material and Wet	:	No
Paint Provided	:	
Manufacturer	:	Xingtai pengsheng cycle Co., Ltd
Country of Origin	:	China
Date Sample Received	:	Jul 08, 2026
Testing Period	:	Jul 08, 2026~Sep 24, 2026



Page 1 of 22

Test Report

Number: SZHH02248786



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.



Page 2 of 22

Test Report

Number: SZHH02248786

Conclusion:

<u>Tested sample</u>	<u>Standard/Test Item</u>	<u>Result</u>
Submitted samples	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products, 15 U.S.C. §2063(a)(5) (CPSA), Consumer Product Safety Act Section 14(a) (5)	Pass
	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) flammability test on rigid and pliable solids	Pass
	U.S. CFR Title 16 (CPSC Regulations) Mechanical and physical test	Pass
	U.S. ASTM F963-23 Physical and mechanical tests.	Pass#
	U.S. ASTM F963-23 Flammability test of materials other than textile materials	Pass#
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 for mechanical and physical test	Pass
Tested components of submitted samples	Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 for celluloid or cellulose nitrate test	Pass
	U.S. ASTM F963-23 Section 4.3.8 on Phthalate content	Pass#
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass#
	U.S. ASTM F963-23 on soluble heavy elements test	Pass#
	U.S. ASTM F963-23 Section 4.3.5.1 on total Lead content in surface coating	Pass#
	U.S. ASTM F963-23 Section 4.3.5.2 on total Lead content in substrate	Pass#
	Consent Judgment No. BG-350969 for Toys on phthalate content based on the California Proposition 65	Pass#
	Consent Judgment No. RG-356892 for Toys on total Lead content based on the California Proposition 65	Pass#



Test Report

Number: SZHH02248786

Conclusion:

<u>Tested sample</u>	<u>Standard/Test Item</u>	<u>Result</u>
Tested components of submitted samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 27(a) on Heavy metal test	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2022-122 Section 23 on toxic elements test	Pass
Submitted samples	Canada Consumer Product Safety Act Phthalates Regulations SOR/2016-188 on phthalate content	Not Applicable
	Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 on Mercury content	Not Applicable
Tested components of submitted samples	Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 on Lead content	Pass
	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for Total Lead content in substrate	Pass

Remarks:

= The submitted samples were not subjected to the scope of the standard. The tests performed as per the application's request.

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
Vice President



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Page 4 of 22



Test Report

Number: SZHH02248786

Tests Conducted

1 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products.

Tracking label on the packaging:

Product Name:	Toddler Tricycle
Trademark:	UMATOLL
Model No:	UT301
Production Date:	2026.08.25
Production Batch No:	260825006
Material:	Carbon Steel+PP+EVA
Function Introduction:	Help children learn to ride in having fun
Business:	Kids bike
Email:	UMATOLLservice@outlook.com
Phone:	+86 18676702517
Manufacturer Name:	Zhuzhou Youxian Hongxi Yunji Network Co., Ltd.
Manufacturer Address:	No.33, Minglou, Lianxing Community, Lianxing Street, Youxian County, Zhuzhou City, Hunan Province 412300, CHINA

Name of manufacturer/Distributor/©/®	Zhuzhou Youxian Hongxi Yunji Network Co., Ltd.
Location of production	Zhuzhou City, Hunan Province, CHINA
Date code	2026.08.25

Tracking label on the product:

PN: Toddler Tricycle **MDL:** UT301
PD: 2026.08.25 **PO:** 260825006
Material: Carbon Steel+PP+EVA
Manufacturer Name: Zhuzhou Youxian Hongxi Yunji Network Co., Ltd.
Manufacturer Address: No.33, Minglou, Lianxing Community, Lianxing Street, Youxian County, Zhuzhou City, Hunan Province 412300, CHINA
Tel: +86 18676702517
Email: UMATOLLservice@outlook.com
Seller Name: ZhuZhouYouXianHongXi YunJiWangLuoYouXianGongSi
Seller Address: No.33, Minglou, Lianxing Community, Lianxing Street, You County, Zhuzhou City, Hunan Province, 412300, CN

UK REP
Company: EVATOST CONSULTING LTD
Address: Office 101 32 Threadneedle Street, London, United Kingdom, EC2R 8AY
Email: contact@evalust.com

EC REP
Company: PI NETWORK SARL
Address: 38 rue Dunois 75647 Paris CEDEX 13
Tel: +0033 773145318
Email: friedrichrichter@outlook.com

MADE IN CHINA

Name of manufacturer/Distributor/©/®	Zhuzhou Youxian Hongxi Yunji Network Co., Ltd.
Location of production	Zhuzhou City, Hunan Province, CHINA
Date code	2026.08.25

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.



Test Report

Number: SZHH02248786

Tests Conducted

2 Flammability Test

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Ignited but self-extinguished before burn rate could be determined.

3 Physical and Mechanical Test

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

	No. of Sample Tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	P
Impact (1500.53(b))	1	P	P	P
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	P	P
Tension (1500.53(f))	1	P	P	P
Compression (1500.53(g))	1	P	P	P

Abbreviation: P = Pass F = Fail NA= Not Applicable NR=Not Requested

4 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Test	FHSA	Parameter
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material quality	P
4.3.7	Stuffing Materials	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	P
4.7	Accessible Edges	P
4.8	Projections (except bath toy projections)	P
4.8.1	Bath Toy Projections	NA



Test Report

Number: SZHH02248786

Tests Conducted

Section	Requirement	Result
4.9	Accessible Points	P
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Overload Requirements	P
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	P
4.18	Holes, Clearance, and Accessibility of Mechanisms	P
4.19	Simulated Protective Devices	NA
4.20.1	Pacifiers with Rubber Nipples	NA
4.20.2	Toy Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to Be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo-Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement (as applicable)	P
6	Instructional Literature (as applicable)	P
7	Producer's Markings (as applicable)	
7.1	Name and Address of producer/distributor	Yes
7.2	Battery-Powered Ride-on Toy	NA
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass F = Fail NA= Not Applicable NR=Not Requested



Test Report

Number: SZHH02248786

Tests Conducted

5 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

6 Physical and Mechanical Test

Test standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17.

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations (SOR/2011-17):

Test	Parameter
Drop test	4 x 1.372 m
Pull test	44.5 N
Push test	44.5N

No.	Requirement	Result
3	General - English and French bilingual statement	P
	Packaging	
4	(a) The opening perimeter is less than 356mm	NA
	(b) The opening perimeter is 356mm or more	P
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	P
8	Metal edges	P
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	NA
	Thermal hazards	
20	Heated surfaces, parts or substances	P
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA



Test Report

Number: SZHH02248786

Tests Conducted

29	Stuffing materials	NA
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	NA
	(a) Stretchable cords	NA
	(b) Similar product	NA
	Magnetic Toys	
43	Magnetic force	NA
44	(1) Exceptions of 44 (1)(a)	NA
	Exceptions of 44 (1)(b)	NA
	(2) Warning – Container and instructions or use for 44 (1)(b)	NA
	Toys Intended to be Entered by a Child	
45	Exception	NA
46	Requirements and Testing	NA
47	Warning	NA

Abbreviation: P = Pass F= Fail NA = Not Applicable NR=Not Requested

7 Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 section 21.

	Assessment	Requirement
Cellulose Nitrate/Celluloid	Absent	Absent



Test Report

Number: SZHH02248786

Tests Conducted

8 Phthalate Content (U.S. ASTM F963-23 Section 4.3.8)

As per Section 4.3.8 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-C1001-09.4 was used and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L.	Limit
		1+2+3	4+5+6	7+8+9	10+11+12	13+14+15			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	ND	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	ND	%	0.01	0.1
Test Item	CAS No.	Result					Units	D.L.	Limit
		16+17+18	19+20+21	22+23	24+25	-			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	-	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	-	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	-	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	-	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	-	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	-	%	0.01	0.1



Test Report

Number: SZHH02248786

Tests Conducted

Remarks:

D.L. = Detection Limit

ND = Not Detected

Tested Components: See component list in the last section of this report.

9 Phthalate Content (U.S. CPSIA Section 108(a) & (b)(3) and U.S. 16 CFR Part 1307)

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L.	Limit
		1+2+3	4+5+6	7+8+9	10+11+12	13+14+15			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	ND	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	ND	%	0.01	0.1
Test Item	CAS No.	Result					Units	D.L.	Limit
		16+17+18	19+20+21	22+23	24+25	-			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	-	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	-	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	-	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	-	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	-	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	-	%	0.01	0.1



Test Report

Number: SZHH02248786

Tests Conducted

Remarks:

D.L. = Detection Limit

ND = Not detected

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.

Tested Components: See component list in the last section of this report.

10 Heavy Elements Analysis (U.S. ASTM F963-23)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Non-modelling clay

Test Item	Result					Units	D.L.	Limit
	1	2	3	4	5			
Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	6	7	8	9	10			
Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25



Test Report

Number: SZHH02248786

Tests Conducted

Test Item	Result					Units	D.L.	Limit
	11	12	13	14	15			
Barium (Ba)	ND	ND	ND	346	340	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	16	17	18	19	20			
Barium (Ba)	362	346	351	338	354	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	21	22	23	24	25			
Barium (Ba)	18	338	326	88	40	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25

Remarks:

D.L. = Detection Limit

ND = Not Detected

⑥: The element content shall be calculated as if 100 mg of test material had been used.

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

11 Total Lead (Pb) Content in Surface Coating (U.S. ASTM F963-23 Section 4.3.5.1)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Test Item	Result					Units	D.L.	Limit
	13+14+15	16+17+18	19+20+21	22+23	24+25			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90

Remarks:

D.L. = Detection Limit

ND = Not detected

Tested Components: See component list in the last section of this report.

12 Total Lead (Pb) Content in Substrate (U.S. ASTM F963-23 Section 4.3.5.2)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1+2+3	4+5+6	7+8+9	10+11+12	26			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	27	28	29	30	31			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	32	33	34	35	36			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	37	38	39	40	-			
Lead (Pb)	ND	ND	ND	ND	-	mg/kg	10	100

Remarks:

D.L. = Detection Limit

ND = Not Detected

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

13 Phthalate Content (California Proposition 65 - Toys)

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L.	Limit
		1+2+3	4+5+6	7+8+9	10+11+12	13+14+15			
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	%	0.01	0.1
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	ND	%	0.01	0.1
Test Item	CAS No.	Result					Units	D.L.	Limit
		16+17+18	19+20+21	22+23	24+25	-			
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	-	%	0.01	0.1
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	-	%	0.01	0.1
Di-isodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	-	%	0.01	0.1

Remarks:

D.L. = Detection Limit

The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not detected

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

14 Total Lead Content (California Proposition 65 - Toys)

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Surface coating

Test Item	Result					Units	D.L.	Limit
	13+14+15	16+17+18	19+20+21	22+23	24+25			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90

Non-surface coating(Substrate)

Test Item	Result					Units	D.L.	Limit
	1+2+3	4+5+6	7+8+9	10+11+12	26			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	27	28	29	30	31			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	32	33	34	35	36			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	37	38	39	40	-			
Lead (Pb)	ND	ND	ND	ND	-	mg/kg	10	100

Remarks:

D.L. = Detection Limit

The above limit was quoted from the Consent Judgment No. RG-356892 settled by superior court of the State of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not detected

Tested Components: See component list in the last section of this report.



Page 16 of 22



Test Report

Number: SZHH02248786

Tests Conducted

15 Heavy Metal Analysis in Plastic Material (CCPSA SOR/2011-17)

Acid extraction method was used, and soluble heavy metal contents were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1	2	3	4	5			
Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	5	1000
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	6	7	8	9	10			
Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	5	1000
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	11	12	-	-	-			
Barium (Ba)	ND	ND	-	-	-	mg/kg	5	1000
Selenium (Se)	ND	ND	-	-	-	mg/kg	5	500
Cadmium (Cd)	ND	ND	-	-	-	mg/kg	5	75
Antimony (Sb)	ND	ND	-	-	-	mg/kg	5	60
Chromium (Cr)	ND	ND	-	-	-	mg/kg	5	60
Mercury (Hg)	ND	ND	-	-	-	mg/kg	5	60
Arsenic (As)	ND	ND	-	-	-	mg/kg	2.5	25

Remarks:

D.L. = Detection Limit

ND = Not detected

⑥: The element content shall be calculated as if 100 mg of test material had been used.

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

16 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry.

Test Item	Result					Units	D.L.	Limit
	13+14+15	16+17+18	19+20+21	22+23	24+25			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	0.047	10

With reference to Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	13	14	15	16	17			
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	1000
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	1000
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	1000
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	1000
Barium (Ba)	ND	346	340	362	346	mg/kg	5	1000
Test Item	Result					Units	D.L.	Limit
	18	19	20	21	22			
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	1000
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	1000
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	1000
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	1000
Barium (Ba)	351	338	354	18	338	mg/kg	5	1000
Test Item	Result					Units	D.L.	Limit
	23	24	25	-	-			
Cadmium (Cd)	ND	ND	ND	-	-	mg/kg	5	1000
Antimony (Sb)	ND	ND	ND	-	-	mg/kg	5	1000
Selenium (Se)	ND	ND	ND	-	-	mg/kg	5	1000
Arsenic (As)	ND	ND	ND	-	-	mg/kg	2.5	1000
Barium (Ba)	326	88	40	-	-	mg/kg	5	1000

Remarks:

D.L. = Detection Limit

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2022-122 Section 23 for prohibition on toxic elements in stickers, films and surface coating materials.

ND = Not detected

⑥: The element content shall be calculated as if 100 mg of test material had been used.

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

17 Phthalate Content (CCPSA SOR/2016-188)

With reference to Method CPSC-CH-C1001-09.3 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Assessment: As no PVC material was found in the submitted samples, thus no phthalate testing has been performed for Canada Consumer Product Safety Act Phthalates Regulations SOR/2016-188 on phthalate content.

18 Total Mercury (Hg) Content (CCPSA SOR/2016-193 and Amendment SOR/2022-122)

With reference to Method C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and determined by Inductively Coupled Plasma-mass Spectrometry.

Assessment: Since no surface coating material (paint or other similar material) was found on the submitted sample (s), the testing scope of Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 was not applicable to the submitted sample (s).

19 Total Lead (Pb) Content (CCPSA SOR/2016-193 and Amendment SOR/2022-122)

With reference to Method C-02.2.2 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	13+14+15	16+17+18	19+20+21	22+23	24+25			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90

Remarks:

D.L. = Detection Limit

The above limit was quoted according to Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 for prohibition on Lead in surface coatings.

ND = Not detected

Tested Components: See component list in the last section of this report.

20 Total Lead (Pb) content (CCPSA SOR/2018-83)

With reference to Method C-02.2.2, C-02.3.2, C-02.4.1, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion was used and Total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1+2+3	4+5+6	7+8+9	10+11+12	13+14+15			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90

Test Item	Result					Units	D.L.	Limit
	16+17+18	19+20+21	22+23	24+25	26			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90



Test Report

Number: SZHH02248786

Tests Conducted

Test Item	Result					Units	D.L.	Limit
	27	28	29	30	31			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90
Test Item	Result					Units	D.L.	Limit
	32	33	34	35	36			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90
Test Item	Result					Units	D.L.	Limit
	37	38	39	40	-			
Lead (Pb)	ND	ND	ND	ND	-	mg/kg	10	90

Remarks:

D.L. = Detection Limit

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

ND = Not detected

Tested Components: See component list in the last section of this report.

- 21 Total Lead (Pb) Content in Surface Coating (U.S. 16 CFR Part 1303 and CPSIA Section 101(15 USC 1278a))
As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Test Item	Result					Units	D.L.	Limit
	13+14+15	16+17+18	19+20+21	22+23	24+25			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	90

Remarks:

D.L. = Detection Limit

The above limit was quoted according to U.S. 16 CFR Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating.

ND = Not detected

Tested Components: See component list in the last section of this report.



Test Report

Number: SZHH02248786

Tests Conducted

22 Total Lead (Pb) Content in Substrate (U.S. CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1+2+3	4+5+6	7+8+9	10+11+12	26			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	27	28	29	30	31			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	32	33	34	35	36			
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	37	38	39	40	-			
Lead (Pb)	ND	ND	ND	ND	-	mg/kg	10	100

Remarks:

D.L. = Detection Limit

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in substrate.

ND = Not detected

Tested Components: See component list in the last section of this report.

Component List

No.	Test Component Description(s)
(1)	Brown plastic (grip of white style, black style).
(2)	Black plastic (grip of pink style, deep pink style, red style, purple style, green style, blue style, grey style, yellow style).
(3)	Black foam (wheel of all styles).
(4)	White plastic (wheel core of all styles).
(5)	Black plastic (collar clamp, button, basket, front fender, end cap of tube, knob nut, cap of rear hub of all styles).
(6)	Dull black plastic (cover of front wheel of all styles).
(7)	Black plastic (pedal of all styles).
(8)	Bright black plastic (seat of all styles).
(9)	Brown plastic (lid of container of white style, black style).
(10)	Black plastic (container, knob of all styles, lid of container of all styles except white style, black style).
(11)	Yellow plastic (clip of rear hub of all styles).
(12)	Semi-transparent white plastic (cover of rear wheel of all styles).
(13)	Black coating on metal (crank arm of all styles). (b)sample weight:36.5 mg)
(14)	White coating on metal (frame of white style). (b)sample weight:98.1 mg)
(15)	Grey coating on metal (frame of grey style).
(16)	Pink coating on metal (frame of pink style).



Page 21 of 22



Test Report

Number: SZHH02248786

Tests Conducted

(17)	Deep pink coating on metal (frame of deep pink style). (ⓑsample weight:98.9 mg)
(18)	Red coating on metal (frame of red style).
(19)	Yellow coating on metal (frame of yellow style).
(20)	Purple coating on metal (frame of purple style). (ⓑsample weight:99.1 mg)
(21)	Bright black coating on metal (frame of black style).
(22)	Green coating on metal (frame of green style).
(23)	Blue coating on metal (frame of blue style).
(24)	Black coating on metal (letter of white style, grey style, yellow style). (ⓑsample weight:92.1 mg)
(25)	White coating on metal (letter of pink style, deep pink style, red style, purple style, black style, green style, blue style).
(26)	Silver color metal excluding coatings (weld joint of all styles).
(27)	Silver color metal excluding coatings (handlebar, handlebar stem of all styles).
(28)	Silver color metal excluding coatings (front fork of all styles).
(29)	Silver color metal excluding coatings (inner tube of headtube of all styles).
(30)	Silver color metal excluding coatings (headtube, main tube, rear hub of all styles).
(31)	Silver color metal excluding coatings (base bracket of seat of all styles).
(32)	Silver color metal (pop button of front fork of all styles).
(33)	Silver color metal (clip of front wheel of all styles).
(34)	Silver color metal excluding coating (crank arm of all styles).
(35)	Silver color metal (washer of pedal of all styles).
(36)	Silver color metal (bolt of seat of all styles).
(37)	Silver color metal (bolt of main tube of all styles).
(38)	Silver color metal (knob nut of main tube of all styles).
(39)	Silver color metal (bolt of knob of container of all styles).
(40)	Silver color metal (washer of bolt of knob of container of all styles).

The sample weight in bracket was for soluble toxic elements analysis only.

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8:09/2019-(Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. Full details of our agreed decision rules and the associated risk can be viewed: <https://www.intertek.com.cn/diypage/upload/SZ-AP15-HLS-QA.pdf>.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.



Page 22 of 22

