

GitOne

AI-Powered Code Forensics

Select any lines in any GitHub repository.
Get a cited, verified explanation of why that code exists.

1**Investigates**

Runs git blame, reads commits,
follows PR and issue links

2**Synthesizes**

Writes a cited narrative
grounded in real evidence

3**Verifies**

A critic agent challenges
every claim before delivery

FastAPI

LangGraph

Cerebras

Next.js 14

Framer Motion

The 5-Agent Pipeline

Each investigation runs a LangGraph graph with 5 specialised nodes



9 investigation tools:

git blame

get_commit

file_history


search_commits

get_pr

search_prs

get

System Architecture



Tech Stack

FastAPI 0.115	Async Python web framework with SSE streaming
LangGraph 1.2	Stateful multi-agent graph with cycles & conditional routing
Cerebras LLM	gpt-oss-120b via OpenAI-compatible API for fast inference
Next.js 14	App Router, React Server Components, TypeScript
Framer Motion	Spring physics, SVG path animations, AnimatePresence
Shiki	VS Code syntax highlighter, DOMParser line extraction
GitPython + git	Blame, history, ls-tree via subprocess & GitPython
httpx	Async GitHub REST API client with rate limit tracking

Key Engineering Decisions

● Annotated reducers:	list fields use operator.add so nodes append not overwrite
● Tool factory closure:	per-request owner/repo baked into tools — no global state
● DOMParser not regex:	Shiki token spans nest — regex stops at first
● SSE two-step pattern:	POST for ID first; EventSource is GET-only