

# Frontend Tests

## Vitest

<https://vitest.dev/guide/>

1. Install the packages

```
1 bun install @types/node jsdom @testing-library/jest-dom @testing-library/svelte @testing-library/user-event @vitest/ui jsdom vitest
```

Shell

2. Add Scripts to package.json

```
1 {  
2   "scripts": {  
3     "test": "vitest run",  
4     "test:ui": "vitest --ui",  
5     "test:watch": "vitest"  
6   }  
7 }
```

JSON

3. Add configuration to tsconfig.json

```
1 {  
2   "compilerOptions": {  
3     "types": ["@testing-library/jest-dom"]  
4   }  
5 }
```

JSON

4. Add configuration to vite.config.ts

```
1 import { svelteTesting } from '@testing-library/svelte/vite';  
2  
3 export default defineConfig({  
4   test: {  
5     environment: "jsdom",  
6     setupFiles: ["../vitest-setup.js"],  
7   }  
8 });
```

ts

5. Create vitest-setup.js in project root and add configuration

```
1 import '@testing-library/jest-dom/vitest'
```

js

6. Write tests
7. Execute tests

```
1 bun run test:ui
```

Shell

## Cypress

<https://docs.cypress.io/app/get-started/why-cypress>

1. Install the packages

```
1 bun install cypress
```

Shell

2. Add configuration to tsconfig.json

```
1 {  
2   "compilerOptions": {  
3     "types": [  
4       "cypress"  
5     ]  
6   },  
7   "include": ["**/*.ts"]  
8 }
```

JSON

3. Add configuration to vite.config.ts

```
1 import { svelteTesting } from '@testing-library/svelte/vite';  
2  
3 export default defineConfig({  
4   test: {  
5     environment: "jsdom",  
6     setupFiles: [".vitest-setup.js"],  
7   }  
8 });
```

ts

4. Start Cypress

```
1 bunx cypress open
```

Shell