




WORKSHOP

**DIVE INTO
THE XRP LEDGER
UNIVERSE**

Please Welcome

THOMAS
HUSSENET

Technical Partner
at XRPL Commons



Agenda

- 
1. Introduction to the XRP Ledger
 2. Interaction with XRPL
 3. Introduction to Scaffold XRP
 4. More documentation
 5. Boundless introduction
 6. QuickNode introduction
- 

1. Introduction to the XRP Ledger

1. Introduction to the XRP Ledger


XRP Ledger (XRPL) launched in 2012 to address limitations of crypto and fiat currencies for financial use cases, specifically payments




1. Introduction to the XRP Ledger



The XRP Ledger




Specificities of the XRPL



1. Introduction to the XRP Ledger

One Endpoint to do all the things



Single API


No need to stitch together disparate systems or spend months integrating complex technology - simply connect into XRPL through a single API

Minimal Code Required

Astonishingly simple, you can get up and running on the XRP Ledger in as little as few lines of code using familiar programming languages (JS, Python, Java, and many more)


1. Introduction to the XRP Ledger

XRPL Network



2. Interaction with XRPL

Languages with an XRPL SDK



Java



Typescript
Javascript



Python



Rust



Go

Recommended: JavaScript/TypeScript or Python (most up to date)

2. Interaction with XRPL

Connect to a Node

```
import { Client } from "xrpl";

const client = new Client("wss://s.altnet.ripple.test.net:51233");

async function main() {
  await client.connect();
  await client.disconnect();
}
```

2. Interaction with XRPL

Create a Wallet

```
// Generate key pair and call the faucet  
async function createWallet(client: xrpl.Client) {  
  const { wallet, balance } = await client.fundWallet();  
}
```

Prepare & Send the Transaction

```
async function sendPaymentTx(  
  client: xrpl.Client,  
  wallet: xrpl.Wallet,  
  address: string,  
  amount: number,  
) {  
  const tx: xrpl.Payment = {  
    TransactionType: "Payment",  
    Account: wallet.classicAddress,  
    Destination: address,  
    Amount: xrpl.xrpToDrops(amount),  
  };  
  
  return await client.submitAndWait(tx, {  
    autofill: true,  
    wallet,  
  });  
}
```

2. Interaction with XRPL

Get the Result

```
{
  api_version: 2,
  id: 22,
  result: {
    close_time_iso: "2024-12-06T13:39:10Z",
    ctid: "C02C0E9E00010001",
    hash: "A2D8910A45D19A91755F3B8C1E29F5FC97C438B0E117E3FBD042DAD1C9A94B98",
    ledger_hash: "8DAABD0B422F691F3E806EF0E78B8D3F5D7F7D831E97661754A6E31B5E7CEA7C",
    ledger_index: 2887326,
    meta: {
      AffectedNodes: [ { ModifiedNode: [Object] }, { CreatedNode: [Object] } ],
      TransactionIndex: 1,
      TransactionResult: "tesSUCCESS",
      delivered_amount: "10000000"
    },
  },
  tx_json: {
    Account: "rELCjuVzgjbRBUexXoytr59gzEMTU3BwBc",
    DeliverMax: "10000000",
    Destination: "rf26gfMAfxaSK8cRJ8b3HpSn11N4v5xD9h",
    Fee: "12",
    Flags: 0,
    LastLedgerSequence: 2887344,
    Sequence: 2887324,
    SigningPubKey: "ED598042DFC6F9C65B16002F042B57AA4372EC6B12B9F3862F772A4FCF7B331BBC",
    TransactionType: "Payment",
    TxnSignature: "4ABCFD76572234A1B51BE6509C6364835530EE44C2B59005D4A5ACE4C84B13F9EF0025CF84A5C1F922F500877E2BCFA
0C6696A434024FD2E3A776E0F7B485C07",
    date: 786807550,
    ledger_index: 2887326
  },
  validated: true
},
type: "response"
}
```

2. Interaction with XRPL

The Entire Code

```
import xrpl from "xrpl";

const client = new xrpl.Client("wss://s.altnet.ripple.net:51233");

async function main() {
  // 1. we connect to a node
  await client.connect();

  // 2. we create a wallet
  const wallet = await createWallet(client);

  // 3. we prepare and send the tx
  // Here we want to send 10 XRP to rf26gfMAfxaSK8cRJ8b3HpSn11N4v5xD9h
  const amount = 10;
  const tx = await sendPaymentTx(
    client,
    wallet,
    "rf26gfMAfxaSK8cRJ8b3HpSn11N4v5xD9h",
    amount,
  );

  //4. we get the result
  console.log(tx);
  await client.disconnect();
}
```




Introduction to Scaffold XRP

3. Introduction to Scaffold XRP

Scaffold XRP



<https://xrpl.at/ece2025/scaffold>



X Scaffold-XRP

rfsK...fy5w

Scaffold-XRP

A starter kit for building dApps on XRPL with smart contracts

Account Info

Address: rfsKiRfYXDPvTLkwMB5Kxw53PmXxBfy5w

Network: Testnet (testnet)

Wallet: GemWallet

Click the button showing your address to disconnect

Send Transaction

Destination Address

rN7n7otQDd6FcZfGldlqtyMVrn3HMfXoQT

Amount (drops)



Live Demo!

A series of concentric, wavy green lines in the top-left corner of the slide.

4. More documentation


A series of concentric, wavy blue lines in the bottom-right corner of the slide.

4. More documentation

Ecosystem Map



<https://map.xrpl-commons.org>




4. More documentation

Block Explorer



<https://testnet.xrpl.org>



4. More documentation

Faucets



<https://xrpl.org/resources/dev-tools/xrp-faucets/>

XRP Ledger Apex is back in Amsterdam

Register Now

DocsResourcesCommunity

Search /

XRP Faucets

These parallel XRP Ledger test networks provide platforms for testing changes to the XRP Ledger and software built on it, without using real funds.

These funds are intended for **testing** only. Test networks' ledger history and balances are reset as necessary. Devnets may be reset without warning.

All balances and XRP on these networks are separate from Mainnet. As a precaution, do not use the Testnet or Devnet credentials on the Mainnet.

Choose Network:

- Testnet:** Mainnet-like network for testing applications.
- Devnet:** Preview of upcoming amendments.
- Xahau-Testnet:** Hooks (L1 smart contracts) enabled Xahau testnet.

Generate Testnet credentials

Testnet Servers

```
// WebSocket
wss://s.altnet.ripple.com:51233/

// JSON-RPC
https://s.altnet.ripple.com:51234/
```

Devnet Servers

```
// WebSocket
wss://s.devnet.ripple.com:51233/

// JSON-RPC
https://s.devnet.ripple.com:51234/
```

Xahau-Testnet Servers

```
// WebSocket
wss://xahau-test.net/

// JSON-RPC
https://xahau-test.net/
```

4. More documentation

Hackathon GitHub



<http://xrpl.at/pbw2026>

Hack the Block 2026

Official Paris Blockchain Week Hackathon

April 11-12, 2026 - Paris

Powered by XRP Ledger | Supported by XRPL Commons & Kryptosphere



PARIS BLOCKCHAIN WEEK XRPL HACKATHON


POWERED BY
 XRP LEDGER


Welcome to Hack the Block, the flagship hackathon of Paris Blockchain Week!

100+ developers from around the world will have the opportunity to turn their ideas into real blockchain projects over 24 hours of hacking.

[Register to Hack](#) | [Hackathon Presentation Page](#)

Ask me anything!





BOUNDLESS

INTRODUCTION

Please Welcome

EMILIANO BONASSI

VP of Engineering
at Boundless



 Boundless

Two crystal prisms are positioned at the top corners of the frame. They refract light, creating vibrant rainbow spectra that spread across the background. A bright, white beam of light also originates from the center of the top and extends diagonally downwards, passing behind the text.


Boundless



Who is *Boundless* Networks ?

The ZK experts

1. Invented 1st general purpose zkVM (**RISC Zero**)
2. First type 1 zkEVM (**Zeth**)
3. First Ethereum full consensus proofs (**The Signal**)
4. First to solve verifiable complexity of ZK proofs (**Proof of Verifiable Work**)
5. First open, permissionless prover network (**Boundless**)





Mission:


Scaling

Interop

Privacy

Compliance

Verifiable AI



And others...

Who I am



Emiliano Bonassi

VP of Engineering at Boundless

Head of Rollup Engineering & Product @ Conduit

Security Council Member @ Optimism & Arbitrum

Sr. Technical Account Manager @ AWS

Early Contributor Synthetix, Curve and Yearn



Twitter/Telegram: @emilianobonassi

Why Here



We brought ZK to XRPL!

But it's a secret, will be announce on Tuesday 14th



You have the opportunity to hack on it in preview

and be part of the big announcement!

See you later at the workshop

Some ideas



- Conditional Payments and OTC Swaps
- Trustless Fiat On Ramp
- Cross Chain Intents
- Rollups and DeFi
- Prove Humanity via ZKPassport/EUID/WorldID
- Safe and secure agentic workflows and reputation
- ...



QUICKNODE

INTRODUCTION

Please Welcome

ROMAN TEREKH

Customer Success
Executive at QuickNode





**1 MINUTE
TO PRESENT
YOUR IDEA**

What is QuickNode?

Blockchain infrastructure for the world's top builders. One platform, every chain.

QuickNode provides **high-performance RPC endpoints**, real-time data streams, and developer tools so you can build on-chain apps **without running your own nodes**. Think of it as the cloud infrastructure layer for web3 — we handle the hard stuff so you can ship faster.

RPC Endpoints

Webhooks

Streams

Backfills

IPFS

Marketplace Add-ons

XRPL Support

TRUSTED BY

Coinbase

Binance

Phantom

Chainalysis

1inch

Crypto.com

500B+API Requests
Handled Monthly**99.99%**Uptime SLA
Guarantee**2.5x**Faster Than
Competitors**70+**Chains
Supported

Why QuickNode This Weekend?

No Node? No Problem.

Spin up an XRPL endpoint in 30 seconds. Mainnet + Testnet. No infra headaches.

Focus on Your App

We handle reliability, uptime, and speed. You handle the innovation.

Real-Time Data

Webhooks for instant event alerts. Streams for historical data pipelines.

XRPL Products

Core RPC API

JSON-RPC + WebSocket endpoints for XRPL Mainnet and Testnet. Full archive access from genesis ledger.

HACKATHON USE

Query accounts, submit transactions, check balances — all via one endpoint.

Webhooks

Real-time blockchain event notifications with guaranteed delivery and built-in re-org handling.

HACKATHON USE

Get alerted when payments land, tokens move, or custom conditions trigger.

Streams + Backfills

Historical and live data pipelines with flexible batching and sequential delivery.

HACKATHON USE

Index past ledger data, build analytics dashboards, track on-chain activity.

Hello XRPL in 10 Lines

Connect. Query. Build.

```
import { Client } from 'xrpl';

const client = new Client('wss://YOUR-QUICKNODE-ENDPOINT');
await client.connect();

const response = await client.request({
  command: 'account_info',
  account: 'rN7n3473SaZBCG4dFL83w7p1W9cgZw6XGR'
});

console.log(response.result);
```

Get Started Now

From zero to XRPL in under 60 seconds

01

Create a Free Account

quicknode.com → Sign Up

02

Spin Up an XRPL Endpoint

Select XRPL → Choose Mainnet or Testnet

03

Copy Your Endpoint URL

HTTP + WebSocket URLs ready to go

04

Start Building

Paste into your code and make requests

RESOURCES

XRPL API Docs

quicknode.com/docs/xrpl

Testnet Faucet

faucet.quicknode.com

Guides & Tutorials

quicknode.com/guides

Sample Apps

quicknode.com/sample-app-library



THANK YOU