

# Catastrophic Consequences of Earthquake Destruction of the Saluda Dam

Miika Klemetti  
Colin McNally  
Chris Payette  
McGill University  
Montréal, Québec, Canada

Advisor: Nilima Nigam

## Summary

We model the flow of water in the Saluda river valley to determine the extent of flooding resulting from a failure of the Saluda Dam due to an earthquake. The model is divided into two parts: the flow of water in the river, and the evolution of the dam breach. We consider two questions in detail: How far up Rawls Creek, 3.3 km from the dam, will the flooding extend? And will the State Capitol in Columbia, 14 km downriver from the dam, get wet?

We assume that the dam fails as a result of overtopping after the dam slumps due to soil liquefaction. We model the shape of the breach as an enlarging trapezoid. This model provides the essential time-varying boundary conditions for the flow in the river and results in the dam collapsing in 3 to 4 min.

The model for the water flow is based on dividing the river into sections of varying sizes. Tunable parameters for each section allow shaping of the valley along the river. The geometry of each cross section is modeled as a piecewise-linear function with three parameters (two for the slopes, one for the length). In addition, the length of each section of the river can be adjusted to obtain greater resolution for regions of interest. We model the flow of the water by the transfer of momentum and volume between the sections of the river. The equations governing these exchanges comprise a low-order finite-volume advection scheme. For our geometry, the flow is sub-critical and momentum-dominated, allowing the above simplified physics model for the flow.

---

*The UMAP Journal* 26 (3) (2005) 220–221. ©Copyright 2005 by COMAP, Inc. All rights reserved. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice. Abstracting with credit is permitted, but copyrights for components of this work owned by others than COMAP must be honored. To copy otherwise, to republish, to post on servers, or to redistribute to lists requires prior permission from COMAP.

We check convergence and stability of the results by varying the time resolution.

The simulations of the model indicate major flooding in Rawls Creek up to 2.4 km from the Saluda River, but flooding will not extend to the State Capitol.

[EDITOR'S NOTE: This Meritorious paper won the Ben Fusaro Award for the Flood Planning Problem. Only this abstract of the paper appears in this issue of the *Journal*.]

A vertical yellow bar with a red diamond at the top, located on the left side of the page.

#### COPYRIGHT INFORMATION

TITLE: Catastrophic Consequences of Earthquake Destruction of  
the Saluda Dam  
SOURCE: The UMAP Journal 26 no3 Fall 2005  
PAGE(S): 220-1  
WN: 0528800291010

The magazine publisher is the copyright holder of this article and it is reproduced with permission. Further reproduction of this article in violation of the copyright is prohibited. To contact the publisher:  
[www.comap.com](http://www.comap.com)

Copyright 1982-2006 The H.W. Wilson Company. All rights reserved.