Salesdam

Product walkthrough - CRM, approvals, insurance workspace, admin console and back end

Version 3.3.0 · 22 October 2026 · captured from a local build (backend :5002, app :5173, admin :5174, marketing site :4321, docs :4322)

How to read this document

- Part 1 follows a user through the app: sign-in, the welcome tour, workspaces, records, merging, the activity timeline and duplicate warnings.
- Part 2 covers set-up and the approval flow: approval processes, duplicate rules, submitting a record, approving it from My Approvals.
- Part 3 is the insurance workspace: the new business wizard from product to issued policy, then servicing, documents, communications and lapse.
- Part 4 is the platform operator console, the marketing site and the documentation site.
- Part 5 describes what happens in the middle and back end, how it was tested, and what is still API-only or unverified.
- All data shown is demo data seeded for this walkthrough in the Salesdam tenant (people, ID numbers and references are fictitious).

Contents


Part	Covers	Screens
1. Getting in and working with records	Sign-in, welcome tour, home, workspace switching, accounts list, record merge, activity timeline, duplicate warning	1 - 12
2. Set-up and approvals	Approval process list and editor, duplicate rules, submit for approval, My Approvals, notifications, approve	13 - 23
3. Insurance workspace	Policies list, 7-step new business wizard, issued policy, servicing panel, documents, communications, lapse	24 - 36
4. Admin console and public sites	Operator dashboard, tenants, users, audit logs, marketing site, docs site	37 - 44
5. Middle and back end	Approval engine, merge, billing, scheduler, communications, security fixes, configuration, deployment, tests, known limits	text

Part 1 - Getting in and working with records

A user signs in, is greeted by the welcome tour once, lands on their home page and works in the workspace they last used. Records can be merged, every record shows its activity history, and the app warns before a likely duplicate is saved.


1. Sign-in

The app sign-in page. Sessions are server-side: a successful sign-in sets an opaque, HTTP-only *crm.sid* cookie that maps to a session document, so signing out or expiring a session takes effect immediately.


Salesdam
Welcome Back!
Recognizing that sales are the lifeblood of any business, Salesdam aims to become the vital pulse of your enterprise.
Learn More
Sign in to your account
Enter your credentials to access your account
Username
Password
Sign in
Forgot your password?
Don't have an account? Register
© 2026 Salesdam. All rights reserved. v3.3.0

1b. Signing in


Username and password entered. Failed attempts are recorded in the audit log; the platform operator account used for this walkthrough is the seeded super administrator.



2. Welcome tour


First sign-in opens the welcome tour. Choosing a path or "Explore on my own" saves the choice to the user's preferences so the tour does not return on the next sign-in or after a refresh.

- Fixed in this project: the onboarding preference was being dropped by the database schema, so the tour reappeared on every visit. The user schema now has an onboarding section and preference updates merge instead of overwrite.



3. Home


The home page after the tour, in the default workspace. The sidebar lists the objects and tools the workspace and the user's role allow.



4. Workspace switcher


Workspaces group objects and pages for a team. The switcher lists the workspaces the user belongs to.

- Fixed in this project: switching now reloads the navigation for the chosen workspace, the active workspace survives a refresh (the server returns it with the signed-in user), and a user without a saved choice lands in the tenant default.




5. Sales workspace

After switching to the "Sales" workspace the sidebar and pages change to that workspace's set-up.




6. Accounts list

A standard list view of account records with search, sorting and column selection. The demo data includes two near-identical "Mokoena Holdings" accounts.




7. Selecting records to merge

Selecting two or three records of the same object reveals the "Merge" action in the list toolbar.




8. Record merge

The merge screen shows the records side by side. The user picks the record to keep and, field by field, which value survives. Differences are highlighted; system fields are not offered.




9. Confirming the merge

A confirmation step summarises what will happen before anything is changed.




10. After the merge

The kept record now carries the chosen values. The other record is soft-deleted, its related records are re-pointed to the survivor, and its activities move across so no history is lost. The merge is written to the audit log.




11. Activity timeline

Every record has an Activity tab: calls, meetings, emails, tasks and notes in date order, including those inherited through a merge. Activities can be logged from the same tab.



12. Duplicate warning

Creating an account named like an existing one triggers the tenant's duplicate rule. The dialog lists the likely matches, links to them, and lets the user cancel or save anyway (a "block" rule would stop the save instead).




Part 2 - Set-up and approvals

Administrators define approval processes and duplicate rules from Set-up without code. Users submit records, approvers decide from a single queue, and approval outcomes can update the record or start a follow-on flow.


13. Approval processes

The list of approval processes for the tenant, with the object each applies to, whether it is active, and the number of steps. Approval was previously limited to leads with no set-up screen; it now works on any object.


Insurance
Search records, users...
⌘K
SA
Super Admin
Home
My Approvals
Find Tenders
SALES
Leads
CUSTOMERS
Clients
POLICIES
Policies
Insured Lives
Policy Parties
Policy Acceptances
FINANCE
Accounts
CLAIMS
Claims
Claim Requirements
Claim Payments
PRODUCTS
SA
Super Admin
Logout
Approval Processes
Route records to the right people before they move on. Each process sets which records need approval, who approves them in what order, and what happens on submit, approval and rejection.
+ New process
NAME
OBJECT
STEPS
ENTRY CRITERIA
STATUS
UPDATED
Key account approval
New key accounts need finance sign-off.
Account
1
All records
Active
3 minutes ago


14. Approval process editor - entry and steps

Each process has entry criteria (which records can be submitted), whether the record is locked while pending, and ordered steps. Each step names its approver: a specific user, a role, or the submitter's manager.




15. Approval process editor - outcomes

Actions run when a request is submitted, approved, rejected or recalled: set a field value, or launch a flow. In the demo process, approval sets Rating to "Hot".




16. Duplicate rules

The duplicate rules screen lists the rules per object, the fields they match on and whether they warn or block.




17. Editing a duplicate rule

A rule matches on one or more fields (exact or fuzzy) and chooses its action. The rule shown drives the warning in screen 12.




18. Submitting a record

On a record that meets an active process's entry criteria, the Approval panel offers "Submit for approval" with an optional comment.




19. Pending approval

After submission the record shows the pending step and approver, and is locked against edits if the process says so. The submitter can recall the request.



20. My Approvals


Approvers see everything waiting for them in one queue, with the record, process, step, submitter and age of the request.



21. Notifications


The approver is also notified in-app when a request reaches their step.

- Known wording issue: the message reads "A account record is awaiting your decision". It should use the object's label and the right article ("An account record"). Small text fix outstanding.




22. Approve or reject

The approver records a decision with an optional comment. A rejection ends the request; an approval moves to the next step or completes the process.



23. Approved

Once the last step is approved the record unlocks, the approval history is shown, and the configured outcome has run - Rating is now "Hot".




Part 3 - Insurance workspace

The insurance back end (products, applications, policies, billing, claims) already existed but had almost no screens. This project added a guided new business wizard and a servicing panel on each policy.


24. Policies

The policies list in the insurance workspace, with the "New policy" button that opens the wizard.


Insurance
Search records, users...
⌘K
2
SA
Super Admin
Home
My Approvals
Find Tenders
SALES
Leads
CUSTOMERS
Clients
POLICIES
Policies
Insured Lives
Policy Parties
Policy Acceptances
FINANCE
Accounts
CLAIMS
Claims
Claim Requirements
Claim Payments
PRODUCTS
SA
Super Admin
Logout
Policies
1 records
Merge
Delete
Refresh
+ New Policy
All Policies
Search policies...
Columns 6
Click any cell to edit inline · Click the row to open the record
POLICY NUMBER
STATUS
STATUS EFFECTIV...
STATUS REASON
ARREARS STATUS
GRACE PERIOD E...
POL-00001
Active
10/12/2026
Payment received
Rows per page
50
1 total
1


Wizard step 1 - Product

Choose the product version and the sales channel (branch, telephone or website). Product rules (age limits, cover bands, family members allowed) come from the product version.




Wizard step 2 - Main member

Capture the main member and cover amount. The system matches an existing client by ID number, passport, email or phone before creating a new one. The premium payer can be the member or someone else.




Wizard step 3 - Family

Add a spouse, children, extended family and a beneficiary as the product allows.




Wizard step 4 - Payment

Choose the payment method (debit order, EFT, Pay@, EasyPay, card) and the provider reference, e.g. the debit order mandate number.




Wizard step 5 - Quote

The server prices every insured life from the product's rate tables and returns the monthly premium with a breakdown. Problems (for example an age outside the product's limits) are listed here.




Wizard step 6 - Acceptance

Record how the client accepted the terms - for a branch sale, the signed form reference; for telephone, the call recording reference.




Wizard step 7 - Review and submit

A summary of everything captured. Submitting runs the server's checks; the wizard is saved as it goes, so a refresh or a later visit resumes where the user left off.




Submitted and issued

The application is submitted and, for a user allowed to issue, the policy can be issued straight away. Issuing generates the policy schedule and welcome letter, sets up billing and queues the "policy issued" notice to the client.




33. Policy servicing panel

Every policy now has a servicing panel showing its status, cover and premium, and only the actions its current status allows (for example: issue, put on hold, reinstate, lapse, cancel). The allowed actions come from the server's policy state machine, so the screen and the API never disagree.




34. Policy documents

Documents generated on issue (policy schedule, welcome letter) are listed on the policy and can be opened or downloaded.




35. Policy communications

Every notice sent to the client is logged with its channel and status. Notices are queued first and marked sent only when actually delivered; failed notices are retried.



36. Lapse (dialog only)

Servicing actions ask for a reason and confirmation before the policy status changes. (The dialog was opened for the screenshot and cancelled - the demo policy was not lapsed.)




Part 4 - Admin console and public sites

The admin console is for the platform operator, not tenants. The marketing site and documentation site are static sites built with Astro.

37. Admin console - overview


Platform-wide counts: tenants, users, records and live sessions, with plan distribution and top tenants. (The local database holds several hundred leftover test tenants from automated test runs.)

- Fixed during this walkthrough: the console signed operators out on every page reload because it checked a user field that does not exist. It now uses the same rule as the API (role "superuser"). This fix is in the local folder, not yet committed.


Super Admin
CRM ADMIN
Dashboard
Incidents
Tenants
Users
Audit Logs
Overview
Platform-wide metrics at a glance
TOTAL TENANTS
403
403 active · 0 suspended
NEW THIS MONTH
403
tenants registered
TOTAL USERS
10
10 active
TOTAL RECORDS
78
across all tenants
ACTIVE SESSIONS
2
live right now
DELETED TENANTS
0
soft-deleted
PLAN DISTRIBUTION
Enterprise
403
TOP TENANTS BY USERS
8
6
4
2
0
Salesdam
ZZ_INSSVC_b_mv...
ZZ_SCHED_a_mvi...
ZZ_AUTOLAPSE_a...
ZZ_INSSVC_b_mv...
users
records
Top Tenants
View all
Salesdam
Enterprise
Active
3 users
7 records
SA
Super Admin
Superuser

38. Tenants


All tenants with plan, status, user and record counts; operators can open, suspend or restore a tenant.



39. Users


Users across tenants, with search and tenant filter.

- Known issue: role badges and the role filter on this page, and the admin/superuser counts on the dashboard, read the same non-existent field, so they show blank or zero. Not yet fixed.




40. Audit logs

Every significant action across tenants: sign-ins, record merges, policy issue, document generation, communications. The entries at the top are this walkthrough's own actions. Logs are kept for 90 days.




41. Marketing site

The public site, rebranded as Salesdam, describing the CRM and insurance workspace.




42. Marketing site - developer access

Developer information page on the public site, updated to match how authentication actually works (session cookie and API keys).




43. Documentation site

The product and developer documentation: quick start, API reference, platform concepts, features, user guide and architecture.



44. Documentation - set-up

Installation and environment set-up, corrected in this project to match the real configuration variables (see Part 5).



Part 5 - Middle and back end

What happens behind the screens above, and the fixes made along the way. Stack: Node.js / Express API, MongoDB via Mongoose, React (Vite) front ends, Astro for the public sites. Every query is scoped to the tenant that owns the data.

Area	What it does now	What changed in this project
Approval engine	Generic approval processes on any object: entry criteria, ordered steps, approver by user / role / manager, record lock, recall, and outcome actions (field update or launch a flow) on submit, approve, reject and recall.	Set-up screens, record panel and My Approvals added; outcome actions now actually run; the "pending for me" query was fixed so approvers see requests at their own step only.
Duplicate management	Duplicate rules per object (exact / fuzzy fields, warn or block) checked on create and edit.	Admin screen and in-app warning dialog added; a rule can no longer be moved to another tenant by editing its tenant field.
Record merge	Merge 2-3 records of one object; choose survivor and field values; related records are re-pointed; loser soft-deleted; audit entry written.	Merge screen added; activities now move to the surviving record.
Activity timeline	Activities linked to any record, listed by date.	Timeline tab added to every record.
User preferences	Onboarding state, active workspace and other preferences per user.	Schema now stores onboarding; updates merge instead of replacing; signed-in user includes the active / default workspace.
Insurance applications	Product rating, client matching, application save/resume, acceptance, submit, issue.	Server now tells the screen which actions are allowed (state machine), used by the wizard and servicing panel.
Billing set-up	On issue a premium account is created and the first billing date set; the billing run collects due premiums.	Issuing previously left billing unset, so the billing run skipped new policies. The first premium is now due on the issue date (your choice), then monthly.
Scheduler	Daily jobs: missed-payment notices, auto-lapse, billing run, retries.	Order fixed so missed-payment notices go out before policies auto-lapse.
Communications	Client notices are queued, then delivered by a dispatcher with retry; status goes queued, sent or failed.	Notices were marked "sent" before delivery; now queued until actually delivered. Mail to reserved test domains (example.com etc.) is never sent. Sender address prefers SMTP_FROM.
Security	Tenant isolation, role and field permissions, superuser-only operator routes, audit log.	Tenant-move loopholes closed on rules and processes; operator routes guarded; audit actions enum extended for new events.

Configuration and deployment

- Environment templates (*.env.example*, *backend/.env.example*, *deploy/environment.example*) now list the variables the code actually reads: MONGO_URI, CORS_ORIGINS, SMTP settings and SMTP_FROM, payment keys. SESSION_SECRET and JWT_SECRET were removed because sessions use a random session ID stored in the database, not a signed token.
- The Render blueprint (*render.yaml*) matches those variables and the build and start commands.
- Developer docs, the docs site set-up pages and the marketing developer page describe the same set-up.
- Client-facing status sheet (*CLIENT_STATUS.md*), *V3_SPECIFICATIONS.md* and *DELIVERY_SUMMARY.md* were updated to match the code.

Testing

Suite	Checks	Covers
End-to-end API suites (25)	537	Auth and sessions, tenants, objects and records, permissions, approvals, duplicates, merge, insurance new business, servicing, billing, arrears progression, scheduler, communications queue, webhooks
Unit tests	45	Rating, state machine, date and billing helpers, reserved-domain guard
Total	582	All passing at version 3.3.0

Known limits and open items

- **API-only in the insurance workspace:** billing runs and payment allocation, endorsements, and claims have back-end support and tests, but no dedicated screens yet.
- **Omnichannel and some platform features** are API-only.
- **External providers** (payment gateways, SMS, e-mail delivery at volume) are wired but not verified against live accounts.
- **Admin console:** role badges, role filter and admin counts are blank or zero (they read a field users do not have). The sign-out-on-reload fix is in the local folder, not yet committed.
- **Approval notification wording** reads "A account record ..." - small text fix outstanding.
- **Local database** contains leftover tenants and users from earlier automated test runs (ZZ_ prefixed); harmless, but they inflate the admin counts.