
a
Cells per cancer group (n samples at bar end)
Gastric cancer 149
Lung cancer 218
Colorectal cancer 258
Breast cancer 90
Lung adenocarcinoma 89
Glioblastoma 44
Hepatocellular carcinoma 22
Prostate cancer 80
Melanoma 62
Papillary thyroid carcinoma 23
Renal cancer 46
Osteosarcoma 11
Cervical cancer 26
Endometrial carcinosarcoma 8
Bladder cancer 13
Pancreatic neuroendocrine tumor 20
Pancreatic ductal adenocarcinoma 40
Nasopharyngeal carcinoma 10
Pleural mesothelioma 13
Esophageal cancer 11
Basal cell carcinoma 6
Ovarian cancer 12
Head and neck squamous cell carcinoma 14
Pituitary neuroendocrine tumor 10
Acute myeloid leukemia 35
Intrahepatic cholangiocarcinoma 8
Seminoma 4
0 200 400 600 800
Cells (thousands)
scRNA-seq (method not specified in GEO text)
1 4 8
GSE per group
b Two cohorts merged (Aug 2026)
Cells
1.96M
2.71M
Samples (scaled)
773
549
Existing 2M
New 2026
c
Sample material
Primary/unspec. tumor 692
Metastatic tumor 80
Normal/adjacent tissue 177
Lymph node 22
Blood 32
Bone marrow 35
Unknown 284
0 200 400 600
Samples
d
Clinical context is sparse in public metadata
Immunotherapy annotated
63 64 1195
Metastasis annotated
68 95 177 968
0 20 40 60 80 100
% of 1,322 samples
Yes No Unknown Primary sample only Normal sample (N/A) Mixed/not mappable
e
Library preparation recorded in GEO text
scRNA-seq (method not specified in GEO text)
850 samples · 31 GSE
10x Genomics scRNA-seq
369 samples · 20 GSE
Seq-Well
71 samples · 2 GSE
Smart-seq2
32 samples · 1 GSE
0.0 0.5 1.0 1.5 2.0 2.5 3.0 3.5
Cells (millions)