
GameService
currentGame: Game
startNewGame(playerName: string, map: Map): void
getCurrentGame(): Game
endGame(): void
PlacedPiece
piece: AnimalPiece
tile:Tile
turnPlaced:number
Position
x: number
y: number
getX(): number
getY(): number
Game
currentTurn: number
currentScore: number
nextScoreLevel: number
player: string
map: Map
availablePieces: AnimalPiece[]
placedPiece: playedPiece[]
nextTurn(): void
getName(): string
setName(nom : string): number
placePiece(piece: AnimalPiece, position: Position): void
getScoreValue(): number
calculateScore(piece : AnimalPiece, Tile : tile): number
createPiece(type : AnimalType, position: Position):AnimalPiece
isGameOver(availablePieces: AnimalPiece[]): boolean
Map
name: string
tiles: Tile[]
getTile(position: Position): Tile
isFull(): boolean
Tile
position: Position
type : TileType
piece : AnimalPiece
setPiece(piece : AnimalPiece) : void
isEmpty() : boolean
canAccept(piece : AnimalPiece) : boolean
AnimalType
«enumeration»
BEAR
FISH
FOX
TileType
«enumeration»
PLAIN
WATER
FOREST
AnimalPiece
«abstract»
type: AnimalType
getType(): AnimalType
calculatePoints(map: Map, position: Position): number
BearPiece
calculatePoints(map: Map, position: Position): number
FishPiece
calculatePoints(map: Map, position: Position): number
FoxPiece
calculatePoints(map: Map, position: Position): number