

증명할 것.

$$\begin{aligned} \text{pf)} \quad S &= 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10 \\ (+) \quad S &= 10 + 9 + 8 + 7 + 6 + 5 + 4 + 3 + 2 + 1 \end{aligned}$$

$$2S = 11 + 11 + 11 + 11 + 11 + 11 + 11 + 11 + 11 + 11.$$

$$\therefore 2S = 11 \cdot 10$$

$$\boxed{S = 55}$$

$$\text{Def. } a_1 = a$$

$$d = d$$

$$a_n = l$$

$$\Rightarrow S_n = \frac{n(a+l)}{2} \quad \text{OR} \quad S_n = \frac{n[2a + (n-1)d]}{2}$$

오른쪽 식을. 앞 쪽 식과.

$$[a_n] \quad (n = 1, 2, 3, 4, \underline{5})$$

$$a_n = [2, 5, 8, 11, 14]$$

$$a_1 = 2$$

$$d_a = 3$$

오른 쪽의 공차에

같이 쓰는 것.

$$S_n = \frac{n(a+l)}{2}$$

$$\Rightarrow S_5 = \frac{5(2+14)}{2}$$

$$= \frac{5 \cdot 16}{2}$$

$$= 40$$

$$\underline{S_5 = 40.}$$

$$\therefore a_1 + a_2 + a_3 + a_4 + a_5 = 40 \text{ 증명}$$

정확하리?

$$S_n = \frac{n[2a + (n-1)d]}{2}$$

$$\Rightarrow S_5 = \frac{5[2 \cdot 2 + (5-1) \cdot 3]}{2}$$

$$= \frac{5[4 + 12]}{2}$$

$$= \frac{5 \cdot 16}{2}$$

$$\therefore \underline{S_5 = 40.}$$

정확하리. 정확하리?

Guide line.

ln 증명.

$$\cdot n\text{항이 주어지} \Rightarrow S_n = \frac{n(a+l)}{2}$$

$$\cdot \text{첫 항이 주어지} \Rightarrow S_n = \frac{n[2a + (n-1)d]}{2}$$