Name: Galapia, Xander Sam E.

Section: CPE22S3

+ Code + Text

```
import pandas as pd

df = pd.read_csv('/content/dirty_data.csv')
```

```
df.head()
```

	date	station	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	WESF	inclement_weather
0	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
1	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
2	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
3	2018-01-02T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-8.3	-16.1	-12.2	NaN	False
4	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False

```
df.describe()
```

```
/usr/local/lib/python3.10/dist-packages/numpy/lib/function_base.py:4655: RuntimeWarning: invalid value encountered in subtract
  diff_b_a = subtract(b, a)
```

	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	WESF
count	765.000000	577.000000	577.0	765.000000	765.000000	398.000000	11.000000
mean	5.360392	4.202773	NaN	2649.175294	-15.914379	8.632161	16.290909
std	10.002138	25.086077	NaN	2744.156281	24.242849	9.815054	9.489832
min	0.000000	0.000000	-inf	-11.700000	-40.000000	-16.100000	1.800000
25%	0.000000	0.000000	NaN	13.300000	-40.000000	0.150000	8.600000
50%	0.000000	0.000000	NaN	32.800000	-11.100000	8.300000	19.300000
75%	5.800000	0.000000	NaN	5505.000000	6.700000	18.300000	24.900000
max	61.700000	229.000000	inf	5505.000000	23.900000	26.100000	28.700000

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 765 entries, 0 to 764
Data columns (total 10 columns):
 #   Column             Non-Null Count  Dtype
---  ------             --------------  -----
 0   date               765 non-null    object
 1   station            765 non-null    object
 2   PRCP               765 non-null    float64
 3   SNOW               577 non-null    float64
 4   SNWD               577 non-null    float64
 5   TMAX               765 non-null    float64
 6   TMIN               765 non-null    float64
 7   TOBS               398 non-null    float64
 8   WESF               11 non-null     float64
 9   inclement_weather  408 non-null    object
```

```
dtypes: float64(7), object(3)
memory usage: 59.9+ KB
```

```
contain_nulls = df[
    df.SNOW.isnull() | df.SNWD.isna()\
    | pd.isnull(df.TOBS) | pd.isna(df.WESF)\
    | df.inclement_weather.isna()
]
contain_nulls.shape[0]
```

```
765
```

```
contain_nulls.head(10)
```

	date	station	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	WESF	inclement_weather
0	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
1	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
2	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
3	2018-01-02T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-8.3	-16.1	-12.2	NaN	False
4	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False
5	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False
6	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False
7	2018-01-04T00:00:00	?	20.6	229.0	inf	5505.0	-40.0	NaN	19.3	True
8	2018-01-04T00:00:00	?	20.6	229.0	inf	5505.0	-40.0	NaN	19.3	True
9	2018-01-05T00:00:00	?	0.3	NaN	NaN	5505.0	-40.0	NaN	NaN	NaN

```
df[df.inclement_weather == 'NaN'].shape[0]
```

```
0
```

```
import numpy as np
df[df.inclement_weather == np.nan].shape[0]
```

```
0
```

```
df[df.inclement_weather.isna()].shape[0]
```

```
357
```

```
df[df.SNWD.isin([-np.inf, np.inf])].shape[0]
```

```
577
```

```
import numpy as np

def get_inf_count(df):
  """Find the number of inf/-inf values per col in the dataframe"""
  return{
      col : df[df[col].isin([np.inf, -np.inf])].shape[0] for col in df.columns
  }

get_inf_count(df)
```

```
{'date': 0,
 'station': 0,
 'PRCP': 0,
 'SNOW': 0,
 'SNWD': 577,
 'TMAX': 0,
 'TMIN': 0,
 'TOBS': 0,
 'WESF': 0,
 'inclement_weather': 0}
```

```
pd.DataFrame({
    'np.inf Snow Dept' : df[df.SNWD == np.inf].SNOW.describe(),
    '-np.inf Snow Depth' : df[df.SNWD == -np.inf].SNOW.describe()
}).T
```

	count	mean	std	min	25%	50%	75%	max
np.inf Snow Dept	24.0	101.041667	74.498018	13.0	25.0	120.5	152.0	229.0
-np.inf Snow Depth	553.0	0.000000	0.000000	0.0	0.0	0.0	0.0	0.0

```
df.describe(include='object')
```

	date	station	inclement_weather
count	765	765	408
unique	324	2	2
top	2018-07-05T00:00:00	GHCND:USC00280907	False
freq	8	398	384

```
df[df.duplicated()].shape[0]
```

```
284
```

```
df[df.duplicated(keep=False)].shape[0]
```

```
482
```

```
df[df.duplicated(['date', 'station'])].shape[0]
```

```
284
```

```
df[df.duplicated()].head()
```

	date	station	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	WESF	inclement_weather
1	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
2	2018-01-01T00:00:00	?	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
5	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False
6	2018-01-03T00:00:00	GHCND:USC00280907	0.0	0.0	-inf	-4.4	-13.9	-13.3	NaN	False
8	2018-01-04T00:00:00	?	20.6	229.0	inf	5505.0	-40.0	NaN	19.3	True

```
df[df.WESF.notna()].station.unique()
```

```
array(['?'], dtype=object)
```

```
#save this information for later
station_qm_wesf = df[df.station == '?'].WESF

#sort ? to the bottom
df.sort_values('station', ascending = False, inplace = True)

#drop duplicates based on teh date column keeping the first occurence
#which will be the valid station if it has data
df_deduped = df.drop_duplicates('date').drop(
    #remove the station column because we are done with it
    #and WESF because we need to replace it later
    columns = ['station', 'WESF']
).sort_values('date').assign( #sort by the date
                            #add back the WESF column which will be properly matched because of the index
    WESF =station_qm_wesf
)
df_deduped.shape
```

```
(324, 9)
```

```
df_deduped.head()
```

	date	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
0	2018-01-01T00:00:00	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	NaN
3	2018-01-02T00:00:00	0.0	0.0	-inf	-8.3	-16.1	-12.2	False	NaN
6	2018-01-03T00:00:00	0.0	0.0	-inf	-4.4	-13.9	-13.3	False	NaN
8	2018-01-04T00:00:00	20.6	229.0	inf	5505.0	-40.0	NaN	True	19.3
11	2018-01-05T00:00:00	14.2	127.0	inf	-4.4	-13.9	-13.9	True	NaN

```
df_deduped.dropna().shape
```

```
(0, 9)
```

```
df_deduped.dropna(how='all').shape
```

```
(324, 9)
```

```
df_deduped.dropna(
```

```
    how='all', subset = ['inclement_weather', 'SNOW', 'SNWD']
).shape
```

```
(293, 9)
```

```
df_deduped.dropna(axis='columns', thresh = df_deduped.shape[0]*.75).columns
```

```
Index(['date', 'PRCP', 'SNOW', 'SNWD', 'TMAX', 'TMIN', 'TOBS',
       'inclement_weather'],
      dtype='object')
```

```
df_deduped.loc[:, 'WESF'].fillna(0, inplace = True)
df_deduped.head()
```

	date	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
0	2018-01-01T00:00:00	0.0	0.0	-inf	5505.0	-40.0	NaN	NaN	0.0
3	2018-01-02T00:00:00	0.0	0.0	-inf	-8.3	-16.1	-12.2	False	0.0
6	2018-01-03T00:00:00	0.0	0.0	-inf	-4.4	-13.9	-13.3	False	0.0
8	2018-01-04T00:00:00	20.6	229.0	inf	5505.0	-40.0	NaN	True	19.3
11	2018-01-05T00:00:00	14.2	127.0	inf	-4.4	-13.9	-13.9	True	0.0

```
df_deduped.assign(
    TMAX = lambda x: x.TMAX.replace(5505, np.nan).fillna(method='ffill'),
    TMIN = lambda x: x.TMIN.replace(-40, np.nan).fillna(method='ffill')
).head()
```

	date	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
0	2018-01-01T00:00:00	0.0	0.0	-inf	NaN	NaN	NaN	NaN	0.0
3	2018-01-02T00:00:00	0.0	0.0	-inf	-8.3	-16.1	-12.2	False	0.0
6	2018-01-03T00:00:00	0.0	0.0	-inf	-4.4	-13.9	-13.3	False	0.0
8	2018-01-04T00:00:00	20.6	229.0	inf	-4.4	-13.9	NaN	True	19.3
11	2018-01-05T00:00:00	14.2	127.0	inf	-4.4	-13.9	-13.9	True	0.0

```
df_deduped.assign(
    TMAX=lambda x: x.TMAX.replace(5505, np.nan).fillna(x.TMAX.median()),
    TMIN=lambda x: x.TMIN.replace(-40, np.nan).fillna(x.TMIN.median()),#AVERAGE of TMAX, TMIN
    TOBS=lambda x: x.TOBS.fillna((x.TMAX + x.TMIN)/2)
)
```

	date	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
0	2018-01-01T00:00:00	0.0	0.0	-inf	22.8	0.0	11.4	NaN	0.0
3	2018-01-02T00:00:00	0.0	0.0	-inf	-8.3	-16.1	-12.2	False	0.0
6	2018-01-03T00:00:00	0.0	0.0	-inf	-4.4	-13.9	-13.3	False	0.0
8	2018-01-04T00:00:00	20.6	229.0	inf	22.8	0.0	11.4	True	19.3
11	2018-01-05T00:00:00	14.2	127.0	inf	-4.4	-13.9	-13.9	True	0.0
...	...	...	...	...	...	...	...	...	...
752	2018-12-27T00:00:00	0.0	0.0	-inf	5.6	-2.2	-1.1	False	0.0
755	2018-12-28T00:00:00	11.7	0.0	-inf	6.1	-1.7	5.0	False	0.0
758	2018-12-29T00:00:00	21.3	NaN	NaN	22.8	0.0	11.4	NaN	0.0
759	2018-12-30T00:00:00	0.0	NaN	NaN	22.8	0.0	11.4	NaN	0.0
762	2018-12-31T00:00:00	0.0	0.0	-inf	3.3	-3.3	-2.8	False	0.0

324 rows × 9 columns

```
df_deduped.assign(
    #MAKE TMAX and TMIN NaN where appropriate
    TMAX = lambda x: x.TMAX.replace(5505, np.nan),
    TMIN = lambda x: x.TMIN.replace(-40, np.nan)
).set_index('date').apply(
    #####rolling calculations will be covered in chapter 4, this is rolling 7 day median
    ### we set min_periods (# of periods required for calculation) to 0  so we always get a result
    lambda x: x.fillna(x.rolling(7, min_periods = 0).median())
).head(10)
```

date	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
2018-01-01T00:00:00	0.0	0.0	-inf	NaN	NaN	NaN	NaN	0.0
2018-01-02T00:00:00	0.0	0.0	-inf	-8.30	-16.1	-12.20	False	0.0
2018-01-03T00:00:00	0.0	0.0	-inf	-4.40	-13.9	-13.30	False	0.0
2018-01-04T00:00:00	20.6	229.0	inf	-6.35	-15.0	-12.75	True	19.3
2018-01-05T00:00:00	14.2	127.0	inf	-4.40	-13.9	-13.90	True	0.0
2018-01-06T00:00:00	0.0	0.0	-inf	-10.00	-15.6	-15.00	False	0.0
2018-01-07T00:00:00	0.0	0.0	-inf	-11.70	-17.2	-16.10	False	0.0
2018-01-08T00:00:00	0.0	0.0	-inf	-7.80	-16.7	-8.30	False	0.0
2018-01-10T00:00:00	0.0	0.0	-inf	5.00	-7.8	-7.80	False	0.0
2018-01-11T00:00:00	0.0	0.0	-inf	4.40	-7.8	1.10	False	0.0

```
df_deduped.assign(
    TMAX = lambda x: x.TMAX.replace(5505, np.nan),
    TMIN = lambda x: x.TMIN.replace(-40, np.nan),
    date = lambda x: pd.to_datetime(x.date)
).set_index('date').reindex(
    pd.date_range('2018-01-01', '2018-12-31', freq = 'D')
```

```
    pd.date_range('2018-01-01', '2018-12-31', freq='D')
).apply(
    lambda x: x.interpolate()
).head(10)
```

	PRCP	SNOW	SNWD	TMAX	TMIN	TOBS	inclement_weather	WESF
2018-01-01	0.0	0.0	-inf	NaN	NaN	NaN	NaN	0.0
2018-01-02	0.0	0.0	-inf	-8.3	-16.10	-12.20	False	0.0
2018-01-03	0.0	0.0	-inf	-4.4	-13.90	-13.30	False	0.0
2018-01-04	20.6	229.0	inf	-4.4	-13.90	-13.60	True	19.3
2018-01-05	14.2	127.0	inf	-4.4	-13.90	-13.90	True	0.0
2018-01-06	0.0	0.0	-inf	-10.0	-15.60	-15.00	False	0.0
2018-01-07	0.0	0.0	-inf	-11.7	-17.20	-16.10	False	0.0
2018-01-08	0.0	0.0	-inf	-7.8	-16.70	-8.30	False	0.0
2018-01-09	0.0	0.0	-inf	-1.4	-12.25	-8.05	NaN	0.0
2018-01-10	0.0	0.0	-inf	5.0	-7.80	-7.80	False	0.0