ICTE241: Introduction to PC maintenance and LAB Management

Mr. EMMANUEL FON TATA
0540911516
tataemma99@yahoo.com
Definitions

Poor Safety Habits Can Harm Both The User And The Computer!

To protect both yourself and the computer:

- Make sure power is off when disassembling, installing or removing hardware, or doing preventive maintenance (cleaning).
- Never disassemble the monitor or power supply unless you have been specifically trained on these components.
- Monitors develop high voltage when turned on, and both monitors and power supplies have capacitors (electronic parts that hold an electrical charge) that can hurt you even if the power has been removed.
- Effective use of computer terms means more than just knowing and using the correct terminology, it also means using it appropriately and explaining computer terms with simple, everyday language and examples.

- Computer systems are composed of hardware, software, and firmware.
- Hardware is something you can touch and feel; the physical computer itself is an example of hardware
- Software is the operating system and applications that make the hardware work; the software provides instructions for the hardware to carry out. Examples are: Windows XP, Microsoft Office, Adobe Acrobat Reader, and WordPerfect.
- The *operating system* is an important piece of software that coordinates
 the interaction between hardware and software applications, as well as
 the interaction between a user and the computer. Operating system
 examples include: DOS, Windows 98, NT Workstation, Windows 2000,
 Windows XP, and Unix.


- A device driver is a special piece of software designed to enable a hardware component. The device driver allows the operating system to see, control, and use the hardware component. Its both hardware and operating system specific and is required by each piece of installed hardware for the operating system being used.
- Firmware combines hardware and software into important chips inside the
 microcomputer that can be touched and felt like hardware, but have software
 written into them. An example is the ROM (Read Only Memory) chip. These are
 electronic chips that have software in them all the time.
- A *microcomputer*, also called a computer or PC, is a unit that performs tasks using software and comes in three basic models:
 - 1. A *desktop* model that normally sits horizontally on top of a desk.
 - 2. A tower model that sits vertically under a desk.
 - 3. A *laptop* model, which is portable.

A fourth type is a handheld computer called a *PDA* (*Personal Digital Assistant*), these computers are like electronic organizers for managing schedules, contacts, phone numbers, taking notes, exchanging e-mail, etc., and are becoming very popular.

- The microcomputer consists of:
 - A case (chassis).
 - A keyboard that allows users to communicate with the computer.
 - A monitor that displays information.
 - A mouse that allows data input or is used to select menus or options.
- The two types of keyboard are mechanical and capacitive.
- The mechanical keyboard is:
 - The cheapest and most common.
 - Has mechanical switches that close when a key is depressed.

- The capacitive keyboard is:
 - More expensive, but also more reliable.
 - Uses a change in capacitance to detect when a key is being depressed.
 - Usually the quieter of the two keyboards.

Introduction Figure 1: Hardware and Software



INTRODUCTION – FIGURE #1

Introduction Figure 2: PDA



INTRODUCTION – FIGURE #2

Desktop computer




Desktop computer




- Internal components of the computer include:
 - power supply Converts AC voltage from the wall outlet to DC voltage the computer can use, supplies DC voltages for internal computer components and has a fan to keep the computer cool.
 - floppy drive Common storage device that allows data storage to
 floppy disks (storage media) which can be used in other computers.
 - hard drive Or hard disk, is a common storage device for maintaining files inside the computer, usually mounted below or beside the floppy drive.
 - CD drive Holds disks (CDs) that have data, music, or software applications.
 - DVD (Digital Versatile Disk) drive Popular alternative to a CD drive that supports CDs as well as music and video DVDs.

Desktop Computer with Hard Drive, Floppy Drive, CD Drive, and Power Supply




Introduction – Figure #5

Tower Computer with Hard Drive, Floppy Drive, DVD Drive, and Power Supply




Introduction – Figure #6

Motherboard with Expansion Slots and Adapter



- More internal components of the computer are:
 - Motherboard The main circuit board that contains most of the electronics and is the largest electronic circuit board in the computer, all computer components connect to, or communicate through, the motherboard.
 - Adapters Smaller electronic circuit cards that normally plug into an expansion slot on the motherboard allowing other devices to interface with the motherboard, they also may control some devices.
 - Expansion slot A special connector on the motherboard that allows an adapter to plug in and connect to the motherboard.
 - Riser board A small board with expansion slots that plugs into the motherboard and allows adapters to connect at a different angle.


Microcomputer with Riser Board and One Adapter



Introduction – Figure #8

- Internal components of the computer also include:
 - Memory This important component holds applications, part of the operating system, and user documents or images; types are:
 - RAM (Random Access Memory)- volatile memory (loses data inside the chips when power is shut off) that holds applications and user data while the computer is operating.
 - ROM (Read-Only Memory)- non-volatile memory (retains data when power is shut off).
 - ROM BIOS- an important chip on the motherboard that holds the start-up software for the computer to operate, and software instructions for communication of the input/output devices and important hardware parameters.

RAM and ROM chips



- RAM and ROM chips come in four different styles:
 - DIP (Dual In-line Package).
 - DIMM (Dual In-line Memory Module).
 - RIMM (a memory module developed by Rambus).
- POST (Power On Self Test) Is part of the software contained in the
 motherboard BIOS that performs a basic test of the individual hardware
 components such as the motherboard, RAM memory chips, keyboard,
 floppy drive, and the hard drive when the computer is turned on with the
 power switch.


- Turning the computer on with the power switch for a computer that is not running is known as a *cold boot;* a user can use this technique when running POST is required to help diagnose a problem.
- A warm boot is performed when a computer that is already on is restarted without using the power switch. This can be accomplished by pressing the CTRL, ALT, and DEL keys at the same time, or pressing the computer's reset switch. This can be helpful when a technician has made changes to the files that execute when the computer powers on and needs these changes to take effect, it does not run POST.
- Other devices such as Zip drives, sound cards, and tape backup units
 can also be installed in a computer, but the most basic components are
 the monitor, keyboard, mouse, power supply, floppy drive, hard drive, CD
 drive, motherboard, and adapters.

- Port Is a connector on the motherboard or on a separate adapter that allows a device to connect to a computer; these may include keyboard, mouse, serial, parallel, network, sound, or video ports.
- Integrated motherboards Motherboards with ports built into them.
- Male ports Have pins that protrude out from the connector and require
 a cable with a female connector.
- Female ports Have holes in the connector to accept the male cable's pins.
- D-shell connector A connector with more pins or holes on the top row than on the bottom so a connected cable can only be attached in one direction and not accidentally connected the wrong way; generally represented with the letters DB and the number of pins such as, DB-9, DB-15, or DB-25.

- DIN connector Round with small holes and normally keyed; the keyboard and mouse are usually this type of connector with either 5 or 6 pins.
- Keyed A connector that has an extra metal (or plastic) piece or notch that matches an extra piece or notch on the cable, so it can only be installed one way.


The motherboard generally has a combination of DIN and D-shell connectors.

DIN and D-Shell Connectors




Video port —A three row, 15-pin female D-shell connector for newer VGA, SVGA, XGA, SXGA, or UXGA monitors.

Video Ports




 Parallel port – A 25-pin female D-shell connector used to connect a printer to a computer. Other parallel devices include tape drives, scanners, lomega's Zip drive, and external hard drives.

Parallel Port




 Serial port – (Also known as a COM port) can be a 9-pin male D-shell connector (most common), or a 25-pin male D-shell connector.

Serial Ports




- Mouse port Usually a smaller, keyed 6-pin DIN connector commonly known as a mini-DIN or PS/2.
- Keyboard port Normally a 6-pin mini-DIN like the one used for a mouse, but can be a larger 5-pin DIN on older computers or keyboards.
- **Bus mouse** A mouse used on a computer where the mouse port isn't built in to the motherboard, normally connected by a 9-pin DIN (D-shell).

5- and 6-Pin DIN Connectors



• **USB (Universal Serial Bus) port** – A 4-wire connector that allows up to 127 devices to connect and transmit data at either 480Mbps, 12Mbps or 1.5Mbps. All types of peripheral devices can connect including printers, scanners, cameras, keyboards, mice, and others. USB ports and devices can come in 3 versions – 1.0, 1.1, and 2.0.




Introduction – Figure #18

USB Ports Found on the Front of the Computer



Introduction – Figure #19

• **IEEE 1394 ports** – A serial technology developed by Apple Computer sometimes called the FireWire port. A 6-wire cable/port (4 for data, 2 for power) that connects up to 63 of all types of digital devices using cable lengths up to 14 feet at speeds of 100, 200, 400, 800, and 1200 Mbps.



Introduction – Figure #20


IEEE 1394 Adapter Ports



Introduction – Figure #21


- Network ports Used to connect a computer to other computers, including a server and are available in two types-Ethernet and Token Ring; a network cable connects to the network port.
- Ethernet These adapters are the most common type of network card with BNC, RJ-45 (most common today), a 15-pin female D-shell connector (sometimes called AUI), or any combination of all of them.
 - The BNC connector attaches to a thin coax cable.
 - The 15-pin D-shell (AUI) connector attaches to thick coax cable.
 - The RJ-45 connects to UTP (Unshielded Twisted Pair) cable.
- Game ports A 15-pin D-shell connector for attaching gaming devices like a joystick that is sometimes confused as a network connector.

Ethernet Ports




Token Ring – Have two different connectors, both RJ-45 or 9-pin female D-shell. May have a small green sticker with the numbers 4/16 on them, indicating the speeds (4Mbps and 16Mbps) the cards can run at. This is helpful with identification as these cards are sometimes confused with older video adapters.

Token Ring Ports



• Sound card – Or audio cards have several ports, but their main purpose is to convert digital computer signals to sounds (analog signals), or sounds to digital signals. They connect numerous types of devices, as well as the joystick/MIDI (or game) port – (see illustration).


Sound Card Ports



Introduction – Figure #25

• Modem – Connects a computer to a phone line and can be either and internal or external device. An internal modem has 2 RJ-11 connectors for connecting to phone lines; the one labeled *Line* connects to the phone jack in the wall of your home or office, the one labeled *Phone* allows you to connect a telephone (if there is only 1 RJ-11 connector it goes to the wall jack).

Internal Modem Ports



Being able to identify computer parts is a critical skill

Common Computer Ports

Port	Common Device(s)	Common Connector
Serial	External modem, mouse	Male DB-9
Video	Monitor	Female DB-15 (3 row)
Parallel	Printer	Female DB-25
Keyboard	Keyboard	6-pin mini-DIN
Mouse	Mouse	6-pin mini-DIN
Internal modem	Modem	Two RJ-11 jacks
USB	Printer, scanner, digital camera, CD/DVD drive	Туре А
IEEE 1394	Camcorder, camera, printer, CD/DVD drive, scanner, speaker	IEEE 1394 port
Network	N/A	RJ-45 jack

Introduction – Table #1


Pros

- Provides expandability because ports are built in and allow more room for expansion cards.
- Built in ports are faster than those on adapters.
- Computers are easier to set up because the manufacturer configures the ports.
- Systems with integrated motherboards are normally easier to troubleshoot.

Cons

- Motherboard must be replaced when one port goes bad, unless it supports disabling the faulty port.
- If ports cannot be disabled, there could be conflicts with adding expansion cards.

Integrated Motherboard Ports



Mouse Keyboard Two USB Ports

COM 1 Port

COM 2 Port

Speaker Line-In MIC-In Out