

SEL-2240 Axion Node

Summary

Sales Item Number	2240#CGVJ 
Special Spec	None RECONFIGURE (*SS*)
List Price	\$2,965.25 

Selected Options

SEL-2242 Backplane	Standard Overlay, 19-inch Panel Mount	+\$280.39
Conformal Coat	No	+\$0.00
Slot A Module	Empty (SEL-2241 RTAC Ordered Separately)	+\$0.00
Power Supply Voltage	None	+\$0.00
Ethernet Configuration	NA	+\$0.00
IEC 61850 GOOSE and MMS Server	No	+\$0.00
IEC 61850 MMS Client	No	+\$0.00
Web Human Machine Interface	No	+\$0.00
Slot B Module	SEL-2243 Power Coupler	+\$438.39
Power Supply Voltage	125/250 Vdc or 120/240 Vac	+\$0.00
Ethernet Configuration	10/100BASE-T	+\$0.00
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot C Module	SEL-2245-4 4CT/4PT AC Metering Module	+\$1,286.37
Power Supply Voltage	None	+\$0.00

Ethernet Configuration	None	+\$0.00
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot D Module	SEL-2244-4 32 Digital Input Module	+\$384.30
Digital Input Voltage	125 Vdc/Vac	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot E Module	SEL-2244-3 16 Digital Output Module	+\$287.90
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	Form A	+\$0.00
Slot F Module	SEL-2244-3 16 Digital Output Module	+\$287.90
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	Form A	+\$0.00
Slot G Module	None	+\$0.00
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot H Module	None	+\$0.00
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot I Module	None	+\$0.00
Digital Input Voltage	None	+\$0.00
Digital Output Configuration	None	+\$0.00
Slot J Module	None	+\$0.00
Digital Input Voltage	None	+\$0.00

Digital Output Configuration	None	+\$0.00
		Price Adder Total: +\$2,965.25

Downloads

Save and open the PDF files in Adobe Reader or Adobe Acrobat to view the layers panel. Opening a PDF file in a web browser window can cause the layers panel to be hidden.

Type	Files
DIMENSION	DWG (101.16 kB)
	PDF (110.22 kB)
FRONT,REAR	DWG (6.61 MB)
	PDF (7.39 MB)
INSTRUCTIONS	PDF (1,004.61 kB)