




Electrode Inputs




Power




ADS1299



ESP32




Other Inputs




Title: ADS1299 ESP32 EEG Module			
Size	Number	Revision: 1.0	
A2			
Date:	03/04/2026	Start of	
File:	C:\Users\EEG\Schematic\SchDoc	Drawn By:	


View from Top side (Scale 2.5:1)




View from Bottom side (Scale 2.5:1)



Realistic View



Realistic View



A

B

C


D

E

1

1

Top Layer (Scale 2.5:1)



2

3

4

A

B

C

D

E

A

B

C

D

E

1

2

3

4

A


B

C

D

E

GND Layer (Scale 2.5:1)



A

B

C

D

E

1

1

Bottom Layer (Scale 2.5:1)

2

2

3

3

4

4


A

B

C

D

E



Layer Stack Legend

Material	Layer	Thickness	Dielectric Material	Type	Gerber
	Top Overlay			Legend	GTO
Surface Material	Top Solder	0.01mm	Solder Resist	Solder Mask	GTS
Copper	Top Layer	0.04mm		Signal	GTL
Prepreg		0.07mm	PP-006	Dielectric	
CF-004	GND Layer	0.02mm		Signal	G1
		0.32mm	FR-4	Dielectric	
CF-004	Power Layer	0.02mm		Signal	G2
Prepreg		0.07mm	PP-006	Dielectric	
Copper	Bottom Layer	0.04mm		Signal	GBL
Surface Material	Bottom Solder	0.01mm	Solder Resist	Solder Mask	GBS
	Bottom Overlay			Legend	GBO
Total thickness: 0.59mm					