EasyScript for Premiere Pro

Silence cut · transcription · speaker labeling · subtitles · translation · voice / music separation · beat markers — directly on your timeline. **Installation & User Guide — version 2.3**

1. Requirements

- **Adobe Premiere Pro 2022 or later** (macOS 13+ or Windows 10/11).
- About **9 GB** free: backend ~3 GB; models downloaded the first time each feature is used: Turbo transcription ~1.6 GB, voice / music separation ~0.9 GB, NLLB translation ~3 GB.
- EasyScript **runs on the GPU first**: Apple Silicon Macs (Metal) are fastest; on Windows an NVIDIA GPU speeds up transcription and any GPU (DirectML) speeds up speakers and separation. Computers without a GPU work too, just slower.
- Internet is needed the first time each feature is used, to download its model. After that everything runs **offline on your computer**.

2. Installation

The install folder contains the panel `EasyScript-Premiere.zxp` (the same file for Mac and Windows), a `backend/` folder, the automatic installers and this guide. **Quit Premiere completely** before installing.

Option 1 — Automatic install (recommended)

macOS: right-click `install-mac.command` → **Open** → **Open** (macOS asks the first time). The script installs the panel and the backend.

Windows: double-click `install-win.bat` (if blocked: right-click → **Run as administrator**).

Option 2 — Manual install with the ZXP file

1. **Install the panel:** open `EasyScript-Premiere.zxp` with a ZXP installer such as **ZXP Installer** (aescripts) or **Anastasiy's Extension Manager** (both free, for Mac and Windows): drag the .zxp onto the installer window.
2. **Copy the backend:** copy **everything inside** the `backend/` folder to the path below (create the folders if needed). Nothing to build or install — the backend is ready to run.

System	Path	Afterwards this file must exist
macOS	`~/.easyscript/backend`	`~/.easyscript/backend/EasyScript-backend`
Windows	`%USERPROFILE%\.easyscript\backend`	`…\.easyscript\backend\EasyScript-backend.exe`

   The `.easyscript` folder is hidden: on a Mac press **Cmd + Shift + G** in Finder and type `~/.easyscript`; on Windows type `%USERPROFILE%\.easyscript` in File Explorer's address bar.
3. **macOS only:** open **Terminal** and run this so macOS lets the backend start (required for downloaded / unzipped files):
   `xattr -dr com.apple.quarantine ~/.easyscript/backend`

> Copy the **contents** of `backend/`, not the folder into itself (wrong: `.easyscript/backend/backend/…`). When updating, delete the old backend folder first, then copy the new one.

> Open the panel: **Window** → **Extensions** → **EasyScript**. The panel **starts the backend automatically** (the badge shows **Connecting** → **Connected**). The first use of each feature downloads its model (needs internet, takes a few minutes).

3. Workflow

The top of the panel holds the audio source and the waveform; below are 3 tabs: **Cut** (silences), **Transcript** (transcription, speakers, subtitles, translation) and **Beats** (beat markers).

Step	What to do
1 Source	Select a **clip** on the timeline (or set **In/Out** points, or use the whole sequence) and click **Load audio**. The waveform appears; scroll to zoom, drag to pan, click to move the playhead.
2 Separate voice / music NEW	Click **Separate voice / music…** → **Voice only** (music removed — for transcription) or **Music only** (voice removed — for beats). The separated audio replaces the original in the waveform, playback, transcription and Beats; **Original | Voice | Music** switches instantly. The first run downloads a ~870 MB model.
3 Put it on the timeline NEW	**Import voice / music to timeline** places the separated audio **at its original timecode** on the first audio track that is empty for that whole range (it never overwrites existing audio and skips locked tracks). If every track has audio there, the panel adds a new track. The file is saved in `EasyScript/Stems` **next to the project file** (.prproj) and in the project bin **EasyScript Stems**.
4 Detect silence	**Cut** tab: find silences, adjust padding / dB threshold / minimum length and preview them on the waveform.
5 Cut	**Apply cut** edits the timeline directly. **Cut to new sequence** builds a new, cut sequence in one step (recommended for long videos; the original stays untouched). The XML is saved in an `EasyScript` folder **next to the project file**, then imported and opened. The panel keeps both the original and the new sequence: switch between them freely, **no need to load the audio again** — back on the original you can still **Apply cut**.
6 Transcribe	**Transcript** tab: choose the **Model** (default **Turbo** — accurate and fast) and **Language**. **Vocabulary**: enter names, brands and terms to recognise them better. For songs / videos with background music, separate **Voice only** first (or turn on **Song mode**) for cleaner text.
7 Speakers	Speaker labeling — **no account or token needed**. A line spoken by two people is split exactly where the speaker changes. Click a speaker tag to **rename**, **move the line to another speaker** or create a new one; giving two speakers the same name merges them.
8 Voice memory	When you rename a speaker (e.g. "Speaker A" → "Anna"), that voice is saved. In later videos the person is **recognised automatically** (✓ next to the name). Manage saved voices in Settings.

9 Tag speaker	Cuts clips where the speaker changes, names and colours them per speaker. **New sequence — exact**: builds a new sequence, frame-exact, music / B-roll untouched. **In place**: edits the open sequence.
10 Subtitles	**Make subtitle** creates captions on the timeline (original + any translations). **Export SRT** saves a file. Line breaks follow the Segments "Display mode"; timing comes from word timestamps.
11 Translate	Segments → **Translation** tab: add target languages and click Translate. Choose the engine in Settings (NLLB-200 offline, Ollama, Hy-MT2 or Claude API).
12 Beats	**Beats** tab: detect the beat (best on **Music only**), choose the marker spacing (1/4 beat → 4 bars), review on the waveform, then add markers. **Add to → Timeline**: sequence markers. **Add to → Selected clip**: markers on the **clip selected in the timeline** (e.g. the music you just imported), moving with it; with nothing selected, on the clip of the audio loaded in the panel.

4. Settings (⚙ button)

- **Export folder**: where SRT files are saved. XML files (Cut to new sequence, Tag speaker) and imported voice / music go to an `EasyScript` folder **next to the project file** — to the Export folder only while the project is unsaved. Keep those files while a project uses them.
- **Speakers**: saved voices (delete any of them). "Speaker options" in the Transcript tab: known number of speakers, sensitivity, speed, recognise saved voices.
- **Translation**: choose the engine. **NLLB-200** runs offline: click **Download** once (~2.4 GB, then optimised for your computer); Ollama / Hy-MT2 run locally; Claude API needs an API key.

5. Troubleshooting

Problem	Fix
"EasyScript" is missing from Extensions	Option 1: run the installer again. Option 2: reinstall the .zxp with the ZXP installer. Then **quit & reopen Premiere**.
The badge stays **Offline**	The backend isn't running. Check the backend file is at the path in section 2 (Option 2). On a Mac, run the `xattr` command above again. Then close and reopen the panel. The first start can take a few minutes.
First Speakers / Separate run is slow	Normal: the model is downloaded and loaded the first time. Later runs are fast.
Separation is slow	Without a GPU it runs on the CPU (a few times the audio length). The progress line shows the device (e.g. **GPU · Metal**, **GPU · DirectML**, **CPU**).
Import to timeline added a new track	By design: every audio track already had audio in that range (or was locked), so a track was added instead of overwriting.

"Selected clip" markers landed on the wrong clip	Select the clip to mark in the timeline before clicking **Add markers**. The status line names the clip that was marked.
Wrong number of speakers	Set **Known speakers** or change **Sensitivity** in "Speaker options"; fix lines by hand by clicking the speaker tag.

Note: EasyScript never modifies your source files. Cuts and renames apply to timeline clips; separated voice / music are new files. You can Undo (Cmd/Ctrl + Z) at any time.

EasyScript for Premiere Pro — User Guide. © EasyScript. All rights reserved.