

EasyScript for Premiere Pro

Silence cut · transcription · speaker labeling · subtitles · translation · beat markers — directly on your timeline.

Installation & User Guide — version 2.2

1. Requirements

- **Adobe Premiere Pro 2022 or later** (macOS or Windows 10/11).
- About **8 GB** free: backend ~3 GB, Turbo transcription model ~1.6 GB (downloaded on first use), NLLB translation model ~3 GB (only if used).
- Fastest on Apple Silicon Macs or Windows PCs with an NVIDIA GPU. Computers without a GPU work too (slower).
- Internet is needed the first time to download models. After that everything runs **offline on your computer**.

2. Installation

The folder you received contains `EasyScript-Premiere.zip`, a `backend/` folder, the installers and this guide.

macOS

1. **Quit Premiere completely** (Cmd + Q).
2. Right-click `install-mac.command` → **Open** → **Open** (macOS asks the first time).
3. The script enables extensions and installs the panel and backend. Then reopen Premiere.

Windows

1. **Quit Premiere**.
2. Double-click `install-win.bat` (if blocked: right-click → **Run as administrator**).
3. When it finishes, reopen Premiere.

Open the panel: **Window** → **Extensions** → **EasyScript**. The panel **starts the backend automatically** (top corner shows **Connecting** → **Connected**). The first transcription / translation downloads its model (needs internet, takes a few minutes).

3. Workflow

The panel has 3 tabs: **Cut** (silences), **Transcript** (transcription, speakers, subtitles, translation) and **Beats** (music beat markers).

Step	Action
1 Source	Select a clip on the timeline (or set In/Out , or use the entire timeline) and click Load audio . Scroll to zoom the waveform, drag to pan, click to move the playhead.
2 Detect silence	Cut tab: find silences, tune padding / dB threshold / minimum length and preview them on the waveform.

3 Cut	Apply cut edits the timeline directly. Cut to new sequence builds a new, already-cut sequence in one step (recommended for long videos; the original stays untouched).
4 Transcribe	Transcript tab: pick the Model (default Turbo — accurate and fast) and Language . Vocabulary : type names, brands or terms so they are recognised correctly.
5 Speakers	Identify who is speaking — no account or token needed . Lines where two people talk are split at the right word. Click a speaker tag to rename , move the line to another speaker or create a new one; giving two speakers the same name merges them.
6 Voices	When you rename a speaker (e.g. "Speaker A" → "Lan") their voice is saved; in later videos that person is recognised automatically (✓ next to the name). Manage saved voices in Settings.
7 Tag speaker	Cuts clips where the speaker changes and names / colours each clip per speaker. New sequence — exact : builds a new sequence, frame-exact, music / B-roll untouched. In place : edits the open sequence.
8 Subtitles	Make subtitle creates captions on the timeline (original + translations). Export SRT saves a file. Line breaks follow the Segments "Display mode", timed by word.
9 Translate	Segments → Translation tab: add target languages and click Translate. Choose the translator in Settings (NLLB-200 offline, Ollama, Hy-MT2 or Claude API).
10 Beats	Beats tab: detect the beat, choose marker spacing (1/4 beat → 4 bars), preview on the waveform, then add markers to the clip or the timeline.

4. Settings (⚙ button)

- **Export folder**: where SRT / XML files are saved.
- **Speakers**: saved voices (delete any of them). "Speaker options" in the Transcript tab: known number of speakers, sensitivity, speed, recognise saved voices.
- **Translation**: choose the translator. **NLLB-200** runs offline: click **Download** once (~2.4 GB, then it optimises itself for your computer); Ollama / Hy-MT2 run locally; Claude API needs an API key.

5. Troubleshooting

Symptom	Fix
"EasyScript" missing from Extensions	Run the installer again, then quit & reopen Premiere .
Panel stays Offline	The backend isn't running. Close and reopen the panel (it starts the backend). The first start can take a few minutes.
First Speakers run is slow	Normal: the model loads the first time (~10–20 s). Later runs are fast.

First transcription / translation is slow	The model is downloading (needs internet). Only once.
Wrong number of speakers	Set Known speakers or change Sensitivity in "Speaker options"; fix lines by clicking the speaker tag.

Note: EasyScript never modifies your source files. All cuts/renames apply to clips on the timeline — you can Undo (Cmd/Ctrl + Z) at any time.