
Local Storage m It - may - ) web developen Estere data on vier browner I sciose promiser villata penists vieven after -> user -> toon of composer of Perfect W) Service Dara v) forminger All done sus User's Mannine (50) No need - Server side Database If How to me? (1) remove Item us Use Local Storage Object methods - 192+Item Local Copendon

Bependon

Browner Store of Idata Thomas n) Set Item in local Storage. Egneo 1e Zseripts Let p1 = document geterement By Id ("p1"); Mano Met p2 =document. gotetement By Id ("p2"); noll //set an Ham In local Storage Localstorage · Set Them l'username, (Manus); 9/P Mano The Item MRetrieve Hem Arom local Storage has been pli inner HTML = Store Trem; (use mane); pl. Inner HTML = Store Frem; ) (console log (store Frem); // Mann MRemore an item from local storage Joca 15torage : remove Item l'usernames); Const removed I tem = local Storage get I tem ('wer name!); of (removed How = = noil) 9 3 P2. Innutral = The Item has been removed 1;



## LocalStorage Vs SessionStorage

## localStorage:

- Data stored in localStorage persists even after the browser is closed and reopened.
- The data is available across all tabs and windows of the same origin (i.e., protocol, domain, and port).
- The data can be accessed by any JavaScript code on the same domain.

## sessionStorage:

- Data is only persists for the duration of the user's session on a specific tab.
- The data is only available to the page that created it and is not shared across tabs or windows of the same origin.
- The data can be accessed by any JavaScript code running on the same page that created it.