(D) Opacry. to Specifics the opacity A ramparancy of an element & Can take a value from Lower value, More Trans proces Opacity would Cg 17 (DocType would thead > (snyle) sing 19 opacity: 0.5; (wany) Mopacity: 1000-1 & default · ling 2 g opacity: 0.1; 1/heady (body) (ing class "ing" Src 5 " . / Surges - FOR css / Imageous of pegli widon = "170 helget = 100} (64) (647 svc=".../smages - FOR - ccs / gmage002. peg " (/body) Widen = 170 height=100} (/while Eg27 The opacity property is used logature with shown selector Change the opacity on mouse -over. (Doctype hamy tuity
(he ad }
(single)
lingly
opacity: 0.4 Chamin (he ad) (body) (ing ore = ". AMAGES - FOR LESS / Amageous. jpeg" wider = 170 height=100) (ing sie = "- /sontges-For css /Jungeous webp" width=170 height=100) Ling src = " (Images for ces/enidey webp Ub ody) (Int out)

- Iram parent - bose band (1 DocTYPE wanty (hame > (head) (Style > div bacuground 9 bacugound: well. (Serages - FOR cos (Grageoozijag); Border: 2pu solld 17 black ; border - radius 20 per) margia: audo; Widde Teopse Dimportant div dvambores Margin: sopre; background - coloe; Daqua; border: Ign solid O blace; opacity :0.3, border-radius : 20 per; X) Nork -1 & VIVST dis trambone pg Create Eding with marqin: sopu; - background fout - weight; bold; - 1 border cola: Dbiacu; & Second text-align Center; areale (distincide fout-size: 30 pm; 18.1 (div) 26 Third 1/sayle> div - @ background Elhead > Lhody > =) border die is evan parent (div clare = "bacuground") > fourta Poliv class = "transpore" 7 add p inside Pp/ Thirds beautiful sea (pr to ampaveradio) (div) Vdi-> 4/bodyy Vicinity -) frans 50 2