
Menson	
in ces display type design to help us anaft ces ha	your quide early.
Dutrol the postestan, size, spæring of elements	relative to their panen
elements of each office.	
Manes it eavier to design flexible varpons.	ive layout etveture
without using float de posissioning.	
1) great for ves pous i al deriguing.	
n) has its own set of properties	
defines formatting contest which controls layo	otel -
is parent - duild vilationing.	
Kowlaine	
四一一一	
The Hours	ht 11 1
	中中
of flex -direction [] [] []	中中中
~ Now - renews	中山山
Column II	世世
revene	



1) align-conduct : " med to alogn the flex lines a conster @ all combined ton of properties of jose they contact - aliquiteum. Jostify-content: Aligns The flexible container items when the true do not use all available space ou main auis [ pg no [68] Perfect containing (pg no 171eg3) Sed both bastify contact 2) augu itam center of fler Her will be centured perfectly. flex to se would (! DocType would Khead > (Style) fler - contavner 9 display: flee ; oflen-consaine I div 9 background-color: Dio head , mangin: 10 per; padding; sopri, (Sagles Jond-sire: Sopa) (head) (body) (dir class: elfler-container") Polivy 1 clding Ediny 2 (tdin) Ediny 3 Wdiny (1 - 19) diver chied elements of the flexible container automatically becomes flexible Hours Up> -- 7 (/body ) 4umey

To eg 27 (Doctype wany flese - wrap would Chamit Thead? (style? flere container 19 display flere; flore - wrap : wrap; background-color: OBme; o flex-container 25 display : flex; flex -wrap! ; howrap; background -color DRine; odlex - consainer - 1 > div g background -color: Durned; widde : 100 pri; margin: 10 pris text-align: center; the height fipic; fout-size : 30 pr; · flese - constatue 2 2 divs bacupround - solar: Dured. Widter: 100 pre; Margin: 10 pm; dent - align : œuter; line - neight; As put fout -size: 30 pie Theads

(h3 Style = "dent-align: center" Try receing the browser window (h2). Magley (div) 6 (div) Colors of Clairs (/diu)

(bus (ben) (hs) flexurap: nowrap; (hs) (div) 5 (div) (/div) (lutary) (1 DOCTYPE WILL) (with) (head? (Style) - display : flex; Justity - condent: center; align- Heurs-Center height: 300pm y background-color: 1 bme; background - color: Dblack; Color. Awhite. widths 150 pri, height: loopin; Eleads The (body) (div class = "flex-condainer") (div's Perfect CENTERING - 1/div) Mody 9 thane)

Can refer tue

Properties order of Specify treorder of flex means

Can refer tue

Prese-smaine Idefalant:0

Plexe-smaine Vice versa of (flex-graw)

The paris defaund:1 Can refer tu diagram in pguo167) Specify fortal length of flese Helm. -) Specifics alignment fortue Selected irem inside flexible Shower frengrow flere flere property Summer banks. Contavner. alignment set by container's allquitums property.