

[Explore](#)

Demo API

Versions 1.0 OAS 3.0

[/v3/api-docs](#)

Spring Boot RestFul API Demo by Chaand

[Terms of service](#)[StudyEasy - Website](#)[Send email to StudyEasy](#)[Apache 2.0](#)

Servers

[Authorize](#)

Auth Controller

Controller for Account management

**PUT** **/api/v1/auth/users/{user_id}/update-authorities** Update authorities**PUT** **/api/v1/auth/profile/update-password** Update profile**Parameters**[Cancel](#)[Reset](#)

No parameters

Request body required

application/json

```
{
  "password": "Password123"
}
```

Execute

Clear

Responses

Curl


```
curl -X 'PUT' \
'http://localhost:8080/api/v1/auth/profile/update-password' \
-H 'accept: application/json' \
-H 'Authorization: Bearer eyJraWQwIjYMTG0yMkZC0yNWU2LTQ3NTctYmQ2ZS1kOTIwNjUzMjljYjEiLCJhbGciOiJSUzI1NiJ9.eyJpc3MiOiJzZWxmIiwic3ViIjc' \
-H 'Content-Type: application/json' \
-d '{
```

```
"password": "Password123"
},'
```

Request URL

http://localhost:8080/api/v1/auth/profile/update-password

Server response



403 Error: response status is 403

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Mon,12 Aug 2024 05:14:21 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
www-authenticate: Bearer error="insufficient_scope",error_description="The request requires higher privileges than provided by the access token.",error_uri="https://tools.ietf.org/html/rfc6750#section-3.1"
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-xss-protection: 0
```

Responses

Code	Description	Links
200	<div>Update profile</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>{ "id": 0, "email": "string",</div>	No links

Code	Description	Links
401	<div><pre>"authorities": "string"</pre></div> <div>Token missing</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "email": "string", "authorities": "string"}</pre></div>	No links
403	<div>Token Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "email": "string", "authorities": "string"}</pre></div>	No links
POST	/api/v1/auth/users/add Add a new User	⌵
POST	/api/v1/auth/token	⌴
Parameters		Cancel Reset
No parameters		

Request body required

application/json

```
{  
  "email": "user@user.com",  
  "password": "Password12"  
}
```



Execute

Clear

Responses**Curl**

```
curl -X 'POST' \  
  'http://localhost:8080/api/v1/auth/token' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "email": "user@user.com",  
    "password": "Password12"  
  }'
```

Request URL

http://localhost:8080/api/v1/auth/token

Server response

Code **Details****400** Error: response status is 400*Undocumented***Response body**

```
{  
  "token": null  
}
```

[Download](#)**Response headers**

```
cache-control: no-cache,no-store,max-age=0,must-revalidate  
connection: close  
content-type: application/json  
date: Mon,12 Aug 2024 05:13:52 GMT  
expires: 0  
pragma: no-cache  
transfer-encoding: chunked  
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers  
x-content-type-options: nosniff  
x-frame-options: SAMEORIGIN  
x-xss-protection: 0
```

Responses**Code** **Description** **Links****200** OK*No links*

Media type

Controls Accept header.

Example Value Schema

```
{  
  "token": "string"  
}
```

**GET** **/api/v1/auth/users** List user api**Parameters****Cancel**

No parameters

Execute**Clear****Responses****Curl**

```
curl -X 'GET' \  
  'http://localhost:8080/api/v1/auth/users' \  
  -H 'accept: application/json' \  
  -H 'Authorization: Bearer eyJraWQiOiIyMTg0YmFkZC0yNWU2LTQ3NTctYmQ2ZS1kOTIwNjU3MjIjYjEiLCJhbGciOiJSUzI1NiJ9.eyJpc3MiOiJzZWxmIiwic3ViIjpc
```

Request URL`http://localhost:8080/api/v1/auth/users`**Server response****Code****Details****403** Error: response status is 403**Response headers**

```
cache-control: no-cache,no-store,max-age=0,must-revalidate  
connection: keep-alive  
content-length: 0  
date: Mon,12 Aug 2024 05:13:31 GMT  
expires: 0  
keep-alive: timeout=60  
pragma: no-cache  
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
```

Code

Details

```
www-authenticate: Bearer error="insufficient_scope",error_description="The request requires higher privileges than provided by the access token.",error_uri="https://tools.ietf.org/html/rfc6750#section-3.1"
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-xss-protection: 0
```

Responses

Code

Description

Links

200

List of users

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "email": "string",
    "authorities": "string"
  }
]
```

401

Token missing

No links

Media type

application/json

Example Value Schema

```
[
  {
    "id": 0,
    "email": "string",
    "authorities": "string"
  }
]
```

403

Token Error

No links

localhost:8080/swagger-ui/index.html#/Auth Controller/delete profile 9/14

http://localhost:8080/api/v1/auth/profile

Server response

Code	Details
403	<div>Error: response status is 403</div> <div>Response headers</div> <div>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0 date: Mon,12 Aug 2024 05:14:34 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers www-authenticate: Bearer error="insufficient_scope",error_description="The request requires higher privileges than provided by the access token.",error_uri="https://tools.ietf.org/html/rfc6750#section-3.1" x-content-type-options: nosniff x-frame-options: SAMEORIGIN x-xss-protection: 0</div>

Responses

Code	Description	Links
200	<div>View profile</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>{ "id": 0, "email": "string", "authorities": "string" }</div>	No links
401	<div>Token missing</div> <div>Media type</div>	No links

Code	Description	Links
	<div>application/json</div> <div>Example Value Schema</div> <pre>{ "id": 0, "email": "string", "authorities": "string"}</pre>	
403	Token Error	No links
	<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <pre>{ "id": 0, "email": "string", "authorities": "string"}</pre>	

DELETE /api/v1/auth/profile/delete Update profile**Parameters****Cancel**


No parameters

Execute

Clear

Responses

```
curl -X 'DELETE' \
'http://localhost:8080/api/v1/auth/profile/delete' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJraWQiOiIyMTg0YmFkZC0yNWU2LTQ3NTctYmQ2ZS1kOTIwNjUzMjllYyEiLCJhbGciOiJSUzI1NiJ9.eyJpc3MiOiJzZWxmIiwic3ViIjpc
```



http://localhost:8080/api/v1/auth/profile/delete

Code **Details**

200	<div><div><div>Response body</div><div>User delete</div></div><div>Download</div></div>
-----	--

Code	Description	Links
200	Update profile	No links
	Media type	

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><div>string</div></div>	
401	<div><div>Token missing</div><div>Media type</div><div><div>*/*</div></div><div><div>Example Value</div><div>Schema</div></div><div>string</div></div>	No links
403	<div><div>Token Error</div><div>Media type</div><div><div>*/*</div></div><div><div>Example Value</div><div>Schema</div></div><div>string</div></div>	No links

home-controller



GET /

Schemas**AuthoritiesDTO****AccountViewDTO****PasswordDTO****AccountDTO****UserLoginDTO****TokenDTO****ProfileDTO**