

Section Wrap Up – JWT OAuth2

```
spring.jpa.hibernate.ddl-auto=create-drop
```

change to


```
spring.jpa.hibernate.ddl-auto=create
```

This will create a new db or new schema every time it will start; app closes it won't destroy or drop everything.

DBeaver Download

URL: <https://dbeaver.io/download/>

This is the home page of DBeaver app



Database -> New Database connection -> Embedded section -> H2 Embedded v2

Click on next -> Give the path of the file -> where your db is located


Give username and password

Username: admin


Password: pass987

Click on Test connection -> for connection test

After clicking on Test Connection ; please update the latest driver ; download it and then error is fixed.



After that, you get like below screen



Data is present like below

The screenshot displays the DBeaver 24.1.4 interface with the 'ACCOUNT' table selected in the 'PUBLIC' schema of the 'db.mv.db' database. The table structure is as follows:

ID	EMAIL	PASSWORD	ROLE
1	user@user.com	\$2a\$10\$MVfVDg9NT0ALc0NwZ9KZm01FLO2XtMnjizxK	ROLE_USER
2	admin@admin.com	\$2a\$10\$MnaENV5bnfH6fXWrKsKAORMiIG5ihHjcoG8Z	ROLE_ADMIN

The interface includes a sidebar with a tree view of the database structure, a top menu bar, and a bottom status bar showing the current time as 12:25 PM on 8/7/2024.