

[Explore](#)

# Demo API

Versions 1.0 OAS 3.0

[/v3/api-docs](#)

Spring Boot RestFul API Demo by Chaand

[Terms of service](#)[StudyEasy - Website](#)[Send email to StudyEasy](#)[Apache 2.0](#)

## Servers

[Authorize](#)

## Auth Controller

Controller for Account management

**PUT** **/api/v1/auth/users/{user\_id}/update-authorities** Update authorities**PUT** **/api/v1/auth/profile/update-password** Update profile**Parameters**[Cancel](#)[Reset](#)

No parameters

**Request body** required

**application/json**

```
{
  "password": "Password12"
}
```



## Execute

**Clear**

## Responses

## Curl


```
curl -X 'PUT' \
'http://localhost:8080/api/v1/auth/profile/update-password' \
-H 'accept: application/json' \
-H 'Authorization: Bearer eyJraWQwIjYMTG0yMkZC0yNWU2LTQ3NTctYmQ2ZS1kOTIwNjUzMjljYjEiLCJhbGciOiJSUzI1NiJ9.eyJpc3MiOiJzZWxmIiwic3ViIjc' \
-H 'Content-Type: application/json' \
-d '{
```

```
"password": "Password12"
},'
```

Request URL

http://localhost:8080/api/v1/auth/profile/update-password

Server response



200

Response body

```
{
  "id": 1,
  "email": "user@user.com",
  "authorities": "USER"
}
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Mon,12 Aug 2024 05:08:10 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-xss-protection: 0
```

Responses

Code	Description	Links
200	<div>Update profile</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div>	No links

Code	Description	Links
	<pre>{  "id": 0,  "email": "string",  "authorities": "string"}</pre>	
401	<div>Token missing</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <pre>{  "id": 0,  "email": "string",  "authorities": "string"}</pre>	No links
403	<div>Token Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <pre>{  "id": 0,  "email": "string",  "authorities": "string"}</pre>	No links
POST	/api/v1/auth/users/add Add a new User	▼
POST	/api/v1/auth/token	^
Parameters		Cancel

No parameters

Request body **required**

application/json

```
{
  "email": "user@user.com",
  "password": "pass987"
}
```



Execute

Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/v1/auth/token' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "user@user.com",
    "password": "pass987"
  }'
```

Request URL

http://localhost:8080/api/v1/auth/token

Server response

Code

Details

400  
*Undocumented* Error: response status is 400

Response body

```
{
  "token": null
}
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: close
content-type: application/json
date: Mon,12 Aug 2024 05:09:23 GMT
expires: 0
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-xss-protection: 0
```

Responses

Code

Description

Links

200 OK *No links*

Media type

\*/\*

Controls Accept header.

Example Value Schema

```
{
  "token": "string"
}
```

Code	Description	Links
GET	/api/v1/auth/users List user api	
Parameters		<button>Cancel</button>
No parameters		
<button>Execute</button>		<button>Clear</button>
Responses		
<b>Curl</b> <pre>curl -X 'GET' \   'http://localhost:8080/api/v1/auth/users' \   -H 'accept: application/json' \   -H 'Authorization: Bearer eyJraWQiOiIyMTg0YmFkZC0yNWU2LTQ3NTctYmQ2ZS1kOTIwNjUzMjIjYjEiLCJhbGciOiJSUzI1NiJ9.eyJpc3MiOiJzZWxmIiwic3ViIjc'</pre>		
<b>Request URL</b>  http://localhost:8080/api/v1/auth/users		
<b>Server response</b>		
<b>Code</b>	<b>Details</b>	
403	Error: response status is 403  <b>Response headers</b>  cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0	

## Code

## Details

```
date: Mon,12 Aug 2024 05:09:07 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
www-authenticate: Bearer error="insufficient_scope",error_description="The request requires higher privileges than provided by the access token.",error_uri="https://tools.ietf.org/html/rfc6750#section-3.1"
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-xss-protection: 0
```

## Responses

## Code

## Description

## Links

200

List of users

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "email": "string",
    "authorities": "string"
  }
]
```

401

Token missing

No links

Media type

application/json

Example Value Schema

```
[
  {
    "id": 0,
    "email": "string",
    "authorities": "string"
  }
]
```



Code	Description	Links
403	<div><div>}</div><div>]</div><div>Token Error</div><div>Media type</div><div><div>application/json</div></div><div>Example Value   Schema</div><div><div>[</div><div>{</div><div>"id": 0,</div><div>"email": "string",</div><div>"authorities": "string"</div><div>}</div><div>]</div></div></div>	No links

**GET**   **/api/v1/auth/profile**   View profile**Parameters****Cancel**

No parameters

**Execute****Clear****Responses****Curl**

```
curl -X 'GET' \  
  'http://localhost:8080/api/v1/auth/profile' \
```

Request URL

## Server response

Download

Code	Description	Links
200	<div>View profile</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls <b>Accept</b> header.</div> <div><div>Example Value</div><div>Schema</div></div>	No links

Code	Description	Links
	<pre>{   "id": 0,   "email": "string",   "authorities": "string" }</pre>	
401	Token missing  Media type <div>application/json</div> Example Value Schema <pre>{   "id": 0,   "email": "string",   "authorities": "string" }</pre>	No links
403	Token Error  Media type <div>application/json</div> Example Value Schema <pre>{   "id": 0,   "email": "string",   "authorities": "string" }</pre>	No links

**DELETE** /api/v1/auth/profile/delete Update profile



## home-controller



**GET** /



**Schemas****AuthoritiesDTO****AccountViewDTO****PasswordDTO****AccountDTO****UserLoginDTO****TokenDTO****ProfileDTO**