Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 169

8 kyu **Define a card suit**

157 78 93% of 2,299 8,582 of 20,529 Dmitry Kudla

Instructions | Output | Past Solutions

Time: 458ms Passed: 104 Failed: 0

Test Results:

Tests

Basic Test Cases (4 of 4 Assertions)

Random Tests

Completed in 5.72ms

You have passed all of the tests! :)

Python 3.11 VIM EMACS

Solution

```python
from preloaded import DECK

def define_suit(card):
    card_type = {
        "C": "clubs",
        "D": "diamonds",
        "H": "hearts",
        "S": "spades"
    }

    return card_type[card[-1]]
```

Correct! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import define_suit

@test.describe("Sample Tests")
def _():
    @test.it('Basic Test Cases')
    def _():
        test.assert_equals(define_suit('3C'), 'clubs', "Expected 'clubs'")
        test.assert_equals(define_suit('QS'), 'spades', "Expected 'spades'")
        test.assert_equals(define_suit('9D'), 'diamonds', "Expected 'diamonds'")
        test.assert_equals(define_suit('JH'), 'hearts', "Expected 'hearts'")
```

SKIP VIEW SOLUTIONS DISCUSS (27) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 169

8 kyu **CSV representation of array**

364 107 91% of 2,369 6,505 of 20,894 Dmitry Kudla

Instructions | Output | Past Solutions

Time: 531ms Passed: 103 Failed: 0

Test Results:

Basic tests

[[0, 1, 2, 3, 45], [10, 11, 12, 13, 14], [20, 21, 22, 23, 24], [30, 31, 32, 33, 34]]

[[-25, 21, 2, -33, 48], [30, 31, -32, 33, -34]]

[[5, 55, 5, 5, 55], [6, 6, 66, 23, 24], [666, 31, 66, 33, 7]]

Completed in 0.23ms

Random Tests

[[98, -30, -82, 81, -91, 74, -71, -38, -61, -34], [-62, 42, -13, -61, -5], [4, -32, 96], [-66, 52], [99, -82, -74, 28, 34, -83, 22, -17], [-74, -84, 98, -88, 22, -6, -14, -78], [63, 82, -26, 22, 72, 92, 46, -69, -21, -25], [-67, 22, 34, 66, 98, 3, -9, -91, -35, 65], [-50, 1, 8, 37, -60], [8, 25]]

[[5, 26, 50, -51], [-98, -96, -70, 54], [-18, 89, 50, -49], [-42, -98]]

[[56, -68, -14, -75], [-42, 42, -30, 21, 70, -42, 28, -11, 44, 14], [-43, -7, 2]]

[[-88, 98, 15, -62, 5], [-25, 52, -41, -38]]

[[20, -9, -82, 33, 53, 22, 88, 63], [30, 36, -88, 4, 91, -98, -50, -66], [-95, 74, -85, 91, 81, -29, -49, -3, 78], [-89, -6, 76, -44, -43, -19, 100, 6, -97], [-20, -51, -63]]

[[-5, 96], [88, 17, -34], [7, -64, -48, -75, -30, -40, -97, -82], [47, -88, 64, -50, -23], [-44, 19, 23], [-74, 89, 6, 29, 91, -84, -91], [-71, -16, 85, -54, -99, 15, 43], [69, -94, -42, 87, -32, -29, -67], [-9, 50]]

[[52, 87, -64, 51, 77], [28, -38, -22, 52, -54, -39, -5, 13, 2, 29], [-8, 45, 48, 67, -19], [67, -45], [-42, -3, 62, -12, 37, -33, -81, -80, -68, -58], [-43, -1, -20], [54, -57, 44, -32, -36, 85, 1], [-65, 17, -79], [-99, -59, 22, -58, -63, -62, 33, 71]]

[[-81, 28, -36, -24, -16, -17, -73, -48, 78, 72], [43, -83, 64, -26], [23, 66, -26], [-50, 76, 3, 8, 75, -96, -63, -41, -88,

Python 3.11 VIM EMACS

Solution

```python
def to_csv_text(array):
    result = []
    for row in array:
        line = ",".join([str(x) for x in row])
        result.append(line)

    return "\n".join(result)
```

Good Job! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import to_csv_text

@test.it("Basic tests")
def _():
    test.assert_equals(
        to_csv_text([
            [0, 1, 2, 3, 45],
            [10, 11, 12, 13, 14],
            [20, 21, 22, 23, 24],
            [30, 31, 32, 33, 34]
        ]),
```

SKIP VIEW SOLUTIONS DISCUSS (46) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 169

8 kyu **A Strange Trip to the Market**

197 74 84% of 2,473 5,372 of 16,746 sergarrick 3 Issues Reported

Instructions Output

Time: 512ms Passed: 112 Failed: 0

Test Results:

Log

```
True
```

Fixed tests

- 'Your girlscout cookies are ready to ship. Your total comes to tree fiddy'
- "Howdy Pardner. Name's Pete Lexington. I reckon you're the kinda stiff who carries about tree fiddy?"
- "I'm from Scottland. I moved here to be with my family sir. Please, $3.50 would go a long way to help me find them"
- 'Yo, I heard you were on the lookout for Nessie. Let me know if you need assistance.'
- 'I will absolutely, positively, never give that darn Loch Ness Monster any of my three dollars and fifty cents'
- "Did I ever tell you about my run with that paleolithic beast? He tried all sorts of ways to get at my three dolla and fitty cent? I told him 'this is MY 4 dolla!'. He just wouldn't listen."
- 'Hello, I come from the year 3150 to bring you good news!'
- "By 'tree fiddy' I mean 'three fifty'"
- 'I will be at the office by 3:50 or maybe a bit earlier, but definitely not before 3, to discuss with 50 clients'
- 'tree fifty'
- 'three fiddy'
- ''

Completed in 0.42ms

Random tests

Python 3.11 VIM EMACS

Solution

```python
def is_loch_ness_monster(string):
    if "tree fiddy" in string or "3.50" in string or "three fifty" in string:
        return True
    else:
        return False

print(is_loch_ness_monster("Your girlscout cookies are ready to ship. Your total comes to tree fiddy"))
```

Great! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
tests = [
    ("Your girlscout cookies are ready to ship. Your total comes to tree fiddy", True),
    ("Howdy Pardner. Name's Pete Lexington. I reckon you're the kinda stiff who carries about tree fiddy?", True),
    ("I'm from Scottland. I moved here to be with my family sir. Please, $3.50 would go a long way to help me find them", True),
    ("Yo, I heard you were on the lookout for Nessie. Let me know if you need assistance.", False),
    ("I will absolutely, positively, never give that darn Loch Ness Monster any of my three dollars and fifty cents", False),
    ("Did I ever tell you about my run with that paleolithic beast? He tried all sorts of ways to get at my three dolla and fitty
    ("Hello, I come from the year 3150 to bring you good news!", False),
    ("By 'tree fiddy' I mean 'three fifty'", True),
    ("I will be at the office by 3:50 or maybe a bit earlier, but definitely not before 3, to discuss with 50 clients", False),
    ("", False)
]
for string, expected in tests:
```

SKIP UNLOCK SOLUTIONS DISCUSS (57) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 167

8 kyu **UEFA EURO 2016**

117 47 92% of 1,804 4,019 of 12,527 miagkovi 1 Issue Reported

Instructions Output Past Solutions

Time: 490ms Passed: 105 Failed: 0

Test Results:

Fixed tests

Basic Test Cases (5 of 5 Assertions)

Completed in 0.10ms

Random tests

- Testing for uefa_euro_2016(['Republic of Ireland', 'Belgium'],[4, 8])
- Testing for uefa_euro_2016(['Northern Ireland', 'Sweden'],[6, 3])
- Testing for uefa_euro_2016(['Northern Ireland', 'France'],[7, 2])
- Testing for uefa_euro_2016(['Italy', 'Republic of Ireland'],[1, 9])
- Testing for uefa_euro_2016(['Hungary', 'Iceland'],[5, 4])
- Testing for uefa_euro_2016(['Iceland', 'Albania'],[3, 8])
- Testing for uefa_euro_2016(['Albania', 'Russia'],[0, 4])
- Testing for uefa_euro_2016(['Czech Republic', 'Iceland'],[5, 8])
- Testing for uefa_euro_2016(['Albania', 'Turkey'],[9, 5])
- Testing for uefa_euro_2016(['Poland', 'Wales'],[7, 0])
- Testing for uefa_euro_2016(['France', 'Turkey'],[0, 7])
- Testing for uefa_euro_2016(['Northern Ireland', 'Italy'],[9, 4])
- Testing for uefa_euro_2016(['Austria', 'Spain'],[1, 3])
- Testing for uefa_euro_2016(['Albania', 'Switzerland'],[5, 1])

Python 3.11 VIM EMACS

Solution

```python
def uefa_euro_2016(teams, scores):
    if scores[0] == scores[1]:
        return f"At match {teams[0]} - {teams[1]}, teams played draw."
    else:
        return f"At match {teams[0]} - {teams[1]}, {teams[0] if scores[0] > scores[1] else teams[1]} won!"
```

Impressive! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import uefa_euro_2016

@test.describe("Fixed tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(uefa_euro_2016(['Germany', 'Ukraine'], [2, 0]), "At match Germany - Ukraine, Germany won!");
        test.assert_equals(uefa_euro_2016(['Belgium', 'Italy'], [0, 2]), "At match Belgium - Italy, Italy won!")
        test.assert_equals(uefa_euro_2016(['Portugal', 'Iceland'], [1, 1]), "At match Portugal - Iceland, teams played draw.")
        test.assert_equals(uefa_euro_2016(['Albania', 'Switzerland'], [1, 2]), "At match Albania - Switzerland, Switzerland won!"
        test.assert_equals(uefa_euro_2016(['Republic of Ireland', 'Sweden'], [0, 0]), "At match Republic of Ireland - Sweden, tea
```

SKIP VIEW SOLUTIONS DISCUSS (14) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 167

8 kyu **Name on billboard**

147 49 90% of 2,193 8,597 of 21,153 val_alex 5 Issues Reported

Instructions Output Past Solutions

Time: 510ms Passed: 112 Failed: 0

Test Results:

Code tests

No '*'

Completed in 0.16ms

Fixed tests

Test (11 of 11 Assertions)

Completed in 0.17ms

Random tests

Test (100 of 100 Assertions)

Completed in 6.41ms

You have passed all of the tests! :)

Python 3.11 VIM EMACS

Solution

```python
import operator

def billboard(name, price=30):
    return operator.mul(len(name), price)
```

Correctamundo! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import billboard

sample_test_cases = [
    # name                  price  expected
    (('Jeong-Ho Aristotelis',  ),   600),
    (('Abishai Charalampos',   ),   570),
    (('Idwal Augustin',        ),   420),
    (('Hadufuns John',       20),   260),
    (('Zoroaster Donnchadh',   ),   570),
    (('Claude Miljenko',       ),   450),
    (('Werner Vigi',         15),   165),
    (('Anani Fridumar',        ),   420),
```

SKIP VIEW SOLUTIONS DISCUSS (40) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 167

8 kyu **Dollars and Cents**

308 117 92% of 2,793 9,772 of 26,592 kolohelios 1 Issue Reported

Instructions Output

Time: 481ms Passed: 103 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (3 of 3 Assertions)

Completed in 0.06ms

Random Tests

amount = 509.33

amount = 39.66

amount = 98

amount = 338.62

amount = 91

amount = 27

amount = 864.81

amount = 908.73

amount = 90.96

amount = 91

amount = 48

amount = 1

amount = 94

amount = 989.29

Python 3.11 VIM EMACS

Solution

```python
def format_money(amount):
    return f"${float(amount):.2f}"
```

Correct! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import format_money

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(format_money(0), '$0.00')
        test.assert_equals(format_money(39.99), '$39.99')
        test.assert_equals(format_money(81), '$81.00')
```

SKIP UNLOCK SOLUTIONS DISCUSS (33) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 165

8 kyu **Name Shuffler**

307 122 93% of 3,844 18,169 of 46,607 debri

Python 3.11 VIM EMACS

Instructions Output

Time: 521ms Passed: 47 Failed: 0

Test Results:

- Fixed Tests
  - Basic Test Cases (7 of 7 Assertions)
    Completed in 0.09ms
- Basic tests
  - testing for name_shuffler("Tobias Alvarez")
  - testing for name_shuffler("Ryan Hill")
  - testing for name_shuffler("Bob Alvarez")
  - testing for name_shuffler("Augustus O'Reily")
  - testing for name_shuffler("Miguel Beecher")
  - testing for name_shuffler("Chris O'Reily")
  - testing for name_shuffler("Bob Keller")
  - testing for name_shuffler("Miguel O'Reily")
  - testing for name_shuffler("Chris Beecher")
  - testing for name_shuffler("Cyril O'Reily")
  - testing for name_shuffler("Augustus O'Reily")
  - testing for name_shuffler("Simon Rebadow")
  - testing for name_shuffler("Tim Hill")
  - testing for name_shuffler("Chris O'Reily")

Solution

```python
def name_shuffler(str_):
    return " ".join(str_.split()[::-1])
```

Correctamundo! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import name_shuffler

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(name_shuffler('john McClane'),'McClane john')
        test.assert_equals(name_shuffler('Mary jeggins'),'jeggins Mary')
        test.assert_equals(name_shuffler('tom jerry'),'jerry tom')
```

SKIP UNLOCK SOLUTIONS DISCUSS (29) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 163

8 kyu **Polish alphabet**

191 65 91% of 1,538 4,731 of 10,970 skibinska

Python 3.11 VIM EMACS

Instructions Output Past Solutions

Time: 544ms Passed: 111 Failed: 0

Test Results:

- Example Tests
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed
  - Test Passed

  Completed in 0.25ms
- Random Tests
  - Random Test Cases (100 of 100 Assertions)
    Completed in 5.71ms

You have passed all of the tests! :)

Solution

```python
def correct_polish_letters(st):
    polyak = {
        "ą": "a",
        "ć": "c",
        "ę": "e",
        "ł": "l",
        "ń": "n",
        "ó": "o",
        "ś": "s",
        "ź": "z",
        "ż": "z"
    }

    return "".join([polyak[char] if char in polyak else char for char in st])
```

Outstanding! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
@test.describe('Example Tests')
def example_tests():
    test.assert_equals(correct_polish_letters("Jędrzej Błądziński"),"Jedrzej Bladzinski");
    test.assert_equals(correct_polish_letters("Lech Wałęsa"),"Lech Walesa");
    test.assert_equals(correct_polish_letters("Maria Skłodowska-Curie"),"Maria Sklodowska-Curie")
```

SKIP VIEW SOLUTIONS DISCUSS (18) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 163

8 kyu **String Templates - Bug Fixing #5**

174 76 90% of 3,265 8,142 of 23,628 matt c 2 Issues Reported

Instructions Output

Time: 537ms Passed: 103 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (3 of 3 Assertions)

Completed in 0.09ms

Random Tests

Testing for build_string('Coding', 'Cheese', 'CodeWars', 'Rollercoasters', 'Anne', 'You', 'WaterMelons', 'Chocolate', 'Micky', 'Water')

Testing for build_string('CodeWars', 'Rollercoasters', 'Milk', 'Micky', 'Cheese')

Testing for build_string('Beach', 'Coding', 'Cheese', 'WaterMelons', 'Rollercoasters', 'You', 'CodeWars', 'Anne', 'Money', 'Micky', 'Chocolate', 'Water')

Testing for build_string('Water', 'CodeWars', 'Coding', 'Anne', 'Money', 'Rollercoasters', 'Micky', 'WaterMelons')

Testing for build_string('Coding', 'Micky', 'Chocolate', 'Beach')

Testing for build_string('Water', 'Rollercoasters')

Testing for build_string('Water', 'You', 'Milk', 'Cheese', 'Anne', 'CodeWars', 'Chocolate', 'Money', 'WaterMelons', 'Rollercoasters', 'Micky', 'Beach')

Testing for build_string('Cheese', 'Beach', 'You', 'Rollercoasters', 'Micky', 'Milk', 'Water', 'Coding', 'Anne', 'CodeWars', 'WaterMelons')

Testing for build_string('Rollercoasters', 'WaterMelons', 'Chocolate', 'Cheese', 'CodeWars', 'Milk', 'You', 'Money', 'Micky', 'Anne', 'Coding')

Testing for build_string('CodeWars', 'Water', 'WaterMelons', 'Chocolate', 'Anne', 'Money')

Python 3.11 VIM EMACS

Solution

```python
def build_string(*args):
    return f"I like " + ", ".join(args) + "!"
```

Correct! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import build_string

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(build_string('Cheese','Milk','Chocolate'), 'I like Cheese, Milk, Chocolate!', 'Return the correct Stri
        test.assert_equals(build_string('Cheese','Milk'), 'I like Cheese, Milk!', 'Return the correct String')
        test.assert_equals(build_string('Chocolate'), 'I like Chocolate!', 'Return the correct String')
```

SKIP UNLOCK SOLUTIONS DISCUSS (36) RESET TEST SUBMIT

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

6 kyu 161

8 kyu **Counting Characters**

13 4 87% of 330 1,411 of 2,628 smathu 1 Issue Reported

Instructions Output

Time: 553ms Passed: 104 Failed: 0

Test Results:

count test

basic tests (4 of 4 Assertions)

random tests (100 of 100 Assertions)

Completed in 6.20ms

You have passed all of the tests! :)

Python 3.11 VIM EMACS

Solution

```python
def count_char_occurrences(string, char):
    return string.count(char)
```

Good Job! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
@test.describe("count test")
def tests():
    @test.it("basic tests")
    def basic():
        test.assert_equals(count_char_occurrences("missippi", 'i'), 3)
        test.assert_equals(count_char_occurrences("feed", 'e'), 2)
        test.assert_equals(count_char_occurrences("aaaaaaaa", 'a'), 8)
        test.assert_equals(count_char_occurrences("quicksilver", 'z'), 0)
```

SKIP UNLOCK SOLUTIONS DISCUSS (15) RESET TEST SUBMIT